

DISTRICT 01

KLAMATH

DRINKING WATER MONITORING SCHEDULE

THE CALIFORNIA DEPARTMENT OF HEALTH SERVICES (CDHS) MONITORING SCHEDULE LISTS REQUIRED CONTAMINANT TESTING OF DRINKING WATER FOR PUBLIC WATER SYSTEMS IN CALIFORNIA. THE SCHEDULE INCLUDES REQUIRED UPCOMING TESTING, PAST DUE REQUIRED, AND WAIVED TESTING.

THIS INFORMATION IS VALID AS OF MAY 15, 2007.

UPDATES WILL BE REGULARLY PERFORMED REFLECTING CHANGES IN THE CDHS WATER QUALITY MONITORING DATABASE. THESE DOCUMENTS SHOULD BE CONSIDERED "DRAFT" IN THAT THEY MAY CHANGE WITH SUBSEQUENT UPDATES AS NEW DATA ARE SUBMITTED, OR AS MONITORING SCHEDULES ARE REVISED. THIS MONITORING SCHEDULE SHOULD NOT BE USED TO DETERMINE IF SYSTEMS ARE IN COMPLETE COMPLIANCE WITH MONITORING REQUIREMENTS. THE PURPOSE IS TO ASSIST SYSTEMS IN THEIR PLANNING FOR SAMPLING EVENTS, AND VERIFICATION OF SCHEDULED MONITORING WITH CDHS RECORDS.

THE TELEPHONE NUMBER FOR THE LOCAL DRINKING WATER OFFICE IS:

(530) 224-4800

Please be aware that the monitoring schedules do not reflect compliance with initial monitoring for newly regulated constituents (such as MTBE), or constituents that require special monitoring frequencies. Specifically, the Department's database is unable to accurately forecast the following for the Monitoring Schedules:

- (1) the initial monitoring required for MTBE;
- (2) the repeat monitoring frequency for radiological constituents: The frequency of long-term radiological monitoring will be reflected in the schedule upon completion of initial monitoring by the water system and review by CDHS Drinking Water staff. Guidance for conducting initial radiological monitoring was previously distributed to all community and NTNC water systems, and any questions should be referred to the appropriate CDHS Drinking Water district office;
- (3) the SOC frequency for large water systems serving over 3,300 people of 2 quarters every 3 years. In addition, if you have been advised of any increased monitoring that is not reflected in the Monitoring Schedule for a particular source, please contact your local Drinking Water District office

Some older data may not be present in the CDHS database, and these are indicated in the schedule as "DUE." If these samples were taken, have your laboratory submit the data. Since January 1, 2001, data have been required to be submitted directly to CDHS' via electronic data transfer (EDT).

If sampled after January 1, 2001, have your lab submit those data (and data prior to 2001 if possible) electronically as required to CDHS via EDT. Your laboratory can contact Anthony Meeks in the CDHS' Monitoring and Evaluation Unit at (916) 449-5568 or at edt@dhs.ca.gov for further information. Changes in the monitoring notification documents will be seen in the next update.

System Number / Name:**0800526 REDWOOD PARK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800526-003 WELL 03 - OUTSIDE - REPRESENTATIVE****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/08/24	.000	2015/08
ANTIMONY	01097	108	2001/05/10	.000	2010/05
ARSENIC	01002	036	2006/08/24	.000	2009/08
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2006/08/24	.000	2009/08
BERYLLIUM	01012	108	2001/05/10	.000	2010/05
CADMIUM	01027	036	2006/08/24	.000	2009/08
CHROMIUM (TOTAL)	01034	036	2006/08/24	.000	2009/08
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/08/24	.000	2009/08
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	036	2006/08/24	.000	2009/08
NICKEL	01067	108	2001/05/10	.000	2010/05
SELENIUM	01147	036	2006/08/24	.000	2009/08
THALLIUM	01059	108	2001/05/10	.000	2010/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/24	2.800	2007/08
NITRITE (AS N)	00620	036	2006/08/24	.000	2009/08

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/08/18 -	.440	2009/08
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800526 REDWOOD PARK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800526-003 WELL 03 - OUTSIDE - REPRESENTATIVE****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800526 REDWOOD PARK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800526-003 WELL 03 - OUTSIDE - REPRESENTATIVE****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/08/24	.000	2012/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/08/24	.000	2012/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/08/24	.000	2012/08
1,1,2-TRICHLOROETHANE	34511	072	2006/08/24	.000	2012/08
1,1-DICHLOROETHANE	34496	072	2006/08/24	.000	2012/08
1,1-DICHLOROETHYLENE	34501	072	2006/08/24	.000	2012/08
1,2,4-TRICHLOROBENZENE	34551	072	2006/08/24	.000	2012/08
1,2-DICHLOROBENZENE	34536	072	2006/08/24	.000	2012/08
1,2-DICHLOROETHANE	34531	072	2006/08/24	.000	2012/08
1,2-DICHLOROPROPANE	34541	072	2006/08/24	.000	2012/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/08/24	.000	2012/08
1,4-DICHLOROBENZENE	34571	072	2006/08/24	.000	2012/08
BENZENE	34030	072	2006/08/24	.000	2012/08
CARBON TETRACHLORIDE	32102	072	2006/08/24	.000	2012/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/08/24	.000	2012/08
DICHLOROMETHANE	34423	072	2006/08/24	.000	2012/08
ETHYLBENZENE	34371	072	2006/08/24	.000	2012/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/08/24	.000	2012/08
MONOCHLOROBENZENE	34301	072	2006/08/24	.000	2012/08
STYRENE	77128	072	2006/08/24	.000	2012/08
TETRACHLOROETHYLENE	34475	072	2006/08/24	.000	2012/08
TOLUENE	34010	072	2006/08/24	.000	2012/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/08/24	.000	2012/08
TRICHLOROETHYLENE	39180	072	2006/08/24	.000	2012/08
TRICHLOROFLUOROMETHANE	34488	072	2006/08/24	.000	2012/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800526 REDWOOD PARK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800526-003 WELL 03 - OUTSIDE - REPRESENTATIVE****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/08/24	.000	2012/08
XYLENES (TOTAL)	81551	072	2006/08/24	.000	2012/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2004/06/24	35.000	2013/06	
CALCIUM	00916	108	2004/06/24	4.900	2013/06	
CARBONATE ALKALINITY	00445	108	2004/06/24	< 1.000	2013/06	
CHLORIDE	00940	036	2004/06/24	5.500	2007/06	
COLOR	00081	036	2004/06/24	.000	2007/06	
COPPER	01042	036	2004/06/24	.000	2007/06	
FOAMING AGENTS (MBAS)	38260	036	2004/06/24	.000	2007/06	
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2004/06/24	18.000	2013/06	
HYDROXIDE ALKALINITY	71830	108	2004/06/24	< 1.000	2013/06	
IRON	01045	036	2004/06/24	.000	2007/06	
MAGNESIUM	00927	108	2004/06/24	1.500	2013/06	
MANGANESE	01055	036	2004/06/24	.000	2007/06	
ODOR THRESHOLD @ 60 C	00086	036	2004/06/24	.000	2007/06	
PH, LABORATORY	00403	036	2004/06/24	6.600	2007/06	
SILVER	01077	036	2004/06/24	.000	2007/06	
SODIUM	00929	108	2004/06/24	4.800	2013/06	
SPECIFIC CONDUCTANCE	00095	036	2004/06/24	63.000	2007/06	
SULFATE	00945	036	2004/06/24	2.600	2007/06	
TOTAL DISSOLVED SOLIDS	70300	036	2004/06/24	44.000	2007/06	
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036	2004/06/24	.000	2007/06	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800530 BEACHCOMBER RESTAURANT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800530-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/21	.000	2007/09
NITRITE (AS N)	00620	036	2006/09/21	.000	2009/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800530 BEACHCOMBER RESTAURANT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800530-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800530 BEACHCOMBER RESTAURANT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800530-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/19	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/19	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/19	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/19	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/19	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/19	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/19	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/19	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1988/04/19 <	.500	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/19	.000	WAIVED
BENZENE	34030	WAIVED	1988/04/19	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/19	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/19	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/19	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/19	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/19	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/19	.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/19	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/19	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/19	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/19	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800530 BEACHCOMBER RESTAURANT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800530-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/19	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/19	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800532 BIG ROCK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800532-001 SMITH RIVER INFILTRATION GALLERY****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	2005/11/01	<	.025	WAIVED
----------	-------	--------	------------	---	------	--------

INORGANIC

ALUMINUM	01105	108	2005/11/01		.000	2014/11
ANTIMONY	01097	108	2000/06/08		.000	2009/06
ARSENIC	01002	108	1999/09/28		.000	2008/09
ASBESTOS	81855	WAIVED	1999/09/28		.000	WAIVED
BARIUM	01007	108	1999/09/28		.000	2008/09
BERYLLIUM	01012	108	2000/06/08		.000	2009/06
CADMIUM	01027	108	1999/09/28		.000	2008/09
CHROMIUM (TOTAL)	01034	108	1999/09/28		.000	2008/09
CYANIDE	01291	WAIVED	1999/09/28		.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/11/01		.000	2014/11
LEAD	01051	WAIVED	1999/09/28		.000	WAIVED
MERCURY	71900	108	1999/09/28		.000	2008/09
NICKEL	01067	108	2000/06/08		.000	2009/06
SELENIUM	01147	108	1999/09/28		.000	2008/09
THALLIUM	01059	108	2000/06/08		.000	2009/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/20		.000	2008/02
NITRITE (AS N)	00620	036	2005/11/01		.000	2008/11

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/11/01	-	.130	2009/11
GROSS BETA	03501	WAIVED	WAIVED			WAIVED
RADIUM 226	09501	WAIVED	WAIVED			WAIVED
RADIUM 228	11501	WAIVED	WAIVED			WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED			WAIVED
TRITIUM	07000	WAIVED	WAIVED			WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED			WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800532 BIG ROCK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800532-001 SMITH RIVER INFILTRATION GALLERY****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	2005/11/01	.000	WAIVED
ATRAZINE	39033	WAIVED	2005/11/01	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	2005/11/01	.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800532 BIG ROCK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800532-001 SMITH RIVER INFILTRATION GALLERY****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	2005/11/01	.000	WAIVED
THIOBENCARB	A-001	WAIVED	2005/11/01	.000	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2007/02/20	.000	2013/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/02/20	.000	2013/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/02/20	.000	2013/02
1,1,2-TRICHLOROETHANE	34511	072	2007/02/20	.000	2013/02
1,1-DICHLOROETHANE	34496	072	2007/02/20	.000	2013/02
1,1-DICHLOROETHYLENE	34501	072	2007/02/20	.000	2013/02
1,2,4-TRICHLOROBENZENE	34551	072	2007/02/20	.000	2013/02
1,2-DICHLOROBENZENE	34536	072	2007/02/20	.000	2013/02
1,2-DICHLOROETHANE	34531	072	2007/02/20	.000	2013/02
1,2-DICHLOROPROPANE	34541	072	2007/02/20	.000	2013/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/02/20	.000	2013/02
1,4-DICHLOROBENZENE	34571	072	2007/02/20	.000	2013/02
BENZENE	34030	072	2007/02/20	.000	2013/02
CARBON TETRACHLORIDE	32102	072	2007/02/20	.000	2013/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/02/20	.000	2013/02
DICHLOROMETHANE	34423	072	2007/02/20	.000	2013/02
ETHYLBENZENE	34371	072	2007/02/20	.000	2013/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/02/20	.000	2013/02
MONOCHLOROBENZENE	34301	072	2007/02/20	.000	2013/02
STYRENE	77128	072	2007/02/20	.000	2013/02
TETRACHLOROETHYLENE	34475	072	2007/02/20	.000	2013/02
TOLUENE	34010	072	2007/02/20	.000	2013/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/02/20	.000	2013/02
TRICHLOROETHYLENE	39180	072	2007/02/20	.000	2013/02
TRICHLOROFLUOROMETHANE	34488	072	2007/02/20	.000	2013/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800532 BIG ROCK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800532-001 SMITH RIVER INFILTRATION GALLERY****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	072	2007/02/20	.000	2013/02
XYLENES (TOTAL)	81551	072	2007/02/20	.000	2013/02

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/11/01 -	1.400	2014/11
BICARBONATE ALKALINITY	00440	108	2005/11/01	76.000	2014/11
CALCIUM	00916	108	2005/11/01	6.700	2014/11
CARBONATE ALKALINITY	00445	108	2005/11/01 <	1.000	2014/11
CHLORIDE	00940	108	2005/11/01	3.300	2014/11
COLOR	00081	036	2005/11/01	3.000	2008/11
COPPER	01042	108	2005/11/01	.000	2014/11
FOAMING AGENTS (MBAS)	38260	108	2005/11/01 <	.050	2014/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/11/01	78.000	2014/11
HYDROXIDE ALKALINITY	71830	108	2005/11/01 <	1.000	2014/11
IRON	01045	108	2005/11/01	.000	2014/11
MAGNESIUM	00927	108	2005/11/01	15.000	2014/11
MANGANESE	01055	108	2005/11/01	.000	2014/11
ODOR THRESHOLD @ 60 C	00086	036	2005/11/01	4.000	2008/11
PH, LABORATORY	00403	108	2005/11/01	7.200	2014/11
SILVER	01077	108	2005/11/01	.000	2014/11
SODIUM	00929	108	2005/11/01	3.200	2014/11
SPECIFIC CONDUCTANCE	00095	108	2005/11/01	160.000	2014/11
SULFATE	00945	108	2005/11/01	5.100	2014/11
TOTAL DISSOLVED SOLIDS	70300	108	2005/11/01	100.000	2014/11
TURBIDITY, LABORATORY	82079	036	2005/11/01 <	.050	2008/11
ZINC	01092	108	2005/11/01	60.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800542 CRESCENT BEACH MOTEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800542-002 WELLS COMPOSITE - TREATED****Source Number: 002****Source Status: COMBINATION OR BLEND TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/07/20	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2000/07/20	.000	2001/07	DUE
NITRITE (AS N)	00620	036	2000/07/20	.000	2003/07	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800542 CRESCENT BEACH MOTEL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800542-002 WELLS COMPOSITE - TREATED

Source Number: 002

Source Status: COMBINATION OR BLEND TREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800542 CRESCENT BEACH MOTEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800542-002 WELLS COMPOSITE - TREATED****Source Number: 002****Source Status: COMBINATION OR BLEND TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800542 CRESCENT BEACH MOTEL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800542-002 WELLS COMPOSITE - TREATEDSource Number: **002**Source Status: **COMBINATION OR BLEND TREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2000/07/20	91.000	WAIVED
CALCIUM	00916	WAIVED	2000/07/20	10.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2000/07/20	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2000/07/20	12.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/07/20	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2000/07/20	70.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2000/07/20	< 1.000	WAIVED
IRON	01045	WAIVED	2000/07/20	5800.000	WAIVED
MAGNESIUM	00927	WAIVED	2000/07/20	11.000	WAIVED
MANGANESE	01055	WAIVED	2000/07/20	290.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2000/07/20	6.700	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2000/07/20	28.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/07/20	310.000	WAIVED
SULFATE	00945	WAIVED	2000/07/20	2.900	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/07/20	170.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	2000/07/20	34.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800542 CRESCENT BEACH MOTEL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800542-003 NEWEST WELL - REPRESENTATIVESource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800542 CRESCENT BEACH MOTEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800542-003 NEWEST WELL - REPRESENTATIVE****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800542 CRESCENT BEACH MOTEL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800542-003 NEWEST WELL - REPRESENTATIVESource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800542 CRESCENT BEACH MOTEL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800542-003 NEWEST WELL - REPRESENTATIVESource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	000		DUE
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800548 KLAMATH C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800548-002 WELL 01 - REPRESENTS 1 & 2Source Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/06/20	110.000	2008/06
ANTIMONY	01097	036	2005/06/20	.000	2008/06
ARSENIC	01002	036	2005/06/20	.000	2008/06
ASBESTOS	81855	WAIVED	1999/01/12	.000	WAIVED
BARIUM	01007	036	2005/06/20	.000	2008/06
BERYLLIUM	01012	036	2005/06/20	.000	2008/06
CADMIUM	01027	036	2005/06/20	.000	2008/06
CHROMIUM (TOTAL)	01034	036	2005/06/20	.000	2008/06
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/06/20	.000	2014/06
LEAD	01051	WAIVED	2005/06/20	5.700	WAIVED
MERCURY	71900	036	2005/06/20	.000	2008/06
NICKEL	01067	036	2005/06/20	.000	2008/06
SELENIUM	01147	036	2005/06/20	.000	2008/06
THALLIUM	01059	036	2005/06/20	.000	2008/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/06/20	4.300	2006/06	DUE
NITRITE (AS N)	00620	036	2005/06/20	.000	2008/06	

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/06/14	.380	2008/06
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800548 KLAMATH C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800548-002 WELL 01 - REPRESENTS 1 & 2Source Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800548 KLAMATH C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800548-002 WELL 01 - REPRESENTS 1 & 2

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2000/02/03	.000	2006/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2000/02/03	.000	2006/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2000/02/03	.000	2006/02	DUE
1,1,2-TRICHLOROETHANE	34511	072	2000/02/03	.000	2006/02	DUE
1,1-DICHLOROETHANE	34496	072	2000/02/03	.000	2006/02	DUE
1,1-DICHLOROETHYLENE	34501	072	2000/02/03	.000	2006/02	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2000/02/03	.000	2006/02	DUE
1,2-DICHLOROBENZENE	34536	072	2000/02/03	.000	2006/02	DUE
1,2-DICHLOROETHANE	34531	072	2000/02/03	.000	2006/02	DUE
1,2-DICHLOROPROPANE	34541	072	2000/02/03	.000	2006/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2000/02/03	.000	2006/02	DUE
1,4-DICHLOROBENZENE	34571	072	2000/02/03	.000	2006/02	DUE
BENZENE	34030	072	2000/02/03	.000	2006/02	DUE
CARBON TETRACHLORIDE	32102	072	2000/02/03	.000	2006/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2000/02/03	.000	2006/02	DUE
DICHLOROMETHANE	34423	072	2000/02/03	.000	2006/02	DUE
ETHYLBENZENE	34371	072	2000/02/03	.000	2006/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2000/02/03	.000	2006/02	DUE
MONOCHLOROBENZENE	34301	072	2000/02/03	.000	2006/02	DUE
STYRENE	77128	072	2000/02/03	.000	2006/02	DUE
TETRACHLOROETHYLENE	34475	072	2000/02/03	.000	2006/02	DUE
TOLUENE	34010	072	2000/02/03	.000	2006/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2000/02/03	.000	2006/02	DUE
TRICHLOROETHYLENE	39180	072	2000/02/03	.000	2006/02	DUE
TRICHLOROFLUOROMETHANE	34488	072	2000/02/03	.000	2006/02	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800548 KLAMATH C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800548-002 WELL 01 - REPRESENTS 1 & 2****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2000/02/03	.000	2006/02	DUE
XYLENES (TOTAL)	81551	072	2000/02/03	.000	2006/02	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/06/20 -	2.700	2014/06
BICARBONATE ALKALINITY	00440	108	2005/06/20	49.000	2014/06
CALCIUM	00916	108	2005/06/20	6.800	2014/06
CARBONATE ALKALINITY	00445	108	2005/06/20 <	1.000	2014/06
CHLORIDE	00940	036	2005/06/20	4.100	2008/06
COLOR	00081	036	2005/06/20	20.000	2008/06
COPPER	01042	036	2005/06/20	65.000	2008/06
FOAMING AGENTS (MBAS)	38260	036	2005/06/20	.000	2008/06
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/06/20	28.000	2014/06
HYDROXIDE ALKALINITY	71830	108	2005/06/20 <	1.000	2014/06
IRON	01045	036	2005/06/20	2200.000	2008/06
MAGNESIUM	00927	108	2005/06/20	2.700	2014/06
MANGANESE	01055	036	2005/06/20	38.000	2008/06
ODOR THRESHOLD @ 60 C	00086	036	2005/06/20	.000	2008/06
PH, LABORATORY	00403	036	2005/06/20	6.100	2008/06
SILVER	01077	036	2005/06/20	.000	2008/06
SODIUM	00929	108	2000/02/03	5.000	2009/02
SPECIFIC CONDUCTANCE	00095	036	2005/06/20	80.000	2008/06
SULFATE	00945	036	2005/06/20	2.700	2008/06
TOTAL DISSOLVED SOLIDS	70300	036	2005/06/20	63.000	2008/06
TURBIDITY, LABORATORY	82079	036	2005/06/20	17.000	2008/06
ZINC	01092	036	2005/06/20	.000	2008/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800548 KLAMATH C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800548-003 WELL 03 - SIMPSON - RAW****Source Number: 003****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED -	WAIVED
----------	-------	--------	----------	--------

INORGANIC

ALUMINUM	01105	108	2004/06/14	.000	2013/06
ANTIMONY	01097	108	2004/06/14	.000	2013/06
ARSENIC	01002	108	2004/06/14	.000	2013/06
ASBESTOS	81855	WAIVED	WAIVED -	WAIVED	
BARIUM	01007	108	2004/06/14	.000	2013/06
BERYLLIUM	01012	108	2004/06/14	.000	2013/06
CADMIUM	01027	108	2004/06/14	.000	2013/06
CHROMIUM (TOTAL)	01034	108	2004/06/14	.000	2013/06
CYANIDE	01291	WAIVED	WAIVED -	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/06/14	.000	2013/06
LEAD	01051	WAIVED	2004/06/14	.000	WAIVED
MERCURY	71900	108	2004/06/14	.000	2013/06
NICKEL	01067	108	2004/06/14	.000	2013/06
SELENIUM	01147	108	2004/06/14	.000	2013/06
THALLIUM	01059	108	2004/06/14	.000	2013/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2004/06/14	3.500	2013/06
NITRITE (AS N)	00620	108	2004/06/14	.000	2013/06

RADIOLOGICAL

GROSS ALPHA	01501	108	2004/06/14 -	.270	2013/06
GROSS BETA	03501	WAIVED	WAIVED -	WAIVED	
RADIUM 226	09501	WAIVED	WAIVED -	WAIVED	
RADIUM 228	11501	WAIVED	WAIVED -	WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED -	WAIVED	
TRITIUM	07000	WAIVED	WAIVED -	WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED -	WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800548 KLAMATH C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800548-003 WELL 03 - SIMPSON - RAW****Source Number: 003****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800548 KLAMATH C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800548-003 WELL 03 - SIMPSON - RAW****Source Number: 003****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED -	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED -	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED -	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2004/06/14	.000	2013/06
1,1,2,2-TETRACHLOROETHANE	34516	108	2004/06/14	.000	2013/06
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2004/06/14	.000	2013/06
1,1,2-TRICHLOROETHANE	34511	108	2004/06/14	.000	2013/06
1,1-DICHLOROETHANE	34496	108	2004/06/14	.000	2013/06
1,1-DICHLOROETHYLENE	34501	108	2004/06/14	.000	2013/06
1,2,4-TRICHLOROBENZENE	34551	108	2004/06/14	.000	2013/06
1,2-DICHLOROBENZENE	34536	108	2004/06/14	.000	2013/06
1,2-DICHLOROETHANE	34531	108	2004/06/14	.000	2013/06
1,2-DICHLOROPROPANE	34541	108	2004/06/14	.000	2013/06
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2004/06/14	.000	2013/06
1,4-DICHLOROBENZENE	34571	108	2004/06/14	.000	2013/06
BENZENE	34030	108	2004/06/14	.000	2013/06
CARBON TETRACHLORIDE	32102	108	2004/06/14	.000	2013/06
CIS-1,2-DICHLOROETHYLENE	77093	108	2004/06/14	.000	2013/06
DICHLOROMETHANE	34423	108	2004/06/14	.000	2013/06
ETHYLBENZENE	34371	108	2004/06/14	.000	2013/06
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2004/06/14	.000	2013/06
MONOCHLOROBENZENE	34301	108	2004/06/14	.000	2013/06
STYRENE	77128	108	2004/06/14	.000	2013/06
TETRACHLOROETHYLENE	34475	108	2004/06/14	.000	2013/06
TOLUENE	34010	108	2004/06/14	.000	2013/06
TRANS-1,2-DICHLOROETHYLENE	34546	108	2004/06/14	.000	2013/06
TRICHLOROETHYLENE	39180	108	2004/06/14	.000	2013/06
TRICHLOROFLUOROMETHANE	34488	108	2004/06/14	.000	2013/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800548 KLAMATH C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800548-003 WELL 03 - SIMPSON - RAW****Source Number: 003****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	108	2004/06/14	.000	2013/06
XYLENES (TOTAL)	81551	108	2004/06/14	.000	2013/06

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000	-		DUE
BICARBONATE ALKALINITY	00440	108	2004/06/14	21.000	2013/06
CALCIUM	00916	108	2004/06/14	6.400	2013/06
CARBONATE ALKALINITY	00445	108	2004/06/14	< 1.000	2013/06
CHLORIDE	00940	108	2004/06/14	3.000	2013/06
COLOR	00081	108	2004/06/14	.000	2013/06
COPPER	01042	108	2004/06/14	.000	2013/06
FOAMING AGENTS (MBAS)	38260	108	2004/06/14	.000	2013/06
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2004/06/14	22.000	2013/06
HYDROXIDE ALKALINITY	71830	108	2004/06/14	< 1.000	2013/06
IRON	01045	108	2004/06/14	230.000	2013/06
MAGNESIUM	00927	108	2004/06/14	1.500	2013/06
MANGANESE	01055	108	2004/06/14	.000	2013/06
ODOR THRESHOLD @ 60 C	00086	108	2004/06/14	.000	2013/06
PH, LABORATORY	00403	108	2004/06/14	6.500	2013/06
SILVER	01077	108	2004/06/14	.000	2013/06
SODIUM	00929	108	2004/06/14	4.000	2013/06
SPECIFIC CONDUCTANCE	00095	108	2004/06/14	65.000	2013/06
SULFATE	00945	108	2004/06/14	2.400	2013/06
TOTAL DISSOLVED SOLIDS	70300	108	2004/06/14	50.000	2013/06
TURBIDITY, LABORATORY	82079	108	2004/06/14	1.500	2013/06
ZINC	01092	108	2004/06/14	.000	2013/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800552 NORTHCREST TRAILER CITY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800552-002 NEW SECTION WELL - REPRESENTS OLD & NEWSource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/08/10	.000	2013/08
ANTIMONY	01097	036	2004/08/10	.000	2007/08
ARSENIC	01002	108	2004/08/10	.000	2013/08
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2004/08/10	.000	2013/08
BERYLLIUM	01012	036	2004/08/10	.000	2007/08
CADMIUM	01027	108	2004/08/10	.000	2013/08
CHROMIUM (TOTAL)	01034	108	2004/08/10		2013/08
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/08/10	.000	2013/08
LEAD	01051	WAIVED	2004/08/10	.000	WAIVED
MERCURY	71900	108	2004/08/10	.000	2013/08
NICKEL	01067	036	2004/08/10	21.000	2007/08
SELENIUM	01147	108	2004/08/10	.000	2013/08
THALLIUM	01059	036	2004/08/10	.000	2007/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2004/08/10	8.000	2005/08	DUE
NITRITE (AS N)	00620	036	2004/08/10	.000	2007/08	

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/08/10	.240	2008/08
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800552 NORTHCREST TRAILER CITY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800552-002 NEW SECTION WELL - REPRESENTS OLD & NEW****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800552 NORTHCREST TRAILER CITY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800552-002 NEW SECTION WELL - REPRESENTS OLD & NEWSource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/10/31	.000	2008/10
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/10/31	.000	2008/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2002/10/31	.000	2008/10
1,1,2-TRICHLOROETHANE	34511	072	2002/10/31	.000	2008/10
1,1-DICHLOROETHANE	34496	072	2002/10/31	.000	2008/10
1,1-DICHLOROETHYLENE	34501	072	2002/10/31	.000	2008/10
1,2,4-TRICHLOROBENZENE	34551	072	2002/10/31	.000	2008/10
1,2-DICHLOROBENZENE	34536	072	2002/10/31	.000	2008/10
1,2-DICHLOROETHANE	34531	072	2002/10/31	.000	2008/10
1,2-DICHLOROPROPANE	34541	072	2002/10/31	.000	2008/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/10/31	.000	2008/10
1,4-DICHLOROBENZENE	34571	072	2002/10/31	.000	2008/10
BENZENE	34030	072	2002/10/31	.000	2008/10
CARBON TETRACHLORIDE	32102	072	2002/10/31	.000	2008/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/10/31	.000	2008/10
DICHLOROMETHANE	34423	072	2002/10/31	.000	2008/10
ETHYLBENZENE	34371	072	2002/10/31	.000	2008/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/10/31	.000	2008/10
MONOCHLOROBENZENE	34301	072	2002/10/31	.000	2008/10
STYRENE	77128	072	2002/10/31	.000	2008/10
TETRACHLOROETHYLENE	34475	072	2002/10/31	.000	2008/10
TOLUENE	34010	072	2002/10/31	.000	2008/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/10/31	.000	2008/10
TRICHLOROETHYLENE	39180	072	2002/10/31	.000	2008/10
TRICHLOROFLUOROMETHANE	34488	072	2002/10/31	.000	2008/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800552 NORTHCREST TRAILER CITY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800552-002 NEW SECTION WELL - REPRESENTS OLD & NEWSource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2002/10/31	.000	2008/10
XYLENES (TOTAL)	81551	072	2002/10/31	.000	2008/10

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2004/08/10	70.000	2013/08	
CALCIUM	00916	108	2004/08/10	5.700	2013/08	
CARBONATE ALKALINITY	00445	108	2004/08/10 <	1.000	2013/08	
CHLORIDE	00940	108	2004/08/10	18.000	2013/08	
COLOR	00081	036	2004/08/10	.000	2007/08	
COPPER	01042	108	2004/08/10	.000	2013/08	
FOAMING AGENTS (MBAS)	38260	036	2001/01/02 <	.050	2004/01	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2004/08/10	81.000	2013/08	
HYDROXIDE ALKALINITY	71830	108	2004/08/10 <	1.000	2013/08	
IRON	01045	108	2004/08/10	.000	2013/08	
MAGNESIUM	00927	108	2004/08/10	16.000	2013/08	
MANGANESE	01055	108	2004/08/10	.000	2013/08	
ODOR THRESHOLD @ 60 C	00086	036	2004/08/10	.000	2007/08	
PH, LABORATORY	00403	108	2004/08/10	6.800	2013/08	
SILVER	01077	108	2004/08/10	.000	2013/08	
SODIUM	00929	108	2004/08/10	13.000	2013/08	
SPECIFIC CONDUCTANCE	00095	108	2004/08/10	210.000	2013/08	
SULFATE	00945	108	2004/08/10	5.500	2013/08	
TOTAL DISSOLVED SOLIDS	70300	108	2004/08/10	140.000	2013/08	
TURBIDITY, LABORATORY	82079	036	2004/08/10	.000	2007/08	
ZINC	01092	108	2004/08/10	.000	2013/08	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800555 GASQUET C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800555-001 NORTH FORK SMITH RIVER****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/10/25	.000	2014/10
ANTIMONY	01097	108	2005/10/25	.000	2014/10
ARSENIC	01002	108	2005/10/25	.000	2014/10
ASBESTOS	81855	WAIVED	1996/04/16	.000	WAIVED
BARIUM	01007	108	2005/10/25	.000	2014/10
BERYLLIUM	01012	108	2005/10/25	.000	2014/10
CADMIUM	01027	108	2005/10/25	.000	2014/10
CHROMIUM (TOTAL)	01034	108	2005/10/25	.000	2014/10
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/10/25	.000	2014/10
LEAD	01051	WAIVED	1995/03/07	.000	WAIVED
MERCURY	71900	108	2005/10/25	.000	2014/10
NICKEL	01067	108	2005/10/25	.000	2014/10
SELENIUM	01147	108	2005/10/25	.000	2014/10
THALLIUM	01059	108	2005/10/25	.000	2014/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/10/25	.000	2006/10	DUE
NITRITE (AS N)	00620	036	2005/10/25	.000	2008/10	

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/08/22	.000	2009/08
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800555 GASQUET C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800555-001 NORTH FORK SMITH RIVER****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800555 GASQUET C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800555-001 NORTH FORK SMITH RIVER****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/08/25	.000	2011/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/08/25	.000	2011/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/08/25	.000	2011/08
1,1,2-TRICHLOROETHANE	34511	072	2005/08/25	.000	2011/08
1,1-DICHLOROETHANE	34496	072	2005/08/25	.000	2011/08
1,1-DICHLOROETHYLENE	34501	072	2005/08/25	.000	2011/08
1,2,4-TRICHLOROBENZENE	34551	072	2005/08/25	.000	2011/08
1,2-DICHLOROBENZENE	34536	072	2005/08/25	.000	2011/08
1,2-DICHLOROETHANE	34531	072	2005/08/25	.000	2011/08
1,2-DICHLOROPROPANE	34541	072	2005/08/25	.000	2011/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/08/25	.000	2011/08
1,4-DICHLOROBENZENE	34571	072	2005/08/25	.000	2011/08
BENZENE	34030	072	2005/08/25	.000	2011/08
CARBON TETRACHLORIDE	32102	072	2005/08/25	.000	2011/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/08/25	.000	2011/08
DICHLOROMETHANE	34423	072	2005/08/25	.000	2011/08
ETHYLBENZENE	34371	072	2005/08/25	.000	2011/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/08/25	.000	2011/08
MONOCHLOROBENZENE	34301	072	2005/08/25	.000	2011/08
STYRENE	77128	072	2005/08/25	.000	2011/08
TETRACHLOROETHYLENE	34475	072	2005/08/25	.000	2011/08
TOLUENE	34010	072	2005/08/25	.000	2011/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/08/25	.000	2011/08
TRICHLOROETHYLENE	39180	072	2005/08/25	.000	2011/08
TRICHLOROFLUOROMETHANE	34488	072	2005/08/25	.000	2011/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800555 GASQUET C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800555-001 NORTH FORK SMITH RIVER****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/08/25	.000	2011/08
XYLENES (TOTAL)	81551	072	2005/08/25	.000	2011/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/10/25 -	.990	2014/10
BICARBONATE ALKALINITY	00440	108	2005/10/25	67.000	2014/10
CALCIUM	00916	108	2005/10/25	3.200	2014/10
CARBONATE ALKALINITY	00445	108	2005/10/25 <	1.000	2014/10
CHLORIDE	00940	108	2005/10/25	3.200	2014/10
COLOR	00081	036	2005/10/25	5.000	2008/10
COPPER	01042	108	2005/10/25	.000	2014/10
FOAMING AGENTS (MBAS)	38260	108	2005/10/25 <	.050	2014/10
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/10/25	73.000	2014/10
HYDROXIDE ALKALINITY	71830	108	2005/10/25 <	1.000	2014/10
IRON	01045	108	2005/10/25	.000	2014/10
MAGNESIUM	00927	108	2005/10/25	16.000	2014/10
MANGANESE	01055	108	2005/10/25	.000	2014/10
ODOR THRESHOLD @ 60 C	00086	036	2005/10/25	2.000	2008/10
PH, LABORATORY	00403	108	2005/10/25	8.000	2014/10
SILVER	01077	108	2005/10/25	.000	2014/10
SODIUM	00929	108	2005/10/25	2.700	2014/10
SPECIFIC CONDUCTANCE	00095	108	2005/10/25	140.000	2014/10
SULFATE	00945	108	2005/10/25	1.200	2014/10
TOTAL DISSOLVED SOLIDS	70300	108	2005/10/25	84.000	2014/10
TURBIDITY, LABORATORY	82079	036	2005/10/25	.000	2008/10
ZINC	01092	108	2005/10/25	.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800556 HRC C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800556-002 WELL 03 - ALPINE COURT****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED -	WAIVED
----------	-------	--------	----------	--------

INORGANIC

ALUMINUM	01105	036	2007/02/27	.000	2010/02
ANTIMONY	01097	036	2007/02/27	.000	2010/02
ARSENIC	01002	036	2007/02/27	.000	2010/02
ASBESTOS	81855	WAIVED	WAIVED -		WAIVED
BARIUM	01007	036	2007/02/27	.000	2010/02
BERYLLIUM	01012	036	2007/02/27	.000	2010/02
CADMIUM	01027	036	2007/02/27	.000	2010/02
CHROMIUM (TOTAL)	01034	036	2007/02/27	.000	2010/02
CYANIDE	01291	WAIVED	WAIVED -		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2007/02/27	.000	2010/02
LEAD	01051	WAIVED	1996/12/20	.000	WAIVED
MERCURY	71900	036	2007/02/27	.000	2010/02
NICKEL	01067	036	2007/02/27	76.000	2010/02
SELENIUM	01147	036	2007/02/27	.000	2010/02
THALLIUM	01059	036	2007/02/27	.000	2010/02

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/27	4.400	2008/02
NITRITE (AS N)	00620	036	2007/02/27	.000	2010/02

RADIOLOGICAL

GROSS ALPHA	01501	048	1996/12/20	2.010	2000/12	DUE
GROSS BETA	03501	WAIVED	WAIVED -		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED -		WAIVED	
RADIUM 228	11501	048	-			DUE
STRONTIUM-90	13501	WAIVED	WAIVED -		WAIVED	
TRITIUM	07000	WAIVED	WAIVED -		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED -		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800556 HRC C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800556-002 WELL 03 - ALPINE COURT****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800556 HRC C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800556-002 WELL 03 - ALPINE COURT****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED -	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED -	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED -	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2007/02/27	.000	2013/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/02/27	.000	2013/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/02/27	.000	2013/02
1,1,2-TRICHLOROETHANE	34511	072	2007/02/27	.000	2013/02
1,1-DICHLOROETHANE	34496	072	2007/02/27	.000	2013/02
1,1-DICHLOROETHYLENE	34501	072	2007/02/27	.000	2013/02
1,2,4-TRICHLOROBENZENE	34551	072	2007/02/27	.000	2013/02
1,2-DICHLOROBENZENE	34536	072	2007/02/27	.000	2013/02
1,2-DICHLOROETHANE	34531	072	2007/02/27	.000	2013/02
1,2-DICHLOROPROPANE	34541	072	2007/02/27	.000	2013/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/02/27	.000	2013/02
1,4-DICHLOROBENZENE	34571	072	2007/02/27	.000	2013/02
BENZENE	34030	072	2007/02/27	.000	2013/02
CARBON TETRACHLORIDE	32102	072	2007/02/27	.000	2013/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/02/27	.000	2013/02
DICHLOROMETHANE	34423	072	2007/02/27	.000	2013/02
ETHYLBENZENE	34371	072	2007/02/27	.000	2013/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/02/27	.000	2013/02
MONOCHLOROBENZENE	34301	072	2007/02/27	.000	2013/02
STYRENE	77128	072	2007/02/27	.000	2013/02
TETRACHLOROETHYLENE	34475	072	2007/02/27	.000	2013/02
TOLUENE	34010	072	2007/02/27	.000	2013/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/02/27	.000	2013/02
TRICHLOROETHYLENE	39180	072	2007/02/27	.000	2013/02
TRICHLOROFLUOROMETHANE	34488	072	2007/02/27	.000	2013/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800556 HRC C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800556-002 WELL 03 - ALPINE COURTSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2007/02/27	.000	2013/02
XYLENES (TOTAL)	81551	072	2007/02/27	.000	2013/02

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000	-		DUE
BICARBONATE ALKALINITY	00440	108	2007/02/27	66.000	2016/02
CALCIUM	00916	108	2007/02/27	2.800	2016/02
CARBONATE ALKALINITY	00445	108	2007/02/27	< 1.000	2016/02
CHLORIDE	00940	036	2007/02/27	4.500	2010/02
COLOR	00081	036	2007/02/27	3.000	2010/02
COPPER	01042	036	2007/02/27	.000	2010/02
FOAMING AGENTS (MBAS)	38260	036	2007/02/27	< .050	2010/02
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2007/02/27	66.000	2016/02
HYDROXIDE ALKALINITY	71830	108	2007/02/27	< 1.000	2016/02
IRON	01045	036	2007/02/27	.000	2010/02
MAGNESIUM	00927	108	2007/02/27	14.000	2016/02
MANGANESE	01055	036	2007/02/27	.000	2010/02
ODOR THRESHOLD @ 60 C	00086	036	2007/02/27	7.000	2010/02
PH, LABORATORY	00403	036	2007/02/27	7.000	2010/02
SILVER	01077	036	2007/02/27	.000	2010/02
SODIUM	00929	108	2007/02/27	3.500	2016/02
SPECIFIC CONDUCTANCE	00095	036	2007/02/27	150.000	2010/02
SULFATE	00945	036	2007/02/27	1.700	2010/02
TOTAL DISSOLVED SOLIDS	70300	036	2007/02/27	100.000	2010/02
TURBIDITY, LABORATORY	82079	036	2007/02/27	.840	2010/02
ZINC	01092	036	2007/02/27	.000	2010/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800557 HUNTER VALLEY CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800557-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/09/24	.000	2011/09
ANTIMONY	01097	108	2002/09/24	.000	2011/09
ARSENIC	01002	108	2002/09/24	.000	2011/09
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/09/24	.000	2011/09
BERYLLIUM	01012	108	2002/09/24	.000	2011/09
CADMIUM	01027	108	2002/09/24	.000	2011/09
CHROMIUM (TOTAL)	01034	108	2002/09/24		2011/09
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/09/24	.000	2011/09
LEAD	01051	WAIVED	2002/09/24	.000	WAIVED
MERCURY	71900	108	2002/09/24	.000	2011/09
NICKEL	01067	108	2002/09/24	.000	2011/09
SELENIUM	01147	108	2002/09/24	.000	2011/09
THALLIUM	01059	108	2002/09/24	.000	2011/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/03	.000	2007/08
NITRITE (AS N)	00620	036	2006/08/03	.000	2009/08

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/02/03	.008	2007/02 DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800557 HUNTER VALLEY CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800557-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800557 HUNTER VALLEY CSD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800557-001 WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	2006/12/18	.000	WAIVED
TOXAPHENE	39400	WAIVED	2006/12/18	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/12/18	.000	2012/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/12/18	.000	2012/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/12/18	.000	2012/12
1,1,2-TRICHLOROETHANE	34511	072	2006/12/18	.000	2012/12
1,1-DICHLOROETHANE	34496	072	2006/12/18	.000	2012/12
1,1-DICHLOROETHYLENE	34501	072	2006/12/18	.000	2012/12
1,2,4-TRICHLOROBENZENE	34551	072	2006/12/18	.000	2012/12
1,2-DICHLOROBENZENE	34536	072	2006/12/18	.000	2012/12
1,2-DICHLOROETHANE	34531	072	2006/12/18	.000	2012/12
1,2-DICHLOROPROPANE	34541	072	2006/12/18	.000	2012/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/12/18	.000	2012/12
1,4-DICHLOROBENZENE	34571	072	2006/12/18	.000	2012/12
BENZENE	34030	072	2006/12/18	.000	2012/12
CARBON TETRACHLORIDE	32102	072	2006/12/18	.000	2012/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/12/18	.000	2012/12
DICHLOROMETHANE	34423	072	2006/12/18	.000	2012/12
ETHYLBENZENE	34371	072	2006/12/18	.000	2012/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/12/18	.000	2012/12
MONOCHLOROBENZENE	34301	072	2006/12/18	.000	2012/12
STYRENE	77128	072	2006/12/18	.000	2012/12
TETRACHLOROETHYLENE	34475	072	2006/12/18	.000	2012/12
TOLUENE	34010	072	2006/12/18	.000	2012/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/12/18	.000	2012/12
TRICHLOROETHYLENE	39180	072	2006/12/18	.000	2012/12
TRICHLOROFLUOROMETHANE	34488	072	2006/12/18	.000	2012/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800557 HUNTER VALLEY CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800557-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/12/18	.000	2012/12
XYLENES (TOTAL)	81551	072	2006/12/18	.000	2012/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/01/09 -	2.700	2015/01
BICARBONATE ALKALINITY	00440	108	2002/09/24	25.000	2011/09
CALCIUM	00916	108	2006/01/09	6.200	2015/01
CARBONATE ALKALINITY	00445	108	2002/09/24	.000	2011/09
CHLORIDE	00940	108	2006/01/09	3.300	2015/01
COLOR	00081	108	2006/01/09	.000	2015/01
COPPER	01042	108	2006/01/09	.000	2015/01
FOAMING AGENTS (MBAS)	38260	108	2006/01/09 <	.050	2015/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2002/09/24	23.000	2011/09
HYDROXIDE ALKALINITY	71830	108	2002/09/24	.000	2011/09
IRON	01045	108	2006/01/09	.000	2015/01
MAGNESIUM	00927	108	2002/09/24	1.400	2011/09
MANGANESE	01055	108	2006/01/09	.000	2015/01
ODOR THRESHOLD @ 60 C	00086	108	2006/01/09	1.000	2015/01
PH, LABORATORY	00403	108	2006/01/09	6.300	2015/01
SILVER	01077	108	2006/01/09	.000	2015/01
SODIUM	00929	108	2002/09/24	3.900	2011/09
SPECIFIC CONDUCTANCE	00095	108	2006/01/09	61.000	2015/01
SULFATE	00945	108	2006/01/09	2.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	108	2006/01/09	49.000	2015/01
TURBIDITY, LABORATORY	82079	108	2006/01/09	.210	2015/01
ZINC	01092	108	2006/01/09	.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800603 BUTTE COURT MOBILE HOME PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800603-001 WELL 01Source Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	1997/08/07	.000	2000/08	DUE
ANTIMONY	01097	036	2001/09/04	.000	2004/09	DUE
ARSENIC	01002	036	1995/05/22	.000	1998/05	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	1995/05/22	.000	1998/05	DUE
BERYLLIUM	01012	036	2001/09/04	.000	2004/09	DUE
CADMIUM	01027	036	1995/05/22	.000	1998/05	DUE
CHROMIUM (TOTAL)	01034	036	2001/09/04		2004/09	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	1995/05/22	.000	1998/05	DUE
LEAD	01051	WAIVED	1999/11/03	.000	WAIVED	
MERCURY	71900	036	1995/05/22	.000	1998/05	DUE
NICKEL	01067	036	2001/09/04	24.000	2004/09	DUE
SELENIUM	01147	036	1995/05/22	.000	1998/05	DUE
THALLIUM	01059	036	2001/09/04	.000	2004/09	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2002/01/15	12.000	2003/01	DUE
NITRITE (AS N)	00620	036	1997/08/07	.000	2000/08	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	1999/10/15 -	.830	2003/10	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800603 BUTTE COURT MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800603-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800603 BUTTE COURT MOBILE HOME PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800603-001 WELL 01Source Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/09/04	.000	2007/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/09/04	.000	2007/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/09/04	.000	2007/09
1,1,2-TRICHLOROETHANE	34511	072	2001/09/04	.000	2007/09
1,1-DICHLOROETHANE	34496	072	2001/09/04	.000	2007/09
1,1-DICHLOROETHYLENE	34501	072	2001/09/04	.000	2007/09
1,2,4-TRICHLOROBENZENE	34551	072	2001/09/04	.000	2007/09
1,2-DICHLOROBENZENE	34536	072	2001/09/04	.000	2007/09
1,2-DICHLOROETHANE	34531	072	2001/09/04	.000	2007/09
1,2-DICHLOROPROPANE	34541	072	2001/09/04	.000	2007/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/09/04	.000	2007/09
1,4-DICHLOROBENZENE	34571	072	2001/09/04	.000	2007/09
BENZENE	34030	072	2001/09/04	.000	2007/09
CARBON TETRACHLORIDE	32102	072	2001/09/04	.000	2007/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/09/04	.000	2007/09
DICHLOROMETHANE	34423	072	2001/09/04	.000	2007/09
ETHYLBENZENE	34371	072	2001/09/04	.000	2007/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/09/04	.000	2007/09
MONOCHLOROBENZENE	34301	072	2001/09/04	.000	2007/09
STYRENE	77128	072	2001/09/04	.000	2007/09
TETRACHLOROETHYLENE	34475	072	2001/09/04	.000	2007/09
TOLUENE	34010	072	2001/09/04	.000	2007/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/09/04	.000	2007/09
TRICHLOROETHYLENE	39180	072	2001/09/04	.000	2007/09
TRICHLOROFLUOROMETHANE	34488	072	2001/09/04	.000	2007/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800603 BUTTE COURT MOBILE HOME PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800603-001 WELL 01Source Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/09/04	.000	2007/09
XYLENES (TOTAL)	81551	072	2001/09/04	.000	2007/09

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1995/05/22	38.000	2004/05	DUE
CALCIUM	00916	108	1995/05/22	6.500	2004/05	DUE
CARBONATE ALKALINITY	00445	108	1995/05/22 <	1.000	2004/05	DUE
CHLORIDE	00940	036	1995/05/22	6.700	1998/05	DUE
COLOR	00081	036				DUE
COPPER	01042	108	1999/11/03	.000	2008/11	
FOAMING AGENTS (MBAS)	38260	036	1995/05/22 <	.020	1998/05	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1995/05/22	82.000	2004/05	DUE
HYDROXIDE ALKALINITY	71830	108	1995/05/22 <	1.000	2004/05	DUE
IRON	01045	036	1995/05/22	.000	1998/05	DUE
MAGNESIUM	00927	108	1995/05/22	16.000	2004/05	DUE
MANGANESE	01055	036	1995/05/22	.000	1998/05	DUE
ODOR THRESHOLD @ 60 C	00086	036				DUE
PH, LABORATORY	00403	036	1995/05/22	6.400	1998/05	DUE
SILVER	01077	036	1995/05/22	.000	1998/05	DUE
SODIUM	00929	108	1995/05/22	13.000	2004/05	DUE
SPECIFIC CONDUCTANCE	00095	036	1995/05/22	220.000	1998/05	DUE
SULFATE	00945	036	1995/05/22	1.000	1998/05	DUE
TOTAL DISSOLVED SOLIDS	70300	036	1995/05/22	150.000	1998/05	DUE
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036	1995/05/22	.000	1998/05	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800605 WEST PARK PROPERTIES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800605-001 WELL 02 - MAIN****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/12/13	.000	2015/12
ANTIMONY	01097	036	2006/12/13	.000	2009/12
ARSENIC	01002	108	2006/12/13	.000	2015/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2006/12/13	.000	2015/12
BERYLLIUM	01012	036	2006/12/13	.000	2009/12
CADMIUM	01027	108	2006/12/13	.000	2015/12
CHROMIUM (TOTAL)	01034	108	2006/12/13	14.000	2015/12
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/12/13	.000	2015/12
LEAD	01051	WAIVED	1990/08/15	.000	WAIVED
MERCURY	71900	108	2006/12/13	.000	2015/12
NICKEL	01067	036	2006/12/13	34.000	2009/12
SELENIUM	01147	108	2006/12/13	.000	2015/12
THALLIUM	01059	036	2006/12/13	.000	2009/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/13	19.000	2007/12
NITRITE (AS N)	00620	036	2006/12/13	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/03/29	.000	2009/03
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800605 WEST PARK PROPERTIES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800605-001 WELL 02 - MAIN****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800605 WEST PARK PROPERTIES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800605-001 WELL 02 - MAIN****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/03/29	.000	2011/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/03/29	.000	2011/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/03/29	.000	2011/03
1,1,2-TRICHLOROETHANE	34511	072	2005/03/29	.000	2011/03
1,1-DICHLOROETHANE	34496	072	2005/03/29	.000	2011/03
1,1-DICHLOROETHYLENE	34501	072	2005/03/29	.000	2011/03
1,2,4-TRICHLOROBENZENE	34551	072	2005/03/29	.000	2011/03
1,2-DICHLOROBENZENE	34536	072	2005/03/29	.000	2011/03
1,2-DICHLOROETHANE	34531	072	2005/03/29	.000	2011/03
1,2-DICHLOROPROPANE	34541	072	2005/03/29	.000	2011/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/03/29	.000	2011/03
1,4-DICHLOROBENZENE	34571	072	2005/03/29	.000	2011/03
BENZENE	34030	072	2005/03/29	.000	2011/03
CARBON TETRACHLORIDE	32102	072	2005/03/29	.000	2011/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/03/29	.000	2011/03
DICHLOROMETHANE	34423	072	2005/03/29	.000	2011/03
ETHYLBENZENE	34371	072	2005/03/29	.000	2011/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/03/29	.000	2011/03
MONOCHLOROBENZENE	34301	072	2005/03/29	.000	2011/03
STYRENE	77128	072	2005/03/29	.000	2011/03
TETRACHLOROETHYLENE	34475	072	2005/03/29	.000	2011/03
TOLUENE	34010	072	2005/03/29	2.300	2011/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/03/29	.000	2011/03
TRICHLOROETHYLENE	39180	072	2005/03/29	.000	2011/03
TRICHLOROFLUOROMETHANE	34488	072	2005/03/29	.000	2011/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800605 WEST PARK PROPERTIES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800605-001 WELL 02 - MAINSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/03/29	.000	2011/03
XYLENES (TOTAL)	81551	072	2005/03/29	.000	2011/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/03/29 -	2.400	2014/03
BICARBONATE ALKALINITY	00440	108	2006/12/13	67.000	2015/12
CALCIUM	00916	108	2006/12/13	5.700	2015/12
CARBONATE ALKALINITY	00445	108	2006/12/13 <	1.000	2015/12
CHLORIDE	00940	036	2006/12/13	20.000	2009/12
COLOR	00081	036	2006/12/13 <	3.000	2009/12
COPPER	01042	036	2006/12/13	61.000	2009/12
FOAMING AGENTS (MBAS)	38260	036	2006/12/13	.069	2009/12
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/12/13	78.000	2015/12
HYDROXIDE ALKALINITY	71830	108	2006/12/13 <	1.000	2015/12
IRON	01045	036	2006/12/13	.000	2009/12
MAGNESIUM	00927	108	2006/12/13	16.000	2015/12
MANGANESE	01055	036	2006/12/13	.000	2009/12
ODOR THRESHOLD @ 60 C	00086	036	2006/12/13	1.000	2009/12
PH, LABORATORY	00403	036	2006/12/13	6.600	2009/12
SILVER	01077	108	2006/12/13	.000	2015/12
SODIUM	00929	108	2006/12/13	15.000	2015/12
SPECIFIC CONDUCTANCE	00095	036	2006/12/13	250.000	2009/12
SULFATE	00945	036	2006/12/13	5.600	2009/12
TOTAL DISSOLVED SOLIDS	70300	036	2006/12/13	150.000	2009/12
TURBIDITY, LABORATORY	82079	036	2006/12/13	.570	2009/12
ZINC	01092	036	2006/12/13	.000	2009/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800608 TREES OF MYSTERY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800608-003 WELL 01 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/03/29	.000	2007/03	DUE
NITRITE (AS N)	00620	036	2006/03/29	.000	2009/03	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800608 TREES OF MYSTERY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800608-003 WELL 01 - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800608 TREES OF MYSTERY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800608-003 WELL 01 - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800608 TREES OF MYSTERY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800608-003 WELL 01 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800613 CRIVELLI'S WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800613-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/01	7.100	2007/09
NITRITE (AS N)	00620	036	2005/11/21	.000	2008/11

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800613 CRIVELLI'S WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800613-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800613 CRIVELLI'S WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800613-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800613 CRIVELLI'S WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800613-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800614 STEELHEAD LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800614-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/04/06	.000	2007/04
NITRITE (AS N)	00620	036	2005/01/10	.000	2008/01

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800614 STEELHEAD LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800614-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800614 STEELHEAD LODGE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800614-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/05/19	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/05/19	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/05/19	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/05/19	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/05/19	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/05/19	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/05/19	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/05/19	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/05/19	.000	WAIVED
BENZENE	34030	WAIVED	1988/05/19	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/05/19	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/05/19	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/05/19	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/05/19	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/05/19	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/05/19	.000	WAIVED
TOLUENE	34010	WAIVED	1988/05/19	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/05/19	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/05/19	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/05/19	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800614 STEELHEAD LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800614-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/05/19	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/05/19	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800615 KLAMATH CAMPER CORRAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800615-001 WELL 01 - PRIMARY****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1997/10/09	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/09/08	4.200	2006/09	DUE
NITRITE (AS N)	00620	036	2004/04/06	.000	2007/04	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800615 KLAMATH CAMPER CORRAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800615-001 WELL 01 - PRIMARY****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800615 KLAMATH CAMPER CORRAL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800615-001 WELL 01 - PRIMARY

Source Number: 001

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/14	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED			WAIVED
TOXAPHENE	39400	WAIVED	WAIVED			WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/14		.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/14		.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/14		.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/14		.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/14		.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/14		.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED			WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/14		.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/14		.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED			WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED			WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/14		.000	WAIVED
BENZENE	34030	WAIVED	1988/04/14		.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/14		.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/14		.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/14		.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/14		.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED			WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/14		.000	WAIVED
STYRENE	77128	WAIVED	WAIVED			WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/14		.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/14		.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/14		.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/14		.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/14		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800615 KLAMATH CAMPER CORRAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800615-001 WELL 01 - PRIMARY****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/14	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/14	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1997/10/09	24.000	WAIVED
CALCIUM	00916	WAIVED	1997/10/09	6.600	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1997/10/09	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	1997/10/09	28.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1997/10/09	< 1.000	WAIVED
IRON	01045	WAIVED	1997/10/09	300.000	WAIVED
MAGNESIUM	00927	WAIVED	1997/10/09	2.800	WAIVED
MANGANESE	01055	WAIVED	1997/10/09	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1997/10/09	6.600	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1997/10/09	5.600	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800622 CHINOOK WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800622-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/07/27	4.030	2007/07
NITRITE (AS N)	00620	036	2006/07/27	.000	2009/07

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800622 CHINOOK WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800622-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800622 CHINOOK WATER SYSTEM

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800622-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1988/04/06	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED			WAIVED
TOXAPHENE	39400	WAIVED	WAIVED			WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/06		.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/06		.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/06		.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/06		.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/06		.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/06		.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED			WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/06		.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/06		.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED			WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED			WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/06		.000	WAIVED
BENZENE	34030	WAIVED	1988/04/06		.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/06		.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/06		.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/06		.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/06		.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED			WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/06		.000	WAIVED
STYRENE	77128	WAIVED	WAIVED			WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/06		.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/06		.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/06		.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/06		.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/06		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800622 CHINOOK WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800622-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/06	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/06	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800627 GOLDEN BEAR RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800627-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/03/10	4.900	2006/03	DUE
NITRITE (AS N)	00620	036	2005/03/10	.000	2008/03	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800627 GOLDEN BEAR RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800627-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800627 GOLDEN BEAR RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800627-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800627 GOLDEN BEAR RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800627-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800632 KLAMATH RIVER RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800632-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/23	7.500	2008/03
NITRITE (AS N)	00620	036	2007/03/23	.000	2010/03

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800632 KLAMATH RIVER RV PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800632-001 WELL 01Source Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	1988/04/20	< 1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1988/04/20	< 1.000	WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800632 KLAMATH RIVER RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800632-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/20	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED			WAIVED
TOXAPHENE	39400	WAIVED	WAIVED			WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/20		.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/20		.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/20		.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/20		.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/20		.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/20		.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED			WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/20		.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/20		.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED			WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED			WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/20		.000	WAIVED
BENZENE	34030	WAIVED	1988/04/20		.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/20		.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/20		.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/20		.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/20		.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED			WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/20		.000	WAIVED
STYRENE	77128	WAIVED	WAIVED			WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/20		.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/20		.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/20		.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/20		.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/20		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800632 KLAMATH RIVER RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800632-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/20	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/20	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800635 KAMP KLAMATH CORP.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800635-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/03	10.200	2007/08
NITRITE (AS N)	00620	036	2005/09/26	.000	2008/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800635 KAMP KLAMATH CORP.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800635-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800635 KAMP KLAMATH CORP.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800635-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800635 KAMP KLAMATH CORP.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800635-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800644 REQUA INN

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800644-003 SPRING (SURFACE INFLUENCE) - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/11/17	12.000	2006/11	DUE
NITRITE (AS N)	00620	036	2005/11/17	.000	2008/11	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800644 REQUA INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800644-003 SPRING (SURFACE INFLUENCE) - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800644 REQUA INN

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800644-003 SPRING (SURFACE INFLUENCE) - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800644 REQUA INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800644-003 SPRING (SURFACE INFLUENCE) - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800645 PINE GROVE MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800645-001 WELL 01 - NEW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/10/22	.000	2011/10
ANTIMONY	01097	108	2002/10/22	.000	2011/10
ARSENIC	01002	108	2005/10/06	.000	2014/10
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/10/06	.000	2014/10
BERYLLIUM	01012	108	2002/10/22	.000	2011/10
CADMIUM	01027	108	2005/10/06	.000	2014/10
CHROMIUM (TOTAL)	01034	108	2002/10/22	12.000	2011/10
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/10/06	.000	2014/10
LEAD	01051	WAIVED	1991/07/01	.000	WAIVED
MERCURY	71900	108	2005/10/06	.000	2014/10
NICKEL	01067	108	2002/10/22	.000	2011/10
SELENIUM	01147	108	2005/10/06	.000	2014/10
THALLIUM	01059	108	2002/10/22	.000	2011/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/04	8.000	2007/12
NITRITE (AS N)	00620	036	2006/12/04	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800645 PINE GROVE MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800645-001 WELL 01 - NEW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800645 PINE GROVE MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800645-001 WELL 01 - NEW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/12/04	.000	2012/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/12/04	.000	2012/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/12/04	.000	2012/12
1,1,2-TRICHLOROETHANE	34511	072	2006/12/04	.000	2012/12
1,1-DICHLOROETHANE	34496	072	2006/12/04	.000	2012/12
1,1-DICHLOROETHYLENE	34501	072	2006/12/04	.000	2012/12
1,2,4-TRICHLOROBENZENE	34551	072	2006/12/04	.000	2012/12
1,2-DICHLOROBENZENE	34536	072	2006/12/04	.000	2012/12
1,2-DICHLOROETHANE	34531	072	2006/12/04	.000	2012/12
1,2-DICHLOROPROPANE	34541	072	2006/12/04	.000	2012/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/12/04	.000	2012/12
1,4-DICHLOROBENZENE	34571	072	2006/12/04	.000	2012/12
BENZENE	34030	072	2006/12/04	.000	2012/12
CARBON TETRACHLORIDE	32102	072	2006/12/04	.000	2012/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/12/04	.000	2012/12
DICHLOROMETHANE	34423	072	2006/12/04	.000	2012/12
ETHYLBENZENE	34371	072	2006/12/04	.000	2012/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/12/04	.000	2012/12
MONOCHLOROBENZENE	34301	072	2006/12/04	.000	2012/12
STYRENE	77128	072	2006/12/04	.000	2012/12
TETRACHLOROETHYLENE	34475	072	2006/12/04	.000	2012/12
TOLUENE	34010	072	2006/12/04	.000	2012/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/12/04	.000	2012/12
TRICHLOROETHYLENE	39180	072	2006/12/04	.000	2012/12
TRICHLOROFLUOROMETHANE	34488	072	2006/12/04	.000	2012/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800645 PINE GROVE MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800645-001 WELL 01 - NEW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/12/04	.000	2012/12
XYLENES (TOTAL)	81551	072	2006/12/04	.000	2012/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2005/10/13	81.000	WAIVED
CALCIUM	00916	WAIVED	2005/10/13	9.600	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2005/10/13	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	2002/10/22	25.000	WAIVED
COLOR	00081	WAIVED	2002/10/22	5.000	WAIVED
COPPER	01042	WAIVED	2002/10/22	7.100	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/10/22	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2005/10/13	98.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2005/10/13	< 1.000	WAIVED
IRON	01045	WAIVED	2005/10/13	440.000	WAIVED
MAGNESIUM	00927	WAIVED	2005/10/13	18.000	WAIVED
MANGANESE	01055	WAIVED	2005/10/13	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/10/22	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2005/10/13	7.800	WAIVED
SILVER	01077	WAIVED	1991/07/01	.000	WAIVED
SODIUM	00929	WAIVED	2005/10/13	16.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/22	290.000	WAIVED
SULFATE	00945	WAIVED	2002/10/22	2.500	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/10/22	160.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2002/10/22	.980	WAIVED
ZINC	01092	WAIVED	2002/10/22	92.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800645 PINE GROVE MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800645-002 WELL 01 - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2003/12/02 -	.080	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800645 PINE GROVE MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800645-002 WELL 01 - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800645 PINE GROVE MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800645-002 WELL 01 - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800645 PINE GROVE MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800645-002 WELL 01 - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800647 REDWOOD MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800647-001 WELL 02****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED -	WAIVED
----------	-------	--------	----------	--------

INORGANIC

ALUMINUM	01105	108	2005/10/06	.000	2014/10
ANTIMONY	01097	108	2002/10/22	.000	2011/10
ARSENIC	01002	108	2005/10/06	.000	2014/10
ASBESTOS	81855	WAIVED	WAIVED -		WAIVED
BARIUM	01007	108	2005/10/06	.000	2014/10
BERYLLIUM	01012	108	2002/10/22	.000	2011/10
CADMIUM	01027	108	2005/10/06	.000	2014/10
CHROMIUM (TOTAL)	01034	108	2005/10/06	.000	2014/10
CYANIDE	01291	WAIVED	WAIVED -		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/10/06	.000	2014/10
LEAD	01051	WAIVED	1991/07/01	.000	WAIVED
MERCURY	71900	108	2005/10/06	.000	2014/10
NICKEL	01067	108	2002/10/22	79.000	2011/10
SELENIUM	01147	108	2005/10/06	.000	2014/10
THALLIUM	01059	108	2002/10/22	.000	2011/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/04	4.300	2007/12
NITRITE (AS N)	00620	036	2006/12/04	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2003/11/20 -	.290	WAIVED
GROSS BETA	03501	WAIVED	WAIVED -		WAIVED
RADIUM 226	09501	WAIVED	WAIVED -		WAIVED
RADIUM 228	11501	WAIVED	WAIVED -		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED -		WAIVED
TRITIUM	07000	WAIVED	WAIVED -		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED -		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800647 REDWOOD MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800647-001 WELL 02****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800647 REDWOOD MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800647-001 WELL 02****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	-	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	-	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	-	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/12/04	.000	2012/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/12/04	.000	2012/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/12/04	.000	2012/12
1,1,2-TRICHLOROETHANE	34511	072	2006/12/04	.000	2012/12
1,1-DICHLOROETHANE	34496	072	2006/12/04	.000	2012/12
1,1-DICHLOROETHYLENE	34501	072	2006/12/04	.000	2012/12
1,2,4-TRICHLOROBENZENE	34551	072	2006/12/04	.000	2012/12
1,2-DICHLOROBENZENE	34536	072	2006/12/04	.000	2012/12
1,2-DICHLOROETHANE	34531	072	2006/12/04	.000	2012/12
1,2-DICHLOROPROPANE	34541	072	2006/12/04	.000	2012/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/12/04	.000	2012/12
1,4-DICHLOROBENZENE	34571	072	2006/12/04	.000	2012/12
BENZENE	34030	072	2006/12/04	.000	2012/12
CARBON TETRACHLORIDE	32102	072	2006/12/04	.000	2012/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/12/04	.000	2012/12
DICHLOROMETHANE	34423	072	2006/12/04	.000	2012/12
ETHYLBENZENE	34371	072	2006/12/04	.000	2012/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/12/04	.000	2012/12
MONOCHLOROBENZENE	34301	072	2006/12/04	.000	2012/12
STYRENE	77128	072	2006/12/04	.000	2012/12
TETRACHLOROETHYLENE	34475	072	2006/12/04	.000	2012/12
TOLUENE	34010	072	2006/12/04	.000	2012/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/12/04	.000	2012/12
TRICHLOROETHYLENE	39180	072	2006/12/04	.000	2012/12
TRICHLOROFLUOROMETHANE	34488	072	2006/12/04	.000	2012/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800647 REDWOOD MAINT. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800647-001 WELL 02****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/12/04	.000	2012/12
XYLENES (TOTAL)	81551	072	2006/12/04	.000	2012/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED -		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2002/10/22	100.000	WAIVED
CALCIUM	00916	WAIVED	2002/10/22	4.500	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2002/10/22	.000	WAIVED
CHLORIDE	00940	WAIVED	2002/10/22	9.100	WAIVED
COLOR	00081	WAIVED	2002/10/22	.000	WAIVED
COPPER	01042	WAIVED	2002/10/22	220.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/10/22	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2002/10/22	110.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2002/10/22	.000	WAIVED
IRON	01045	WAIVED	2002/10/22	.000	WAIVED
MAGNESIUM	00927	WAIVED	2002/10/22	24.000	WAIVED
MANGANESE	01055	WAIVED	2002/10/22	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/10/22	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2002/10/22	6.800	WAIVED
SILVER	01077	WAIVED	2002/10/22	.000	WAIVED
SODIUM	00929	WAIVED	2002/10/22	6.500	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/22	240.000	WAIVED
SULFATE	00945	WAIVED	2002/10/22	3.100	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/10/22	140.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2002/10/22	.210	WAIVED
ZINC	01092	WAIVED	2002/10/22	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800649 MARGARET KEATING MAIN. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800649-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/10/22	.000	2011/10
ANTIMONY	01097	108	2002/10/22	.000	2011/10
ARSENIC	01002	108	2005/10/06	.000	2014/10
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/10/06	.000	2014/10
BERYLLIUM	01012	108	2002/10/22	.000	2011/10
CADMIUM	01027	108	2005/10/06	.000	2014/10
CHROMIUM (TOTAL)	01034	108	2002/10/22		2011/10
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/10/06	.000	2014/10
LEAD	01051	WAIVED	1991/07/01	.000	WAIVED
MERCURY	71900	108	2005/10/06	.000	2014/10
NICKEL	01067	108	2002/10/22	.000	2011/10
SELENIUM	01147	108	2005/10/06	.000	2014/10
THALLIUM	01059	108	2002/10/22	.000	2011/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/04	4.900	2007/12
NITRITE (AS N)	00620	036	2006/12/04	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2007/03/29	.340	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800649 MARGARET KEATING MAIN. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800649-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800649 MARGARET KEATING MAIN. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800649-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/08 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/12/04	.000	2012/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/12/04	.000	2012/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/12/04	.000	2012/12
1,1,2-TRICHLOROETHANE	34511	072	2006/12/04	.000	2012/12
1,1-DICHLOROETHANE	34496	072	2006/12/04	.000	2012/12
1,1-DICHLOROETHYLENE	34501	072	2006/12/04	.000	2012/12
1,2,4-TRICHLOROBENZENE	34551	072	2006/12/04	.000	2012/12
1,2-DICHLOROBENZENE	34536	072	2006/12/04	.000	2012/12
1,2-DICHLOROETHANE	34531	072	2006/12/04	.000	2012/12
1,2-DICHLOROPROPANE	34541	072	2006/12/04	.000	2012/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/12/04	.000	2012/12
1,4-DICHLOROBENZENE	34571	072	2006/12/04	.000	2012/12
BENZENE	34030	072	2006/12/04	.000	2012/12
CARBON TETRACHLORIDE	32102	072	2006/12/04	.000	2012/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/12/04	.000	2012/12
DICHLOROMETHANE	34423	072	2006/12/04	.000	2012/12
ETHYLBENZENE	34371	072	2006/12/04	.000	2012/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/12/04	.000	2012/12
MONOCHLOROBENZENE	34301	072	2006/12/04	.000	2012/12
STYRENE	77128	072	2006/12/04	.000	2012/12
TETRACHLOROETHYLENE	34475	072	2006/12/04	.000	2012/12
TOLUENE	34010	072	2006/12/04	.000	2012/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/12/04	.000	2012/12
TRICHLOROETHYLENE	39180	072	2006/12/04	.000	2012/12
TRICHLOROFLUOROMETHANE	34488	072	2006/12/04	.000	2012/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800649 MARGARET KEATING MAIN. & OPER.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800649-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/12/04	.000	2012/12
XYLENES (TOTAL)	81551	072	2006/12/04	.000	2012/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2002/10/22	25.000	WAIVED
CALCIUM	00916	WAIVED	2002/10/22	5.300	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2002/10/22	.000	WAIVED
CHLORIDE	00940	WAIVED	2002/10/22	4.200	WAIVED
COLOR	00081	WAIVED	2002/10/22	.000	WAIVED
COPPER	01042	WAIVED	2002/10/22	1800.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/10/22	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2002/10/22	19.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2002/10/22	.000	WAIVED
IRON	01045	WAIVED	2002/10/22	.000	WAIVED
MAGNESIUM	00927	WAIVED	2002/10/22	1.500	WAIVED
MANGANESE	01055	WAIVED	2002/10/22	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/10/22	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2002/10/22	6.500	WAIVED
SILVER	01077	WAIVED	2002/10/22	.000	WAIVED
SODIUM	00929	WAIVED	2002/10/22	7.100	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/22	76.000	WAIVED
SULFATE	00945	WAIVED	2002/10/22	2.600	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/10/22	56.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2002/10/22	.240	WAIVED
ZINC	01092	WAIVED	2002/10/22	150.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800652 SHANGRI-LA TRAILER COURT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800652-004 WELL 4-DOGHOUSE WELL-REPRESENTS ALL WESource Number: **004**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2004/05/12 <	50.000	2007/05
ANTIMONY	01097	036	2004/05/12 <	6.000	2007/05
ARSENIC	01002	036	2004/05/12 <	2.000	2007/05
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2004/05/12 <	10.000	2007/05
BERYLLIUM	01012	036	2004/05/12 <	1.000	2007/05
CADMIUM	01027	036	2004/05/12 <	1.000	2007/05
CHROMIUM (TOTAL)	01034	036	2004/05/12	13.000	2007/05
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2004/05/12 <	.100	2007/05
LEAD	01051	WAIVED	2004/05/12 <	5.000	WAIVED
MERCURY	71900	036	2004/05/12 <	1.000	2007/05
NICKEL	01067	036	2004/05/12	14.000	2007/05
SELENIUM	01147	036	2004/05/12 <	5.000	2007/05
THALLIUM	01059	036	2004/05/12 <	1.000	2007/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2004/05/12	13.000	2005/05 DUE
NITRITE (AS N)	00620	036	2004/05/12 <	200.000	2007/05

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/02/13	.090	2009/02
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800652 SHANGRI-LA TRAILER COURT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800652-004 WELL 4-DOGHOUSE WELL-REPRESENTS ALL WE****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800652 SHANGRI-LA TRAILER COURT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800652-004 WELL 4-DOGHOUSE WELL-REPRESENTS ALL WE****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/01/30	.000	2012/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/01/30	.000	2012/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/01/30	.000	2012/01
1,1,2-TRICHLOROETHANE	34511	072	2006/01/30	.000	2012/01
1,1-DICHLOROETHANE	34496	072	2006/01/30	.000	2012/01
1,1-DICHLOROETHYLENE	34501	072	2006/01/30	.000	2012/01
1,2,4-TRICHLOROBENZENE	34551	072	2006/01/30	.000	2012/01
1,2-DICHLOROBENZENE	34536	072	2006/01/30	.000	2012/01
1,2-DICHLOROETHANE	34531	072	2006/01/30	.000	2012/01
1,2-DICHLOROPROPANE	34541	072	2006/01/30	.000	2012/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/01/30	.000	2012/01
1,4-DICHLOROBENZENE	34571	072	2006/01/30	.000	2012/01
BENZENE	34030	072	2006/01/30	.000	2012/01
CARBON TETRACHLORIDE	32102	072	2006/01/30	.000	2012/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/01/30	.000	2012/01
DICHLOROMETHANE	34423	072	2006/01/30	.000	2012/01
ETHYLBENZENE	34371	072	2006/01/30	.000	2012/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/01/30	.000	2012/01
MONOCHLOROBENZENE	34301	072	2006/01/30	.000	2012/01
STYRENE	77128	072	2006/01/30	.000	2012/01
TETRACHLOROETHYLENE	34475	072	2006/01/30	.000	2012/01
TOLUENE	34010	072	2006/01/30	.000	2012/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/01/30	.000	2012/01
TRICHLOROETHYLENE	39180	072	2006/01/30	.000	2012/01
TRICHLOROFLUOROMETHANE	34488	072	2006/01/30	.000	2012/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800652 SHANGRI-LA TRAILER COURT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800652-004 WELL 4-DOGHOUSE WELL-REPRESENTS ALL WESource Number: **004**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/01/30	.000	2012/01
XYLENES (TOTAL)	81551	072	2006/01/30	.000	2012/01

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2004/05/12	9.300	2013/05
BICARBONATE ALKALINITY	00440	108	2004/05/12	62.000	2013/05
CALCIUM	00916	108	2004/05/12	5.700	2013/05
CARBONATE ALKALINITY	00445	108	2004/05/12 <	5.000	2013/05
CHLORIDE	00940	036	2004/05/12	16.000	2007/05
COLOR	00081	036	2004/05/19 <	3.000	2007/05
COPPER	01042	036	2004/05/12 <	20.000	2007/05
FOAMING AGENTS (MBAS)	38260	036	2004/05/12 <	.050	2007/05
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/05/12	66.000	2013/05
HYDROXIDE ALKALINITY	71830	108	2004/05/12 <	1.000	2013/05
IRON	01045	036	2004/05/12 <	100.000	2007/05
MAGNESIUM	00927	108	2004/05/12	13.000	2013/05
MANGANESE	01055	036	2004/05/12 <	20.000	2007/05
ODOR THRESHOLD @ 60 C	00086	036	2004/05/19 <	1.000	2007/05
PH, LABORATORY	00403	036	2004/05/12	6.500	2007/05
SILVER	01077	036	2004/05/12 <	10.000	2007/05
SODIUM	00929	108	2004/05/12	12.000	2013/05
SPECIFIC CONDUCTANCE	00095	036	2004/05/12	180.000	2007/05
SULFATE	00945	036	2004/05/12	7.400	2007/05
TOTAL DISSOLVED SOLIDS	70300	036	2004/05/12	120.000	2007/05
TURBIDITY, LABORATORY	82079	036	2004/05/12 <	.100	2007/05
ZINC	01092	036	2004/05/12 <	50.000	2007/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800661 CALTRANS-COLLIER TUNNEL RS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800661-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2006/08/08	.000	WAIVED
ANTIMONY	01097	WAIVED	2006/08/08	.000	WAIVED
ARSENIC	01002	WAIVED	2006/08/08	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	2006/08/08	108.800	WAIVED
BERYLLIUM	01012	WAIVED	2006/08/08	.000	WAIVED
CADMIUM	01027	WAIVED	2006/08/08	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2006/08/08	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/08/08	.100	WAIVED
LEAD	01051	WAIVED	2006/08/08	.000	WAIVED
MERCURY	71900	WAIVED	2006/08/08	.000	WAIVED
NICKEL	01067	WAIVED	2006/08/08	.000	WAIVED
SELENIUM	01147	WAIVED	2006/08/08	.000	WAIVED
THALLIUM	01059	WAIVED	2006/08/08	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/08	.000	2007/08
NITRITE (AS N)	00620	036	2006/08/08	.000	2009/08

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800661 CALTRANS-COLLIER TUNNEL RS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800661-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800661 CALTRANS-COLLIER TUNNEL RS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800661-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800661 CALTRANS-COLLIER TUNNEL RS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800661-002 WELL 01 - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2006/08/08	11.800	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2006/08/08	181.000	WAIVED
CALCIUM	00916	WAIVED	2006/08/08	42.500	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2006/08/08	.000	WAIVED
CHLORIDE	00940	WAIVED	2006/08/08	8.900	WAIVED
COLOR	00081	WAIVED	2006/08/08	.000	WAIVED
COPPER	01042	WAIVED	2006/08/08	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/08/08	.030	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2006/08/08	129.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2006/08/08	.000	WAIVED
IRON	01045	WAIVED	2006/08/08	505.200	WAIVED
MAGNESIUM	00927	WAIVED	2006/08/08	7.500	WAIVED
MANGANESE	01055	WAIVED	2006/08/08	75.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2006/08/08	3.000	WAIVED
PH, LABORATORY	00403	WAIVED	2006/08/08	7.580	WAIVED
SILVER	01077	WAIVED	2006/08/08	.000	WAIVED
SODIUM	00929	WAIVED	2006/08/08	19.700	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2006/08/08	367.000	WAIVED
SULFATE	00945	WAIVED	2006/08/08	33.700	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2006/08/08	190.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2006/08/08	3.490	WAIVED
ZINC	01092	WAIVED	2006/08/08	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800666 GRASSY FLAT CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800666-002 SPRING****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/19	.000	2007/09
NITRITE (AS N)	00620	036	2006/09/19	.000	2009/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800666 GRASSY FLAT CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800666-002 SPRING****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800666 GRASSY FLAT CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800666-002 SPRING****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800666 GRASSY FLAT CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800666-002 SPRING****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800700 LAS PALMAS MOBILE HOME PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800700-004 WELL 05 BY FIRE TANK - REPRESENTATIVESource Number: **004**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/09/15	.000	2014/09
ANTIMONY	01097	108	2005/09/15	.000	2014/09
ARSENIC	01002	108	2005/09/15	.000	2014/09
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/09/15	.000	2014/09
BERYLLIUM	01012	108	2005/09/15	.000	2014/09
CADMIUM	01027	108	2005/09/15	.000	2014/09
CHROMIUM (TOTAL)	01034	108	2005/09/15	11.000	2014/09
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/09/15	.000	2014/09
LEAD	01051	WAIVED	2005/09/15	.000	WAIVED
MERCURY	71900	108	2005/09/15	.000	2014/09
NICKEL	01067	108	2005/09/15	.000	2014/09
SELENIUM	01147	108	2005/09/15	.000	2014/09
THALLIUM	01059	108	2005/09/15	.000	2014/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/09/15	9.300	2006/09	DUE
NITRITE (AS N)	00620	036	2005/09/15	.000	2008/09	

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/09/15	.060	2009/09
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800700 LAS PALMAS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800700-004 WELL 05 BY FIRE TANK - REPRESENTATIVE****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/09/19	.000	WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1990/09/19	.000	WAIVED
BENTAZON	38710	WAIVED	1990/09/19	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1990/09/19	.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1990/09/19	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1990/09/19	.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/09/19	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1990/09/19	.000	WAIVED
GLYPHOSATE	79743	WAIVED	1990/09/19	.000	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/09/19	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/09/19	.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800700 LAS PALMAS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800700-004 WELL 05 BY FIRE TANK - REPRESENTATIVE****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1990/09/19	.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1990/09/19	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/01/02	.000	2008/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/01/02	.000	2008/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2002/01/02	.000	2008/01
1,1,2-TRICHLOROETHANE	34511	072	2002/01/02	.000	2008/01
1,1-DICHLOROETHANE	34496	072	2002/01/02	.000	2008/01
1,1-DICHLOROETHYLENE	34501	072	2002/01/02	.000	2008/01
1,2,4-TRICHLOROBENZENE	34551	072	2002/01/02	.000	2008/01
1,2-DICHLOROBENZENE	34536	072	2002/01/02	.000	2008/01
1,2-DICHLOROETHANE	34531	072	2002/01/02	.000	2008/01
1,2-DICHLOROPROPANE	34541	072	2002/01/02	.000	2008/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/01/02	.000	2008/01
1,4-DICHLOROBENZENE	34571	072	2002/01/02	.000	2008/01
BENZENE	34030	072	2002/01/02	.000	2008/01
CARBON TETRACHLORIDE	32102	072	2002/01/02	.000	2008/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/01/02	.000	2008/01
DICHLOROMETHANE	34423	072	2002/01/02	.000	2008/01
ETHYLBENZENE	34371	072	2002/01/02	.000	2008/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/01/02	.000	2008/01
MONOCHLOROBENZENE	34301	072	2002/01/02	.000	2008/01
STYRENE	77128	072	2002/01/02	.000	2008/01
TETRACHLOROETHYLENE	34475	072	2002/01/02	.000	2008/01
TOLUENE	34010	072	2002/01/02	.000	2008/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/01/02	.000	2008/01
TRICHLOROETHYLENE	39180	072	2002/01/02	.000	2008/01
TRICHLOROFLUOROMETHANE	34488	072	2002/01/02	.000	2008/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800700 LAS PALMAS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800700-004 WELL 05 BY FIRE TANK - REPRESENTATIVE****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2002/01/02	.000	2008/01
XYLENES (TOTAL)	81551	072	2002/01/02	.000	2008/01

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/09/15 -	2.200	2014/09
BICARBONATE ALKALINITY	00440	108	2005/09/15	54.000	2014/09
CALCIUM	00916	108	2005/09/15	5.400	2014/09
CARBONATE ALKALINITY	00445	108	2005/09/15 <	1.000	2014/09
CHLORIDE	00940	036	2005/09/15	12.000	2008/09
COLOR	00081	036	2005/09/15	10.000	2008/09
COPPER	01042	036	2005/09/15	.000	2008/09
FOAMING AGENTS (MBAS)	38260	036	2005/09/15 <	.050	2008/09
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/09/15	63.000	2014/09
HYDROXIDE ALKALINITY	71830	108	2005/09/15 <	1.000	2014/09
IRON	01045	036	2005/09/15	.000	2008/09
MAGNESIUM	00927	108	2005/09/15	12.000	2014/09
MANGANESE	01055	036	2005/09/15	.000	2008/09
ODOR THRESHOLD @ 60 C	00086	036	2005/09/15	.000	2008/09
PH, LABORATORY	00403	036	2005/09/15	6.700	2008/09
SILVER	01077	108	2005/09/15	.000	2014/09
SODIUM	00929	108	2005/09/15	9.800	2014/09
SPECIFIC CONDUCTANCE	00095	036	2005/09/15	170.000	2008/09
SULFATE	00945	036	2005/09/15	3.000	2008/09
TOTAL DISSOLVED SOLIDS	70300	036	2005/09/15	110.000	2008/09
TURBIDITY, LABORATORY	82079	036	2005/09/15	.090	2008/09
ZINC	01092	036	2005/09/15	.000	2008/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800795 BAR-O RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800795-001 WELL 01 - REPRESENTATIVE OF WELL FIELD****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED -	WAIVED
----------	-------	--------	----------	--------

INORGANIC

ALUMINUM	01105	108	2001/05/01	.000	2010/05
ANTIMONY	01097	108	2001/05/01	.000	2010/05
ARSENIC	01002	108	2001/05/01	.000	2010/05
ASBESTOS	81855	WAIVED	WAIVED -		WAIVED
BARIUM	01007	108	2001/05/01	8.400	2010/05
BERYLLIUM	01012	108	2001/05/01	.000	2010/05
CADMIUM	01027	108	2001/05/01	.000	2010/05
CHROMIUM (TOTAL)	01034	108	2002/06/19		2011/06
CYANIDE	01291	WAIVED	WAIVED -		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2001/05/01	.000	2010/05
LEAD	01051	WAIVED	2001/05/01	.000	WAIVED
MERCURY	71900	108	2002/06/19	.000	2011/06
NICKEL	01067	108	2001/05/01	4.000	2010/05
SELENIUM	01147	108	2001/05/01	.000	2010/05
THALLIUM	01059	108	2001/05/01	.000	2010/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/16	.000	2007/08
NITRITE (AS N)	00620	036	2004/09/20	.000	2007/09

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/05/23 -	.180	2009/05
GROSS BETA	03501	WAIVED	WAIVED -		WAIVED
RADIUM 226	09501	WAIVED	WAIVED -		WAIVED
RADIUM 228	11501	WAIVED	WAIVED -		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED -		WAIVED
TRITIUM	07000	WAIVED	WAIVED -		WAIVED
URANIUM (PCI/L)	28012	WAIVED	2001/05/01	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800795 BAR-O RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800795-001 WELL 01 - REPRESENTATIVE OF WELL FIELD****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800795 BAR-O RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800795-001 WELL 01 - REPRESENTATIVE OF WELL FIELD****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/03/16	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	-		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	-		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	1993/08/16		.000	1999/08	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1993/08/16		.000	1999/08	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1993/08/16		.000	1999/08	DUE
1,1,2-TRICHLOROETHANE	34511	072	1993/08/16		.000	1999/08	DUE
1,1-DICHLOROETHANE	34496	072	1993/08/16		.000	1999/08	DUE
1,1-DICHLOROETHYLENE	34501	072	1993/08/16		.000	1999/08	DUE
1,2,4-TRICHLOROBENZENE	34551	072	1993/08/16		.000	1999/08	DUE
1,2-DICHLOROBENZENE	34536	072	1993/08/16		.000	1999/08	DUE
1,2-DICHLOROETHANE	34531	072	1993/08/16		.000	1999/08	DUE
1,2-DICHLOROPROPANE	34541	072	1993/08/16		.000	1999/08	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1993/08/16		.000	1999/08	DUE
1,4-DICHLOROBENZENE	34571	072	1993/08/16		.000	1999/08	DUE
BENZENE	34030	072	1993/08/16		.000	1999/08	DUE
CARBON TETRACHLORIDE	32102	072	1993/08/16		.000	1999/08	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1993/08/16		.000	1999/08	DUE
DICHLOROMETHANE	34423	072	1993/08/16		.000	1999/08	DUE
ETHYLBENZENE	34371	072	1993/08/16		.000	1999/08	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/01/22		.000	2007/01	DUE
MONOCHLOROBENZENE	34301	072	1993/08/16		.000	1999/08	DUE
STYRENE	77128	072	1993/08/16		.000	1999/08	DUE
TETRACHLOROETHYLENE	34475	072	1993/08/16		.000	1999/08	DUE
TOLUENE	34010	072	1993/08/16		.000	1999/08	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1993/08/16		.000	1999/08	DUE
TRICHLOROETHYLENE	39180	072	1993/08/16		.000	1999/08	DUE
TRICHLOROFLUOROMETHANE	34488	072	1993/08/16		.000	1999/08	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800795 BAR-O RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800795-001 WELL 01 - REPRESENTATIVE OF WELL FIELD****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	1993/08/16	.000	1999/08	DUE
XYLENES (TOTAL)	81551	072	1993/08/16	.000	1999/08	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/08/22	-	2.400	2014/08	
BICARBONATE ALKALINITY	00440	108	1995/04/27		58.000	2004/04	DUE
CALCIUM	00916	108	2005/08/22		5.200	2014/08	
CARBONATE ALKALINITY	00445	108	1995/04/27	<	1.000	2004/04	DUE
CHLORIDE	00940	036	2001/05/01		1.700	2004/05	DUE
COLOR	00081	036	1995/04/27	<	3.000	1998/04	DUE
COPPER	01042	108	2005/08/22		.000	2014/08	
FOAMING AGENTS (MBAS)	38260	036	2005/08/22		.000	2008/08	
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/08/22		43.000	2014/08	
HYDROXIDE ALKALINITY	71830	108	1995/04/27	<	1.000	2004/04	DUE
IRON	01045	108	2005/08/22		.000	2014/08	
MAGNESIUM	00927	108	2005/08/22		7.400	2014/08	
MANGANESE	01055	108	2005/08/22		.000	2014/08	
ODOR THRESHOLD @ 60 C	00086	036	1995/04/27	<	1.000	1998/04	DUE
PH, LABORATORY	00403	108	2005/08/22		6.600	2014/08	
SILVER	01077	108	2001/05/01		.000	2010/05	
SODIUM	00929	108	2001/05/01		1.900	2010/05	
SPECIFIC CONDUCTANCE	00095	036	2001/05/01		103.000	2004/05	DUE
SULFATE	00945	036	2001/05/01		2.900	2004/05	DUE
TOTAL DISSOLVED SOLIDS	70300	108	2005/08/22		69.000	2014/08	
TURBIDITY, LABORATORY	82079	036	1995/04/27	<	.050	1998/04	DUE
ZINC	01092	108	2005/08/22		.000	2014/08	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800800 PINE GROVE TRAILER PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800800-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2004/08/10	.000	2007/08
ANTIMONY	01097	036	2004/08/10	.000	2007/08
ARSENIC	01002	036	2004/08/10	.000	2007/08
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2004/08/10	.000	2007/08
BERYLLIUM	01012	036	2004/08/10	.000	2007/08
CADMIUM	01027	036	2004/08/10	.000	2007/08
CHROMIUM (TOTAL)	01034	036	2004/08/10		2007/08
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2004/08/10	.000	2007/08
LEAD	01051	WAIVED	2004/08/10	.000	WAIVED
MERCURY	71900	036	2004/08/10	.000	2007/08
NICKEL	01067	036	2004/08/10	27.000	2007/08
SELENIUM	01147	036	2004/08/10	.000	2007/08
THALLIUM	01059	036	2004/08/10	.000	2007/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2004/08/10	26.000	2005/08 DUE
NITRITE (AS N)	00620	036	2004/08/10	.000	2007/08

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/08/10 -	.740	2008/08
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800800 PINE GROVE TRAILER PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800800-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800800 PINE GROVE TRAILER PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800800-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	1992/08/05	.000	1998/08	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1992/08/05	.000	1998/08	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1992/08/05	.000	1998/08	DUE
1,1,2-TRICHLOROETHANE	34511	072	1992/08/05	.000	1998/08	DUE
1,1-DICHLOROETHANE	34496	072	1992/08/05	.000	1998/08	DUE
1,1-DICHLOROETHYLENE	34501	072	1992/08/05	.000	1998/08	DUE
1,2,4-TRICHLOROBENZENE	34551	072	1992/08/05	.000	1998/08	DUE
1,2-DICHLOROBENZENE	34536	072	1992/08/05	.000	1998/08	DUE
1,2-DICHLOROETHANE	34531	072	1992/08/05	.000	1998/08	DUE
1,2-DICHLOROPROPANE	34541	072	1992/08/05	.000	1998/08	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1992/08/05	.000	1998/08	DUE
1,4-DICHLOROBENZENE	34571	072	1992/08/05	.000	1998/08	DUE
BENZENE	34030	072	1992/08/05	.000	1998/08	DUE
CARBON TETRACHLORIDE	32102	072	1992/08/05	.000	1998/08	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1992/08/05	.000	1998/08	DUE
DICHLOROMETHANE	34423	072	1992/08/05	.000	1998/08	DUE
ETHYLBENZENE	34371	072	1992/08/05	.000	1998/08	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	072	1992/08/05	.000	1998/08	DUE
STYRENE	77128	072	1992/08/05	.000	1998/08	DUE
TETRACHLOROETHYLENE	34475	072	1992/08/05	.000	1998/08	DUE
TOLUENE	34010	072	1992/08/05	.000	1998/08	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1992/08/05	.000	1998/08	DUE
TRICHLOROETHYLENE	39180	072	1992/08/05	.000	1998/08	DUE
TRICHLOROFLUOROMETHANE	34488	072	1992/08/05	.000	1998/08	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800800 PINE GROVE TRAILER PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800800-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	1992/08/05	.000	1998/08	DUE
XYLENES (TOTAL)	81551	072	1992/08/05	.000	1998/08	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2004/08/10	100.000	2013/08	
CALCIUM	00916	108	2004/08/10	8.300	2013/08	
CARBONATE ALKALINITY	00445	108	2004/08/10	< 1.000	2013/08	
CHLORIDE	00940	036	2004/08/10	18.000	2007/08	
COLOR	00081	036	2004/08/10	.000	2007/08	
COPPER	01042	108	2004/08/10	.000	2013/08	
FOAMING AGENTS (MBAS)	38260	036	1992/08/05	.000	1995/08	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2004/08/10	100.000	2013/08	
HYDROXIDE ALKALINITY	71830	108	2004/08/10	< 1.000	2013/08	
IRON	01045	036	2004/08/10	.000	2007/08	
MAGNESIUM	00927	108	2004/08/10	20.000	2013/08	
MANGANESE	01055	036	2004/08/10	510.000	2007/08	
ODOR THRESHOLD @ 60 C	00086	036	2004/08/10	.000	2007/08	
PH, LABORATORY	00403	036	2004/08/10	6.600	2007/08	
SILVER	01077	036	2004/08/10	.000	2007/08	
SODIUM	00929	108	2004/08/10	19.000	2013/08	
SPECIFIC CONDUCTANCE	00095	036	2004/08/10	310.000	2007/08	
SULFATE	00945	036	2004/08/10	6.500	2007/08	
TOTAL DISSOLVED SOLIDS	70300	036	2004/08/10	260.000	2007/08	
TURBIDITY, LABORATORY	82079	036	2004/08/10	2.200	2007/08	
ZINC	01092	108	2004/08/10	.000	2013/08	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800811 SOCIETY WATER ASSOCIATION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800811-001 ROCK CREEK INFILTRATION GALLERY - TREATDSource Number: **001**Source Status: **ACTIVE TREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800811 SOCIETY WATER ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800811-001 ROCK CREEK INFILTRATION GALLERY - TREATD****Source Number: 001****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800811 SOCIETY WATER ASSOCIATION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800811-001 ROCK CREEK INFILTRATION GALLERY - TREATDSource Number: **001**Source Status: **ACTIVE TREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800811 SOCIETY WATER ASSOCIATION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800811-001 ROCK CREEK INFILTRATION GALLERY - TREATDSource Number: **001**Source Status: **ACTIVE TREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800811 SOCIETY WATER ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800811-002 ROCK CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800811 SOCIETY WATER ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800811-002 ROCK CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800811 SOCIETY WATER ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800811-002 ROCK CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800811 SOCIETY WATER ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800811-002 ROCK CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800824 BLACKBERRY WATER SYSTEM

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800824-001 WATER SOURCE 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800824 BLACKBERRY WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800824-001 WATER SOURCE 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800824 BLACKBERRY WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800824-001 WATER SOURCE 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800824 BLACKBERRY WATER SYSTEM

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800824-001 WATER SOURCE 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800825 JED SMITH HOMEOWNERS ASSN.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800825-001 TREATMENT HOUSE WELL 1-RAW REPRESENTA'Source Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	1998/09/14	.000	2001/09	DUE
ANTIMONY	01097	036	1998/09/14	.000	2001/09	DUE
ARSENIC	01002	036	1998/09/14	.000	2001/09	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	1998/09/14	.000	2001/09	DUE
BERYLLIUM	01012	036	1998/09/14	.000	2001/09	DUE
CADMIUM	01027	036	1998/09/14	.000	2001/09	DUE
CHROMIUM (TOTAL)	01034	036	2002/09/26		2005/09	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	1998/09/14	.000	2001/09	DUE
LEAD	01051	WAIVED	1998/09/14	.000	WAIVED	
MERCURY	71900	036	1998/09/14	.000	2001/09	DUE
NICKEL	01067	036	1998/09/14	30.000	2001/09	DUE
SELENIUM	01147	036	1998/09/14	.000	2001/09	DUE
THALLIUM	01059	036	1998/09/14	.000	2001/09	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2002/09/26	3.000	2003/09	DUE
NITRITE (AS N)	00620	036	2001/11/19	.000	2004/11	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	1999/04/21 -	.420	2003/04	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048				DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800825 JED SMITH HOMEOWNERS ASSN.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800825-001 TREATMENT HOUSE WELL 1-RAW REPRESENTA****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800825 JED SMITH HOMEOWNERS ASSN.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800825-001 TREATMENT HOUSE WELL 1-RAW REPRESENTASource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	1998/08/17	.000	2004/08	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1998/08/17	.000	2004/08	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1998/08/17	.000	2004/08	DUE
1,1,2-TRICHLOROETHANE	34511	072	1998/08/17	.000	2004/08	DUE
1,1-DICHLOROETHANE	34496	072	1998/08/17	.000	2004/08	DUE
1,1-DICHLOROETHYLENE	34501	072	1998/08/17	.000	2004/08	DUE
1,2,4-TRICHLOROBENZENE	34551	072	1998/08/17	.000	2004/08	DUE
1,2-DICHLOROBENZENE	34536	072	1998/08/17	.000	2004/08	DUE
1,2-DICHLOROETHANE	34531	072	1998/08/17	.000	2004/08	DUE
1,2-DICHLOROPROPANE	34541	072	1998/08/17	.000	2004/08	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1998/08/17	.000	2004/08	DUE
1,4-DICHLOROBENZENE	34571	072	1998/08/17	.000	2004/08	DUE
BENZENE	34030	072	1998/08/17	.000	2004/08	DUE
CARBON TETRACHLORIDE	32102	072	1998/08/17	.000	2004/08	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1998/08/17	.000	2004/08	DUE
DICHLOROMETHANE	34423	072	1998/08/17	.000	2004/08	DUE
ETHYLBENZENE	34371	072	1998/08/17	.000	2004/08	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	1998/08/17 <	5.000	2004/08	DUE
MONOCHLOROBENZENE	34301	072	1998/08/17	.000	2004/08	DUE
STYRENE	77128	072	1998/08/17	.000	2004/08	DUE
TETRACHLOROETHYLENE	34475	072	1998/08/17	.000	2004/08	DUE
TOLUENE	34010	072	1998/08/17	.000	2004/08	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1998/08/17	.000	2004/08	DUE
TRICHLOROETHYLENE	39180	072	1998/08/17	.000	2004/08	DUE
TRICHLOROFLUOROMETHANE	34488	072	1998/08/17	.000	2004/08	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800825 JED SMITH HOMEOWNERS ASSN.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800825-001 TREATMENT HOUSE WELL 1-RAW REPRESENTASource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	1998/08/17	.000	2004/08	DUE
XYLENES (TOTAL)	81551	072	1998/08/17	.000	2004/08	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1998/09/14	130.000	2007/09	
CALCIUM	00916	108	1998/09/14	6.700	2007/09	
CARBONATE ALKALINITY	00445	108	1998/09/14	< 1.000	2007/09	
CHLORIDE	00940	036	1998/09/14	7.900	2001/09	DUE
COLOR	00081	036	1998/08/17	.000	2001/08	DUE
COPPER	01042	036	1998/09/14	.000	2001/09	DUE
FOAMING AGENTS (MBAS)	38260	036	1998/09/14	< .020	2001/09	DUE
HARDNESS (TOTAL) AS CaCO3	00900	108	1998/09/14	120.000	2007/09	
HYDROXIDE ALKALINITY	71830	108	1998/09/14	< 1.000	2007/09	
IRON	01045	036	1998/09/14	.000	2001/09	DUE
MAGNESIUM	00927	108	1998/09/14	24.000	2007/09	
MANGANESE	01055	036	1998/09/14	.000	2001/09	DUE
ODOR THRESHOLD @ 60 C	00086	036	1998/08/17	.000	2001/08	DUE
PH, LABORATORY	00403	036	1998/09/14	7.200	2001/09	DUE
SILVER	01077	036	1998/09/14	.000	2001/09	DUE
SODIUM	00929	108	1998/09/14	16.000	2007/09	
SPECIFIC CONDUCTANCE	00095	036	1998/09/14	260.000	2001/09	DUE
SULFATE	00945	036	1998/09/14	1.700	2001/09	DUE
TOTAL DISSOLVED SOLIDS	70300	036	1998/09/14	110.000	2001/09	DUE
TURBIDITY, LABORATORY	82079	036	1998/08/17	.000	2001/08	DUE
ZINC	01092	036	1998/09/14	.000	2001/09	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800850 SEA WEST RESTAURANT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800850-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800850 SEA WEST RESTAURANT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800850-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800850 SEA WEST RESTAURANT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800850-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800850 SEA WEST RESTAURANT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800850-002 WELL 01 - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800861 RESERVATION RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800861-001 WELL****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/07/26	.000	2008/07
ANTIMONY	01097	036	2005/07/26	.000	2008/07
ARSENIC	01002	036	2005/07/26	.000	2008/07
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/07/26	.000	2008/07
BERYLLIUM	01012	036	2005/07/26	.000	2008/07
CADMIUM	01027	036	2005/07/26	.000	2008/07
CHROMIUM (TOTAL)	01034	036	2005/07/26	.000	2008/07
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/07/26	.000	2008/07
LEAD	01051	WAIVED	2001/09/12 <	.600	WAIVED
MERCURY	71900	036	2005/07/26	.000	2008/07
NICKEL	01067	036	2005/07/26	20.000	2008/07
SELENIUM	01147	036	2005/07/26	.000	2008/07
THALLIUM	01059	036	2005/07/26	.000	2008/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2005/08/30	19.000	2005/11 DUE
NITRITE (AS N)	00620	036	2005/07/26	.000	2008/07

RADIOLOGICAL

GROSS ALPHA	01501	000			DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800861 RESERVATION RANCH

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800861-001 WELLSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	2001/09/12	.000	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	2001/09/12	.000	WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/09/12	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	2001/09/12	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	2001/09/12	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/09/12	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2001/09/12	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/09/12	.000	WAIVED
LINDANE	39340	WAIVED	2001/09/12	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2001/09/12	.000	WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0800861 RESERVATION RANCH

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800861-001 WELLSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/09/12	.000	2007/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/09/12	.000	2007/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/09/12	.000	2007/09
1,1-DICHLOROETHANE	34496	072	2001/09/12	.000	2007/09
1,1-DICHLOROETHYLENE	34501	072	2001/09/12	.000	2007/09
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	072	2001/09/12	.000	2007/09
1,2-DICHLOROETHANE	34531	072	2001/09/12	.000	2007/09
1,2-DICHLOROPROPANE	34541	072	2001/09/12	.000	2007/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/09/12	.000	2007/09
1,4-DICHLOROBENZENE	34571	072	2001/09/12	.000	2007/09
BENZENE	34030	072	2001/09/12	.000	2007/09
CARBON TETRACHLORIDE	32102	072	2001/09/12	.000	2007/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/09/12	.000	2007/09
DICHLOROMETHANE	34423	072	2001/09/12	.000	2007/09
ETHYLBENZENE	34371	072	2001/09/12	.000	2007/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/09/12	.000	2007/09
MONOCHLOROBENZENE	34301	072	2001/09/12	.000	2007/09
STYRENE	77128	072	2001/09/12	.000	2007/09
TETRACHLOROETHYLENE	34475	072	2001/09/12	.000	2007/09
TOLUENE	34010	072	2001/09/12	.000	2007/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/09/12	.000	2007/09
TRICHLOROETHYLENE	39180	072	2001/09/12	.000	2007/09
TRICHLOROFLUOROMETHANE	34488	072	2001/09/12	.000	2007/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800861 RESERVATION RANCH

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800861-001 WELLSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/09/12	.000	2007/09
XYLENES (TOTAL)	81551	072	2001/09/12	.000	2007/09

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/07/26 -	2.500	2014/07
BICARBONATE ALKALINITY	00440	108	2005/07/26	42.000	2014/07
CALCIUM	00916	108	2001/09/12	7.200	2010/09
CARBONATE ALKALINITY	00445	108	2005/07/26 <	1.000	2014/07
CHLORIDE	00940	036	2005/07/26	8.500	2008/07
COLOR	00081	036	2005/07/26	3.000	2008/07
COPPER	01042	036	2005/07/26	.000	2008/07
FOAMING AGENTS (MBAS)	38260	036	2005/07/26 <	.050	2008/07
HARDNESS (TOTAL) AS CaCO3	00900	108	2001/09/12	55.600	2010/09
HYDROXIDE ALKALINITY	71830	108	2005/07/26 <	1.000	2014/07
IRON	01045	036	2005/07/26	.000	2008/07
MAGNESIUM	00927	108	2005/07/26	12.000	2014/07
MANGANESE	01055	036	2005/07/26	.000	2008/07
ODOR THRESHOLD @ 60 C	00086	036	2005/07/26	.000	2008/07
PH, LABORATORY	00403	036	2005/07/26	6.000	2008/07
SILVER	01077	036	2005/07/26	.000	2008/07
SODIUM	00929	108	2005/07/26	7.900	2014/07
SPECIFIC CONDUCTANCE	00095	036	2005/07/26	190.000	2008/07
SULFATE	00945	036	2005/07/26	12.000	2008/07
TOTAL DISSOLVED SOLIDS	70300	036	2005/07/26	140.000	2008/07
TURBIDITY, LABORATORY	82079	036	2005/07/26	.080	2008/07
ZINC	01092	036	2005/07/26	58.000	2008/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0800861 RESERVATION RANCH

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0800861-002 WELL - CHLORINATEDSource Number: **002**Source Status: **ACTIVE TREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	036		DUE
ANTIMONY	01097	036		DUE
ARSENIC	01002	036		DUE
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	036		DUE
BERYLLIUM	01012	036		DUE
CADMIUM	01027	036		DUE
CHROMIUM (TOTAL)	01034	036		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	036		DUE
NICKEL	01067	036		DUE
SELENIUM	01147	036		DUE
THALLIUM	01059	036		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0800861 RESERVATION RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800861-002 WELL - CHLORINATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800861 RESERVATION RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800861-002 WELL - CHLORINATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0800861 RESERVATION RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0800861-002 WELL - CHLORINATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	036		DUE
COLOR	00081	036		DUE
COPPER	01042	036		DUE
FOAMING AGENTS (MBAS)	38260	036		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	036		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	036		DUE
ODOR THRESHOLD @ 60 C	00086	036		DUE
PH, LABORATORY	00403	036		DUE
SILVER	01077	036		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	036		DUE
SULFATE	00945	036		DUE
TOTAL DISSOLVED SOLIDS	70300	036		DUE
TURBIDITY, LABORATORY	82079	036		DUE
ZINC	01092	036		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0810001 CITY OF CRESCENT CITY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810001-001 SMITH RIVER - RANNEY WELLSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036				DUE
ANTIMONY	01097	036	2005/12/12 <	6.000	2008/12	
ARSENIC	01002	036				DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036				DUE
BERYLLIUM	01012	036	2005/12/12 <	1.000	2008/12	
CADMIUM	01027	036				DUE
CHROMIUM (TOTAL)	01034	036				DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036				DUE
LEAD	01051	WAIVED	WAIVED		WAIVED	
MERCURY	71900	036	2005/12/12 <	1.000	2008/12	
NICKEL	01067	036	2005/12/12 <	10.000	2008/12	
SELENIUM	01147	036				DUE
THALLIUM	01059	036	2005/12/12 <	1.000	2008/12	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/12/12 <	1.000	2006/12	DUE
NITRITE (AS N)	00620	036	2005/12/12 <	200.000	2008/12	

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0810001 CITY OF CRESCENT CITY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810001-001 SMITH RIVER - RANNEY WELL****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0810001 CITY OF CRESCENT CITY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810001-001 SMITH RIVER - RANNEY WELL****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0810001 CITY OF CRESCENT CITY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810001-001 SMITH RIVER - RANNEY WELLSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	000			DUE
XYLENES (TOTAL)	81551	000			DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/12/12 <		2014/12	
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	108	2005/12/12	6.600	2014/12	
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	036				DUE
COLOR	00081	036	2005/12/12 <	5.000	2008/12	
COPPER	01042	036				DUE
FOAMING AGENTS (MBAS)	38260	036	2005/12/12 <	.050	2008/12	
HARDNESS (TOTAL) AS CaCO ₃	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	036				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	036				DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/12/12 <	1.000	2008/12	
PH, LABORATORY	00403	036	2005/12/12	7.600	2008/12	
SILVER	01077	036				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	036				DUE
SULFATE	00945	036				DUE
TOTAL DISSOLVED SOLIDS	70300	036				DUE
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036				DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0810002 SMITH RIVER C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810002-002 WELL 02****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	108	2001/05/01	1.800	2010/05
ANTIMONY	01097	108	2001/05/01	.000	2010/05
ARSENIC	01002	108	2001/05/01	.000	2010/05
ASBESTOS	81855	WAIVED	1996/12/12	.000	WAIVED
BARIUM	01007	108	2001/05/01	17.700	2010/05
BERYLLIUM	01012	108	2001/05/01	.000	2010/05
CADMIUM	01027	108	2001/05/01	.000	2010/05
CHROMIUM (TOTAL)	01034	108	2001/08/30		2010/08
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/02/24	.000	2013/02
LEAD	01051	WAIVED	2001/08/30	.000	WAIVED
MERCURY	71900	108	1999/06/03	.000	2008/06
NICKEL	01067	108	2001/05/01	6.900	2010/05
SELENIUM	01147	108	2001/05/01	1.800	2010/05
THALLIUM	01059	108	2001/05/01	.000	2010/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/08	3.700	2007/12
NITRITE (AS N)	00620	036	2005/06/16	.000	2008/06

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/06/16	.580	2009/06
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	2007/01
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	2001/05/01	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0810002 SMITH RIVER C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810002-002 WELL 02****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED <		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/09/13 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/09/13 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	1990/10/24 <	.010	WAIVED
ATRAZINE	39033	WAIVED	1989/09/28 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED <		WAIVED
BENZO (A) PYRENE	34247	WAIVED	2001/05/01	.000	WAIVED
CARBOFURAN	81405	WAIVED	1991/02/06 <	5.000	WAIVED
CHLORDANE	39350	WAIVED	1990/10/24 <	.100	WAIVED
DALAPON	38432	WAIVED	WAIVED <		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED <		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	2001/05/01	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED <		WAIVED
DINOSEB	81287	WAIVED	WAIVED <		WAIVED
DIQUAT	78885	WAIVED	WAIVED <		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED <		WAIVED
ENDRIN	39390	WAIVED	1990/10/24 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/09/13 <	.020	WAIVED
GLYPHOSATE	79743	WAIVED	1990/10/24 <	5.000	WAIVED
HEPTACHLOR	39410	WAIVED	1990/10/24 <	.010	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	1990/10/24 <	.010	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2001/05/01	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/05/01	.000	WAIVED
LINDANE	39340	WAIVED	1990/10/24 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/10/24 <	10.000	WAIVED
MOLINATE	82199	WAIVED	2004/12/14 <	2.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED <		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2001/05/01	.000	WAIVED
PICLORAM	39720	WAIVED	WAIVED <		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED <		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0810002 SMITH RIVER C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810002-002 WELL 02****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/09/28 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED <		WAIVED
TOXAPHENE	39400	WAIVED	1990/10/24 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/08/30	.000	2007/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/08/30	.000	2007/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/08/30	.000	2007/08
1,1,2-TRICHLOROETHANE	34511	072	2001/08/30	.000	2007/08
1,1-DICHLOROETHANE	34496	072	2001/08/30	.000	2007/08
1,1-DICHLOROETHYLENE	34501	072	2001/08/30	.000	2007/08
1,2,4-TRICHLOROBENZENE	34551	072	2001/08/30	.000	2007/08
1,2-DICHLOROBENZENE	34536	072	2001/08/30	.000	2007/08
1,2-DICHLOROETHANE	34531	072	2001/08/30	.000	2007/08
1,2-DICHLOROPROPANE	34541	072	2001/08/30	.000	2007/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/08/30	.000	2007/08
1,4-DICHLOROBENZENE	34571	072	2001/08/30	.000	2007/08
BENZENE	34030	072	2001/08/30	.000	2007/08
CARBON TETRACHLORIDE	32102	072	2001/08/30	.000	2007/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/08/30	.000	2007/08
DICHLOROMETHANE	34423	072	2001/08/30	.000	2007/08
ETHYLBENZENE	34371	072	2001/08/30	.000	2007/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2004/05/25	.000	2010/05
MONOCHLOROBENZENE	34301	072	2001/08/30	.000	2007/08
STYRENE	77128	072	2001/08/30	.000	2007/08
TETRACHLOROETHYLENE	34475	072	2001/08/30	.000	2007/08
TOLUENE	34010	072	2001/08/30	.000	2007/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/08/30	.000	2007/08
TRICHLOROETHYLENE	39180	072	2001/08/30	.000	2007/08
TRICHLOROFLUOROMETHANE	34488	072	2001/08/30	.000	2007/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0810002 SMITH RIVER C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810002-002 WELL 02Source Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2001/08/30	.000	2007/08
XYLENES (TOTAL)	81551	072	2001/08/30	.000	2007/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000	<		DUE
BICARBONATE ALKALINITY	00440	108	1995/03/21	36.000	2004/03 DUE
CALCIUM	00916	108	2001/05/01	5.800	2010/05
CARBONATE ALKALINITY	00445	108	1995/03/21 <	1.000	2004/03 DUE
CHLORIDE	00940	108	2001/05/01	4.500	2010/05
COLOR	00081	108	1987/07/08 <	5.000	1996/07 DUE
COPPER	01042	108	2001/08/30	.000	2010/08
FOAMING AGENTS (MBAS)	38260	108	1995/03/21 <	.020	2004/03 DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2001/05/01	44.700	2010/05
HYDROXIDE ALKALINITY	71830	108	1995/03/21 <	1.000	2004/03 DUE
IRON	01045	108	2001/05/01	.000	2010/05
MAGNESIUM	00927	108	2001/05/01	7.300	2010/05
MANGANESE	01055	108	2001/05/01	.000	2010/05
ODOR THRESHOLD @ 60 C	00086	108	1987/07/08 <	1.000	1996/07 DUE
PH, LABORATORY	00403	108	2001/05/01	6.900	2010/05
SILVER	01077	108	2001/05/01	.000	2010/05
SODIUM	00929	108	2001/05/01	4.100	2010/05
SPECIFIC CONDUCTANCE	00095	108	2004/12/14	120.000	2013/12
SULFATE	00945	108	2001/05/01	2.400	2010/05
TOTAL DISSOLVED SOLIDS	70300	108	2001/05/01	60.000	2010/05
TURBIDITY, LABORATORY	82079	108	1987/07/08	.050	1996/07 DUE
ZINC	01092	108	2001/05/01	1.600	2010/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0810300 DEL NORTE COAST STATE PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810300-001 MILL CREEK CG - INFILTRATION GALLERY****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/09/12	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1995/09/12	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1995/09/12	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1995/09/12	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/09/12	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/09/12	.000	WAIVED
LEAD	01051	WAIVED	1995/09/12	.000	WAIVED
MERCURY	71900	WAIVED	1995/09/12	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1995/09/12	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	.000	2008/02
NITRITE (AS N)	00620	036	2005/01/26	.000	2008/01

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0810300 DEL NORTE COAST STATE PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810300-001 MILL CREEK CG - INFILTRATION GALLERYSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/08/22 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/08/22 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/08/22 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/08/22 <	.010	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/08/22 <	.100	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0810300 DEL NORTE COAST STATE PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810300-001 MILL CREEK CG - INFILTRATION GALLERYSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/08/22	< .500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED		WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED		WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED		WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED		WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED		WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED		WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED		WAIVED
BENZENE	34030	WAIVED	WAIVED		WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED		WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED		WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED		WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED		WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED		WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED		WAIVED
TOLUENE	34010	WAIVED	WAIVED		WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED		WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED		WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0810300 DEL NORTE COAST STATE PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810300-001 MILL CREEK CG - INFILTRATION GALLERYSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/09/12	17.000	WAIVED
CALCIUM	00916	WAIVED	1995/09/12	5.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/09/12	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/09/12	4.300	WAIVED
COLOR	00081	WAIVED	1995/09/12	< 3.000	WAIVED
COPPER	01042	WAIVED	1995/09/12	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/09/12	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/09/12	18.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/09/12	< 1.000	WAIVED
IRON	01045	WAIVED	1995/09/12	.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/09/12	1.300	WAIVED
MANGANESE	01055	WAIVED	1995/09/12	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1995/09/12	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/09/12	7.100	WAIVED
SILVER	01077	WAIVED	1995/09/12	.000	WAIVED
SODIUM	00929	WAIVED	1995/09/12	4.400	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/09/12	52.000	WAIVED
SULFATE	00945	WAIVED	1995/09/12	< 1.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/09/12	35.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1995/09/12	< .050	WAIVED
ZINC	01092	WAIVED	1995/09/12	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0810303 JEDEDIAH SMITH STATE PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810303-002 CHLORINE SHACK WELLSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1991/10/21	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1991/10/21	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1991/10/21	23.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1991/10/21	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1991/10/21	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1991/10/21	< .100	WAIVED
LEAD	01051	WAIVED	1991/10/21	.000	WAIVED
MERCURY	71900	WAIVED	1991/10/21	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1991/10/21	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	.000	2008/02
NITRITE (AS N)	00620	036	2005/01/26	.000	2008/01

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1990/09/04	.390	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0810303 JEDEDIAH SMITH STATE PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810303-002 CHLORINE SHACK WELL****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0810303 JEDEDIAH SMITH STATE PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810303-002 CHLORINE SHACK WELL

Source Number: 002

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0810303 JEDEDIAH SMITH STATE PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810303-002 CHLORINE SHACK WELLSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1996/02/14	71.000	WAIVED
CALCIUM	00916	WAIVED	1996/02/14	12.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1996/02/14	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1996/02/14	5.900	WAIVED
COLOR	00081	WAIVED	1991/10/21	< 3.000	WAIVED
COPPER	01042	WAIVED	1996/02/14	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1996/02/14	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1996/02/14	83.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1996/02/14	< 1.000	WAIVED
IRON	01045	WAIVED	1996/02/14	400.000	WAIVED
MAGNESIUM	00927	WAIVED	1996/02/14	13.000	WAIVED
MANGANESE	01055	WAIVED	1996/02/14	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1991/10/21	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1996/02/14	6.600	WAIVED
SILVER	01077	WAIVED	1991/10/21	.000	WAIVED
SODIUM	00929	WAIVED	1996/02/14	5.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1996/02/14	180.000	WAIVED
SULFATE	00945	WAIVED	1996/02/14	3.200	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1996/02/14	120.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1991/10/21	.480	WAIVED
ZINC	01092	WAIVED	1996/02/14	150.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0810500 LAGOON CREEK - REDWOOD NP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810500-001 LAGOON CREEK WELL****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1999/12/22	.000	WAIVED
ANTIMONY	01097	WAIVED	1999/12/22	.000	WAIVED
ARSENIC	01002	WAIVED	1999/12/22	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1999/12/22	.000	WAIVED
BERYLLIUM	01012	WAIVED	1999/12/22	.000	WAIVED
CADMIUM	01027	WAIVED	1999/12/22	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1999/12/22	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1999/12/22	.000	WAIVED
LEAD	01051	WAIVED	1999/12/22	.000	WAIVED
MERCURY	71900	WAIVED	1999/12/22	.000	WAIVED
NICKEL	01067	WAIVED	1999/12/22	.000	WAIVED
SELENIUM	01147	WAIVED	1999/12/22	.000	WAIVED
THALLIUM	01059	WAIVED	1999/12/22	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/04	.000	2007/08
NITRITE (AS N)	00620	036	2005/08/04 <	500.000	2008/08

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1993/04/21	.000	WAIVED
GROSS BETA	03501	WAIVED	1993/04/21	.000	WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0810500 LAGOON CREEK - REDWOOD NP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810500-001 LAGOON CREEK WELL****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2003/04/15	.000	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/03/14 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/03/14 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/03/14 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1993/04/21	.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/03/14 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/03/14 <	.020	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/03/14 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/03/14 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1989/03/14 <	5.000	WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0810500 LAGOON CREEK - REDWOOD NP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810500-001 LAGOON CREEK WELL****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/03/14 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/03/14 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1993/04/21	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1993/04/21	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1993/04/21	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1993/04/21	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1993/04/21	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1993/04/21	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1993/04/21	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1993/04/21	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1993/04/21	.000	WAIVED
BENZENE	34030	WAIVED	1993/04/21	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1993/04/21	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1993/04/21	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1993/04/21	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1993/04/21	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1993/04/21	.000	WAIVED
STYRENE	77128	WAIVED	1993/04/21	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1993/04/21	.000	WAIVED
TOLUENE	34010	WAIVED	1993/04/21	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1993/04/21	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1993/04/21	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1993/04/21	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0810500 LAGOON CREEK - REDWOOD NP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810500-001 LAGOON CREEK WELL****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1993/04/21	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1993/04/21	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1993/04/21	112.000	WAIVED
CALCIUM	00916	WAIVED	2007/01/26	28.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1993/04/21	.000	WAIVED
CHLORIDE	00940	WAIVED	2007/01/26	210.000	WAIVED
COLOR	00081	WAIVED	2007/01/26	20.000	WAIVED
COPPER	01042	WAIVED	2007/01/26	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/01/26	< .050	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2007/01/26	87.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1993/04/21	.000	WAIVED
IRON	01045	WAIVED	2007/01/26	1700.000	WAIVED
MAGNESIUM	00927	WAIVED	2007/01/26	4.200	WAIVED
MANGANESE	01055	WAIVED	2007/01/26	230.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/01/26	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2007/01/26	7.500	WAIVED
SILVER	01077	WAIVED	1999/12/22	.000	WAIVED
SODIUM	00929	WAIVED	2007/01/26	140.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1993/04/21	980.000	WAIVED
SULFATE	00945	WAIVED	2007/01/26	.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/01/26	570.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1993/04/21	15.000	WAIVED
ZINC	01092	WAIVED	1993/04/21	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**0810502 REQUA SERVICE AREA-REDWOOD NP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810502-001 REQUA (SALT CREEK) WELL****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2000/03/17	.000	2009/03
ANTIMONY	01097	108	2005/12/01	.000	2014/12
ARSENIC	01002	036	2000/03/17	.000	2003/03 DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/12/01	.000	2014/12
BERYLLIUM	01012	036	2000/03/17	.000	2003/03 DUE
CADMIUM	01027	036	2000/03/17	.000	2003/03 DUE
CHROMIUM (TOTAL)	01034	036	2000/03/17	.000	2003/03 DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/12/01	.000	2014/12
LEAD	01051	WAIVED	2000/03/17	.000	WAIVED
MERCURY	71900	108	2005/12/01	.000	2014/12
NICKEL	01067	036	2000/03/17	.000	2003/03 DUE
SELENIUM	01147	036	2000/03/17	.000	2003/03 DUE
THALLIUM	01059	108	2005/12/01	.000	2014/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/04	2.700	2007/08
NITRITE (AS N)	00620	036	2005/08/04	.000	2008/08

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/11/07	.160	2007/11
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0810502 REQUA SERVICE AREA-REDWOOD NP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810502-001 REQUA (SALT CREEK) WELLSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/04/27 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/04/27 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/03/14 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/10/23 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/10/23 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/10/23 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0810502 REQUA SERVICE AREA-REDWOOD NP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810502-001 REQUA (SALT CREEK) WELL****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/03/14 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1990/10/23 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2004/08/20	.000	2010/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2004/08/20	.000	2010/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2004/08/20	.000	2010/08
1,1,2-TRICHLOROETHANE	34511	072	2004/08/20	.000	2010/08
1,1-DICHLOROETHANE	34496	072	2004/08/20	.000	2010/08
1,1-DICHLOROETHYLENE	34501	072	2004/08/20	.000	2010/08
1,2,4-TRICHLOROBENZENE	34551	072	2004/08/20	.000	2010/08
1,2-DICHLOROBENZENE	34536	072	2004/08/20	.000	2010/08
1,2-DICHLOROETHANE	34531	072	2004/08/20	.000	2010/08
1,2-DICHLOROPROPANE	34541	072	2004/08/20	.000	2010/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2004/08/20	.000	2010/08
1,4-DICHLOROBENZENE	34571	072	2004/08/20	.000	2010/08
BENZENE	34030	072	2004/08/20	.000	2010/08
CARBON TETRACHLORIDE	32102	072	2004/08/20	.000	2010/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2004/08/20	.000	2010/08
DICHLOROMETHANE	34423	072	2004/08/20	.000	2010/08
ETHYLBENZENE	34371	072	2004/08/20	.000	2010/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2004/08/20	.000	2010/08
MONOCHLOROBENZENE	34301	072	2004/08/20	.000	2010/08
STYRENE	77128	072	2004/08/20	.000	2010/08
TETRACHLOROETHYLENE	34475	072	2004/08/20	.000	2010/08
TOLUENE	34010	072	2004/08/20	.000	2010/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2004/08/20	.000	2010/08
TRICHLOROETHYLENE	39180	072	2004/08/20	.000	2010/08
TRICHLOROFLUOROMETHANE	34488	072	2004/08/20	.000	2010/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0810502 REQUA SERVICE AREA-REDWOOD NP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810502-001 REQUA (SALT CREEK) WELLSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2004/08/20	.000	2010/08
XYLENES (TOTAL)	81551	072	2004/08/20	.550	2010/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/12/01 -	2.700	2014/12
BICARBONATE ALKALINITY	00440	108	2002/12/06	26.000	2011/12
CALCIUM	00916	108	2005/12/01	6.000	2014/12
CARBONATE ALKALINITY	00445	108	2002/12/06	.000	2011/12
CHLORIDE	00940	036	2002/12/06	4.700	2005/12 DUE
COLOR	00081	108	2005/12/01	5.000	2014/12
COPPER	01042	108	2005/12/01	.000	2014/12
FOAMING AGENTS (MBAS)	38260	036	2005/12/01 <	.050	2008/12
HARDNESS (TOTAL) AS CaCO3	00900	108	2002/12/06	24.000	2011/12
HYDROXIDE ALKALINITY	71830	108	2002/12/06	.000	2011/12
IRON	01045	036	2002/12/06	110.000	2005/12 DUE
MAGNESIUM	00927	108	2002/12/06	1.900	2011/12
MANGANESE	01055	108	2005/12/01	.000	2014/12
ODOR THRESHOLD @ 60 C	00086	108	2005/12/01	.000	2014/12
PH, LABORATORY	00403	108	2005/12/01	6.500	2014/12
SILVER	01077	108	2002/12/06	.000	2011/12
SODIUM	00929	108	2002/12/06	4.500	2011/12
SPECIFIC CONDUCTANCE	00095	108	2005/12/01	69.000	2014/12
SULFATE	00945	036	2002/12/06	2.900	2005/12 DUE
TOTAL DISSOLVED SOLIDS	70300	108	2005/12/01	49.000	2014/12
TURBIDITY, LABORATORY	82079	036	2002/12/06	.780	2005/12 DUE
ZINC	01092	036	2002/12/06	790.000	2005/12 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0810800 ALDER CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810800-001 BASEBALL FIELD WELL - STANDBYSource Number: **001**Source Status: **STANDBY RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/02/05	.000	2013/02
ANTIMONY	01097	108	2004/02/05	.000	2013/02
ARSENIC	01002	108	2004/02/05	.000	2013/02
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2004/02/05	.000	2013/02
BERYLLIUM	01012	108	2004/02/05	.000	2013/02
CADMIUM	01027	108	2004/02/05	.000	2013/02
CHROMIUM (TOTAL)	01034	108	2004/02/05		2013/02
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/02/05	.000	2013/02
LEAD	01051	WAIVED	2004/02/05	.000	WAIVED
MERCURY	71900	108	2004/02/05	.000	2013/02
NICKEL	01067	108	2004/02/05	.000	2013/02
SELENIUM	01147	108	2004/02/05	.000	2013/02
THALLIUM	01059	108	2004/02/05	.000	2013/02

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2004/02/05	12.000	2013/02
NITRITE (AS N)	00620	108	2004/02/05	.000	2013/02

RADIOLOGICAL

GROSS ALPHA	01501	108	2004/02/05	.160	2013/02
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

0810800 ALDER CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810800-001 BASEBALL FIELD WELL - STANDBYSource Number: **001**Source Status: **STANDBY RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/03/15 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/03/15 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/03/15 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/03/15 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/03/15 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/03/15 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0810800 ALDER CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810800-001 BASEBALL FIELD WELL - STANDBY

Source Number: 001

Source Status: **STANDBY RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/03/15 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/03/15 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2004/02/05	.000	2013/02
1,1,2,2-TETRACHLOROETHANE	34516	108	2004/02/05	.000	2013/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2004/02/05	.000	2013/02
1,1,2-TRICHLOROETHANE	34511	108	2004/02/05	.000	2013/02
1,1-DICHLOROETHANE	34496	108	2004/02/05	.000	2013/02
1,1-DICHLOROETHYLENE	34501	108	2004/02/05	.000	2013/02
1,2,4-TRICHLOROBENZENE	34551	108	2004/02/05	.000	2013/02
1,2-DICHLOROBENZENE	34536	108	2004/02/05	.000	2013/02
1,2-DICHLOROETHANE	34531	108	2004/02/05	.000	2013/02
1,2-DICHLOROPROPANE	34541	108	2004/02/05	.000	2013/02
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2004/02/05	.000	2013/02
1,4-DICHLOROBENZENE	34571	108	2004/02/05	.000	2013/02
BENZENE	34030	108	2004/02/05	.000	2013/02
CARBON TETRACHLORIDE	32102	108	2004/02/05	.000	2013/02
CIS-1,2-DICHLOROETHYLENE	77093	108	2004/02/05	.000	2013/02
DICHLOROMETHANE	34423	108	2004/02/05	.000	2013/02
ETHYLBENZENE	34371	108	2004/02/05	.000	2013/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2004/02/05	.000	2013/02
MONOCHLOROBENZENE	34301	108	2004/02/05	.000	2013/02
STYRENE	77128	108	2004/02/05	.000	2013/02
TETRACHLOROETHYLENE	34475	108	2004/02/05	.000	2013/02
TOLUENE	34010	108	2004/02/05	.000	2013/02
TRANS-1,2-DICHLOROETHYLENE	34546	108	2004/02/05	.000	2013/02
TRICHLOROETHYLENE	39180	108	2004/02/05	.000	2013/02
TRICHLOROFLUOROMETHANE	34488	108	2004/02/05	.000	2013/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0810800 ALDER CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810800-001 BASEBALL FIELD WELL - STANDBY

Source Number: 001

Source Status: **STANDBY RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	108	2004/02/05	.000	2013/02
XYLENES (TOTAL)	81551	108	2004/02/05	.000	2013/02

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	1989/01/24	9.700	1998/01 DUE
BICARBONATE ALKALINITY	00440	108	2004/02/05	27.000	2013/02
CALCIUM	00916	108	2004/02/05	4.400	2013/02
CARBONATE ALKALINITY	00445	108	2004/02/05 <	1.000	2013/02
CHLORIDE	00940	108	2004/02/05	15.000	2013/02
COLOR	00081	108	2004/02/05	3.000	2013/02
COPPER	01042	108	2004/02/05	.000	2013/02
FOAMING AGENTS (MBAS)	38260	108	2004/02/05	.000	2013/02
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/02/05	35.000	2013/02
HYDROXIDE ALKALINITY	71830	108	2004/02/05 <	1.000	2013/02
IRON	01045	108	2004/02/05	.000	2013/02
MAGNESIUM	00927	108	2004/02/05	5.900	2013/02
MANGANESE	01055	108	2004/02/05	.000	2013/02
ODOR THRESHOLD @ 60 C	00086	108	2004/02/05	.000	2013/02
PH, LABORATORY	00403	108	2004/02/05	5.800	2013/02
SILVER	01077	108	2004/02/05	.000	2013/02
SODIUM	00929	108	2004/02/05	12.000	2013/02
SPECIFIC CONDUCTANCE	00095	108	2004/02/05	130.000	2013/02
SULFATE	00945	108	2004/02/05	1.700	2013/02
TOTAL DISSOLVED SOLIDS	70300	108	2004/02/05	85.000	2013/02
TURBIDITY, LABORATORY	82079	108	2004/02/05	.000	2013/02
ZINC	01092	108	2004/02/05	68.000	2013/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0810800 ALDER CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810800-003 RIVER WELL - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	2000/02/29	.000	2001/02	DUE
ANTIMONY	01097	012	1996/08/27	.000	1997/08	DUE
ARSENIC	01002	012	1999/07/15	.000	2000/07	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012	2000/02/29	.000	2001/02	DUE
BERYLLIUM	01012	012	1998/11/05	.000	1999/11	DUE
CADMIUM	01027	012	1998/11/05	.000	1999/11	DUE
CHROMIUM (TOTAL)	01034	108	2004/01/08		2013/01	
CYANIDE	01291	WAIVED	1998/11/05	.000	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2000/02/29	.000	2001/02	DUE
LEAD	01051	WAIVED	WAIVED		WAIVED	
MERCURY	71900	108	2000/02/29	.000	2009/02	
NICKEL	01067	108	2000/02/29	.000	2009/02	
SELENIUM	01147	108	2000/02/29	.000	2009/02	
THALLIUM	01059	012	1999/07/15	.000	2000/07	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2003/12/22	5.800	2004/12	DUE
NITRITE (AS N)	00620	036	2003/12/22	.000	2006/12	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2004/01/08	.170	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0810800 ALDER CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810800-003 RIVER WELL - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	1996/08/27	.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

0810800 ALDER CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

0810800-003 RIVER WELL - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2004/01/08	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2004/01/08	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2004/01/08	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2004/01/08	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2004/01/08	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2004/01/08	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2004/01/08	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2004/01/08	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2004/01/08	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2004/01/08	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2004/01/08	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2004/01/08	.000	WAIVED
BENZENE	34030	WAIVED	2004/01/08	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2004/01/08	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2004/01/08	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2004/01/08	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2004/01/08	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2004/01/08	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2004/01/08	.000	WAIVED
STYRENE	77128	WAIVED	2004/01/08	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2004/01/08	.000	WAIVED
TOLUENE	34010	WAIVED	2004/01/08	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2004/01/08	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2004/01/08	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2004/01/08	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**0810800 ALDER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**0810800-003 RIVER WELL - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2004/01/08	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2004/01/08	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1996/08/27	20.000	WAIVED
CALCIUM	00916	WAIVED	1996/08/27	4.800	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1996/08/27	.000	WAIVED
CHLORIDE	00940	WAIVED	1996/08/27	9.100	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1996/08/27	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1996/08/27	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1996/08/27	21.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1996/08/27	.000	WAIVED
IRON	01045	WAIVED	1996/08/27	11000.000	WAIVED
MAGNESIUM	00927	WAIVED	1996/08/27	2.100	WAIVED
MANGANESE	01055	WAIVED	1996/08/27	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1996/08/27	6.300	WAIVED
SILVER	01077	WAIVED	1996/08/27	.000	WAIVED
SODIUM	00929	WAIVED	1996/08/27	6.200	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1996/08/27	79.000	WAIVED
SULFATE	00945	WAIVED	1996/08/27	2.400	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1996/08/27	60.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1996/08/27	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200500 SYLVAN HARBOR TRAILER PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200500-002 WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/03/22	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/04/06	.000	2007/04
NITRITE (AS N)	00620	036	2006/04/06	.000	2009/04

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200500 SYLVAN HARBOR TRAILER PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200500-002 WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200500 SYLVAN HARBOR TRAILER PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200500-002 WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200500 SYLVAN HARBOR TRAILER PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200500-002 WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/03/22	74.000	WAIVED
CALCIUM	00916	WAIVED	1995/03/22	15.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/03/22	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/03/22	51.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1995/03/22	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/03/22	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/03/22	87.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/03/22	< 1.000	WAIVED
IRON	01045	WAIVED	1995/03/22	220.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/03/22	12.000	WAIVED
MANGANESE	01055	WAIVED	1995/03/22	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1995/03/22	6.300	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1995/03/22	42.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/03/22	380.000	WAIVED
SULFATE	00945	WAIVED	1995/03/22	19.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/03/22	200.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200501 ALDERPOINT COUNTY WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200501-001 EEL RIVER - UNTREATED****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2003/08/13	.000	2012/08
ANTIMONY	01097	108	2003/08/13	.000	2012/08
ARSENIC	01002	012	2006/11/02	.000	2007/11
ASBESTOS	81855	108	2000/11/01	.000	2009/11
BARIUM	01007	012	2006/11/02	100.000	2007/11
BERYLLIUM	01012	108	2003/08/13	.000	2012/08
CADMIUM	01027	012	2006/11/02	.000	2007/11
CHROMIUM (TOTAL)	01034	108	2006/11/02	.000	2015/11
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2006/11/02	.110	2007/11
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	012	2006/11/02	.000	2007/11
NICKEL	01067	108	2003/08/13	.000	2012/08
SELENIUM	01147	012	2006/11/02	.000	2007/11
THALLIUM	01059	108	2003/08/13	.000	2012/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/06/28	.000	2007/06
NITRITE (AS N)	00620	036	2006/06/28	.000	2009/06

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/12/09	.370	2007/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200501 ALDERPOINT COUNTY WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200501-001 EEL RIVER - UNTREATED****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2007/02/14	.000
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200501 ALDERPOINT COUNTY WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200501-001 EEL RIVER - UNTREATED****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2007/02/14	.000	2013/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/02/14	.000	2013/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/02/14	.000	2013/02
1,1,2-TRICHLOROETHANE	34511	072	2007/02/14	.000	2013/02
1,1-DICHLOROETHANE	34496	072	2007/02/14	.000	2013/02
1,1-DICHLOROETHYLENE	34501	072	2007/02/14	.000	2013/02
1,2,4-TRICHLOROBENZENE	34551	072	2007/02/14	.000	2013/02
1,2-DICHLOROBENZENE	34536	072	2007/02/14	.000	2013/02
1,2-DICHLOROETHANE	34531	072	2007/02/14	.000	2013/02
1,2-DICHLOROPROPANE	34541	072	2007/02/14	.000	2013/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/02/14	.000	2013/02
1,4-DICHLOROBENZENE	34571	072	2007/02/14	.000	2013/02
BENZENE	34030	072	2007/02/14	.000	2013/02
CARBON TETRACHLORIDE	32102	072	2007/02/14	.000	2013/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/02/14	.000	2013/02
DICHLOROMETHANE	34423	072	2007/02/14	.000	2013/02
ETHYLBENZENE	34371	072	2007/02/14	.000	2013/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/02/14	.000	2013/02
MONOCHLOROBENZENE	34301	072	2007/02/14	.000	2013/02
STYRENE	77128	072	2007/02/14	.000	2013/02
TETRACHLOROETHYLENE	34475	072	2007/02/14	.000	2013/02
TOLUENE	34010	072	2007/02/14	.000	2013/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/02/14	.000	2013/02
TRICHLOROETHYLENE	39180	072	2007/02/14	.000	2013/02
TRICHLOROFLUOROMETHANE	34488	072	2007/02/14	.000	2013/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200501 ALDERPOINT COUNTY WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200501-001 EEL RIVER - UNTREATED****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	072	2007/02/14	.000	2013/02
XYLENES (TOTAL)	81551	072	2007/02/14	.000	2013/02

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/11/02	.011	2015/11
BICARBONATE ALKALINITY	00440	108	2000/04/17	100.000	2009/04
CALCIUM	00916	108	2006/11/02	35.000	2015/11
CARBONATE ALKALINITY	00445	108	2000/04/17 <	1.000	2009/04
CHLORIDE	00940	012	2006/11/02	8.300	2007/11
COLOR	00081	WAIVED	2000/06/27	3.000	WAIVED
COPPER	01042	012	2006/11/02	.000	2007/11
FOAMING AGENTS (MBAS)	38260	012	2006/11/02 <	.050	2007/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2000/11/01	130.000	2009/11
HYDROXIDE ALKALINITY	71830	108	2000/04/17 <	1.000	2009/04
IRON	01045	012	2006/11/02	.000	2007/11
MAGNESIUM	00927	108	2000/11/01	8.800	2009/11
MANGANESE	01055	012	2006/11/02	.000	2007/11
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/11/01 <	1.000	WAIVED
PH, LABORATORY	00403	WAIVED	2006/11/02	7.800	WAIVED
SILVER	01077	012	2006/11/02	.000	2007/11
SODIUM	00929	108	2000/06/27	6.100	2009/06
SPECIFIC CONDUCTANCE	00095	012	2006/11/02	280.000	2007/11
SULFATE	00945	012	2006/11/02	19.000	2007/11
TOTAL DISSOLVED SOLIDS	70300	108	2006/11/02	170.000	2015/11
TURBIDITY, LABORATORY	82079	WAIVED	2000/11/01	9.900	WAIVED
ZINC	01092	012	2006/11/02	.000	2007/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200501 ALDERPOINT COUNTY WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200501-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200501 ALDERPOINT COUNTY WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200501-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200501 ALDERPOINT COUNTY WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200501-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200501 ALDERPOINT COUNTY WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200501-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200509 HEARTWOOD INSTITUTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200509-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2002/03/28	2.500	2003/03	DUE
NITRITE (AS N)	00620	036	2002/03/28	.000	2005/03	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200509 HEARTWOOD INSTITUTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200509-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200509 HEARTWOOD INSTITUTE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200509-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/29	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/29	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/29	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/29	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/29	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/29	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/29	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/29	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/29	.000	WAIVED
BENZENE	34030	WAIVED	1988/04/29	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/29	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/29	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/29	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/29	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/29	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/29	.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/29	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/29	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/29	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/29	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200509 HEARTWOOD INSTITUTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200509-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/29	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/29	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1998/03/31	61.000	WAIVED
CALCIUM	00916	WAIVED	1998/03/31	16.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1998/03/31	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1998/03/31	54.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1998/03/31	< 1.000	WAIVED
IRON	01045	WAIVED	1998/03/31	470.000	WAIVED
MAGNESIUM	00927	WAIVED	1998/03/31	3.400	WAIVED
MANGANESE	01055	WAIVED	1998/03/31	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1998/03/31	7.300	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1998/03/31	5.700	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200509 HEARTWOOD INSTITUTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200509-002 LATERAL SPRING - POOL - RAW****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/10/30	.120 WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200509 HEARTWOOD INSTITUTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200509-002 LATERAL SPRING - POOL - RAW****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200509 HEARTWOOD INSTITUTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200509-002 LATERAL SPRING - POOL - RAW****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200509 HEARTWOOD INSTITUTE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200509-002 LATERAL SPRING - POOL - RAW****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2002/10/30	100.000	WAIVED
CALCIUM	00916	WAIVED	2002/10/30	28.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2002/10/30	.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2002/10/30	140.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2002/10/30	98.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2002/10/30	.000	WAIVED
IRON	01045	WAIVED	2002/10/30	370.000	WAIVED
MAGNESIUM	00927	WAIVED	2002/10/30	6.700	WAIVED
MANGANESE	01055	WAIVED	2002/10/30	20.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2002/10/30	6.900	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2002/10/30	11.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/10/30	230.000	WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200517 KIMTU MEADOWS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200517-001 INFILTRATION GALLERY - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	2004/12/16	200.000	2005/12	DUE
ANTIMONY	01097	012	2004/12/16	.000	2005/12	DUE
ARSENIC	01002	012	2004/12/16	.000	2005/12	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012	2004/12/16	.000	2005/12	DUE
BERYLLIUM	01012	012	2004/12/16	.000	2005/12	DUE
CADMIUM	01027	012	2004/12/16	.000	2005/12	DUE
CHROMIUM (TOTAL)	01034	012	2002/10/16	.000	2003/10	DUE
CYANIDE	01291	WAIVED	2004/12/16	.000	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2004/12/16	.110	2005/12	DUE
LEAD	01051	WAIVED	WAIVED		WAIVED	
MERCURY	71900	012				DUE
NICKEL	01067	012	2004/12/16 <	20.000	2005/12	DUE
SELENIUM	01147	012	2004/12/16	.000	2005/12	DUE
THALLIUM	01059	012	2004/12/16	.000	2005/12	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2004/12/16	.000	2005/03	DUE
NITRITE (AS N)	00620	036	2000/10/25	.000	2003/10	DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200517 KIMTU MEADOWS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200517-001 INFILTRATION GALLERY - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200517 KIMTU MEADOWS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200517-001 INFILTRATION GALLERY - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1999/12/15	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1999/12/15	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1992/10/11	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1999/12/15	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1999/12/15	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1999/12/15	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1992/10/11	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1999/12/15	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1999/12/15	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1999/12/15	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1999/12/15	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1999/12/15	.000	WAIVED
BENZENE	34030	WAIVED	1999/12/15	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1999/12/15	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1999/12/15	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1999/12/15	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1999/12/15	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1999/12/15	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1999/12/15	.000	WAIVED
STYRENE	77128	WAIVED	1999/12/15	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1999/12/15	.000	WAIVED
TOLUENE	34010	WAIVED	1999/12/15	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1999/12/15	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1999/12/15	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1999/12/15	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200517 KIMTU MEADOWS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200517-001 INFILTRATION GALLERY - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1999/12/15	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1999/12/15	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2000/10/25	110.000	2009/10	
CALCIUM	00916	108	2000/10/25	24.000	2009/10	
CARBONATE ALKALINITY	00445	108	2000/10/25 <	1.000	2009/10	
CHLORIDE	00940	012	2000/10/25	6.100	2001/10	DUE
COLOR	00081	WAIVED	WAIVED		WAIVED	
COPPER	01042	012	2000/10/25	.000	2001/10	DUE
FOAMING AGENTS (MBAS)	38260	012	2000/10/25 <	.050	2001/10	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2000/10/25	110.000	2009/10	
HYDROXIDE ALKALINITY	71830	108	2000/10/25 <	1.000	2009/10	
IRON	01045	012	2000/10/25	320.000	2001/10	DUE
MAGNESIUM	00927	108	2000/10/25	11.000	2009/10	
MANGANESE	01055	012	2000/10/25	150.000	2001/10	DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED	
PH, LABORATORY	00403	WAIVED	2000/10/25	6.600	WAIVED	
SILVER	01077	012				DUE
SODIUM	00929	108	2000/10/25	8.900	2009/10	
SPECIFIC CONDUCTANCE	00095	012	2000/10/25	260.000	2001/10	DUE
SULFATE	00945	012	2000/10/25	7.500	2001/10	DUE
TOTAL DISSOLVED SOLIDS	70300	012	2000/10/25	160.000	2001/10	DUE
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED	
ZINC	01092	012	2000/10/25	.000	2001/10	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200518 RIVERSIDE CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200518-003 WELLS 01 AND 02 COMBINED-RAW****Source Number: 003****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/09/22	.000	2008/09
ANTIMONY	01097	108	2005/09/22	.000	2014/09
ARSENIC	01002	036	2005/09/22	.000	2008/09
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/09/22	180.000	2008/09
BERYLLIUM	01012	108	2005/09/22	.000	2014/09
CADMIUM	01027	036	2005/09/22	.000	2008/09
CHROMIUM (TOTAL)	01034	036	2005/09/22	2.400	2008/09
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/09/22	.250	2008/09
LEAD	01051	WAIVED	2005/09/22	.000	WAIVED
MERCURY	71900	036	2005/09/22	.000	2008/09
NICKEL	01067	108	2005/09/22	.000	2014/09
SELENIUM	01147	036	2005/09/22	.000	2008/09
THALLIUM	01059	108	2005/09/22	.000	2014/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/07	4.900	2008/03
NITRITE (AS N)	00620	036	2007/03/07	.000	2010/03

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/12/17	.600	2007/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200518 RIVERSIDE CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200518-003 WELLS 01 AND 02 COMBINED-RAW****Source Number: 003****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200518 RIVERSIDE CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200518-003 WELLS 01 AND 02 COMBINED-RAW****Source Number: 003****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/09/22	.000	2011/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/09/22	.000	2011/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/09/22	.000	2011/09
1,1,2-TRICHLOROETHANE	34511	072	2005/09/22	.000	2011/09
1,1-DICHLOROETHANE	34496	072	2005/09/22	.000	2011/09
1,1-DICHLOROETHYLENE	34501	072	2005/09/22	.000	2011/09
1,2,4-TRICHLOROBENZENE	34551	072	2005/09/22	.000	2011/09
1,2-DICHLOROBENZENE	34536	072	2005/09/22	.000	2011/09
1,2-DICHLOROETHANE	34531	072	2005/09/22	.000	2011/09
1,2-DICHLOROPROPANE	34541	072	2005/09/22	.000	2011/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/09/22	.000	2011/09
1,4-DICHLOROBENZENE	34571	072	2005/09/22	.000	2011/09
BENZENE	34030	072	2005/09/22	.000	2011/09
CARBON TETRACHLORIDE	32102	072	2005/09/22	.000	2011/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/09/22	.000	2011/09
DICHLOROMETHANE	34423	072	2005/09/22	.000	2011/09
ETHYLBENZENE	34371	072	2005/09/22	.000	2011/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/09/22	.000	2011/09
MONOCHLOROBENZENE	34301	072	2005/09/22	.000	2011/09
STYRENE	77128	072	2005/09/22	.000	2011/09
TETRACHLOROETHYLENE	34475	072	2005/09/22	.000	2011/09
TOLUENE	34010	072	2005/09/22	.000	2011/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/09/22	.000	2011/09
TRICHLOROETHYLENE	39180	072	2005/09/22	.000	2011/09
TRICHLOROFLUOROMETHANE	34488	072	2005/09/22	.000	2011/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200518 RIVERSIDE CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200518-003 WELLS 01 AND 02 COMBINED-RAW****Source Number: 003****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/09/22	.000	2011/09
XYLENES (TOTAL)	81551	072	2005/09/22	.000	2011/09

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/09/22 -	.420	2014/09
BICARBONATE ALKALINITY	00440	108	2005/09/22	130.000	2014/09
CALCIUM	00916	108	2005/09/22	18.000	2014/09
CARBONATE ALKALINITY	00445	108	2005/09/22	.000	2014/09
CHLORIDE	00940	036	2005/09/22	22.000	2008/09
COLOR	00081	036	2005/09/22	10.000	2008/09
COPPER	01042	036	2005/09/22	.000	2008/09
FOAMING AGENTS (MBAS)	38260	036	2005/09/26 <	.050	2008/09
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/09/22	140.000	2014/09
HYDROXIDE ALKALINITY	71830	108	2005/09/22	.000	2014/09
IRON	01045	036	2005/09/22	.000	2008/09
MAGNESIUM	00927	108	2005/09/22	23.000	2014/09
MANGANESE	01055	036	2005/09/22	26.000	2008/09
ODOR THRESHOLD @ 60 C	00086	036	2005/09/22	.000	2008/09
PH, LABORATORY	00403	036	2005/09/22	7.600	2008/09
SILVER	01077	036	2005/09/22	.000	2008/09
SODIUM	00929	108	2005/09/22	20.000	2014/09
SPECIFIC CONDUCTANCE	00095	036	2005/09/22	350.000	2008/09
SULFATE	00945	036	2005/09/22	13.000	2008/09
TOTAL DISSOLVED SOLIDS	70300	036			DUE
TURBIDITY, LABORATORY	82079	036	2005/09/22	.370	2008/09
ZINC	01092	036	2005/09/22	.000	2008/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200518 RIVERSIDE CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200518-006 WELL 06 - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/12/30	< 100.000	2013/12
ANTIMONY	01097	108	2004/12/30	.000	2013/12
ARSENIC	01002	108	2004/12/30	.000	2013/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2004/12/30	480.000	2013/12
BERYLLIUM	01012	108	2004/12/30	.000	2013/12
CADMIUM	01027	108	2004/12/30	.000	2013/12
CHROMIUM (TOTAL)	01034	108	2004/12/30	.000	2013/12
CYANIDE	01291	WAIVED	2004/12/30	< 20.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/12/30	.330	2013/12
LEAD	01051	WAIVED	1998/05/13	.000	WAIVED
MERCURY	71900	108	2004/12/30	.000	2013/12
NICKEL	01067	108	2004/12/30	< 20.000	2013/12
SELENIUM	01147	108	2004/12/30	.000	2013/12
THALLIUM	01059	108	2004/12/30	.000	2013/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/07	.000	2008/03
NITRITE (AS N)	00620	036	2007/03/07	.000	2010/03

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/12/17	.130	2007/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200518 RIVERSIDE CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200518-006 WELL 06 - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200518 RIVERSIDE CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200518-006 WELL 06 - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2004/12/30	.000	2010/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2004/12/30	.000	2010/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2004/12/30	.000	2010/12
1,1,2-TRICHLOROETHANE	34511	072	2004/12/30	.000	2010/12
1,1-DICHLOROETHANE	34496	072	2004/12/30	.000	2010/12
1,1-DICHLOROETHYLENE	34501	072	2004/12/30	.000	2010/12
1,2,4-TRICHLOROBENZENE	34551	072	2004/12/30	.000	2010/12
1,2-DICHLOROBENZENE	34536	072	2004/12/30	.000	2010/12
1,2-DICHLOROETHANE	34531	072	2004/12/30	.000	2010/12
1,2-DICHLOROPROPANE	34541	072	2004/12/30	.000	2010/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2004/12/30	.000	2010/12
1,4-DICHLOROBENZENE	34571	072	2004/12/30	.000	2010/12
BENZENE	34030	072	2004/12/30	.000	2010/12
CARBON TETRACHLORIDE	32102	072	2004/12/30	.000	2010/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2004/12/30	.000	2010/12
DICHLOROMETHANE	34423	072	2004/12/30	.000	2010/12
ETHYLBENZENE	34371	072	2004/12/30	.000	2010/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2004/12/30	.000	2010/12
MONOCHLOROBENZENE	34301	072	2004/12/30	.000	2010/12
STYRENE	77128	072	2004/12/30	.000	2010/12
TETRACHLOROETHYLENE	34475	072	2004/12/30	.000	2010/12
TOLUENE	34010	072	2004/12/30	.000	2010/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2004/12/30	.000	2010/12
TRICHLOROETHYLENE	39180	072	2004/12/30	.000	2010/12
TRICHLOROFLUOROMETHANE	34488	072	2004/12/30	.000	2010/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200518 RIVERSIDE CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200518-006 WELL 06 - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2004/12/30	.000	2010/12
XYLENES (TOTAL)	81551	072	2004/12/30	.000	2010/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2002/11/21	160.000	2011/11
CALCIUM	00916	108	2002/11/21	18.000	2011/11
CARBONATE ALKALINITY	00445	108	2002/11/21	.000	2011/11
CHLORIDE	00940	036	2005/11/29	34.000	2008/11
COLOR	00081	036	2005/11/29	15.000	2008/11
COPPER	01042	036	2005/11/29	.000	2008/11
FOAMING AGENTS (MBAS)	38260	036	2005/11/29 <	.050	2008/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2002/11/21	170.000	2011/11
HYDROXIDE ALKALINITY	71830	108	2002/11/21	.000	2011/11
IRON	01045	036	2005/11/29	210.000	2008/11
MAGNESIUM	00927	108	2002/11/21	30.000	2011/11
MANGANESE	01055	036	2005/11/29	630.000	2008/11
ODOR THRESHOLD @ 60 C	00086	036	2005/11/29	.000	2008/11
PH, LABORATORY	00403	036	2005/11/29	6.600	2008/11
SILVER	01077	108	2005/11/29	.000	2014/11
SODIUM	00929	108	2002/11/21	20.000	2011/11
SPECIFIC CONDUCTANCE	00095	036	2005/11/29	470.000	2008/11
SULFATE	00945	036	2005/11/29	13.000	2008/11
TOTAL DISSOLVED SOLIDS	70300	036	2005/11/29	290.000	2008/11
TURBIDITY, LABORATORY	82079	036	2005/11/29	2.600	2008/11
ZINC	01092	036	2005/11/29	.000	2008/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200522 WHITETHORN ELEMENTARY SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200522-001 MATTOLE RIVER - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	012	2000/06/02	.000	2001/06	DUE
ANTIMONY	01097	012	2000/06/02	.000	2001/06	DUE
ARSENIC	01002	012	2000/06/02	.000	2001/06	DUE
ASBESTOS	81855	108	2000/06/02	.000	2009/06	
BARIUM	01007	012	2000/06/02	.000	2001/06	DUE
BERYLLIUM	01012	012	2000/06/02	.000	2001/06	DUE
CADMIUM	01027	012	2000/06/02	.000	2001/06	DUE
CHROMIUM (TOTAL)	01034	012	2000/06/02	.000	2001/06	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012				DUE
LEAD	01051	WAIVED	WAIVED		WAIVED	
MERCURY	71900	012	2000/06/02	.000	2001/06	DUE
NICKEL	01067	012	2000/06/02	.000	2001/06	DUE
SELENIUM	01147	012	2000/06/02	.000	2001/06	DUE
THALLIUM	01059	012	2000/06/02	.000	2001/06	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2000/06/28	.000	2001/06	DUE
NITRITE (AS N)	00620	036	2000/06/28	.000	2003/06	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048			0420/07	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200522 WHITETHORN ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200522-001 MATTOLE RIVER - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200522 WHITETHORN ELEMENTARY SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200522-001 MATTOLE RIVER - RAW

Source Number: 001

Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/06/02	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/06/02	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/06/02	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/06/02	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2000/06/02	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/06/02	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/06/02	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2000/06/02	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2000/06/02	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2000/06/02	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/06/02	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2000/06/02	.000	WAIVED
BENZENE	34030	WAIVED	2000/06/02	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2000/06/02	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/06/02	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2000/06/02	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2000/06/02	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	WAIVED	2000/06/02	.000	WAIVED
STYRENE	77128	WAIVED	2000/06/02	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2000/06/02	.000	WAIVED
TOLUENE	34010	WAIVED	2000/06/02	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/06/02	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2000/06/02	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/06/02	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200522 WHITETHORN ELEMENTARY SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200522-001 MATTOLE RIVER - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2000/06/02	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2000/06/02	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/11/15	22.000	WAIVED
CALCIUM	00916	WAIVED	1995/11/15	6.100	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/11/15	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/11/15	5.400	WAIVED
COLOR	00081	WAIVED	1995/11/15	15.000	WAIVED
COPPER	01042	WAIVED	1995/11/15	87.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/11/15	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/11/15	23.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/11/15	< 1.000	WAIVED
IRON	01045	WAIVED	1995/11/15	.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/11/15	1.900	WAIVED
MANGANESE	01055	WAIVED	1995/11/15	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1995/11/15	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/11/15	7.100	WAIVED
SILVER	01077	WAIVED	2000/06/02	.000	WAIVED
SODIUM	00929	WAIVED	1995/11/15	5.600	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/11/15	68.000	WAIVED
SULFATE	00945	WAIVED	1995/11/15	< 1.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/11/15	55.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1995/11/15	.210	WAIVED
ZINC	01092	WAIVED	1995/11/15	110.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200538 MYERS FLAT M.W.S. INC.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200538-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/06/12	.000	2015/06
ANTIMONY	01097	108	2006/06/12	.000	2015/06
ARSENIC	01002	036	2006/06/12	.000	2009/06
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2006/06/12	.000	2009/06
BERYLLIUM	01012	108	2006/06/12	.000	2015/06
CADMIUM	01027	036	2006/06/12	.000	2009/06
CHROMIUM (TOTAL)	01034	108	2006/06/12	.000	2015/06
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/06/12	.180	2009/06
LEAD	01051	WAIVED	2006/06/12	.000	WAIVED
MERCURY	71900	036	2006/06/12	.000	2009/06
NICKEL	01067	108	2006/06/12	.000	2015/06
SELENIUM	01147	036	2006/06/12	.000	2009/06
THALLIUM	01059	108	2006/06/12	.000	2015/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/06/12	3.100	2007/06
NITRITE (AS N)	00620	036	2006/06/12	.000	2009/06

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/09/27	.220	2008/09
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200538 MYERS FLAT M.W.S. INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200538-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/09/11	.000	WAIVED
2,4-D	39730	WAIVED	1990/09/11	.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/09/11	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/09/11	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/09/11	.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1988/04/29 <	1.000	WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200538 MYERS FLAT M.W.S. INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200538-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/29 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1990/09/11	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/05/30	.000	2007/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/05/30	.000	2007/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/05/30	.000	2007/05
1,1,2-TRICHLOROETHANE	34511	072	2001/05/30	.000	2007/05
1,1-DICHLOROETHANE	34496	072	2001/05/30	.000	2007/05
1,1-DICHLOROETHYLENE	34501	072	2001/05/30	.000	2007/05
1,2,4-TRICHLOROBENZENE	34551	072	2001/05/30	.000	2007/05
1,2-DICHLOROBENZENE	34536	072	2001/05/30	.000	2007/05
1,2-DICHLOROETHANE	34531	072	2001/05/30	.000	2007/05
1,2-DICHLOROPROPANE	34541	072	2001/05/30	.000	2007/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/05/30	.000	2007/05
1,4-DICHLOROBENZENE	34571	072	2001/05/30	.000	2007/05
BENZENE	34030	072	2001/05/30	.000	2007/05
CARBON TETRACHLORIDE	32102	072	2001/05/30	.000	2007/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/05/30	.000	2007/05
DICHLOROMETHANE	34423	072	2001/05/30	.000	2007/05
ETHYLBENZENE	34371	072	2001/05/30	.000	2007/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/05/01	.000	2008/05
MONOCHLOROBENZENE	34301	072	2001/05/30	.000	2007/05
STYRENE	77128	072	2001/05/30	.000	2007/05
TETRACHLOROETHYLENE	34475	072	2001/05/30	.000	2007/05
TOLUENE	34010	072	2001/05/30	.000	2007/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/05/30	.000	2007/05
TRICHLOROETHYLENE	39180	072	2001/05/30	.000	2007/05
TRICHLOROFLUOROMETHANE	34488	072	2001/05/30	.000	2007/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200538 MYERS FLAT M.W.S. INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200538-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/05/30	.000	2007/05
XYLENES (TOTAL)	81551	072	2001/05/30	.000	2007/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/06/12 -	1.300	2015/06
BICARBONATE ALKALINITY	00440	108	2006/06/12	140.000	2015/06
CALCIUM	00916	108	2006/06/12	25.000	2015/06
CARBONATE ALKALINITY	00445	108	2006/06/12	.000	2015/06
CHLORIDE	00940	036	2006/06/12	5.000	2009/06
COLOR	00081	036	2006/06/12	.000	2009/06
COPPER	01042	036	2006/06/12	.000	2009/06
FOAMING AGENTS (MBAS)	38260	036	2006/06/12	.000	2009/06
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/06/12	150.000	2015/06
HYDROXIDE ALKALINITY	71830	108	2006/06/12	.000	2015/06
IRON	01045	036	2006/06/12	.000	2009/06
MAGNESIUM	00927	108	2006/06/12	22.000	2015/06
MANGANESE	01055	036	2006/06/12	.000	2009/06
ODOR THRESHOLD @ 60 C	00086	036	2006/06/12	.000	2009/06
PH, LABORATORY	00403	036	2006/06/12	6.500	2009/06
SILVER	01077	036	2006/06/12	.000	2009/06
SODIUM	00929	108	2006/06/12	11.000	2015/06
SPECIFIC CONDUCTANCE	00095	036	2006/06/12	320.000	2009/06
SULFATE	00945	036	2006/06/12	15.000	2009/06
TOTAL DISSOLVED SOLIDS	70300	036	2006/06/12	200.000	2009/06
TURBIDITY, LABORATORY	82079	036	2006/06/12	.070	2009/06
ZINC	01092	036	2006/06/12	71.000	2009/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200541 PHILLIPSVILLE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200541-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED -	WAIVED
----------	-------	--------	----------	--------

INORGANIC

ALUMINUM	01105	108	2005/10/04	.000	2014/10
ANTIMONY	01097	036	2005/10/04	.000	2008/10
ARSENIC	01002	108	2005/10/04	.000	2014/10
ASBESTOS	81855	WAIVED	WAIVED -		WAIVED
BARIUM	01007	108	2005/10/04	.000	2014/10
BERYLLIUM	01012	036	2005/10/04	.000	2008/10
CADMIUM	01027	108	2005/10/04	.000	2014/10
CHROMIUM (TOTAL)	01034	108	2005/10/04	.000	2014/10
CYANIDE	01291	WAIVED	WAIVED -		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/10/04	.110	2014/10
LEAD	01051	WAIVED	2005/10/04	.000	WAIVED
MERCURY	71900	108	2005/10/04	.000	2014/10
NICKEL	01067	036	2005/10/04	.000	2008/10
SELENIUM	01147	108	2005/10/04	.000	2014/10
THALLIUM	01059	036	2005/10/04	.000	2008/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/19	.000	2008/03
NITRITE (AS N)	00620	036	2005/02/08	.000	2008/02

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/02/08	1.690	2009/02
GROSS BETA	03501	WAIVED	WAIVED -		WAIVED
RADIUM 226	09501	WAIVED	WAIVED -		WAIVED
RADIUM 228	11501	WAIVED	WAIVED -		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED -		WAIVED
TRITIUM	07000	WAIVED	WAIVED -		WAIVED
URANIUM (PCI/L)	28012	WAIVED	2001/05/02	.140	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200541 PHILLIPSVILLE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200541-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200541 PHILLIPSVILLE C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200541-001 WELL 01 - RAW

Source Number: 001

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/29	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	-		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	-		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/05/02		.000	2007/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/05/02		.000	2007/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1994/07/23		.000	2000/07 DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/05/02		.000	2007/05
1,1-DICHLOROETHANE	34496	072	2001/05/02		.000	2007/05
1,1-DICHLOROETHYLENE	34501	072	2001/05/02		.000	2007/05
1,2,4-TRICHLOROBENZENE	34551	072	1994/07/23		.000	2000/07 DUE
1,2-DICHLOROBENZENE	34536	072	2001/05/02		.000	2007/05
1,2-DICHLOROETHANE	34531	072	2001/05/02		.000	2007/05
1,2-DICHLOROPROPANE	34541	072	2001/05/02		.000	2007/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/05/02		.000	2007/05
1,4-DICHLOROBENZENE	34571	072	2001/05/02		.000	2007/05
BENZENE	34030	072	2001/05/02		.000	2007/05
CARBON TETRACHLORIDE	32102	072	2001/05/02		.000	2007/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/05/02		.000	2007/05
DICHLOROMETHANE	34423	072	2001/05/02		.000	2007/05
ETHYLBENZENE	34371	072	2001/05/02		.000	2007/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/05/02		.000	2007/05
MONOCHLOROBENZENE	34301	072	2001/05/02		.000	2007/05
STYRENE	77128	072	2001/05/02		.000	2007/05
TETRACHLOROETHYLENE	34475	072	2001/05/02		.000	2007/05
TOLUENE	34010	072	2001/05/02		.000	2007/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/05/02		.000	2007/05
TRICHLOROETHYLENE	39180	072	2001/05/02		.000	2007/05
TRICHLOROFLUOROMETHANE	34488	072	2001/05/02		.000	2007/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200541 PHILLIPSVILLE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200541-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/05/02	.000	2007/05
XYLENES (TOTAL)	81551	072	2001/05/02	.000	2007/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000	-		DUE
BICARBONATE ALKALINITY	00440	108	2005/10/04	98.000	2014/10
CALCIUM	00916	108	2005/10/04	22.000	2014/10
CARBONATE ALKALINITY	00445	108	2005/10/04	< 1.000	2014/10
CHLORIDE	00940	108	2005/10/04	5.400	2014/10
COLOR	00081	108	2005/10/04	3.000	2014/10
COPPER	01042	108	2005/10/04	.000	2014/10
FOAMING AGENTS (MBAS)	38260	108	2005/10/04	< .050	2014/10
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/10/04	110.000	2014/10
HYDROXIDE ALKALINITY	71830	108	2005/10/04	< 1.000	2014/10
IRON	01045	108	2005/10/04	.000	2014/10
MAGNESIUM	00927	108	2005/10/04	13.000	2014/10
MANGANESE	01055	108	2005/10/04	.000	2014/10
ODOR THRESHOLD @ 60 C	00086	108	2005/10/04	.000	2014/10
PH, LABORATORY	00403	108	2005/10/04	6.600	2014/10
SILVER	01077	108	2005/10/04	.000	2014/10
SODIUM	00929	108	2005/10/04	7.000	2014/10
SPECIFIC CONDUCTANCE	00095	108	2005/10/04	190.000	2014/10
SULFATE	00945	108	2005/10/04	10.000	2014/10
TOTAL DISSOLVED SOLIDS	70300	108	2005/10/04	130.000	2014/10
TURBIDITY, LABORATORY	82079	108	2005/10/04	.270	2014/10
ZINC	01092	108	2005/10/04	85.000	2014/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200541 PHILLIPSVILLE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200541-002 SPRING - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/02/08	.000	2008/02
ANTIMONY	01097	036	2005/02/08	.000	2008/02
ARSENIC	01002	036	2005/02/08	.000	2008/02
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/02/08	.000	2008/02
BERYLLIUM	01012	036	2005/02/08	.000	2008/02
CADMIUM	01027	036	2005/02/08	.000	2008/02
CHROMIUM (TOTAL)	01034	036	2005/02/08	.000	2008/02
CYANIDE	01291	WAIVED	2005/02/08	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/02/08	.190	2008/02
LEAD	01051	WAIVED	2005/02/08	.000	WAIVED
MERCURY	71900	036	2005/02/08	.000	2008/02
NICKEL	01067	036	2005/02/08	.000	2008/02
SELENIUM	01147	036	2005/02/08	.000	2008/02
THALLIUM	01059	036	2005/02/08	.000	2008/02

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/02/08	.000	2006/02	DUE
NITRITE (AS N)	00620	036	2005/02/08	.000	2008/02	

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/02/08	.960	2009/02
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200541 PHILLIPSVILLE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200541-002 SPRING - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200541 PHILLIPSVILLE C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200541-002 SPRING - RAW

Source Number: 002

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	1999/12/15	.000	2005/12	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1999/12/15	.000	2005/12	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	072	1999/12/15	.000	2005/12	DUE
1,1-DICHLOROETHANE	34496	072	1999/12/15	.000	2005/12	DUE
1,1-DICHLOROETHYLENE	34501	072	1999/12/15	.000	2005/12	DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	072	1999/12/15	.000	2005/12	DUE
1,2-DICHLOROETHANE	34531	072	1999/12/15	.000	2005/12	DUE
1,2-DICHLOROPROPANE	34541	072	1999/12/15	.000	2005/12	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1999/12/15	.000	2005/12	DUE
1,4-DICHLOROBENZENE	34571	072	1999/12/15	.000	2005/12	DUE
BENZENE	34030	072	1999/12/15	.000	2005/12	DUE
CARBON TETRACHLORIDE	32102	072	1999/12/15	.000	2005/12	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1999/12/15	.000	2005/12	DUE
DICHLOROMETHANE	34423	072	1999/12/15	.000	2005/12	DUE
ETHYLBENZENE	34371	072	1999/12/15	.000	2005/12	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	1999/12/15	.000	2005/12	DUE
MONOCHLOROBENZENE	34301	072	1999/12/15	.000	2005/12	DUE
STYRENE	77128	072	1999/12/15	.000	2005/12	DUE
TETRACHLOROETHYLENE	34475	072	1999/12/15	.000	2005/12	DUE
TOLUENE	34010	072	1999/12/15	.000	2005/12	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1999/12/15	.000	2005/12	DUE
TRICHLOROETHYLENE	39180	072	1999/12/15	.000	2005/12	DUE
TRICHLOROFLUOROMETHANE	34488	072	1999/12/15	.000	2005/12	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200541 PHILLIPSVILLE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200541-002 SPRING - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	1999/12/15	.000	2005/12	DUE
XYLENES (TOTAL)	81551	072	1999/12/15	.000	2005/12	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/02/08 -	.190	2014/02
BICARBONATE ALKALINITY	00440	108	2005/02/08	180.000	2014/02
CALCIUM	00916	108	2005/02/08	57.000	2014/02
CARBONATE ALKALINITY	00445	108	2005/02/08 <	1.000	2014/02
CHLORIDE	00940	036	2005/02/08	4.000	2008/02
COLOR	00081	036	2005/02/08	.000	2008/02
COPPER	01042	036	2005/02/08	.000	2008/02
FOAMING AGENTS (MBAS)	38260	036	2005/02/08 <	.050	2008/02
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/02/08	200.000	2014/02
HYDROXIDE ALKALINITY	71830	108	2005/02/08 <	1.000	2014/02
IRON	01045	036	2005/02/08	.000	2008/02
MAGNESIUM	00927	108	2005/02/08	14.000	2014/02
MANGANESE	01055	036	2005/02/08	.000	2008/02
ODOR THRESHOLD @ 60 C	00086	036	2005/02/08	.000	2008/02
PH, LABORATORY	00403	036	2005/02/08	7.200	2008/02
SILVER	01077	036	2005/02/08	.000	2008/02
SODIUM	00929	108	2005/02/08	7.300	2014/02
SPECIFIC CONDUCTANCE	00095	036	2005/02/08	390.000	2008/02
SULFATE	00945	036	2005/02/08	16.000	2008/02
TOTAL DISSOLVED SOLIDS	70300	036	2005/02/08	230.000	2008/02
TURBIDITY, LABORATORY	82079	036	2005/02/08	.260	2008/02
ZINC	01092	036	2005/02/08	.000	2008/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200544 REDCREST WATER WORKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200544-002 CHADD CREEK - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED -	WAIVED
----------	-------	--------	----------	--------

INORGANIC

ALUMINUM	01105	012	2006/09/26	.000	2007/09
ANTIMONY	01097	108	2004/09/21	.000	2013/09
ARSENIC	01002	012	2006/09/26	.000	2007/09
ASBESTOS	81855	108	2006/09/27	.000	2015/09
BARIUM	01007	012	2006/09/26	.000	2007/09
BERYLLIUM	01012	108	2004/09/21	.000	2013/09
CADMIUM	01027	012	2006/09/26	.000	2007/09
CHROMIUM (TOTAL)	01034	012	2006/09/26	.000	2007/09
CYANIDE	01291	WAIVED	WAIVED -		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2006/09/26	.110	2007/09
LEAD	01051	WAIVED	2002/08/12	.000	WAIVED
MERCURY	71900	012	2006/09/26	.000	2007/09
NICKEL	01067	108	2004/09/21	.000	2013/09
SELENIUM	01147	012	2006/09/26	.000	2007/09
THALLIUM	01059	108	2004/09/21	.000	2013/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/26	.000	2007/09
NITRITE (AS N)	00620	036	2005/08/18	.000	2008/08

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/09/26 -	.150	2010/09
GROSS BETA	03501	WAIVED	WAIVED -		WAIVED
RADIUM 226	09501	WAIVED	WAIVED -		WAIVED
RADIUM 228	11501	048	-		DUE
STRONTIUM-90	13501	WAIVED	WAIVED -		WAIVED
TRITIUM	07000	WAIVED	WAIVED -		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED -		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200544 REDCREST WATER WORKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200544-002 CHADD CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200544 REDCREST WATER WORKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200544-002 CHADD CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	-	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	-	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	-	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/09/16	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/09/16	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/09/16	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/09/16	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2003/09/16	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/09/16	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/09/16	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2003/09/16	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2003/09/16	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2003/09/16	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/09/16	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2003/09/16	.000	WAIVED
BENZENE	34030	WAIVED	2003/09/16	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2003/09/16	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/09/16	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2003/09/16	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2003/09/16	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/09/16	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2003/09/16	.000	WAIVED
STYRENE	77128	WAIVED	2003/09/16	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2003/09/16	.000	WAIVED
TOLUENE	34010	WAIVED	2003/09/16	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/09/16	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2003/09/16	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/09/16	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200544 REDCREST WATER WORKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200544-002 CHADD CREEK - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2003/09/16	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2003/09/16	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/08/18 -	1.100	2014/08
BICARBONATE ALKALINITY	00440	108	2005/08/18	56.000	2014/08
CALCIUM	00916	108	2005/08/18	13.000	2014/08
CARBONATE ALKALINITY	00445	108	2005/08/18 <	1.000	2014/08
CHLORIDE	00940	012	2006/09/26	7.100	2007/09
COLOR	00081	WAIVED	2005/08/18	5.000	WAIVED
COPPER	01042	108	2006/09/26	.000	2015/09
FOAMING AGENTS (MBAS)	38260	012	2006/09/26 <	.050	2007/09
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/08/18	50.000	2014/08
HYDROXIDE ALKALINITY	71830	108	2005/08/18 <	1.000	2014/08
IRON	01045	012	2006/09/26	.000	2007/09
MAGNESIUM	00927	108	2005/08/18	4.300	2014/08
MANGANESE	01055	012	2006/09/26	.000	2007/09
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/08/18	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2005/08/18	7.400	WAIVED
SILVER	01077	108	2006/09/26	.000	2015/09
SODIUM	00929	108	2005/08/18	8.800	2014/08
SPECIFIC CONDUCTANCE	00095	012	2006/09/26	160.000	2007/09
SULFATE	00945	012	2006/09/26	3.700	2007/09
TOTAL DISSOLVED SOLIDS	70300	012	2006/09/26	100.000	2007/09
TURBIDITY, LABORATORY	82079	WAIVED	2005/08/18	.450	WAIVED
ZINC	01092	012	2006/09/26	.000	2007/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200546 CASTERLIN SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200546-002 WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2006/10/18	84.000	2009/10
ANTIMONY	01097	036	2006/10/18	.000	2009/10
ARSENIC	01002	036	2006/10/18	.000	2009/10
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2006/10/18	320.000	2009/10
BERYLLIUM	01012	036	2006/10/18	.000	2009/10
CADMIUM	01027	036	2006/10/18	.000	2009/10
CHROMIUM (TOTAL)	01034	036	2006/10/18	.000	2009/10
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/10/18	.190	2009/10
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	036	2006/10/18	.000	2009/10
NICKEL	01067	036	2006/10/18	.000	2009/10
SELENIUM	01147	036	2006/10/18	.000	2009/10
THALLIUM	01059	036	2006/10/18	.000	2009/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/10/18	.000	2007/10
NITRITE (AS N)	00620	036	2006/10/18	.000	2009/10

RADIOLOGICAL

GROSS ALPHA	01501	048			DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200546 CASTERLIN SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200546-002 WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200546 CASTERLIN SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200546-002 WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/10/18	.000	2012/10
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/10/18	.000	2012/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/10/18	.000	2012/10
1,1,2-TRICHLOROETHANE	34511	072	2006/10/18	.000	2012/10
1,1-DICHLOROETHANE	34496	072	2006/10/18	.000	2012/10
1,1-DICHLOROETHYLENE	34501	072	2006/10/18	.000	2012/10
1,2,4-TRICHLOROBENZENE	34551	072	2006/10/18	.000	2012/10
1,2-DICHLOROBENZENE	34536	072	2006/10/18	.000	2012/10
1,2-DICHLOROETHANE	34531	072	2006/10/18	.000	2012/10
1,2-DICHLOROPROPANE	34541	072	2006/10/18	.000	2012/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/10/18	.000	2012/10
1,4-DICHLOROBENZENE	34571	072	2006/10/18	.000	2012/10
BENZENE	34030	072	2006/10/18	.000	2012/10
CARBON TETRACHLORIDE	32102	072	2006/10/18	.000	2012/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/10/18	.000	2012/10
DICHLOROMETHANE	34423	072	2006/10/18	.000	2012/10
ETHYLBENZENE	34371	072	2006/10/18	.000	2012/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/10/18	.000	2012/10
MONOCHLOROBENZENE	34301	072	2006/10/18	.000	2012/10
STYRENE	77128	072	2006/10/18	.000	2012/10
TETRACHLOROETHYLENE	34475	072	2006/10/18	.000	2012/10
TOLUENE	34010	072	2006/10/18	.000	2012/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/10/18	.000	2012/10
TRICHLOROETHYLENE	39180	072	2006/10/18	.000	2012/10
TRICHLOROFLUOROMETHANE	34488	072	2006/10/18	.000	2012/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200546 CASTERLIN SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200546-002 WELL - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/10/18	.000	2012/10
XYLENES (TOTAL)	81551	072	2006/10/18	.000	2012/10

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	WAIVED	1997/08/07	9.700	WAIVED
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	1997/08/07	55.000	WAIVED
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	WAIVED	1997/08/07	.000	WAIVED
MAGNESIUM	00927	WAIVED	1997/08/07	7.400	WAIVED
MANGANESE	01055	WAIVED	1997/08/07	65.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1997/08/07	6.100	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2006/10/18	12.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	1997/08/07	6.800	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200547 MILL CREEK M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200547-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	1999/10/18	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	108	2002/07/10	.000	2011/07
ANTIMONY	01097	108	2002/07/10	.000	2011/07
ARSENIC	01002	108	2002/07/10	.000	2011/07
ASBESTOS	81855	WAIVED	1999/10/18	< 1.250	WAIVED
BARIUM	01007	108	2002/07/10	330.000	2011/07
BERYLLIUM	01012	108	2002/07/10	.000	2011/07
CADMIUM	01027	108	2002/07/10	.000	2011/07
CHROMIUM (TOTAL)	01034	108	2002/07/10		2011/07
CYANIDE	01291	WAIVED	1999/10/18	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/07/10	.170	2011/07
LEAD	01051	WAIVED	2002/07/10	.000	WAIVED
MERCURY	71900	108	2002/07/10	.000	2011/07
NICKEL	01067	108	2002/07/10	.000	2011/07
SELENIUM	01147	108	2002/07/10	.000	2011/07
THALLIUM	01059	108	2002/07/10	.000	2011/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/04/10	.000	2008/04
NITRITE (AS N)	00620	036	2007/04/10	.000	2010/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2007/04/10	.400	2011/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200547 MILL CREEK M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200547-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	1999/10/18	.000	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1999/10/18	.000	WAIVED
2,4-D	39730	WAIVED	1999/10/18	.000	WAIVED
ALACHLOR	77825	WAIVED	1999/10/18	.000	WAIVED
ATRAZINE	39033	WAIVED	1999/10/18	.000	WAIVED
BENTAZON	38710	WAIVED	1999/10/18	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	1999/10/18	.000	WAIVED
CARBOFURAN	81405	WAIVED	1999/10/18	.000	WAIVED
CHLORDANE	39350	WAIVED	1999/10/18	.000	WAIVED
DALAPON	38432	WAIVED	1999/10/18	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1999/10/18	.000	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1999/10/18	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1999/10/18	.000	WAIVED
DINOSEB	81287	WAIVED	1999/10/18	.000	WAIVED
DIQUAT	78885	WAIVED	1999/10/18	.000	WAIVED
ENDOTHALL	38926	WAIVED	1999/10/18	.000	WAIVED
ENDRIN	39390	WAIVED	1999/10/18	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1999/10/18	.000	WAIVED
GLYPHOSATE	79743	WAIVED	1999/10/18	.000	WAIVED
HEPTACHLOR	39410	WAIVED	1999/10/18	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	1999/10/18	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	1999/10/18	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1999/10/18	.000	WAIVED
LINDANE	39340	WAIVED	1999/10/18	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1999/10/18	.000	WAIVED
MOLINATE	82199	WAIVED	1999/10/18	.000	WAIVED
OXAMYL	38865	WAIVED	1999/10/18	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1999/10/18	.000	WAIVED
PICLORAM	39720	WAIVED	1999/10/18	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1999/10/18	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200547 MILL CREEK M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200547-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1999/10/18	.000	WAIVED
THIOBENCARB	A-001	WAIVED	1999/10/18	.000	WAIVED
TOXAPHENE	39400	WAIVED	1999/10/18	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/07/10	.000	2008/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/07/10	.000	2008/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2002/07/10	.000	2008/07
1,1,2-TRICHLOROETHANE	34511	072	2002/07/10	.000	2008/07
1,1-DICHLOROETHANE	34496	072	2002/07/10	.000	2008/07
1,1-DICHLOROETHYLENE	34501	072	2002/07/10	.000	2008/07
1,2,4-TRICHLOROBENZENE	34551	072	2002/07/10	.000	2008/07
1,2-DICHLOROBENZENE	34536	072	2002/07/10	.000	2008/07
1,2-DICHLOROETHANE	34531	072	2002/07/10	.000	2008/07
1,2-DICHLOROPROPANE	34541	072	2002/07/10	.000	2008/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/07/10	.000	2008/07
1,4-DICHLOROBENZENE	34571	072	2002/07/10	.000	2008/07
BENZENE	34030	072	2002/07/10	.000	2008/07
CARBON TETRACHLORIDE	32102	072	2002/07/10	.000	2008/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/07/10	.000	2008/07
DICHLOROMETHANE	34423	072	2002/07/10	.000	2008/07
ETHYLBENZENE	34371	072	2002/07/10	.000	2008/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/07/10	.000	2008/07
MONOCHLOROBENZENE	34301	072	2002/07/10	.000	2008/07
STYRENE	77128	072	2002/07/10	.000	2008/07
TETRACHLOROETHYLENE	34475	072	2002/07/10	.000	2008/07
TOLUENE	34010	072	2002/07/10	.000	2008/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/07/10	.000	2008/07
TRICHLOROETHYLENE	39180	072	2002/07/10	.000	2008/07
TRICHLOROFLUOROMETHANE	34488	072	2002/07/10	.000	2008/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200547 MILL CREEK M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200547-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2002/07/10	.000	2008/07
XYLENES (TOTAL)	81551	072	2002/07/10	.000	2008/07

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	1998/04/02	210.000	2007/04
CALCIUM	00916	108	2007/04/10	29.000	2016/04
CARBONATE ALKALINITY	00445	108	1998/04/02 <	1.000	2007/04
CHLORIDE	00940	108	2007/04/10	25.000	2016/04
COLOR	00081	108	2007/04/10	45.000	2016/04
COPPER	01042	108	2007/04/10	.000	2016/04
FOAMING AGENTS (MBAS)	38260	108	2007/04/10 <	.050	2016/04
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1998/04/02	220.000	2007/04
HYDROXIDE ALKALINITY	71830	108	1998/04/02 <	1.000	2007/04
IRON	01045	108	2002/07/10	6900.000	2011/07
MAGNESIUM	00927	108	1998/04/02	30.000	2007/04
MANGANESE	01055	108	2002/07/10	510.000	2011/07
ODOR THRESHOLD @ 60 C	00086	108	2007/04/10	.000	2016/04
PH, LABORATORY	00403	108	2007/04/10	7.100	2016/04
SILVER	01077	108	2002/07/10	.000	2011/07
SODIUM	00929	108	1998/04/02	29.000	2007/04
SPECIFIC CONDUCTANCE	00095	108	2007/04/10	460.000	2016/04
SULFATE	00945	108	2007/04/10	30.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	108	2007/04/10	280.000	2016/04
TURBIDITY, LABORATORY	82079	108	2007/04/10	39.000	2016/04
ZINC	01092	108	2007/04/10	.000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200553 WEOTT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200553-001 A LINE - MILL CR RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	2006/01/31 <	100.000	2007/01	DUE
ANTIMONY	01097	012	2006/01/31	.000	2007/01	DUE
ARSENIC	01002	108	2006/02/15	.000	2015/02	
ASBESTOS	81855	000				DUE
BARIUM	01007	012	2006/01/31	.000	2007/01	DUE
BERYLLIUM	01012	012	2004/12/16	.000	2005/12	DUE
CADMIUM	01027	012	2006/01/31	.000	2007/01	DUE
CHROMIUM (TOTAL)	01034	012	2006/01/31	.000	2007/01	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2006/01/31	.120	2007/01	DUE
LEAD	01051	WAIVED	1992/06/30	.000	WAIVED	
MERCURY	71900	012	2006/01/31	.000	2007/01	DUE
NICKEL	01067	012	2004/12/16 <	20.000	2005/12	DUE
SELENIUM	01147	012	2006/01/31	.000	2007/01	DUE
THALLIUM	01059	012	2006/01/31	.000	2007/01	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/01/31	.000	2007/01	DUE
NITRITE (AS N)	00620	036	2006/01/31	.000	2009/01	

RADIOLOGICAL

GROSS ALPHA	01501	048	2002/12/31	1.150	2006/12	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200553 WEOTT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200553-001 A LINE - MILL CR RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200553 WEOTT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200553-001 A LINE - MILL CR RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1992/06/30	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1992/06/30	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1992/06/30	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1992/06/30	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1992/06/30	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1992/06/30	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1992/06/30	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1992/06/30	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1992/06/30	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1992/06/30	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1992/06/30	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1992/06/30	.000	WAIVED
BENZENE	34030	WAIVED	1992/06/30	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1992/06/30	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1992/06/30	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1992/06/30	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1992/06/30	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	WAIVED	1992/06/30	.000	WAIVED
STYRENE	77128	WAIVED	1992/06/30	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1992/06/30	.000	WAIVED
TOLUENE	34010	WAIVED	1992/06/30	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1992/06/30	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1992/06/30	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1992/06/30	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200553 WEOTT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200553-001 A LINE - MILL CR RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1992/06/30	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1992/06/30	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/01/31 -	.670	2015/01
BICARBONATE ALKALINITY	00440	108	2006/01/31	96.000	2015/01
CALCIUM	00916	108	2006/01/31	25.000	2015/01
CARBONATE ALKALINITY	00445	108	2006/01/31 <	1.000	2015/01
CHLORIDE	00940	012	2006/01/31	2.800	2007/01 DUE
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	012	2006/01/31	.000	2007/01 DUE
FOAMING AGENTS (MBAS)	38260	012	2006/01/31 <	.050	2007/01 DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2006/01/31	88.000	2015/01
HYDROXIDE ALKALINITY	71830	108	2006/01/31 <	1.000	2015/01
IRON	01045	012	2006/01/31	.000	2007/01 DUE
MAGNESIUM	00927	108	2006/01/31	6.200	2015/01
MANGANESE	01055	012	2006/01/31	.000	2007/01 DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2006/01/31	7.300	WAIVED
SILVER	01077	012	2006/01/31	.000	2007/01 DUE
SODIUM	00929	108	2006/01/31	12.000	2015/01
SPECIFIC CONDUCTANCE	00095	012	2006/01/31	210.000	2007/01 DUE
SULFATE	00945	012	2006/01/31	7.500	2007/01 DUE
TOTAL DISSOLVED SOLIDS	70300	012	2006/01/31	120.000	2007/01 DUE
TURBIDITY, LABORATORY	82079	WAIVED	1992/06/30	.060	WAIVED
ZINC	01092	012	2006/01/31	.000	2007/01 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200553 WEOTT C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200553-002 B LINE-COMBINED CREEKS-RAWSource Number: **002**Source Status: **COMBINATION OR BLEND RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	2006/01/31	.000	2007/01	DUE
ANTIMONY	01097	012	2006/01/31	.000	2007/01	DUE
ARSENIC	01002	012	2006/01/31	.000	2007/01	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012	2006/01/31	.000	2007/01	DUE
BERYLLIUM	01012	012	2004/12/16	.000	2005/12	DUE
CADMIUM	01027	012	2006/01/31	.000	2007/01	DUE
CHROMIUM (TOTAL)	01034	012	2006/01/31	.000	2007/01	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2006/01/31	.120	2007/01	DUE
LEAD	01051	WAIVED	1992/06/30	.000	WAIVED	
MERCURY	71900	012	2006/01/31	.000	2007/01	DUE
NICKEL	01067	012	2004/12/16 <	20.000	2005/12	DUE
SELENIUM	01147	012	2006/01/31	.000	2007/01	DUE
THALLIUM	01059	012	2006/01/31	.000	2007/01	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/01/31	.000	2007/01	DUE
NITRITE (AS N)	00620	036	2006/01/31	.000	2009/01	

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/01/31	.470	2010/01	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200553 WEOTT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200553-002 B LINE-COMBINED CREEKS-RAW****Source Number: 002****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200553 WEOTT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200553-002 B LINE-COMBINED CREEKS-RAW****Source Number: 002****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2006/01/31	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2006/01/31	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2006/01/31	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2006/01/31	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2006/01/31	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2006/01/31	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2006/01/31	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2006/01/31	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2006/01/31	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2006/01/31	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2006/01/31	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2006/01/31	.000	WAIVED
BENZENE	34030	WAIVED	2006/01/31	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2006/01/31	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2006/01/31	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2006/01/31	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2006/01/31	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2006/01/31	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2006/01/31	.000	WAIVED
STYRENE	77128	WAIVED	2006/01/31	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2006/01/31	.000	WAIVED
TOLUENE	34010	WAIVED	2006/01/31	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2006/01/31	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2006/01/31	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2006/01/31	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200553 WEOTT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200553-002 B LINE-COMBINED CREEKS-RAW****Source Number: 002****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2006/01/31	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2006/01/31	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/01/31 -	1.700	2015/01
BICARBONATE ALKALINITY	00440	108	2006/01/31	64.000	2015/01
CALCIUM	00916	108	2006/01/31	15.000	2015/01
CARBONATE ALKALINITY	00445	108	2006/01/31 <	1.000	2015/01
CHLORIDE	00940	012	2006/01/31	2.500	2007/01 DUE
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	012	2006/01/31	.000	2007/01 DUE
FOAMING AGENTS (MBAS)	38260	012	2006/01/31 <	.050	2007/01 DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2006/01/31	58.000	2015/01
HYDROXIDE ALKALINITY	71830	108	2006/01/31 <	1.000	2015/01
IRON	01045	012	2006/01/31	.000	2007/01 DUE
MAGNESIUM	00927	108	2006/01/31	5.100	2015/01
MANGANESE	01055	012	2006/01/31	.000	2007/01 DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2006/01/31	6.700	WAIVED
SILVER	01077	012	2006/01/31	.000	2007/01 DUE
SODIUM	00929	108	2006/01/31	7.200	2015/01
SPECIFIC CONDUCTANCE	00095	012	2006/01/31	140.000	2007/01 DUE
SULFATE	00945	012	2006/01/31	3.000	2007/01 DUE
TOTAL DISSOLVED SOLIDS	70300	012	2006/01/31	96.000	2007/01 DUE
TURBIDITY, LABORATORY	82079	WAIVED	1992/06/30	.060	WAIVED
ZINC	01092	012	2006/01/31	.000	2007/01 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200566 ORLEANS MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200566-001 CRAWFORD CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	-	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	012	2001/05/02	1.100	2002/05	DUE
ANTIMONY	01097	012	2003/12/18	.000	2004/12	DUE
ARSENIC	01002	012	2001/05/02 <	.500	2002/05	DUE
ASBESTOS	81855	000	-			DUE
BARIUM	01007	012	2001/05/02	30.500	2002/05	DUE
BERYLLIUM	01012	012	2003/12/18	.000	2004/12	DUE
CADMIUM	01027	012	2001/05/02 <	.500	2002/05	DUE
CHROMIUM (TOTAL)	01034	012	2001/05/02 <	.500	2002/05	DUE
CYANIDE	01291	WAIVED	WAIVED	-	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2001/05/02 <	.100	2002/05	DUE
LEAD	01051	WAIVED	2001/05/02 <	.500	WAIVED	
MERCURY	71900	012	1990/07/06 <	1.000	1991/07	DUE
NICKEL	01067	012	2003/12/18	.000	2004/12	DUE
SELENIUM	01147	012	2001/05/02	2.300	2002/05	DUE
THALLIUM	01059	012	2003/12/18	.000	2004/12	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/08/12	.000	2006/08	DUE
NITRITE (AS N)	00620	000	-			DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2001/05/02	.000	2005/05	DUE
GROSS BETA	03501	WAIVED	WAIVED	-	WAIVED	
RADIUM 226	09501	WAIVED	WAIVED	-	WAIVED	
RADIUM 228	11501	048	-		2007/04	
STRONTIUM-90	13501	WAIVED	WAIVED	-	WAIVED	
TRITIUM	07000	WAIVED	WAIVED	-	WAIVED	
URANIUM (PCI/L)	28012	WAIVED	2001/05/02	.000	WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200566 ORLEANS MUTUAL WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200566-001 CRAWFORD CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	-	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	-	WAIVED
2,4-D	39730	WAIVED	WAIVED	-	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	-	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	-	WAIVED
BENTAZON	38710	WAIVED	WAIVED	-	WAIVED
BENZO (A) PYRENE	34247	WAIVED	2001/05/02	.000	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	-	WAIVED
CHLORDANE	39350	WAIVED	2001/05/02	.000	WAIVED
DALAPON	38432	WAIVED	WAIVED	-	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	-	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	2001/05/02	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	-	WAIVED
DINOSEB	81287	WAIVED	WAIVED	-	WAIVED
DIQUAT	78885	WAIVED	WAIVED	-	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	-	WAIVED
ENDRIN	39390	WAIVED	WAIVED	-	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	-	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	-	WAIVED
HEPTACHLOR	39410	WAIVED	2001/05/02	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/05/02	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2001/05/02	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/05/02	.000	WAIVED
LINDANE	39340	WAIVED	WAIVED	-	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	-	WAIVED
MOLINATE	82199	WAIVED	WAIVED	-	WAIVED
OXAMYL	38865	WAIVED	WAIVED	-	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2001/05/02	.000	WAIVED
PICLORAM	39720	WAIVED	WAIVED	-	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	-	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200566 ORLEANS MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200566-001 CRAWFORD CREEK - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED	-	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	-	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	-	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/05/02	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/05/02	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	-		DUE
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/05/02	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2001/05/02	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/05/02	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	000	-		DUE
1,2-DICHLOROBENZENE	34536	WAIVED	2001/05/02	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2001/05/02	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2001/05/02	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/05/02	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2001/05/02	.000	WAIVED
BENZENE	34030	WAIVED	2001/05/02	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2001/05/02	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/05/02	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2001/05/02	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2001/05/02	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/05/02	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2001/05/02	.000	WAIVED
STYRENE	77128	WAIVED	2001/05/02	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2001/05/02	.000	WAIVED
TOLUENE	34010	WAIVED	2001/05/02	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/05/02	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2001/05/02	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/05/02	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200566 ORLEANS MUTUAL WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200566-001 CRAWFORD CREEK - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED VOC

VINYL CHLORIDE	39175	WAIVED	2001/05/02	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2001/05/02	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000	-		DUE
BICARBONATE ALKALINITY	00440	108	1990/07/06	42.000	1999/07 DUE
CALCIUM	00916	108	2001/05/02	22.700	2010/05
CARBONATE ALKALINITY	00445	108	1990/07/06 <	1.000	1999/07 DUE
CHLORIDE	00940	012	2001/05/02	2.500	2002/05 DUE
COLOR	00081	WAIVED	1990/07/06	10.000	WAIVED
COPPER	01042	012	2001/05/02	.800	2002/05 DUE
FOAMING AGENTS (MBAS)	38260	012	1990/07/06 <	.020	1991/07 DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2001/05/02	64.000	2010/05
HYDROXIDE ALKALINITY	71830	108	1990/07/06 <	1.000	1999/07 DUE
IRON	01045	012	2001/05/02 <	100.000	2002/05 DUE
MAGNESIUM	00927	108	2001/05/02	1.900	2010/05
MANGANESE	01055	012	2001/05/02 <	.500	2002/05 DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	1990/07/06 <	1.000	WAIVED
PH, LABORATORY	00403	WAIVED	2001/05/02	8.200	WAIVED
SILVER	01077	012	2001/05/02 <	.500	2002/05 DUE
SODIUM	00929	108	2001/05/02	4.600	2010/05
SPECIFIC CONDUCTANCE	00095	012	2001/05/02	137.000	2002/05 DUE
SULFATE	00945	012	2001/05/02	15.000	2002/05 DUE
TOTAL DISSOLVED SOLIDS	70300	012	2001/05/02	98.000	2002/05 DUE
TURBIDITY, LABORATORY	82079	WAIVED	1990/07/06	.750	WAIVED
ZINC	01092	012	2001/05/02	4.100	2002/05 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200583 FORSON WATER COMPANY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200583-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/09/19	.000	2015/09
ANTIMONY	01097	108	2006/09/19	.000	2015/09
ARSENIC	01002	036	2006/09/19	.000	2009/09
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2006/09/19	.000	2009/09
BERYLLIUM	01012	108	2006/09/19	.000	2015/09
CADMIUM	01027	036	2006/09/19	.000	2009/09
CHROMIUM (TOTAL)	01034	108	2006/09/19	.000	2015/09
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/08/15	.000	2009/08
LEAD	01051	WAIVED	1995/04/21	.000	WAIVED
MERCURY	71900	036	2006/09/19	.000	2009/09
NICKEL	01067	108	2006/09/19	.000	2015/09
SELENIUM	01147	036	2006/09/19	.000	2009/09
THALLIUM	01059	108	2006/09/19	.000	2015/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/15	16.800	2007/08
NITRITE (AS N)	00620	036	2006/08/15	.000	2009/08

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/12/29	.340	2008/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200583 FORSON WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200583-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200583 FORSON WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200583-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2007/03/26	.000	2013/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/03/26	.000	2013/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/03/26	.000	2013/03
1,1,2-TRICHLOROETHANE	34511	072	2007/03/26	.000	2013/03
1,1-DICHLOROETHANE	34496	072	2007/03/26	.000	2013/03
1,1-DICHLOROETHYLENE	34501	072	2007/03/26	.000	2013/03
1,2,4-TRICHLOROBENZENE	34551	072	2007/03/26	.000	2013/03
1,2-DICHLOROBENZENE	34536	072	2007/03/26	.000	2013/03
1,2-DICHLOROETHANE	34531	072	2007/03/26	.000	2013/03
1,2-DICHLOROPROPANE	34541	072	2007/03/26	.000	2013/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/03/26	.000	2013/03
1,4-DICHLOROBENZENE	34571	072	2007/03/26	.000	2013/03
BENZENE	34030	072	2007/03/26	.000	2013/03
CARBON TETRACHLORIDE	32102	072	2007/03/26	.000	2013/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/03/26	.000	2013/03
DICHLOROMETHANE	34423	072	2007/03/26	.000	2013/03
ETHYLBENZENE	34371	072	2007/03/26	.000	2013/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/09/12	.000	2008/09
MONOCHLOROBENZENE	34301	072	2007/03/26	.000	2013/03
STYRENE	77128	072	2007/03/26	.000	2013/03
TETRACHLOROETHYLENE	34475	072	2007/03/26	.000	2013/03
TOLUENE	34010	072	2007/03/26	.000	2013/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/03/26	.000	2013/03
TRICHLOROETHYLENE	39180	072	2007/03/26	.000	2013/03
TRICHLOROFLUOROMETHANE	34488	072	2007/03/26	.000	2013/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200583 FORSON WATER COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200583-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2007/03/26	.000	2013/03
XYLENES (TOTAL)	81551	072	2007/03/26	.000	2013/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/08/15 -	2.300	2015/08
BICARBONATE ALKALINITY	00440	108	2006/08/15	40.000	2015/08
CALCIUM	00916	108	2006/08/15	7.100	2015/08
CARBONATE ALKALINITY	00445	108	2006/08/15 <	1.000	2015/08
CHLORIDE	00940	036	2006/08/15	14.000	2009/08
COLOR	00081	036	2006/08/15 <	3.000	2009/08
COPPER	01042	036	2006/08/15	.000	2009/08
FOAMING AGENTS (MBAS)	38260	036	2006/08/15 <	.050	2009/08
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/08/15	50.000	2015/08
HYDROXIDE ALKALINITY	71830	108	2006/08/15 <	1.000	2015/08
IRON	01045	036	2006/08/15	.000	2009/08
MAGNESIUM	00927	108	2006/08/15	7.900	2015/08
MANGANESE	01055	036	2006/08/15	.000	2009/08
ODOR THRESHOLD @ 60 C	00086	036	2006/08/15 <	1.000	2009/08
PH, LABORATORY	00403	036	2006/08/15	6.600	2009/08
SILVER	01077	036	2006/09/19	.000	2009/09
SODIUM	00929	108	2006/08/15	12.000	2015/08
SPECIFIC CONDUCTANCE	00095	036	2006/08/15	170.000	2009/08
SULFATE	00945	036	2006/08/15	7.900	2009/08
TOTAL DISSOLVED SOLIDS	70300	036	2006/08/15	130.000	2009/08
TURBIDITY, LABORATORY	82079	036	2006/08/15	.070	2009/08
ZINC	01092	036	2006/08/15	.000	2009/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200587 BRICELAND C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200587-002 SPRING/CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2000/03/15	130.000	2009/03
ANTIMONY	01097	108	2000/03/15	.000	2009/03
ARSENIC	01002	108	2006/08/14	.000	2015/08
ASBESTOS	81855	108	2002/04/15	.000	2011/04
BARIUM	01007	108	2006/08/14	.000	2015/08
BERYLLIUM	01012	108	2000/03/15	.000	2009/03
CADMIUM	01027	108	2006/08/14	.000	2015/08
CHROMIUM (TOTAL)	01034	108	2006/08/14	.000	2015/08
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/08/14	.000	2015/08
LEAD	01051	WAIVED	1998/03/17	.000	WAIVED
MERCURY	71900	108	2006/08/14	.000	2015/08
NICKEL	01067	108	2000/03/15	.000	2009/03
SELENIUM	01147	108	2006/08/14	.000	2015/08
THALLIUM	01059	108	2000/03/15	.000	2009/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/14	.000	2007/08
NITRITE (AS N)	00620	036	2005/07/18	.000	2008/07

RADIOLOGICAL

GROSS ALPHA	01501	048	2002/12/05	.296	2006/12	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048				DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200587 BRICELAND C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200587-002 SPRING/CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200587 BRICELAND C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200587-002 SPRING/CREEK - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/03/05	.000	2007/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/03/05	.000	2007/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/03/05	.000	2007/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/03/05	.000	2007/03	DUE
1,1-DICHLOROETHANE	34496	072	2001/03/05	.000	2007/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/03/05	.000	2007/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/03/05	.000	2007/03	DUE
1,2-DICHLOROBENZENE	34536	072	2001/03/05	.000	2007/03	DUE
1,2-DICHLOROETHANE	34531	072	2001/03/05	.000	2007/03	DUE
1,2-DICHLOROPROPANE	34541	072	2001/03/05	.000	2007/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/03/05	.000	2007/03	DUE
1,4-DICHLOROBENZENE	34571	072	2001/03/05	.000	2007/03	DUE
BENZENE	34030	072	2001/03/05	.000	2007/03	DUE
CARBON TETRACHLORIDE	32102	072	2001/03/05	.000	2007/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/03/05	.000	2007/03	DUE
DICHLOROMETHANE	34423	072	2001/03/05	.000	2007/03	DUE
ETHYLBENZENE	34371	072	2001/03/05	.000	2007/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/03/05	.000	WAIVED	
MONOCHLOROBENZENE	34301	072	2001/03/05	.000	2007/03	DUE
STYRENE	77128	072	2001/03/05	.000	2007/03	DUE
TETRACHLOROETHYLENE	34475	072	2001/03/05	.000	2007/03	DUE
TOLUENE	34010	072	2001/03/05	.000	2007/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/03/05	.000	2007/03	DUE
TRICHLOROETHYLENE	39180	072	2001/03/05	.000	2007/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/03/05	.000	2007/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200587 BRICELAND C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200587-002 SPRING/CREEK - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED VOC

VINYL CHLORIDE	39175	072	2001/03/05	.000	2007/03	DUE
XYLENES (TOTAL)	81551	072	2001/03/05	.000	2007/03	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/07/18 -	.780	2014/07	
BICARBONATE ALKALINITY	00440	108	1998/03/17	100.000	2007/03	DUE
CALCIUM	00916	108	1998/03/17	19.000	2007/03	DUE
CARBONATE ALKALINITY	00445	108	1998/03/17 <	1.000	2007/03	DUE
CHLORIDE	00940	012	2006/08/14	4.000	2007/08	
COLOR	00081	WAIVED	1998/03/17	3.000	WAIVED	
COPPER	01042	012	2006/08/14	.000	2007/08	
FOAMING AGENTS (MBAS)	38260	012	2006/08/14	.000	2007/08	
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1998/03/17	85.000	2007/03	DUE
HYDROXIDE ALKALINITY	71830	108	1998/03/17 <	1.000	2007/03	DUE
IRON	01045	012	2006/08/14	.000	2007/08	
MAGNESIUM	00927	108	1998/03/17	9.100	2007/03	DUE
MANGANESE	01055	012	2006/08/14	.000	2007/08	
ODOR THRESHOLD @ 60 C	00086	WAIVED	1998/03/17 <	1.000	WAIVED	
PH, LABORATORY	00403	WAIVED	1998/03/17	7.500	WAIVED	
SILVER	01077	012	2006/08/14	.000	2007/08	
SODIUM	00929	108	1998/03/17	11.000	2007/03	DUE
SPECIFIC CONDUCTANCE	00095	012	2006/08/14	230.000	2007/08	
SULFATE	00945	012	2006/08/14	1.200	2007/08	
TOTAL DISSOLVED SOLIDS	70300	012	2006/08/14	140.000	2007/08	
TURBIDITY, LABORATORY	82079	WAIVED	1998/03/17	.470	WAIVED	
ZINC	01092	012	2006/08/14	.000	2007/08	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200588 SEAWOOD ESTATES MUTUAL WATER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200588-005 PARVIN CREEK - RAWSource Number: **005**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	012		DUE
ANTIMONY	01097	012		DUE
ARSENIC	01002	012		DUE
ASBESTOS	81855	000		DUE
BARIUM	01007	012		DUE
BERYLLIUM	01012	012		DUE
CADMIUM	01027	012		DUE
CHROMIUM (TOTAL)	01034	012		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	012		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	012		DUE
NICKEL	01067	012		DUE
SELENIUM	01147	012		DUE
THALLIUM	01059	012		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200588 SEAWOOD ESTATES MUTUAL WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200588-005 PARVIN CREEK - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200588 SEAWOOD ESTATES MUTUAL WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200588-005 PARVIN CREEK - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200588 SEAWOOD ESTATES MUTUAL WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200588-005 PARVIN CREEK - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	012		DUE
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	012		DUE
FOAMING AGENTS (MBAS)	38260	012		DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	012		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	012		DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	012		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	012		DUE
SULFATE	00945	012		DUE
TOTAL DISSOLVED SOLIDS	70300	012		DUE
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	012		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200588 SEAWOOD ESTATES MUTUAL WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200588-006 SAND CREEK - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	012		DUE
ANTIMONY	01097	012		DUE
ARSENIC	01002	012		DUE
ASBESTOS	81855	000		DUE
BARIUM	01007	012		DUE
BERYLLIUM	01012	012		DUE
CADMIUM	01027	012		DUE
CHROMIUM (TOTAL)	01034	012		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	012		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	012		DUE
NICKEL	01067	012		DUE
SELENIUM	01147	012		DUE
THALLIUM	01059	012		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200588 SEAWOOD ESTATES MUTUAL WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200588-006 SAND CREEK - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200588 SEAWOOD ESTATES MUTUAL WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200588-006 SAND CREEK - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200588 SEAWOOD ESTATES MUTUAL WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200588-006 SAND CREEK - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	012		DUE
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	012		DUE
FOAMING AGENTS (MBAS)	38260	012		DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	012		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	012		DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	012		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	012		DUE
SULFATE	00945	012		DUE
TOTAL DISSOLVED SOLIDS	70300	012		DUE
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	012		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200588 SEAWOOD ESTATES MUTUAL WATER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200588-008 COMBINED PARVIN/SAND CREEKS - RAW

Source Number: 008

Source Status: COMBINATION OR BLEND RAW

Water type: SURFACE

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	2006/03/27	120.000	2007/03	DUE
ANTIMONY	01097	012	2006/03/27	.000	2007/03	DUE
ARSENIC	01002	012	2006/03/27	.000	2007/03	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012	2006/03/27	.000	2007/03	DUE
BERYLLIUM	01012	012	2006/03/27	.000	2007/03	DUE
CADMIUM	01027	012	2006/03/27	.000	2007/03	DUE
CHROMIUM (TOTAL)	01034	012	2006/03/27	.000	2007/03	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2006/03/27	.000	2007/03	DUE
LEAD	01051	WAIVED	WAIVED		WAIVED	
MERCURY	71900	012	2006/03/27	.000	2007/03	DUE
NICKEL	01067	012	2006/03/27	.000	2007/03	DUE
SELENIUM	01147	012	2006/03/27	.000	2007/03	DUE
THALLIUM	01059	012	2006/03/27	.000	2007/03	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2006/03/27	2.340	2006/06	DUE
NITRITE (AS N)	00620	036	2006/03/27	.000	2009/03	

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/03/27	.380	2010/03	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200588 SEAWOOD ESTATES MUTUAL WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200588-008 COMBINED PARVIN/SAND CREEKS - RAW****Source Number: 008****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200588 SEAWOOD ESTATES MUTUAL WATER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200588-008 COMBINED PARVIN/SAND CREEKS - RAWSource Number: **008**Source Status: **COMBINATION OR BLEND RAW**Water type: **SURFACE**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2006/03/27	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2006/03/27	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2006/03/27	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2006/03/27	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2006/03/27	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2006/03/27	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2006/03/27	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2006/03/27	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2006/03/27	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2006/03/27	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2006/03/27	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2006/03/27	.000	WAIVED
BENZENE	34030	WAIVED	2006/03/27	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2006/03/27	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2006/03/27	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2006/03/27	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2006/03/27	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2006/03/27	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2006/03/27	.000	WAIVED
STYRENE	77128	WAIVED	2006/03/27	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2006/03/27	.000	WAIVED
TOLUENE	34010	WAIVED	2006/03/27	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2006/03/27	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2006/03/27	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2006/03/27	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200588 SEAWOOD ESTATES MUTUAL WATER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200588-008 COMBINED PARVIN/SAND CREEKS - RAWSource Number: **008**Source Status: **COMBINATION OR BLEND RAW**Water type: **SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2006/03/27	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2006/03/27	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/03/27 -	3.200	2015/03
BICARBONATE ALKALINITY	00440	108	2006/03/27	15.000	2015/03
CALCIUM	00916	108	2006/03/27	2.100	2015/03
CARBONATE ALKALINITY	00445	108	2006/03/27 <	1.000	2015/03
CHLORIDE	00940	012	2006/03/27	19.000	2007/03 DUE
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	012	2006/03/27	.000	2007/03 DUE
FOAMING AGENTS (MBAS)	38260	012	2006/03/27 <	.050	2007/03 DUE
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/03/27	13.000	2015/03
HYDROXIDE ALKALINITY	71830	108	2006/03/27 <	1.000	2015/03
IRON	01045	012	2006/03/27	130.000	2007/03 DUE
MAGNESIUM	00927	108	2006/03/27	1.800	2015/03
MANGANESE	01055	012	2006/03/27	.000	2007/03 DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2006/03/27	6.700	WAIVED
SILVER	01077	012	2006/03/27	.000	2007/03 DUE
SODIUM	00929	108	2006/03/27	13.000	2015/03
SPECIFIC CONDUCTANCE	00095	012	2006/03/27	100.000	2007/03 DUE
SULFATE	00945	012	2006/03/27	3.400	2007/03 DUE
TOTAL DISSOLVED SOLIDS	70300	012	2006/03/27	61.000	2007/03 DUE
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	012	2006/03/27	.000	2007/03 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200590 MOONSTONE HEIGHTS MWA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200590-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED -	WAIVED
----------	-------	--------	----------	--------

INORGANIC

ALUMINUM	01105	108	2006/03/06	.000	2015/03
ANTIMONY	01097	108	2006/03/06	.000	2015/03
ARSENIC	01002	108	2006/03/06	.000	2015/03
ASBESTOS	81855	WAIVED	WAIVED -		WAIVED
BARIUM	01007	108	2006/03/06	.000	2015/03
BERYLLIUM	01012	108	2006/03/06	.000	2015/03
CADMIUM	01027	108	2006/03/06	.000	2015/03
CHROMIUM (TOTAL)	01034	108	2002/08/06		2011/08
CYANIDE	01291	WAIVED	WAIVED -		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/03/06	.000	2015/03
LEAD	01051	WAIVED	WAIVED -		WAIVED
MERCURY	71900	108	2006/03/06	.000	2015/03
NICKEL	01067	108	2006/03/06	.000	2015/03
SELENIUM	01147	108	2006/03/06	.000	2015/03
THALLIUM	01059	108	2006/03/06	.000	2015/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/28	8.000	2008/03
NITRITE (AS N)	00620	036	2006/03/06	.000	2009/03

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/03/06 -	.540	2010/03
GROSS BETA	03501	WAIVED	WAIVED -		WAIVED
RADIUM 226	09501	WAIVED	WAIVED -		WAIVED
RADIUM 228	11501	WAIVED	WAIVED -		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED -		WAIVED
TRITIUM	07000	WAIVED	WAIVED -		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED -		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200590 MOONSTONE HEIGHTS MWA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200590-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200590 MOONSTONE HEIGHTS MWA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200590-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/13	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	-		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	-		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/07/17		.000	2008/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/07/17		.000	2008/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2002/07/17		.000	2008/07
1,1,2-TRICHLOROETHANE	34511	072	2002/07/17		.000	2008/07
1,1-DICHLOROETHANE	34496	072	2002/07/17		.000	2008/07
1,1-DICHLOROETHYLENE	34501	072	2002/07/17		.000	2008/07
1,2,4-TRICHLOROBENZENE	34551	072	2002/07/17		.000	2008/07
1,2-DICHLOROBENZENE	34536	072	2002/07/17		.000	2008/07
1,2-DICHLOROETHANE	34531	072	2002/07/17		.000	2008/07
1,2-DICHLOROPROPANE	34541	072	2002/07/17		.000	2008/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/07/17		.000	2008/07
1,4-DICHLOROBENZENE	34571	072	2002/07/17		.000	2008/07
BENZENE	34030	072	2002/07/17		.000	2008/07
CARBON TETRACHLORIDE	32102	072	2002/07/17		.000	2008/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/07/17		.000	2008/07
DICHLOROMETHANE	34423	072	2002/07/17		.000	2008/07
ETHYLBENZENE	34371	072	2002/07/17		.000	2008/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/07/17		.000	2008/07
MONOCHLOROBENZENE	34301	072	2002/07/17		.000	2008/07
STYRENE	77128	072	2002/07/17		.000	2008/07
TETRACHLOROETHYLENE	34475	072	2002/07/17		.000	2008/07
TOLUENE	34010	072	2002/07/17		.000	2008/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/07/17		.000	2008/07
TRICHLOROETHYLENE	39180	072	2002/07/17		.000	2008/07
TRICHLOROFLUOROMETHANE	34488	072	2002/07/17		.000	2008/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200590 MOONSTONE HEIGHTS MWA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200590-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2002/07/17	.000	2008/07
XYLENES (TOTAL)	81551	072	2002/07/17	.000	2008/07

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/03/06 -	4.000	2015/03
BICARBONATE ALKALINITY	00440	108	2006/03/06	19.000	2015/03
CALCIUM	00916	108	2006/03/06	4.400	2015/03
CARBONATE ALKALINITY	00445	108	2006/03/06 <	1.000	2015/03
CHLORIDE	00940	036	2006/03/06	29.000	2009/03
COLOR	00081	036	2006/03/06	3.000	2009/03
COPPER	01042	036	2006/03/06	.000	2009/03
FOAMING AGENTS (MBAS)	38260	036	2006/03/06 <	.050	2009/03
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/03/06	27.000	2015/03
HYDROXIDE ALKALINITY	71830	108	2006/03/06 <	1.000	2015/03
IRON	01045	036	2006/03/06	.000	2009/03
MAGNESIUM	00927	108	2006/03/06	3.900	2015/03
MANGANESE	01055	036	2006/03/06	.000	2009/03
ODOR THRESHOLD @ 60 C	00086	036	2006/03/06	.000	2009/03
PH, LABORATORY	00403	036	2006/03/06	5.400	2009/03
SILVER	01077	036	2006/03/06	.000	2009/03
SODIUM	00929	108	2006/03/06	18.000	2015/03
SPECIFIC CONDUCTANCE	00095	036	2006/03/06	180.000	2009/03
SULFATE	00945	036	2006/03/06	3.800	2009/03
TOTAL DISSOLVED SOLIDS	70300	036	2006/03/06	110.000	2009/03
TURBIDITY, LABORATORY	82079	036	2006/03/06	.140	2009/03
ZINC	01092	108	2006/03/06	.000	2015/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200591 BIG LAGOON PARK WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200591-001 PARK WELL - RAW

Source Number: 001

Source Status: COMBINATION OR BLEND RAW

Water type: WELL OR GROUND WATER

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2004/10/05	.000	2007/10
ANTIMONY	01097	036	2004/10/05	.000	2007/10
ARSENIC	01002	036	2004/10/05	.000	2007/10
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2004/10/05	.000	2007/10
BERYLLIUM	01012	036	2004/10/05	.000	2007/10
CADMIUM	01027	036	2004/10/05	.000	2007/10
CHROMIUM (TOTAL)	01034	036	2002/12/10 -		2005/12 DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2004/12/16	.000	2007/12
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	036	2004/10/05	.000	2007/10
NICKEL	01067	036	2004/10/05	.000	2007/10
SELENIUM	01147	036	2004/10/05	.000	2007/10
THALLIUM	01059	036	2004/10/05	.000	2007/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2004/12/16	3.500	2005/12 DUE
NITRITE (AS N)	00620	036	2001/01/23	.000	2004/01 DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2001/12/16 -	.230	2005/12 DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200591 BIG LAGOON PARK WATER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200591-001 PARK WELL - RAW****Source Number: 001****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200591 BIG LAGOON PARK WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200591-001 PARK WELL - RAW

Source Number: 001

Source Status: COMBINATION OR BLEND RAW

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	1988/04/26 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/01/23	.000	2007/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/01/23	.000	2007/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/01/23	.000	2007/01	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/01/23	.000	2007/01	DUE
1,1-DICHLOROETHANE	34496	072	2001/01/23	.000	2007/01	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/01/23	.000	2007/01	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/01/23	.000	2007/01	DUE
1,2-DICHLOROBENZENE	34536	072	2001/01/23	.000	2007/01	DUE
1,2-DICHLOROETHANE	34531	072	2001/01/23	.000	2007/01	DUE
1,2-DICHLOROPROPANE	34541	072	2001/01/23	.000	2007/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/01/23	.000	2007/01	DUE
1,4-DICHLOROBENZENE	34571	072	2001/01/23	.000	2007/01	DUE
BENZENE	34030	072	2001/01/23	.000	2007/01	DUE
CARBON TETRACHLORIDE	32102	072	2001/01/23	.000	2007/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/01/23	.000	2007/01	DUE
DICHLOROMETHANE	34423	072	2001/01/23	.000	2007/01	DUE
ETHYLBENZENE	34371	072	2001/01/23	.000	2007/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/01/23	.000	2007/01	DUE
MONOCHLOROBENZENE	34301	072	2001/01/23	.000	2007/01	DUE
STYRENE	77128	072	2001/01/23	.000	2007/01	DUE
TETRACHLOROETHYLENE	34475	072	2001/01/23	.000	2007/01	DUE
TOLUENE	34010	072	2001/01/23	.000	2007/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/01/23	.000	2007/01	DUE
TRICHLOROETHYLENE	39180	072	2001/01/23	.000	2007/01	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/01/23	.000	2007/01	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200591 BIG LAGOON PARK WATER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200591-001 PARK WELL - RAW

Source Number: 001

Source Status: COMBINATION OR BLEND RAW

Water type: WELL OR GROUND WATER

REGULATED VOC

VINYL CHLORIDE	39175	072	2001/01/23	.000	2007/01	DUE
XYLENES (TOTAL)	81551	072	2001/01/23	.000	2007/01	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2004/12/16	.190	2013/12	
BICARBONATE ALKALINITY	00440	108	2004/12/16	23.000	2013/12	
CALCIUM	00916	108	2004/12/16	7.500	2013/12	
CARBONATE ALKALINITY	00445	108	2004/12/16	< 1.000	2013/12	
CHLORIDE	00940	036	2004/12/16	37.000	2007/12	
COLOR	00081	036	2004/12/16	20.000	2007/12	
COPPER	01042	036	2004/12/16	.000	2007/12	
FOAMING AGENTS (MBAS)	38260	036	1993/03/08	.000	1996/03	DUE
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/12/16	43.000	2013/12	
HYDROXIDE ALKALINITY	71830	108	2004/12/16	< 1.000	2013/12	
IRON	01045	036	2004/12/16	750.000	2007/12	
MAGNESIUM	00927	108	2004/12/16	6.000	2013/12	
MANGANESE	01055	036	2004/12/16	.000	2007/12	
ODOR THRESHOLD @ 60 C	00086	036	2004/12/16	.000	2007/12	
PH, LABORATORY	00403	036	2004/12/16	6.300	2007/12	
SILVER	01077	036				DUE
SODIUM	00929	108	2004/12/16	19.000	2013/12	
SPECIFIC CONDUCTANCE	00095	036	2004/12/16	200.000	2007/12	
SULFATE	00945	036	2004/12/16	1.600	2007/12	
TOTAL DISSOLVED SOLIDS	70300	036	2004/12/16	120.000	2007/12	
TURBIDITY, LABORATORY	82079	036	2004/12/16	7.300	2007/12	
ZINC	01092	036	2004/12/16	.000	2007/12	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200592 BIG LAGOON CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200592-001 SUBDIVISION WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2006/03/21	.000	2009/03
ANTIMONY	01097	036	2006/03/21	.000	2009/03
ARSENIC	01002	036	2006/03/21	.000	2009/03
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2006/03/21	.000	2009/03
BERYLLIUM	01012	036	2006/03/21	.000	2009/03
CADMIUM	01027	036	2006/03/21	.000	2009/03
CHROMIUM (TOTAL)	01034	036	2006/03/21	9.100	2009/03
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/03/21	.000	2009/03
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	036	2006/03/21	.000	2009/03
NICKEL	01067	036	2006/03/21	.000	2009/03
SELENIUM	01147	036	2006/03/21	.000	2009/03
THALLIUM	01059	036	2006/03/21	.000	2009/03

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/03/21	2.200	2007/03	DUE
NITRITE (AS N)	00620	036	2006/03/21	.000	2009/03	

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/03/21 -	.090	2010/03	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048			2007/03	DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200592 BIG LAGOON CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200592-001 SUBDIVISION WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200592 BIG LAGOON CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200592-001 SUBDIVISION WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/26 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/03/21	.000	2012/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/03/21	.000	2012/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/03/21	.000	2012/03
1,1,2-TRICHLOROETHANE	34511	072	2006/03/21	.000	2012/03
1,1-DICHLOROETHANE	34496	072	2006/03/21	.000	2012/03
1,1-DICHLOROETHYLENE	34501	072	2006/03/21	.000	2012/03
1,2,4-TRICHLOROBENZENE	34551	072	2006/03/21	.000	2012/03
1,2-DICHLOROBENZENE	34536	072	2006/03/21	.000	2012/03
1,2-DICHLOROETHANE	34531	072	2006/03/21	.000	2012/03
1,2-DICHLOROPROPANE	34541	072	2006/03/21	.000	2012/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/03/21	.000	2012/03
1,4-DICHLOROBENZENE	34571	072	2006/03/21	.000	2012/03
BENZENE	34030	072	2006/03/21	.000	2012/03
CARBON TETRACHLORIDE	32102	072	2006/03/21	.000	2012/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/03/21	.000	2012/03
DICHLOROMETHANE	34423	072	2006/03/21	.000	2012/03
ETHYLBENZENE	34371	072	2006/03/21	.000	2012/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/03/21	.000	2012/03
MONOCHLOROBENZENE	34301	072	2006/03/21	.000	2012/03
STYRENE	77128	072	2006/03/21	.000	2012/03
TETRACHLOROETHYLENE	34475	072	2006/03/21	.000	2012/03
TOLUENE	34010	072	2006/03/21	.000	2012/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/03/21	.000	2012/03
TRICHLOROETHYLENE	39180	072	2006/03/21	.000	2012/03
TRICHLOROFLUOROMETHANE	34488	072	2006/03/21	.000	2012/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200592 BIG LAGOON CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200592-001 SUBDIVISION WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/03/21	.000	2012/03
XYLENES (TOTAL)	81551	072	2006/03/21	.000	2012/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/03/21 -	1.900	2015/03
BICARBONATE ALKALINITY	00440	108	2006/03/21	71.000	2015/03
CALCIUM	00916	108	2006/03/21	7.200	2015/03
CARBONATE ALKALINITY	00445	108	2006/03/21 <	1.000	2015/03
CHLORIDE	00940	036	2006/03/21	18.000	2009/03
COLOR	00081	036	2006/03/21	.000	2009/03
COPPER	01042	036	2006/03/21	.000	2009/03
FOAMING AGENTS (MBAS)	38260	036	2006/03/21 <	.050	2009/03
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/03/21	48.000	2015/03
HYDROXIDE ALKALINITY	71830	108	2006/03/21 <	1.000	2015/03
IRON	01045	036	2006/03/21	.000	2009/03
MAGNESIUM	00927	108	2006/03/21	7.300	2015/03
MANGANESE	01055	036	2006/03/21	.000	2009/03
ODOR THRESHOLD @ 60 C	00086	036	2006/03/21	4.000	2009/03
PH, LABORATORY	00403	036	2006/03/21	6.700	2009/03
SILVER	01077	036	2006/03/21	.000	2009/03
SODIUM	00929	108	2006/03/21	14.000	2015/03
SPECIFIC CONDUCTANCE	00095	036	2006/03/21	210.000	2009/03
SULFATE	00945	036	2006/03/21	2.300	2009/03
TOTAL DISSOLVED SOLIDS	70300	036	2006/03/21	110.000	2009/03
TURBIDITY, LABORATORY	82079	036	2006/03/21	.080	2009/03
ZINC	01092	036	2006/03/21	100.000	2009/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200597 RICHARDSON'S GROVE CAMPGROUND & RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200597-001 WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	-	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	-	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	-	WAIVED
ARSENIC	01002	WAIVED	WAIVED	-	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	-	WAIVED
BARIUM	01007	WAIVED	WAIVED	-	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	-	WAIVED
CADMIUM	01027	WAIVED	WAIVED	-	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	-	WAIVED
CYANIDE	01291	WAIVED	WAIVED	-	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/10/01	.150	WAIVED
LEAD	01051	WAIVED	WAIVED	-	WAIVED
MERCURY	71900	WAIVED	WAIVED	-	WAIVED
NICKEL	01067	WAIVED	WAIVED	-	WAIVED
SELENIUM	01147	WAIVED	WAIVED	-	WAIVED
THALLIUM	01059	WAIVED	WAIVED	-	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/01/24	.000	2008/01
NITRITE (AS N)	00620	036	2005/09/29	.000	2008/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	-	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	-	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	-	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	-	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	-	WAIVED
TRITIUM	07000	WAIVED	WAIVED	-	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	-	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200597 RICHARDSON'S GROVE CAMPGROUND & RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200597-001 WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200597 RICHARDSON'S GROVE CAMPGROUND & RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200597-001 WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED -	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED -	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED -	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED -	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED -	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED -	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED -	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED -	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED -	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED -	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED -	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED -	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED -	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED -	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED -	WAIVED
BENZENE	34030	WAIVED	WAIVED -	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED -	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED -	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED -	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED -	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED -	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED -	WAIVED
STYRENE	77128	WAIVED	WAIVED -	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED -	WAIVED
TOLUENE	34010	WAIVED	WAIVED -	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED -	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED -	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200597 RICHARDSON'S GROVE CAMPGROUND & RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200597-001 WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED -	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED -	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED -	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2002/10/01	96.000 WAIVED
CALCIUM	00916	WAIVED	2002/10/01	29.000 WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2002/10/01	.000 WAIVED
CHLORIDE	00940	WAIVED	WAIVED -	WAIVED
COLOR	00081	WAIVED	WAIVED -	WAIVED
COPPER	01042	WAIVED	WAIVED -	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED -	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2002/10/01	99.000 WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2002/10/01	.000 WAIVED
IRON	01045	WAIVED	2002/10/01	.000 WAIVED
MAGNESIUM	00927	WAIVED	2002/10/01	6.400 WAIVED
MANGANESE	01055	WAIVED	2002/10/01	.000 WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED -	WAIVED
PH, LABORATORY	00403	WAIVED	2002/10/01	7.000 WAIVED
SILVER	01077	WAIVED	WAIVED -	WAIVED
SODIUM	00929	WAIVED	2002/10/01	12.000 WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED -	WAIVED
SULFATE	00945	WAIVED	WAIVED -	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED -	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED -	WAIVED
ZINC	01092	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200600 BOISE CREEK CG-SNRF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200600-001 BOISE CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/12	.000	2007/09
NITRITE (AS N)	00620	036	2005/09/15	.000	2008/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200600 BOISE CREEK CG-SNRF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200600-001 BOISE CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200600 BOISE CREEK CG-SNRF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200600-001 BOISE CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200600 BOISE CREEK CG-SNRF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200600-001 BOISE CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-002 PARK WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-002 PARK WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-002 PARK WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-002 PARK WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-004 PARK WELL - TREATED****Source Number: 004****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2002/03/14	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2002/03/14	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-004 PARK WELL - TREATED****Source Number: 004****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-004 PARK WELL - TREATED****Source Number: 004****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-004 PARK WELL - TREATED****Source Number: 004****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-005 SOUTH WELL - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2004/03/09	860.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/04/26	.000	2006/04 DUE
NITRITE (AS N)	00620	036	2005/04/26	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-005 SOUTH WELL - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-005 SOUTH WELL - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200637 DEAN CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200637-005 SOUTH WELL - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2004/03/09 -	1.000	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2004/03/09	140.000	WAIVED
CALCIUM	00916	WAIVED	2004/03/09	15.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2004/03/09 <	1.000	WAIVED
CHLORIDE	00940	WAIVED	2004/03/09	73.000	WAIVED
COLOR	00081	WAIVED	2004/03/09	10.000	WAIVED
COPPER	01042	WAIVED	2004/03/09	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/03/09	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2004/03/09	120.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2004/03/09 <	1.000	WAIVED
IRON	01045	WAIVED	2004/03/09	1700.000	WAIVED
MAGNESIUM	00927	WAIVED	2004/03/09	21.000	WAIVED
MANGANESE	01055	WAIVED	2004/03/09	950.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/03/09	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2004/03/09	7.100	WAIVED
SILVER	01077	WAIVED	2004/03/09	.000	WAIVED
SODIUM	00929	WAIVED	2004/03/09	69.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/03/09	570.000	WAIVED
SULFATE	00945	WAIVED	2004/03/09	2.100	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/03/09	300.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2004/03/09	20.000	WAIVED
ZINC	01092	WAIVED	2004/03/09	98.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200643 BEACH CREEK MH PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200643-001 BEACH CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	2006/09/06	140.000	2007/09
ANTIMONY	01097	108	2006/09/06	.000	2015/09
ARSENIC	01002	012	2006/09/06	.000	2007/09
ASBESTOS	81855	108	2006/10/10	.000	2015/10
BARIUM	01007	012	2006/09/06	.000	2007/09
BERYLLIUM	01012	108	2006/09/06	.000	2015/09
CADMIUM	01027	012	2006/09/06	.000	2007/09
CHROMIUM (TOTAL)	01034	012	2006/09/06	.000	2007/09
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2006/09/06	.000	2007/09
LEAD	01051	WAIVED	2006/09/06	.000	WAIVED
MERCURY	71900	012	2006/09/06	.000	2007/09
NICKEL	01067	108	2006/09/06	.000	2015/09
SELENIUM	01147	012	2006/09/06	.000	2007/09
THALLIUM	01059	108	2006/09/06	.000	2015/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/06	.500	2007/09
NITRITE (AS N)	00620	036	2006/09/06	.000	2009/09

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/01/02	.000	2007/01	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048				DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200643 BEACH CREEK MH PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200643-001 BEACH CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200643 BEACH CREEK MH PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200643-001 BEACH CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2004/08/05	.000	2010/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2004/08/05	.000	2010/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2004/08/05	.000	2010/08
1,1,2-TRICHLOROETHANE	34511	072	2004/08/05	.000	2010/08
1,1-DICHLOROETHANE	34496	072	2004/08/05	.000	2010/08
1,1-DICHLOROETHYLENE	34501	072	2004/08/05	.000	2010/08
1,2,4-TRICHLOROBENZENE	34551	072	2004/08/05	.000	2010/08
1,2-DICHLOROBENZENE	34536	072	2004/08/05	.000	2010/08
1,2-DICHLOROETHANE	34531	072	2004/08/05	.000	2010/08
1,2-DICHLOROPROPANE	34541	072	2004/08/05	.000	2010/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2004/08/05	.000	2010/08
1,4-DICHLOROBENZENE	34571	072	2004/08/05	.000	2010/08
BENZENE	34030	072	2004/08/05	.000	2010/08
CARBON TETRACHLORIDE	32102	072	2004/08/05	.000	2010/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2004/08/05	.000	2010/08
DICHLOROMETHANE	34423	072	2004/08/05	.000	2010/08
ETHYLBENZENE	34371	072	2004/08/05	.000	2010/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2004/08/05	.000	2010/08
MONOCHLOROBENZENE	34301	072	2004/08/05	.000	2010/08
STYRENE	77128	072	2004/08/05	.000	2010/08
TETRACHLOROETHYLENE	34475	072	2004/08/05	.000	2010/08
TOLUENE	34010	072	2004/08/05	.000	2010/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2004/08/05	.000	2010/08
TRICHLOROETHYLENE	39180	072	2004/08/05	.000	2010/08
TRICHLOROFLUOROMETHANE	34488	072	2004/08/05	.000	2010/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200643 BEACH CREEK MH PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200643-001 BEACH CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	072	2004/08/05	.000	2010/08
XYLENES (TOTAL)	81551	072	2004/08/05	.000	2010/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/09/06 -	3.700	2015/09
BICARBONATE ALKALINITY	00440	108	2006/09/06	5.000	2015/09
CALCIUM	00916	108	2006/09/06	2.600	2015/09
CARBONATE ALKALINITY	00445	108	2006/09/06 <	1.000	2015/09
CHLORIDE	00940	012	2006/09/06	19.000	2007/09
COLOR	00081	WAIVED	2004/08/05	.000	WAIVED
COPPER	01042	012	2006/09/06	.000	2007/09
FOAMING AGENTS (MBAS)	38260	012	2006/09/06 <	.050	2007/09
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/09/06	16.000	2015/09
HYDROXIDE ALKALINITY	71830	108	2006/09/06 <	1.000	2015/09
IRON	01045	108	2006/09/06	300.000	2015/09
MAGNESIUM	00927	108	2006/09/06	2.400	2015/09
MANGANESE	01055	012	2006/09/06	.000	2007/09
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/08/05	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2006/09/06	6.500	WAIVED
SILVER	01077	012	2006/09/06	.000	2007/09
SODIUM	00929	108	2006/09/06	10.000	2015/09
SPECIFIC CONDUCTANCE	00095	012	2006/09/06	100.000	2007/09
SULFATE	00945	012	2006/09/06	3.300	2007/09
TOTAL DISSOLVED SOLIDS	70300	012	2006/09/06	66.000	2007/09
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	012	2006/09/06	.000	2007/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200671 BENBOW W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200671-001 EAST BRANCH S. FORK EEL RIVER - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	1990/09/12	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	108	2006/09/07	.000	2015/09
ANTIMONY	01097	108	2002/05/23	.000	2011/05
ARSENIC	01002	108	2006/09/07	.000	2015/09
ASBESTOS	81855	108	2006/09/07 <	.200	2015/09
BARIUM	01007	108	2006/09/07	.000	2015/09
BERYLLIUM	01012	108	2002/05/23	.000	2011/05
CADMIUM	01027	108	2006/09/07	.000	2015/09
CHROMIUM (TOTAL)	01034	108	2002/05/23		2011/05
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/09/07	.180	2015/09
LEAD	01051	WAIVED	1995/08/23	6.000	WAIVED
MERCURY	71900	108	2006/09/07	.000	2015/09
NICKEL	01067	108	2002/05/23	.000	2011/05
SELENIUM	01147	108	2006/09/07	.000	2015/09
THALLIUM	01059	108	2002/05/23	.000	2011/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/07	.000	2007/09
NITRITE (AS N)	00620	036	2006/09/07	.000	2009/09

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/09/07 -	.080	2010/09
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200671 BENBOW W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200671-001 EAST BRANCH S. FORK EEL RIVER - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/09/12	.000	WAIVED
2,4-D	39730	WAIVED	1990/09/12	.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1990/09/12	.000	WAIVED
BENTAZON	38710	WAIVED	1990/09/12	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1990/09/12	.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1990/09/12	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1990/09/12	.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/09/12	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1990/09/12	.000	WAIVED
GLYPHOSATE	79743	WAIVED	1990/09/12	.000	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/09/12	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/09/12	.000	WAIVED
MOLINATE	82199	WAIVED	1990/09/12	.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200671 BENBOW W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200671-001 EAST BRANCH S. FORK EEL RIVER - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	1990/09/12	.000	WAIVED
THIOBENCARB	A-001	WAIVED	1990/09/12	.000	WAIVED
TOXAPHENE	39400	WAIVED	1990/09/12	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/05/23	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/05/23	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/05/23	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/05/23	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2002/05/23	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/05/23	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/05/23	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2002/05/23	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2002/05/23	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2002/05/23	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/05/23	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2002/05/23	.000	WAIVED
BENZENE	34030	WAIVED	2002/05/23	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2002/05/23	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/05/23	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2002/05/23	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2002/05/23	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/05/23	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2002/05/23	.000	WAIVED
STYRENE	77128	WAIVED	2002/05/23	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2002/05/23	.000	WAIVED
TOLUENE	34010	WAIVED	2002/05/23	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/05/23	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2002/05/23	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/05/23	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200671 BENBOW W.C.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200671-001 EAST BRANCH S. FORK EEL RIVER - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED VOC

VINYL CHLORIDE	39175	WAIVED	2002/05/23	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2002/05/23	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1995/08/23	110.000	2004/08	DUE
CALCIUM	00916	108	2006/09/07	35.000	2015/09	
CARBONATE ALKALINITY	00445	108	1995/08/23 <	1.000	2004/08	DUE
CHLORIDE	00940	108	2006/09/07	5.600	2015/09	
COLOR	00081	WAIVED	1990/09/12	3.000	WAIVED	
COPPER	01042	108	2006/09/07	.000	2015/09	
FOAMING AGENTS (MBAS)	38260	108	2006/09/07	.000	2015/09	
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2006/09/07	130.000	2015/09	
HYDROXIDE ALKALINITY	71830	108	1995/08/23 <	1.000	2004/08	DUE
IRON	01045	108	2006/09/07	.000	2015/09	
MAGNESIUM	00927	108	2006/09/07	9.500	2015/09	
MANGANESE	01055	108	2006/09/07	.000	2015/09	
ODOR THRESHOLD @ 60 C	00086	WAIVED	1990/09/12	< 1.000	WAIVED	
PH, LABORATORY	00403	WAIVED	1995/08/23	7.700	WAIVED	
SILVER	01077	108	2006/09/07	.000	2015/09	
SODIUM	00929	108	2006/09/07	9.100	2015/09	
SPECIFIC CONDUCTANCE	00095	108	2006/09/07	290.000	2015/09	
SULFATE	00945	108	2006/09/07	17.000	2015/09	
TOTAL DISSOLVED SOLIDS	70300	108	2006/09/07	170.000	2015/09	
TURBIDITY, LABORATORY	82079	WAIVED	1990/09/12	< .050	WAIVED	
ZINC	01092	108	2006/09/07	.000	2015/09	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200675 STAFFORD R V PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200675-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	<	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	<	WAIVED
ARSENIC	01002	WAIVED	WAIVED	<	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	WAIVED	WAIVED	<	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	<	WAIVED
CADMIUM	01027	WAIVED	WAIVED	<	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	<	WAIVED
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1996/05/07	.220	WAIVED
LEAD	01051	WAIVED	WAIVED	<	WAIVED
MERCURY	71900	WAIVED	WAIVED	<	WAIVED
NICKEL	01067	WAIVED	WAIVED	<	WAIVED
SELENIUM	01147	WAIVED	WAIVED	<	WAIVED
THALLIUM	01059	WAIVED	WAIVED	<	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2001/03/22	.000	2002/03	DUE
NITRITE (AS N)	00620	036	2001/03/22	.000	2004/03	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	<	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200675 STAFFORD R V PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200675-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	<	WAIVED
2,4-D	39730	WAIVED	WAIVED	<	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	<	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<	WAIVED
DALAPON	38432	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	<	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	<	WAIVED
DINOSEB	81287	WAIVED	WAIVED	<	WAIVED
DIQUAT	78885	WAIVED	WAIVED	<	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<	WAIVED
ENDRIN	39390	WAIVED	WAIVED	<	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<	WAIVED
LINDANE	39340	WAIVED	WAIVED	<	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	<	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<	WAIVED
OXAMYL	38865	WAIVED	WAIVED	<	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<	WAIVED
PICLORAM	39720	WAIVED	WAIVED	<	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200675 STAFFORD R V PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200675-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	<	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	<	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	<	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	<	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	<	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	<	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	<	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	<	WAIVED
BENZENE	34030	WAIVED	WAIVED	<	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	<	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	<	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	<	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	<	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	<	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	<	WAIVED
STYRENE	77128	WAIVED	WAIVED	<	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	<	WAIVED
TOLUENE	34010	WAIVED	WAIVED	<	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	<	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	<	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200675 STAFFORD R V PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200675-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	WAIVED	WAIVED	<	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	<	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	<	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1996/05/07	190.000	WAIVED
CALCIUM	00916	WAIVED	1996/05/07	26.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1996/05/07	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1996/05/07	22.000	WAIVED
COLOR	00081	WAIVED	WAIVED	<	WAIVED
COPPER	01042	WAIVED	1996/05/07	54.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	<	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1996/05/07	180.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1996/05/07	< 1.000	WAIVED
IRON	01045	WAIVED	1996/05/07	10000.000	WAIVED
MAGNESIUM	00927	WAIVED	1996/05/07	28.000	WAIVED
MANGANESE	01055	WAIVED	1996/05/07	1300.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	<	WAIVED
PH, LABORATORY	00403	WAIVED	1996/05/07	6.700	WAIVED
SILVER	01077	WAIVED	WAIVED	<	WAIVED
SODIUM	00929	WAIVED	1996/05/07	15.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1996/05/07	360.000	WAIVED
SULFATE	00945	WAIVED	1996/05/07	< 1.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1996/05/07	230.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	<	WAIVED
ZINC	01092	WAIVED	1996/05/07	59.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200681 CUDDEBACK GRAMMAR SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200681-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/07/21	.000	2008/07
ANTIMONY	01097	036	2005/07/21	.000	2008/07
ARSENIC	01002	036	2005/07/21	.000	2008/07
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/07/21	220.000	2008/07
BERYLLIUM	01012	036	2005/07/21	.000	2008/07
CADMIUM	01027	036	2005/07/21	.000	2008/07
CHROMIUM (TOTAL)	01034	036	2005/07/21	.000	2008/07
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/07/21	.130	2008/07
LEAD	01051	WAIVED	2000/11/16	.000	WAIVED
MERCURY	71900	036	2005/07/21	.000	2008/07
NICKEL	01067	036	2005/07/21	.000	2008/07
SELENIUM	01147	036	2005/07/21	.000	2008/07
THALLIUM	01059	036	2005/07/21	.000	2008/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/07/21	.000	2006/07	DUE
NITRITE (AS N)	00620	036	2005/07/21	.000	2008/07	

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/07/20	.450	2009/07
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200681 CUDDEBACK GRAMMAR SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200681-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200681 CUDDEBACK GRAMMAR SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200681-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/07/21	.000	2011/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/07/21	.000	2011/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/07/21	.000	2011/07
1,1,2-TRICHLOROETHANE	34511	072	2005/07/21	.000	2011/07
1,1-DICHLOROETHANE	34496	072	2005/07/21	.000	2011/07
1,1-DICHLOROETHYLENE	34501	072	2005/07/21	.000	2011/07
1,2,4-TRICHLOROBENZENE	34551	072	2005/07/21	.000	2011/07
1,2-DICHLOROBENZENE	34536	072	2005/07/21	.000	2011/07
1,2-DICHLOROETHANE	34531	072	2005/07/21	.000	2011/07
1,2-DICHLOROPROPANE	34541	072	2005/07/21	.000	2011/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/07/21	.000	2011/07
1,4-DICHLOROBENZENE	34571	072	2005/07/21	.000	2011/07
BENZENE	34030	072	2005/07/21	.000	2011/07
CARBON TETRACHLORIDE	32102	072	2005/07/21	.000	2011/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/07/21	.000	2011/07
DICHLOROMETHANE	34423	072	2005/07/21	.000	2011/07
ETHYLBENZENE	34371	072	2005/07/21	.000	2011/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/07/21	.000	2011/07
MONOCHLOROBENZENE	34301	072	2005/07/21	.000	2011/07
STYRENE	77128	072	2005/07/21	.000	2011/07
TETRACHLOROETHYLENE	34475	072	2005/07/21	.000	2011/07
TOLUENE	34010	072	2005/07/21	.000	2011/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/07/21	.000	2011/07
TRICHLOROETHYLENE	39180	072	2005/07/21	.000	2011/07
TRICHLOROFLUOROMETHANE	34488	072	2005/07/21	.000	2011/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200681 CUDDEBACK GRAMMAR SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200681-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2005/07/21	.000	2011/07
XYLENES (TOTAL)	81551	072	2005/07/21	.000	2011/07

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2000/11/16	150.000	WAIVED
CALCIUM	00916	WAIVED	2000/11/16	28.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2000/11/16	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	2000/11/16	15.000	WAIVED
COLOR	00081	WAIVED	2000/11/16	25.000	WAIVED
COPPER	01042	WAIVED	2000/11/16	83.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/11/16	< .050	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2000/11/16	150.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2000/11/16	< 1.000	WAIVED
IRON	01045	WAIVED	2000/11/16	250.000	WAIVED
MAGNESIUM	00927	WAIVED	2000/11/16	19.000	WAIVED
MANGANESE	01055	WAIVED	2000/11/16	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/11/16	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	2000/11/16	7.200	WAIVED
SILVER	01077	WAIVED	2000/11/16	.000	WAIVED
SODIUM	00929	WAIVED	2000/11/16	20.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/11/16	410.000	WAIVED
SULFATE	00945	WAIVED	2000/11/16	24.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/11/16	200.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2000/11/16	2.100	WAIVED
ZINC	01092	WAIVED	2000/11/16	68.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200684 MATTOLE ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200684-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2001/03/06	.000	2004/03	DUE
ANTIMONY	01097	036	2001/03/06	.000	2004/03	DUE
ARSENIC	01002	036	2001/03/06	.000	2004/03	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	2001/03/06	200.000	2004/03	DUE
BERYLLIUM	01012	036	2001/03/06	.000	2004/03	DUE
CADMIUM	01027	036	2001/03/06	.000	2004/03	DUE
CHROMIUM (TOTAL)	01034	036	2001/03/06	.000	2004/03	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2001/03/06	.170	2004/03	DUE
LEAD	01051	WAIVED	2001/03/06	.000	WAIVED	
MERCURY	71900	036	2001/03/06	.000	2004/03	DUE
NICKEL	01067	036	2001/03/06	.000	2004/03	DUE
SELENIUM	01147	036	2001/03/06	.000	2004/03	DUE
THALLIUM	01059	036	2001/03/06	.000	2004/03	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2001/03/06	.000	2002/03	DUE
NITRITE (AS N)	00620	036	2001/03/06	.000	2004/03	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2001/11/26	.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200684 MATTOLE ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200684-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200684 MATTOLE ELEMENTARY SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200684-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/03/06	.000	2007/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/03/06	.000	2007/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/03/06	.000	2007/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/03/06	.000	2007/03	DUE
1,1-DICHLOROETHANE	34496	072	2001/03/06	.000	2007/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/03/06	.000	2007/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/03/06	.000	2007/03	DUE
1,2-DICHLOROBENZENE	34536	072	2001/03/06	.000	2007/03	DUE
1,2-DICHLOROETHANE	34531	072	2001/03/06	.000	2007/03	DUE
1,2-DICHLOROPROPANE	34541	072	2001/03/06	.000	2007/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/03/06	.000	2007/03	DUE
1,4-DICHLOROBENZENE	34571	072	2001/03/06	.000	2007/03	DUE
BENZENE	34030	072	2001/03/06	.000	2007/03	DUE
CARBON TETRACHLORIDE	32102	072	2001/03/06	.000	2007/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/03/06	.000	2007/03	DUE
DICHLOROMETHANE	34423	072	2001/03/06	.000	2007/03	DUE
ETHYLBENZENE	34371	072	2001/03/06	.000	2007/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/03/06	.000	2007/03	DUE
MONOCHLOROBENZENE	34301	072	2001/03/06	.000	2007/03	DUE
STYRENE	77128	072	2001/03/06	.000	2007/03	DUE
TETRACHLOROETHYLENE	34475	072	2001/03/06	.000	2007/03	DUE
TOLUENE	34010	072	2001/03/06	.000	2007/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/03/06	.000	2007/03	DUE
TRICHLOROETHYLENE	39180	072	2001/03/06	.000	2007/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/03/06	.000	2007/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200684 MATTOLE ELEMENTARY SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200684-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2001/03/06	.000	2007/03	DUE
XYLENES (TOTAL)	81551	072	2001/03/06	.000	2007/03	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2001/03/06	100.000	WAIVED
CALCIUM	00916	WAIVED	2001/03/06	38.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2001/03/06	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	2001/03/06	9.100	WAIVED
COLOR	00081	WAIVED	2001/03/06	< 3.000	WAIVED
COPPER	01042	WAIVED	2001/03/06	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2001/03/06	< .050	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2001/03/06	120.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2001/03/06	< 1.000	WAIVED
IRON	01045	WAIVED	2001/03/06	.000	WAIVED
MAGNESIUM	00927	WAIVED	2001/03/06	5.700	WAIVED
MANGANESE	01055	WAIVED	2001/03/06	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2001/03/06	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	2001/03/06	7.000	WAIVED
SILVER	01077	WAIVED	2001/03/06	.000	WAIVED
SODIUM	00929	WAIVED	2001/03/06	10.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/03/06	270.000	WAIVED
SULFATE	00945	WAIVED	2001/03/06	14.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/03/06	140.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2001/03/06	.350	WAIVED
ZINC	01092	WAIVED	2001/03/06	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200691 BLUFF CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200691-001 UPPER SPRING - RAW****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/10/08	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/18	.000	2007/09
NITRITE (AS N)	00620	036	2006/09/18	.000	2009/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200691 BLUFF CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200691-001 UPPER SPRING - RAW****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	1988/05/05	< 1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200691 BLUFF CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200691-001 UPPER SPRING - RAW****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/05/05	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/05/05	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/05/05	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/05/05	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/05/05	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/05/05	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/05/05	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/05/05	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/05/05	.000	WAIVED
BENZENE	34030	WAIVED	1988/05/05	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/05/05	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/05/05	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/05/05	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/05/05	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/05/05	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/05/05	.000	WAIVED
TOLUENE	34010	WAIVED	1988/05/05	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/05/05	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/05/05	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/05/05	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200691 BLUFF CREEK RESORT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200691-001 UPPER SPRING - RAWSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/05/05	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/05/05	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2002/10/08	57.000	WAIVED
CALCIUM	00916	WAIVED	2002/10/08	.120	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2002/10/08	.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	2002/10/08	.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2002/10/08	.000	WAIVED
IRON	01045	WAIVED	2002/10/08	.000	WAIVED
MAGNESIUM	00927	WAIVED	2002/10/08	.260	WAIVED
MANGANESE	01055	WAIVED	2002/10/08	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2002/10/08	6.900	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2002/10/08	8.200	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200698 MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200698-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	1992/09/10	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	108	1997/12/22	.000	2006/12	DUE
ANTIMONY	01097	108	2003/12/15	.000	2012/12	
ARSENIC	01002	108	2006/05/01	.000	2015/05	
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	108	2006/05/01	.000	2015/05	
BERYLLIUM	01012	108	2003/12/15	.000	2012/12	
CADMIUM	01027	108	2006/05/01	.000	2015/05	
CHROMIUM (TOTAL)	01034	108	2003/12/15		2012/12	
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/05/01	.000	2015/05	
LEAD	01051	WAIVED	1990/07/18 <	5.000	WAIVED	
MERCURY	71900	108	2006/05/01	.000	2015/05	
NICKEL	01067	108	2003/12/15	.000	2012/12	
SELENIUM	01147	108	2006/05/01	.000	2015/05	
THALLIUM	01059	108	2003/12/15	.000	2012/12	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/05/01	.000	2007/05	
NITRITE (AS N)	00620	036	2003/12/15	.000	2006/12	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/12/15	.260	2007/12	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200698 MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200698-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1992/09/10	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1992/09/10	.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1992/09/10	.000	WAIVED
GLYPHOSATE	79743	WAIVED	1992/09/10	.000	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	1992/09/10	.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200698 MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200698-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1992/09/10	.000	WAIVED
THIOBENCARB	A-001	WAIVED	1992/09/10	.000	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/05/01	.000	2012/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/05/01	.000	2012/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/05/01	.000	2012/05
1,1,2-TRICHLOROETHANE	34511	072	2006/05/01	.000	2012/05
1,1-DICHLOROETHANE	34496	072	2006/05/01	.000	2012/05
1,1-DICHLOROETHYLENE	34501	072	2006/05/01	.000	2012/05
1,2,4-TRICHLOROBENZENE	34551	072	2006/05/01	.000	2012/05
1,2-DICHLOROBENZENE	34536	072	2006/05/01	.000	2012/05
1,2-DICHLOROETHANE	34531	072	2006/05/01	.000	2012/05
1,2-DICHLOROPROPANE	34541	072	2006/05/01	.000	2012/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/05/01	.000	2012/05
1,4-DICHLOROBENZENE	34571	072	2006/05/01	.000	2012/05
BENZENE	34030	072	2006/05/01	.000	2012/05
CARBON TETRACHLORIDE	32102	072	2006/05/01	.000	2012/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/05/01	.000	2012/05
DICHLOROMETHANE	34423	072	2006/05/01	.000	2012/05
ETHYLBENZENE	34371	072	2006/05/01	.000	2012/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/05/01	.000	2012/05
MONOCHLOROBENZENE	34301	072	2006/05/01	.000	2012/05
STYRENE	77128	072	2006/05/01	.000	2012/05
TETRACHLOROETHYLENE	34475	072	2006/05/01	.000	2012/05
TOLUENE	34010	072	2006/05/01	.000	2012/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/05/01	.000	2012/05
TRICHLOROETHYLENE	39180	072	2006/05/01	.000	2012/05
TRICHLOROFLUOROMETHANE	34488	072	2006/05/01	.000	2012/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200698 MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200698-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/05/01	.000	2012/05
XYLENES (TOTAL)	81551	072	2006/05/01	.000	2012/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/05/01	.000	2015/05
BICARBONATE ALKALINITY	00440	108	2006/05/01	66.000	2015/05
CALCIUM	00916	108	2006/05/01	13.000	2015/05
CARBONATE ALKALINITY	00445	108	2006/05/01	.000	2015/05
CHLORIDE	00940	036	2006/05/01	25.000	2009/05
COLOR	00081	036	2006/05/01	3.000	2009/05
COPPER	01042	036	2006/05/01	.000	2009/05
FOAMING AGENTS (MBAS)	38260	036	2006/05/01	.000	2009/05
HARDNESS (TOTAL) AS CaCO3	00900	108	1990/07/18	60.000	1999/07 DUE
HYDROXIDE ALKALINITY	71830	108	2006/05/01	.000	2015/05
IRON	01045	036	2006/05/01	.000	2009/05
MAGNESIUM	00927	108	2006/05/01	8.000	2015/05
MANGANESE	01055	036	2006/05/01	.000	2009/05
ODOR THRESHOLD @ 60 C	00086	036	2006/05/01	.000	2009/05
PH, LABORATORY	00403	036	2006/05/01	6.300	2009/05
SILVER	01077	036	2006/05/01	.000	2009/05
SODIUM	00929	108	2006/05/01	22.000	2015/05
SPECIFIC CONDUCTANCE	00095	036	2006/05/01	230.000	2009/05
SULFATE	00945	036	2006/05/01	5.500	2009/05
TOTAL DISSOLVED SOLIDS	70300	036	2006/05/01	160.000	2009/05
TURBIDITY, LABORATORY	82079	036	2006/05/01	.060	2009/05
ZINC	01092	036	2006/05/01	.000	2009/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200701 ORICK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200701-001 WELL 02 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1997/10/21	.000	WAIVED
ANTIMONY	01097	WAIVED	1997/10/21	.000	WAIVED
ARSENIC	01002	WAIVED	1997/10/21	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1997/10/21	.000	WAIVED
BERYLLIUM	01012	WAIVED	1997/10/21	.000	WAIVED
CADMIUM	01027	WAIVED	1997/10/21	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1997/10/21	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1997/10/21	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	1997/10/21	.000	WAIVED
NICKEL	01067	WAIVED	1997/10/21	.000	WAIVED
SELENIUM	01147	WAIVED	1997/10/21	.000	WAIVED
THALLIUM	01059	WAIVED	1997/10/21	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	1997/10/21	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	1997/10/21	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200701 ORICK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200701-001 WELL 02 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	1988/06/01	< 1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1988/06/01	< 1.000	WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200701 ORICK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200701-001 WELL 02 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/06/01	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	1997/10/21		.000	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED			WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1997/10/21		.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1997/10/21		.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1997/10/21		.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1997/10/21		.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1997/10/21		.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1997/10/21		.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1997/10/21		.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1997/10/21		.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1997/10/21		.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1997/10/21		.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1997/10/21		.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1997/10/21		.000	WAIVED
BENZENE	34030	WAIVED	1997/10/21		.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1997/10/21		.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1997/10/21		.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1997/10/21		.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1997/10/21		.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1997/10/21	<	5.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1997/10/21		.000	WAIVED
STYRENE	77128	WAIVED	1997/10/21		.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1997/10/21		.000	WAIVED
TOLUENE	34010	WAIVED	1997/10/21		.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1997/10/21		.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1997/10/21		.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1997/10/21		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200701 ORICK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200701-001 WELL 02 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1997/10/21	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1997/10/21	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1997/10/21	50.000	WAIVED
CALCIUM	00916	WAIVED	1997/10/21	19.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1997/10/21	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1997/10/21	4.300	WAIVED
COLOR	00081	WAIVED	1997/10/21	< 3.000	WAIVED
COPPER	01042	WAIVED	1997/10/21	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1997/10/21	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1997/10/21	56.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1997/10/21	< 1.000	WAIVED
IRON	01045	WAIVED	1997/10/21	.000	WAIVED
MAGNESIUM	00927	WAIVED	1997/10/21	2.100	WAIVED
MANGANESE	01055	WAIVED	1997/10/21	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1997/10/21	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1997/10/21	6.800	WAIVED
SILVER	01077	WAIVED	1997/10/21	.000	WAIVED
SODIUM	00929	WAIVED	1997/10/21	4.300	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1997/10/21	130.000	WAIVED
SULFATE	00945	WAIVED	1997/10/21	7.400	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1997/10/21	60.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1997/10/21	.190	WAIVED
ZINC	01092	WAIVED	1997/10/21	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200701 ORICK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200701-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/08/08	.000	2008/08
ANTIMONY	01097	036	2005/08/08	.000	2008/08
ARSENIC	01002	036	2005/08/08	.000	2008/08
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/08/08	.000	2008/08
BERYLLIUM	01012	036	2005/08/08	.000	2008/08
CADMIUM	01027	036	2005/08/08	.000	2008/08
CHROMIUM (TOTAL)	01034	036	2005/08/08	.000	2008/08
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/08/08	.000	2008/08
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	036	2005/08/08	.000	2008/08
NICKEL	01067	036	2005/08/08	.000	2008/08
SELENIUM	01147	036	2005/08/08	.000	2008/08
THALLIUM	01059	036	2005/08/08	.000	2008/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/08/08	.000	2006/08	DUE
NITRITE (AS N)	00620	036	2005/08/08	.000	2008/08	

RADIOLOGICAL

GROSS ALPHA	01501	048			2007/03	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048			2007/03	DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200701 ORICK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200701-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200701 ORICK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200701-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	1997/10/21	.000	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/03/29	.000	2007/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/03/29	.000	2007/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/03/29	.000	2007/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/03/29	.000	2007/03	DUE
1,1-DICHLOROETHANE	34496	072	2001/03/29	.000	2007/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/03/29	.000	2007/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/03/29	.000	2007/03	DUE
1,2-DICHLOROBENZENE	34536	072	2001/03/29	.000	2007/03	DUE
1,2-DICHLOROETHANE	34531	072	2001/03/29	.000	2007/03	DUE
1,2-DICHLOROPROPANE	34541	072	2001/03/29	.000	2007/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/03/29	.000	2007/03	DUE
1,4-DICHLOROBENZENE	34571	072	2001/03/29	.000	2007/03	DUE
BENZENE	34030	072	2001/03/29	.000	2007/03	DUE
CARBON TETRACHLORIDE	32102	072	2001/03/29	.000	2007/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/03/29	.000	2007/03	DUE
DICHLOROMETHANE	34423	072	2001/03/29	.000	2007/03	DUE
ETHYLBENZENE	34371	072	2001/03/29	.000	2007/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/03/29	.000	2007/03	DUE
MONOCHLOROBENZENE	34301	072	2001/03/29	.000	2007/03	DUE
STYRENE	77128	072	2001/03/29	.000	2007/03	DUE
TETRACHLOROETHYLENE	34475	072	2001/03/29	.000	2007/03	DUE
TOLUENE	34010	072	2001/03/29	.000	2007/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/03/29	.000	2007/03	DUE
TRICHLOROETHYLENE	39180	072	2001/03/29	.000	2007/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/03/29	.000	2007/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200701 ORICK C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200701-002 WELL 01 - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/03/29	.000	2007/03	DUE
XYLENES (TOTAL)	81551	072	2001/03/29	.000	2007/03	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1997/10/21	74.000	2006/10	DUE
CALCIUM	00916	108	1997/10/21	20.000	2006/10	DUE
CARBONATE ALKALINITY	00445	108	1997/10/21 <	1.000	2006/10	DUE
CHLORIDE	00940	036	1997/10/21	3.700	2000/10	DUE
COLOR	00081	036	1997/10/21	15.000	2000/10	DUE
COPPER	01042	036	1997/10/21	.000	2000/10	DUE
FOAMING AGENTS (MBAS)	38260	036	1997/10/21 <	.020	2000/10	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1997/10/21	59.000	2006/10	DUE
HYDROXIDE ALKALINITY	71830	108	1997/10/21 <	1.000	2006/10	DUE
IRON	01045	036	1997/10/21	920.000	2000/10	DUE
MAGNESIUM	00927	108	1997/10/21	2.300	2006/10	DUE
MANGANESE	01055	036	1997/10/21	80.000	2000/10	DUE
ODOR THRESHOLD @ 60 C	00086	036	1997/10/21 <	1.000	2000/10	DUE
PH, LABORATORY	00403	036	1997/10/21	6.600	2000/10	DUE
SILVER	01077	036	1997/10/21	.000	2000/10	DUE
SODIUM	00929	108	1997/10/21	4.100	2006/10	DUE
SPECIFIC CONDUCTANCE	00095	036	1997/10/21	140.000	2000/10	DUE
SULFATE	00945	036	1997/10/21	7.600	2000/10	DUE
TOTAL DISSOLVED SOLIDS	70300	036	1997/10/21	67.000	2000/10	DUE
TURBIDITY, LABORATORY	82079	036	1997/10/21	3.500	2000/10	DUE
ZINC	01092	036	1997/10/21	58.000	2000/10	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200704 AZALEA GLEN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200704-001 PENN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/08/14	93.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1995/08/14	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1995/08/14	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1995/08/14	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/08/14	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/08/14	.000	WAIVED
LEAD	01051	WAIVED	1995/08/14	.000	WAIVED
MERCURY	71900	WAIVED	1995/08/14	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1995/08/14	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/07	.000	2007/12
NITRITE (AS N)	00620	036	2006/12/07	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200704 AZALEA GLEN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200704-001 PENN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200704 AZALEA GLEN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200704-001 PENN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1993/09/27	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1993/09/27	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1993/09/27	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1993/09/27	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1993/09/27	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1993/09/27	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1993/09/27	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1993/09/27	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1993/09/27	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1993/09/27	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1993/09/27	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1993/09/27	.000	WAIVED
BENZENE	34030	WAIVED	1993/09/27	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1993/09/27	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1993/09/27	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1993/09/27	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1993/09/27	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1993/09/27	.000	WAIVED
STYRENE	77128	WAIVED	1993/09/27	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1993/09/27	.000	WAIVED
TOLUENE	34010	WAIVED	1993/09/27	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1993/09/27	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1993/09/27	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1993/09/27	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200704 AZALEA GLEN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200704-001 PENN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1993/09/27	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1993/09/27	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/08/14	10.000	WAIVED
CALCIUM	00916	WAIVED	1995/08/14	3.300	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/08/14	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/08/14	18.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1995/08/14	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/08/14	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/08/14	19.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/08/14	< 1.000	WAIVED
IRON	01045	WAIVED	1995/08/14	290.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/08/14	2.500	WAIVED
MANGANESE	01055	WAIVED	1995/08/14	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1995/08/14	6.800	WAIVED
SILVER	01077	WAIVED	1995/08/14	.000	WAIVED
SODIUM	00929	WAIVED	1995/08/14	11.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/08/14	100.000	WAIVED
SULFATE	00945	WAIVED	1995/08/14	14.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/08/14	11.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1995/08/14	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-001 WELL 01 - SURFACE INFLUENCE****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1989/06/13	< 5.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1989/06/13	60.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1989/06/13	< 1.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1989/06/13	< 5.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1989/06/13	< .050	WAIVED
LEAD	01051	WAIVED	1989/06/13	< 5.000	WAIVED
MERCURY	71900	WAIVED	1989/06/13	< 1.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1989/06/13	< 5.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/05	.000	2007/09
NITRITE (AS N)	00620	036	2006/09/05	.000	2009/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-001 WELL 01 - SURFACE INFLUENCE****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-001 WELL 01 - SURFACE INFLUENCE****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/06/17	4.600	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/14	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/14	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/14	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/14	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/14	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/14	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/14	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/14	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/14	.000	WAIVED
BENZENE	34030	WAIVED	1988/04/14	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/14	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/14	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/14	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/14	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/14	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/14	.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/14	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/14	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/14	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/14	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-001 WELL 01 - SURFACE INFLUENCE****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/14	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/14	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1989/06/13	10.000	WAIVED
CALCIUM	00916	WAIVED	1989/06/13	6.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1989/06/13	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1989/06/13	32.000	WAIVED
COLOR	00081	WAIVED	1989/06/13	15.000	WAIVED
COPPER	01042	WAIVED	1989/06/13	< 50.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1989/06/13	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1989/06/13	36.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1989/06/13	< 1.000	WAIVED
IRON	01045	WAIVED	1989/06/13	420.000	WAIVED
MAGNESIUM	00927	WAIVED	1989/06/13	5.000	WAIVED
MANGANESE	01055	WAIVED	1989/06/13	270.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1989/06/13	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1989/06/13	6.500	WAIVED
SILVER	01077	WAIVED	1989/06/13	< 2.000	WAIVED
SODIUM	00929	WAIVED	1989/06/13	18.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1989/06/13	240.000	WAIVED
SULFATE	00945	WAIVED	1989/06/13	4.600	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1989/06/13	110.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1989/06/13	3.500	WAIVED
ZINC	01092	WAIVED	1989/06/13	70.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-002 WELL 02 - SURFACE INFLUENCE****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/05	.000	2007/09
NITRITE (AS N)	00620	036	2006/09/05	.000	2009/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-002 WELL 02 - SURFACE INFLUENCE****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-002 WELL 02 - SURFACE INFLUENCE****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-002 WELL 02 - SURFACE INFLUENCE****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2000/10/27	17.000	WAIVED
CALCIUM	00916	WAIVED	2000/10/27	5.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2000/10/27	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2000/10/27	28.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2000/10/27	< 1.000	WAIVED
IRON	01045	WAIVED	2000/10/27	.000	WAIVED
MAGNESIUM	00927	WAIVED	2000/10/27	3.800	WAIVED
MANGANESE	01055	WAIVED	2000/10/27	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2000/10/27	5.400	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2000/10/27	18.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-003 WELL 03 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/06/06	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1995/06/06	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	2001/02/01	190.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1995/06/06	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/06/06	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/06/06	.180	WAIVED
LEAD	01051	WAIVED	1995/06/06	6.500	WAIVED
MERCURY	71900	WAIVED	1995/06/06	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1995/06/06	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/05	.000	2007/09
NITRITE (AS N)	00620	036	2006/09/05	.000	2009/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1995/06/06	.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-003 WELL 03 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-003 WELL 03 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200705 EMERALD FOREST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200705-003 WELL 03 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/06/06	220.000	WAIVED
CALCIUM	00916	WAIVED	1995/06/06	55.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/06/06	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/06/06	140.000	WAIVED
COLOR	00081	WAIVED	1995/06/06	< 3.000	WAIVED
COPPER	01042	WAIVED	1995/06/06	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/06/06	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/06/06	160.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/06/06	< 1.000	WAIVED
IRON	01045	WAIVED	1995/06/06	.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/06/06	6.200	WAIVED
MANGANESE	01055	WAIVED	1995/06/06	31.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1995/06/06	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/06/06	7.900	WAIVED
SILVER	01077	WAIVED	1995/06/06	.000	WAIVED
SODIUM	00929	WAIVED	1995/06/06	120.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/06/06	930.000	WAIVED
SULFATE	00945	WAIVED	1995/06/06	4.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/06/06	540.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1995/06/06	< .050	WAIVED
ZINC	01092	WAIVED	1995/06/06	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200706 MIDWAY RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200706-001 MILL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	2007/01/29	94.000	2008/01
ANTIMONY	01097	012	2007/01/29	.000	2008/01
ARSENIC	01002	012	2007/01/29	.000	2008/01
ASBESTOS	81855	108	2007/01/29	.000	2016/01
BARIUM	01007	012	2007/01/29	.000	2008/01
BERYLLIUM	01012	012	2007/01/29	.000	2008/01
CADMIUM	01027	012	2007/01/29	.000	2008/01
CHROMIUM (TOTAL)	01034	012	2007/01/29	.000	2008/01
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2007/01/29	.000	2016/01
LEAD	01051	WAIVED	1993/05/24	.000	WAIVED
MERCURY	71900	012	2007/01/29	.000	2008/01
NICKEL	01067	012	2007/01/29	.000	2008/01
SELENIUM	01147	012	2007/01/29	.000	2008/01
THALLIUM	01059	012	2007/01/29	.000	2008/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/01/29	.000	2008/01
NITRITE (AS N)	00620	036	2007/01/29	.000	2010/01

RADIOLOGICAL

GROSS ALPHA	01501	048	1994/05/10	.000	1998/05	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048				DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200706 MIDWAY RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200706-001 MILL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200706 MIDWAY RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200706-001 MILL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2007/01/29	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2007/01/29	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2007/01/29	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2007/01/29	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2007/01/29	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2007/01/29	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2007/01/29	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2007/01/29	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2007/01/29	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2007/01/29	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2007/01/29	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2007/01/29	.000	WAIVED
BENZENE	34030	WAIVED	2007/01/29	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2007/01/29	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2007/01/29	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2007/01/29	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2007/01/29	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2007/01/29	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2007/01/29	.000	WAIVED
STYRENE	77128	WAIVED	2007/01/29	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2007/01/29	.000	WAIVED
TOLUENE	34010	WAIVED	2007/01/29	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2007/01/29	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2007/01/29	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2007/01/29	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200706 MIDWAY RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200706-001 MILL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2007/01/29	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2007/01/29	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2007/01/29	32.000	2016/01
CALCIUM	00916	108	2007/01/29	4.000	2016/01
CARBONATE ALKALINITY	00445	108	2007/01/29 <	1.000	2016/01
CHLORIDE	00940	108	2007/01/29	12.000	2016/01
COLOR	00081	WAIVED	1993/05/24	10.000	WAIVED
COPPER	01042	108	2007/01/29	.000	2016/01
FOAMING AGENTS (MBAS)	38260	108	2007/01/29 <	.050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2007/01/29	19.000	2016/01
HYDROXIDE ALKALINITY	71830	108	2007/01/29 <	1.000	2016/01
IRON	01045	108	2007/01/29	160.000	2016/01
MAGNESIUM	00927	108	2007/01/29	2.300	2016/01
MANGANESE	01055	108	2007/01/29	.000	2016/01
ODOR THRESHOLD @ 60 C	00086	WAIVED	1993/05/24 <	1.000	WAIVED
PH, LABORATORY	00403	WAIVED	2007/01/29	7.300	WAIVED
SILVER	01077	012	2007/01/29	.000	2008/01
SODIUM	00929	108	2007/01/29	7.700	2016/01
SPECIFIC CONDUCTANCE	00095	108	2007/01/29	82.000	2016/01
SULFATE	00945	108	2007/01/29	3.700	2016/01
TOTAL DISSOLVED SOLIDS	70300	108	2007/01/29	57.000	2016/01
TURBIDITY, LABORATORY	82079	WAIVED	1993/05/24	2.500	WAIVED
ZINC	01092	108	2007/01/29	.000	2016/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200706 MIDWAY RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200706-002 MILL CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200706 MIDWAY RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200706-002 MILL CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200706 MIDWAY RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200706-002 MILL CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200706 MIDWAY RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200706-002 MILL CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200707 MIRANDA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200707-002 WELLS 01 & 02 - COMBINED - RAW****Source Number: 002****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/11/21	.000	2015/11
ANTIMONY	01097	108	2006/11/21	.000	2015/11
ARSENIC	01002	036	2006/11/21	.000	2009/11
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2006/11/21	.000	2009/11
BERYLLIUM	01012	108	2006/11/21	.000	2015/11
CADMIUM	01027	036	2006/11/21	.000	2009/11
CHROMIUM (TOTAL)	01034	108	2006/11/21	.000	2015/11
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/11/21	.190	2009/11
LEAD	01051	WAIVED	2000/02/23	.000	WAIVED
MERCURY	71900	036	2006/11/21	.000	2009/11
NICKEL	01067	108	2006/11/21	.000	2015/11
SELENIUM	01147	036	2006/11/21	.000	2009/11
THALLIUM	01059	108	2006/11/21	.000	2015/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/12/30	.000	2006/12	DUE
NITRITE (AS N)	00620	036	2006/11/21	.000	2009/11	

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/01/24	.000	2007/01	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200707 MIRANDA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200707-002 WELLS 01 & 02 - COMBINED - RAW****Source Number: 002****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200707 MIRANDA C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200707-002 WELLS 01 & 02 - COMBINED - RAW

Source Number: 002

Source Status: COMBINATION OR BLEND RAW

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2000/02/23	.000	2006/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2000/02/23	.000	2006/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/11/21	.000	2012/11	
1,1,2-TRICHLOROETHANE	34511	072	2000/02/23	.000	2006/02	DUE
1,1-DICHLOROETHANE	34496	072	2000/02/23	.000	2006/02	DUE
1,1-DICHLOROETHYLENE	34501	072	2000/02/23	.000	2006/02	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2006/11/21	.000	2012/11	
1,2-DICHLOROBENZENE	34536	072	2000/02/23	.000	2006/02	DUE
1,2-DICHLOROETHANE	34531	072	2000/02/23	.000	2006/02	DUE
1,2-DICHLOROPROPANE	34541	072	2000/02/23	.000	2006/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2000/02/23	.000	2006/02	DUE
1,4-DICHLOROBENZENE	34571	072	2000/02/23	.000	2006/02	DUE
BENZENE	34030	072	2000/02/23	.000	2006/02	DUE
CARBON TETRACHLORIDE	32102	072	2000/02/23	.000	2006/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2000/02/23	.000	2006/02	DUE
DICHLOROMETHANE	34423	072	2000/02/23	.000	2006/02	DUE
ETHYLBENZENE	34371	072	2000/02/23	.000	2006/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/05/07	.000	2008/05	
MONOCHLOROBENZENE	34301	072	2000/02/23	.000	2006/02	DUE
STYRENE	77128	072	2000/02/23	.000	2006/02	DUE
TETRACHLOROETHYLENE	34475	072	2000/02/23	.000	2006/02	DUE
TOLUENE	34010	072	2000/02/23	.000	2006/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2000/02/23	.000	2006/02	DUE
TRICHLOROETHYLENE	39180	072	2000/02/23	.000	2006/02	DUE
TRICHLOROFLUOROMETHANE	34488	072	2000/02/23	.000	2006/02	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200707 MIRANDA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200707-002 WELLS 01 & 02 - COMBINED - RAW****Source Number: 002****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2000/02/23	.000	2006/02	DUE
XYLENES (TOTAL)	81551	072	2000/02/23	.000	2006/02	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/11/21 -	1.600	2015/11
BICARBONATE ALKALINITY	00440	108	2006/11/21	100.000	2015/11
CALCIUM	00916	108	2006/11/21	25.000	2015/11
CARBONATE ALKALINITY	00445	108	2006/11/21 <	1.000	2015/11
CHLORIDE	00940	036	2006/11/21	6.200	2009/11
COLOR	00081	036	2006/11/21 <	3.000	2009/11
COPPER	01042	036	2006/11/21	.000	2009/11
FOAMING AGENTS (MBAS)	38260	036	2006/11/21 <	.050	2009/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2000/02/23	80.200	2009/02
HYDROXIDE ALKALINITY	71830	108	2006/11/21 <	1.000	2015/11
IRON	01045	036	2006/11/21	.000	2009/11
MAGNESIUM	00927	108	2000/02/23	7.350	2009/02
MANGANESE	01055	036	2006/11/21	.000	2009/11
ODOR THRESHOLD @ 60 C	00086	036	2006/11/21	2.000	2009/11
PH, LABORATORY	00403	036	2006/11/21	6.400	2009/11
SILVER	01077	036	2006/11/21	.000	2009/11
SODIUM	00929	108	2000/02/23	6.620	2009/02
SPECIFIC CONDUCTANCE	00095	036	2006/11/21	240.000	2009/11
SULFATE	00945	036	2006/11/21	11.000	2009/11
TOTAL DISSOLVED SOLIDS	70300	036	2006/11/21	140.000	2009/11
TURBIDITY, LABORATORY	82079	036	2006/11/21	.420	2009/11
ZINC	01092	036	2006/11/21	.000	2009/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200710 VIEW CREST LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200710-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	-	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	-	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	-	WAIVED
ARSENIC	01002	WAIVED	WAIVED	-	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	-	WAIVED
BARIUM	01007	WAIVED	WAIVED	-	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	-	WAIVED
CADMIUM	01027	WAIVED	WAIVED	-	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	-	WAIVED
CYANIDE	01291	WAIVED	WAIVED	-	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	-	WAIVED
LEAD	01051	WAIVED	WAIVED	-	WAIVED
MERCURY	71900	WAIVED	WAIVED	-	WAIVED
NICKEL	01067	WAIVED	WAIVED	-	WAIVED
SELENIUM	01147	WAIVED	WAIVED	-	WAIVED
THALLIUM	01059	WAIVED	WAIVED	-	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/03/07	4.400	2007/03	DUE
NITRITE (AS N)	00620	036	2002/11/01	.000	2005/11	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	-	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	-	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	-	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	-	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	-	WAIVED
TRITIUM	07000	WAIVED	WAIVED	-	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	-	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200710 VIEW CREST LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200710-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200710 VIEW CREST LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200710-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/26	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	-		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	-		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/26		.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/26		.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/26		.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/26		.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/26		.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/26		.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	-		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/26		.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/26		.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	-		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	-		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/26		.000	WAIVED
BENZENE	34030	WAIVED	1988/04/26		.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/26		.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/26		.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/26		.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/26		.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	-		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/26		.000	WAIVED
STYRENE	77128	WAIVED	WAIVED	-		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/26		.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/26		.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/26		.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/26		.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/26		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200710 VIEW CREST LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200710-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/26	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/26	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	-	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	-	WAIVED
CALCIUM	00916	WAIVED	WAIVED	-	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	-	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	-	WAIVED
COLOR	00081	WAIVED	WAIVED	-	WAIVED
COPPER	01042	WAIVED	WAIVED	-	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	-	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	-	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	-	WAIVED
IRON	01045	WAIVED	WAIVED	-	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	-	WAIVED
MANGANESE	01055	WAIVED	WAIVED	-	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	-	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	-	WAIVED
SILVER	01077	WAIVED	WAIVED	-	WAIVED
SODIUM	00929	WAIVED	WAIVED	-	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	-	WAIVED
SULFATE	00945	WAIVED	WAIVED	-	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	-	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	-	WAIVED
ZINC	01092	WAIVED	WAIVED	-	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200715 CALIF. REDWOOD ACQ. CO. -KORBEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200715-005 WELLS 01 AND 02, COMBINED - RAW****Source Number: 005****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2006/02/24	.000	2009/02
ANTIMONY	01097	036	2006/02/24	.000	2009/02
ARSENIC	01002	036	2006/02/24	.000	2009/02
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2006/02/24	.000	2009/02
BERYLLIUM	01012	036	2006/02/24	.000	2009/02
CADMIUM	01027	036	2006/02/24	.000	2009/02
CHROMIUM (TOTAL)	01034	036	2006/02/24	.000	2009/02
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/02/24	.120	2009/02
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	036	2006/02/24	.000	2009/02
NICKEL	01067	036	2006/02/24	.000	2009/02
SELENIUM	01147	036	2006/02/24	.000	2009/02
THALLIUM	01059	036	2006/02/24	.000	2009/02

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/22	.000	2008/02
NITRITE (AS N)	00620	036	2006/02/24	.000	2009/02

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/02/24	.380	2010/02
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200715 CALIF. REDWOOD ACQ. CO. -KORBEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200715-005 WELLS 01 AND 02, COMBINED - RAW****Source Number: 005****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200715 CALIF. REDWOOD ACQ. CO. -KORBEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200715-005 WELLS 01 AND 02, COMBINED - RAW****Source Number: 005****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/02/24	.000	2012/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/02/24	.000	2012/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/02/24	.000	2012/02
1,1,2-TRICHLOROETHANE	34511	072	2006/02/24	.000	2012/02
1,1-DICHLOROETHANE	34496	072	2006/02/24	.000	2012/02
1,1-DICHLOROETHYLENE	34501	072	2006/02/24	.000	2012/02
1,2,4-TRICHLOROBENZENE	34551	072	2006/02/24	.000	2012/02
1,2-DICHLOROBENZENE	34536	072	2006/02/24	.000	2012/02
1,2-DICHLOROETHANE	34531	072	2006/02/24	.000	2012/02
1,2-DICHLOROPROPANE	34541	072	2006/02/24	.000	2012/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/02/24	.000	2012/02
1,4-DICHLOROBENZENE	34571	072	2006/02/24	.000	2012/02
BENZENE	34030	072	2006/02/24	.000	2012/02
CARBON TETRACHLORIDE	32102	072	2006/02/24	.000	2012/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/02/24	.000	2012/02
DICHLOROMETHANE	34423	072	2006/02/24	.000	2012/02
ETHYLBENZENE	34371	072	2006/02/24	.000	2012/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/02/24	.000	2012/02
MONOCHLOROBENZENE	34301	072	2006/02/24	.000	2012/02
STYRENE	77128	072	2006/02/24	.000	2012/02
TETRACHLOROETHYLENE	34475	072	2006/02/24	.000	2012/02
TOLUENE	34010	072	2006/02/24	.000	2012/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/02/24	.000	2012/02
TRICHLOROETHYLENE	39180	072	2006/02/24	.000	2012/02
TRICHLOROFLUOROMETHANE	34488	072	2006/02/24	.000	2012/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200715 CALIF. REDWOOD ACQ. CO. -KORBEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200715-005 WELLS 01 AND 02, COMBINED - RAW****Source Number: 005****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/02/24	.000	2012/02
XYLENES (TOTAL)	81551	072	2006/02/24	.000	2012/02

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/02/24	.095	2015/02
BICARBONATE ALKALINITY	00440	108	2006/02/24	140.000	2015/02
CALCIUM	00916	108	2006/02/24	33.000	2015/02
CARBONATE ALKALINITY	00445	108	2006/02/24	< 1.000	2015/02
CHLORIDE	00940	036	2006/02/24	8.000	2009/02
COLOR	00081	036	2006/02/24	5.000	2009/02
COPPER	01042	036	2006/02/24	.000	2009/02
FOAMING AGENTS (MBAS)	38260	036	2006/02/24	< .500	2009/02
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/02/24	140.000	2015/02
HYDROXIDE ALKALINITY	71830	108	2006/02/24	< 1.000	2015/02
IRON	01045	036	2006/02/24	.000	2009/02
MAGNESIUM	00927	108	2006/02/24	14.000	2015/02
MANGANESE	01055	036	2006/02/24	.000	2009/02
ODOR THRESHOLD @ 60 C	00086	036	2006/02/24	.000	2009/02
PH, LABORATORY	00403	036	2006/02/24	7.800	2009/02
SILVER	01077	036	2006/02/24	.000	2009/02
SODIUM	00929	108	2006/02/24	7.900	2015/02
SPECIFIC CONDUCTANCE	00095	036	2006/02/24	320.000	2009/02
SULFATE	00945	036	2006/02/24	6.700	2009/02
TOTAL DISSOLVED SOLIDS	70300	036	2006/02/24	160.000	2009/02
TURBIDITY, LABORATORY	82079	036	2006/02/24	.120	2009/02
ZINC	01092	036	2006/02/24	.000	2009/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200718 WADDINGTON W.W.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200718-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/11/21	.000	2011/11
ANTIMONY	01097	108	2002/11/21	.000	2011/11
ARSENIC	01002	108	2002/11/21	.000	2011/11
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/11/21	.000	2011/11
BERYLLIUM	01012	108	2002/11/21	.000	2011/11
CADMIUM	01027	108	2002/11/21	.000	2011/11
CHROMIUM (TOTAL)	01034	108	2002/11/21	.000	2011/11
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/11/21	.290	2011/11
LEAD	01051	WAIVED	1993/05/25	.000	WAIVED
MERCURY	71900	108	2002/11/21	.000	2011/11
NICKEL	01067	108	2002/11/21	.000	2011/11
SELENIUM	01147	108	2002/11/21	.000	2011/11
THALLIUM	01059	108	2002/11/21	.000	2011/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/12/28	5.300	2006/12	DUE
NITRITE (AS N)	00620	036	2005/12/28	.000	2008/12	

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/01/30	.380	2010/01	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048				DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200718 WADDINGTON W.W.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200718-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200718 WADDINGTON W.W.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200718-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/10/25	.000	2007/10
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/10/25	.000	2007/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/10/25	.000	2007/10
1,1,2-TRICHLOROETHANE	34511	072	2001/10/25	.000	2007/10
1,1-DICHLOROETHANE	34496	072	2001/10/25	.000	2007/10
1,1-DICHLOROETHYLENE	34501	072	2001/10/25	.000	2007/10
1,2,4-TRICHLOROBENZENE	34551	072	2001/10/25	.000	2007/10
1,2-DICHLOROBENZENE	34536	072	2001/10/25	.000	2007/10
1,2-DICHLOROETHANE	34531	072	2001/10/25	.000	2007/10
1,2-DICHLOROPROPANE	34541	072	2001/10/25	.000	2007/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/10/25	.000	2007/10
1,4-DICHLOROBENZENE	34571	072	2001/10/25	.000	2007/10
BENZENE	34030	072	2001/10/25	.000	2007/10
CARBON TETRACHLORIDE	32102	072	2001/10/25	.000	2007/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/10/25	.000	2007/10
DICHLOROMETHANE	34423	072	2001/10/25	.000	2007/10
ETHYLBENZENE	34371	072	2001/10/25	.000	2007/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/10/25	.000	2007/10
MONOCHLOROBENZENE	34301	072	2001/10/25	.000	2007/10
STYRENE	77128	072	2001/10/25	.000	2007/10
TETRACHLOROETHYLENE	34475	072	2001/10/25	.000	2007/10
TOLUENE	34010	072	2001/10/25	.000	2007/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/10/25	.000	2007/10
TRICHLOROETHYLENE	39180	072	2001/10/25	.000	2007/10
TRICHLOROFLUOROMETHANE	34488	072	2001/10/25	.000	2007/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200718 WADDINGTON W.W.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200718-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/10/25	.000	2007/10
XYLENES (TOTAL)	81551	072	2001/10/25	.000	2007/10

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2003/12/30	98.000	2012/12
CALCIUM	00916	108	2003/12/30	14.000	2012/12
CARBONATE ALKALINITY	00445	108	2003/12/30 <	1.000	2012/12
CHLORIDE	00940	108	2003/12/30	18.000	2012/12
COLOR	00081	108	2003/12/30	10.000	2012/12
COPPER	01042	108	2003/12/30	.000	2012/12
FOAMING AGENTS (MBAS)	38260	108	2003/12/30	.000	2012/12
HARDNESS (TOTAL) AS CaCO3	00900	108	2003/12/30	120.000	2012/12
HYDROXIDE ALKALINITY	71830	108	2003/12/30 <	1.000	2012/12
IRON	01045	108	2003/12/30	100.000	2012/12
MAGNESIUM	00927	108	2003/12/30	20.000	2012/12
MANGANESE	01055	108	2003/12/30	.000	2012/12
ODOR THRESHOLD @ 60 C	00086	108	2003/12/30	.000	2012/12
PH, LABORATORY	00403	108	2003/12/30	7.100	2012/12
SILVER	01077	108	2003/12/30	.000	2012/12
SODIUM	00929	108	2003/12/30	13.000	2012/12
SPECIFIC CONDUCTANCE	00095	108	2003/12/30	290.000	2012/12
SULFATE	00945	108	2003/12/30	16.000	2012/12
TOTAL DISSOLVED SOLIDS	70300	108	2003/12/30	170.000	2012/12
TURBIDITY, LABORATORY	82079	108	2003/12/30	.730	2012/12
ZINC	01092	108	2003/12/30	.000	2012/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200728 SOUNDS OF THE SEAS W. S.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200728-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2002/04/10	.000	2003/04	DUE
NITRITE (AS N)	00620	036	2002/04/10	.000	2005/04	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200728 SOUNDS OF THE SEAS W. S.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200728-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200728 SOUNDS OF THE SEAS W. S.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200728-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/12	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED			WAIVED
TOXAPHENE	39400	WAIVED	WAIVED			WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/12		.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/12		.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/12		.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/12		.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/12		.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/12		.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED			WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/12		.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/12		.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED			WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED			WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/12		.000	WAIVED
BENZENE	34030	WAIVED	1988/04/12		.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/12		.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/12		.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/12		.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/12		.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED			WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/12		.000	WAIVED
STYRENE	77128	WAIVED	WAIVED			WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/12		.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/12		.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/12		.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/12		.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/12		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200728 SOUNDS OF THE SEAS W. S.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200728-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/12	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/12	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200729 ORLEANS C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200729-001 PEARCH CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2001/05/02	1.000	2010/05
ANTIMONY	01097	108	2002/06/10	.000	2011/06
ARSENIC	01002	108	2001/05/02	.800	2010/05
ASBESTOS	81855	WAIVED	1998/09/29	1.750	WAIVED
BARIUM	01007	108	2001/05/02	3.600	2010/05
BERYLLIUM	01012	108	2002/06/10	.000	2011/06
CADMIUM	01027	108	2001/05/02 <	.500	2010/05
CHROMIUM (TOTAL)	01034	108	2001/05/02 <	.500	2010/05
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2001/05/02 <	.100	2010/05
LEAD	01051	WAIVED	2001/05/02	.800	WAIVED
MERCURY	71900	108	2002/06/10	.000	2011/06
NICKEL	01067	108	2002/06/10	.000	2011/06
SELENIUM	01147	108	2001/05/02	2.400	2010/05
THALLIUM	01059	108	2002/06/10	.000	2011/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/08/12	.000	2006/08	DUE
NITRITE (AS N)	00620	036	2005/08/12	.000	2008/08	

RADIOLOGICAL

GROSS ALPHA	01501	048	2001/05/02	.000	2005/05	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048			2007/04	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	2001/05/02	.000	WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200729 ORLEANS C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200729-001 PEARCH CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	2001/05/02	.000	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	2001/05/02	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	2001/05/02	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2001/05/02	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/05/02	.000	WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2001/05/02	.000	WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200729 ORLEANS C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200729-001 PEARCH CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/05/02	.000	2007/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/05/02	.000	2007/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/05/02	.000	2007/05
1,1-DICHLOROETHANE	34496	072	2001/05/02	.000	2007/05
1,1-DICHLOROETHYLENE	34501	072	2001/05/02	.000	2007/05
1,2,4-TRICHLOROBENZENE	34551	072	2001/05/02	.000	2007/05
1,2-DICHLOROBENZENE	34536	072	2001/05/02	.000	2007/05
1,2-DICHLOROETHANE	34531	072	2001/05/02	.000	2007/05
1,2-DICHLOROPROPANE	34541	072	2001/05/02	.000	2007/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/05/02	.000	2007/05
1,4-DICHLOROBENZENE	34571	072	2001/05/02	.000	2007/05
BENZENE	34030	072	2001/05/02	.000	2007/05
CARBON TETRACHLORIDE	32102	072	2001/05/02	.000	2007/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/05/02	.000	2007/05
DICHLOROMETHANE	34423	072	2001/05/02	.000	2007/05
ETHYLBENZENE	34371	072	2001/05/02	.000	2007/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	072	2001/05/02	.000	2007/05
STYRENE	77128	072	2001/05/02	.000	2007/05
TETRACHLOROETHYLENE	34475	072	2001/05/02	.000	2007/05
TOLUENE	34010	072	2001/05/02	.000	2007/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/05/02	.000	2007/05
TRICHLOROETHYLENE	39180	072	2001/05/02	.000	2007/05
TRICHLOROFLUOROMETHANE	34488	072	2001/05/02	.000	2007/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200729 ORLEANS C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200729-001 PEARCH CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/05/02	.000	2007/05
XYLENES (TOTAL)	81551	072	2001/05/02	.000	2007/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1990/06/19	72.000	1999/06	DUE
CALCIUM	00916	108	2002/12/17	25.000	2011/12	
CARBONATE ALKALINITY	00445	108	1990/06/19 <	1.000	1999/06	DUE
CHLORIDE	00940	036	2001/05/02	2.400	2004/05	DUE
COLOR	00081	036	1990/06/19 <	3.000	1993/06	DUE
COPPER	01042	036	2001/05/02	1.100	2004/05	DUE
FOAMING AGENTS (MBAS)	38260	036	2002/12/17	.000	2005/12	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2001/05/02	22.100	2010/05	
HYDROXIDE ALKALINITY	71830	108	1990/06/19 <	1.000	1999/06	DUE
IRON	01045	036	2001/05/02 <	100.000	2004/05	DUE
MAGNESIUM	00927	108	2001/05/02	2.300	2010/05	
MANGANESE	01055	036	2001/05/02	.800	2004/05	DUE
ODOR THRESHOLD @ 60 C	00086	036	1990/06/19 <	1.000	1993/06	DUE
PH, LABORATORY	00403	108	2002/12/17	7.400	2011/12	
SILVER	01077	108	2001/05/02 <	.500	2010/05	
SODIUM	00929	108	2001/05/02	3.000	2010/05	
SPECIFIC CONDUCTANCE	00095	036	2001/05/02	156.000	2004/05	DUE
SULFATE	00945	036	2001/05/02	11.900	2004/05	DUE
TOTAL DISSOLVED SOLIDS	70300	108	2002/12/17	110.000	2011/12	
TURBIDITY, LABORATORY	82079	036	1990/06/19	.400	1993/06	DUE
ZINC	01092	036	2001/05/02	148.000	2004/05	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200747 CHEZEM RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200747-001 CAPTAIN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2002/04/16	.000	2003/04	DUE
NITRITE (AS N)	00620	036	2002/04/16	.000	2005/04	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200747 CHEZEM RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200747-001 CAPTAIN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200747 CHEZEM RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200747-001 CAPTAIN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200747 CHEZEM RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200747-001 CAPTAIN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/10/30	100.000	WAIVED
CALCIUM	00916	WAIVED	1995/10/30	44.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/10/30	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/10/30	11.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1995/10/30	100.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/10/30	.031	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/10/30	130.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/10/30	< 1.000	WAIVED
IRON	01045	WAIVED	1995/10/30	.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/10/30	5.300	WAIVED
MANGANESE	01055	WAIVED	1995/10/30	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1995/10/30	7.500	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1995/10/30	14.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/10/30	270.000	WAIVED
SULFATE	00945	WAIVED	1995/10/30	22.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/10/30	220.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200747 CHEZEM RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200747-002 CAPTAIN CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/09/05	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2000/09/05	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200747 CHEZEM RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200747-002 CAPTAIN CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200747 CHEZEM RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200747-002 CAPTAIN CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200747 CHEZEM RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200747-002 CAPTAIN CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200754 CALTRANS-TRINIDAD NB**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200754-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2002/03/04	2.300	2003/03	DUE
NITRITE (AS N)	00620	036	2002/03/04	.000	2005/03	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200754 CALTRANS-TRINIDAD NB**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200754-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200754 CALTRANS-TRINIDAD NB

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200754-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1988/04/11	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED			WAIVED
TOXAPHENE	39400	WAIVED	WAIVED			WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/11		.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/11		.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/11		.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/11		.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/11		.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/11		.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED			WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/11		.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/11		.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED			WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED			WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/11		.000	WAIVED
BENZENE	34030	WAIVED	1988/04/11		.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/11		.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/11		.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/11		.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/11		.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED			WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/11		.000	WAIVED
STYRENE	77128	WAIVED	WAIVED			WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/11		.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/11		.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/11		.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/11		.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/11		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200754 CALTRANS-TRINIDAD NB**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200754-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/11	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/11	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200761 HANSEN'S WIRE ROPE & CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200761-001 MAIN WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/12/18	.160	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/09/22	8.000	2006/09	DUE
NITRITE (AS N)	00620	036	2005/09/22	.000	2008/09	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200761 HANSEN'S WIRE ROPE & CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200761-001 MAIN WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200761 HANSEN'S WIRE ROPE & CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200761-001 MAIN WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/08	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED			WAIVED
TOXAPHENE	39400	WAIVED	WAIVED			WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/08		.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/08		.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/08		.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/08		.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/08		.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/08		.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED			WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/08		.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/08		.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED			WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED			WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/08		.000	WAIVED
BENZENE	34030	WAIVED	1988/04/08		.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/08		.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/08		.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/08		.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/08		.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED			WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/08		.000	WAIVED
STYRENE	77128	WAIVED	WAIVED			WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/08		.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/08		.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/08		.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/08		.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/08		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200761 HANSEN'S WIRE ROPE & CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200761-001 MAIN WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/08	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/08	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/12/18	160.000	WAIVED
CALCIUM	00916	WAIVED	1995/12/18	46.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/12/18	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/12/18	10.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1995/12/18	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/12/18	190.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/12/18	< 1.000	WAIVED
IRON	01045	WAIVED	1995/12/18	.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/12/18	19.000	WAIVED
MANGANESE	01055	WAIVED	1995/12/18	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1995/12/18	6.900	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1995/12/18	11.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/12/18	340.000	WAIVED
SULFATE	00945	WAIVED	1995/12/18	13.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/12/18	240.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1995/12/18	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200765 REDWOOD TRAILS WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200765-003 WELL 02 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200765 REDWOOD TRAILS WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200765-003 WELL 02 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200765 REDWOOD TRAILS WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200765-003 WELL 02 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200765 REDWOOD TRAILS WATER SYSTEM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200765-003 WELL 02 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200772 OCEAN GROVE LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200772-001 MILL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/04/03	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/08	.000	2007/12
NITRITE (AS N)	00620	036	2006/12/08	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200772 OCEAN GROVE LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200772-001 MILL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200772 OCEAN GROVE LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200772-001 MILL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200772 OCEAN GROVE LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200772-001 MILL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/04/03	30.000	WAIVED
CALCIUM	00916	WAIVED	1995/04/03	22.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/04/03	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/04/03	19.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1995/04/03	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/04/03	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/04/03	110.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/04/03	< 1.000	WAIVED
IRON	01045	WAIVED	1995/04/03	.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/04/03	13.000	WAIVED
MANGANESE	01055	WAIVED	1995/04/03	65.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1995/04/03	6.000	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1995/04/03	13.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/04/03	310.000	WAIVED
SULFATE	00945	WAIVED	1995/04/03	64.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/04/03	210.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1995/04/03	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200776 A W WAY-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200776-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1989/02/28	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/21	.000	2007/11
NITRITE (AS N)	00620	036	2006/11/21	.000	2009/11

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200776 A W WAY-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200776-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200776 A W WAY-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200776-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200776 A W WAY-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200776-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1989/02/28	43.000	WAIVED
CALCIUM	00916	WAIVED	1989/02/28	13.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1989/02/28	.000	WAIVED
CHLORIDE	00940	WAIVED	1989/02/28	4.300	WAIVED
COLOR	00081	WAIVED	1989/02/28	3.000	WAIVED
COPPER	01042	WAIVED	1989/02/28	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1989/02/28	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1989/02/28	45.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1989/02/28	.000	WAIVED
IRON	01045	WAIVED	1989/02/28	120.000	WAIVED
MAGNESIUM	00927	WAIVED	1989/02/28	3.000	WAIVED
MANGANESE	01055	WAIVED	1989/02/28	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1989/02/28	.000	WAIVED
PH, LABORATORY	00403	WAIVED	1989/02/28	6.900	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1989/02/28	6.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1989/02/28	150.000	WAIVED
SULFATE	00945	WAIVED	1989/02/28	6.100	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1989/02/28	43.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1989/02/28	1.100	WAIVED
ZINC	01092	WAIVED	1989/02/28	70.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200778 BRIDGEVILLE ELEM. SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200778-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/09/24	.000	2011/09
ANTIMONY	01097	108	2002/09/24	.000	2011/09
ARSENIC	01002	108	2002/09/24	.000	2011/09
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/09/24	310.000	2011/09
BERYLLIUM	01012	108	2002/09/24	.000	2011/09
CADMIUM	01027	108	2002/09/24	.000	2011/09
CHROMIUM (TOTAL)	01034	108	2002/09/24	.000	2011/09
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/09/24	.180	2011/09
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	108	2002/09/24	.000	2011/09
NICKEL	01067	108	2002/09/24	.000	2011/09
SELENIUM	01147	108	2002/09/24	.000	2011/09
THALLIUM	01059	108	2002/09/24	.000	2011/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/08/26	.000	2006/08	DUE
NITRITE (AS N)	00620	036	2005/08/26	.000	2008/08	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200778 BRIDGEVILLE ELEM. SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200778-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200778 BRIDGEVILLE ELEM. SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200778-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/08/22	.000	2007/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/08/22	.000	2007/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/08/22	.000	2007/08
1,1,2-TRICHLOROETHANE	34511	072	2001/08/22	.000	2007/08
1,1-DICHLOROETHANE	34496	072	2001/08/22	.000	2007/08
1,1-DICHLOROETHYLENE	34501	072	2001/08/22	.000	2007/08
1,2,4-TRICHLOROBENZENE	34551	072	2001/08/22	.000	2007/08
1,2-DICHLOROBENZENE	34536	072	2001/08/22	.000	2007/08
1,2-DICHLOROETHANE	34531	072	2001/08/22	.000	2007/08
1,2-DICHLOROPROPANE	34541	072	2001/08/22	.000	2007/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/08/22	.000	2007/08
1,4-DICHLOROBENZENE	34571	072	2001/08/22	.000	2007/08
BENZENE	34030	072	2001/08/22	.000	2007/08
CARBON TETRACHLORIDE	32102	072	2001/08/22	.000	2007/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/08/22	.000	2007/08
DICHLOROMETHANE	34423	072	2001/08/22	.000	2007/08
ETHYLBENZENE	34371	072	2001/08/22	.000	2007/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/08/22	.000	2007/08
MONOCHLOROBENZENE	34301	072	2001/08/22	.000	2007/08
STYRENE	77128	072	2001/08/22	.000	2007/08
TETRACHLOROETHYLENE	34475	072	2001/08/22	.000	2007/08
TOLUENE	34010	072	2001/08/22	.000	2007/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/08/22	.000	2007/08
TRICHLOROETHYLENE	39180	072	2001/08/22	.000	2007/08
TRICHLOROFLUOROMETHANE	34488	072	2001/08/22	.000	2007/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200778 BRIDGEVILLE ELEM. SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200778-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/08/22	.000	2007/08
XYLENES (TOTAL)	81551	072	2001/08/22	.000	2007/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1998/03/06	300.000	WAIVED
CALCIUM	00916	WAIVED	1998/03/06	71.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1998/03/06	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1998/03/06	270.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1998/03/06	< 1.000	WAIVED
IRON	01045	WAIVED	2005/08/26	5400.000	WAIVED
MAGNESIUM	00927	WAIVED	1998/03/06	22.000	WAIVED
MANGANESE	01055	WAIVED	2005/08/26	750.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1998/03/06	7.200	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1998/03/06	24.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200779 REDWOOD MEMORIAL HOSPITAL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200779-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2003/04/15	.000	2012/04
ANTIMONY	01097	108	2006/04/10	.000	2015/04
ARSENIC	01002	036	2000/05/02	.000	2003/05 DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2000/05/02	.000	2003/05 DUE
BERYLLIUM	01012	108	2006/04/10	.000	2015/04
CADMIUM	01027	036	2000/05/02	.000	2003/05 DUE
CHROMIUM (TOTAL)	01034	108	2002/03/13 -		2011/03
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/12/08	.110	2014/12
LEAD	01051	WAIVED	2000/05/02	.000	WAIVED
MERCURY	71900	036	2000/05/02	.000	2003/05 DUE
NICKEL	01067	108	2006/04/10	.000	2015/04
SELENIUM	01147	036	2000/05/02	.000	2003/05 DUE
THALLIUM	01059	108	2006/04/10	.000	2015/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/29	7.500	2008/03
NITRITE (AS N)	00620	036	2005/12/08	.000	2008/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2001/10/17 -	.070	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200779 REDWOOD MEMORIAL HOSPITAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200779-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200779 REDWOOD MEMORIAL HOSPITAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200779-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/03/13	.000	2008/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/03/13	.000	2008/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2002/03/13	.000	2008/03
1,1,2-TRICHLOROETHANE	34511	072	2002/03/13	.000	2008/03
1,1-DICHLOROETHANE	34496	072	2002/03/13	.000	2008/03
1,1-DICHLOROETHYLENE	34501	072	2002/03/13	.000	2008/03
1,2,4-TRICHLOROBENZENE	34551	072	2002/03/13	.000	2008/03
1,2-DICHLOROBENZENE	34536	072	2002/03/13	.000	2008/03
1,2-DICHLOROETHANE	34531	072	2002/03/13	.000	2008/03
1,2-DICHLOROPROPANE	34541	072	2002/03/13	.000	2008/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/03/13	.000	2008/03
1,4-DICHLOROBENZENE	34571	072	2002/03/13	.000	2008/03
BENZENE	34030	072	2002/03/13	.000	2008/03
CARBON TETRACHLORIDE	32102	072	2002/03/13	.000	2008/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/03/13	.000	2008/03
DICHLOROMETHANE	34423	072	2002/03/13	.000	2008/03
ETHYLBENZENE	34371	072	2002/03/13	.000	2008/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/03/13	.000	2008/03
MONOCHLOROBENZENE	34301	072	2002/03/13	.000	2008/03
STYRENE	77128	072	2002/03/13	.000	2008/03
TETRACHLOROETHYLENE	34475	072	2002/03/13	.000	2008/03
TOLUENE	34010	072	2002/03/13	.000	2008/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/03/13	.000	2008/03
TRICHLOROETHYLENE	39180	072	2002/03/13	.000	2008/03
TRICHLOROFLUOROMETHANE	34488	072	2002/03/13	.000	2008/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200779 REDWOOD MEMORIAL HOSPITAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200779-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2002/03/13	.000	2008/03
XYLENES (TOTAL)	81551	072	2002/03/13	.000	2008/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1997/10/30	190.000	WAIVED
CALCIUM	00916	WAIVED	2006/06/22	8.600	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1997/10/30	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1997/10/30	12.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1997/10/30	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2006/06/22	63.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1997/10/30	< 1.000	WAIVED
IRON	01045	WAIVED	1997/10/30	.000	WAIVED
MAGNESIUM	00927	WAIVED	2006/06/22	10.000	WAIVED
MANGANESE	01055	WAIVED	1997/10/30	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1997/10/30	7.400	WAIVED
SILVER	01077	WAIVED	2000/05/02	.000	WAIVED
SODIUM	00929	WAIVED	2006/06/22	50.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1997/10/30	420.000	WAIVED
SULFATE	00945	WAIVED	1997/10/30	4.800	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1997/10/30	250.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1997/10/30	160.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200788 GREEN DIAMOND RESOURCE CO.-BIG LAGOON**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200788-002 WELL 001****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/09/29	.000	2014/09
ANTIMONY	01097	108	2005/09/29	.000	2014/09
ARSENIC	01002	108	2005/09/29	.000	2014/09
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/09/29	.000	2014/09
BERYLLIUM	01012	108	2005/09/29	.000	2014/09
CADMIUM	01027	108	2005/09/29	.000	2014/09
CHROMIUM (TOTAL)	01034	108	2005/09/29	.000	2014/09
CYANIDE	01291	WAIVED	2005/09/29 <	100.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/09/29	.100	2014/09
LEAD	01051	WAIVED	2001/02/06	.000	WAIVED
MERCURY	71900	108	2005/09/29	.000	2014/09
NICKEL	01067	108	2005/09/29	.000	2014/09
SELENIUM	01147	108	2005/09/29	.000	2014/09
THALLIUM	01059	108	2005/09/29	.000	2014/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/13	.000	2007/12
NITRITE (AS N)	00620	036	2004/09/10	.000	2007/09

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/11/07 -	.130	2007/11
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200788 GREEN DIAMOND RESOURCE CO.-BIG LAGOON**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200788-002 WELL 001****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200788 GREEN DIAMOND RESOURCE CO.-BIG LAGOON**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200788-002 WELL 001****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2004/09/10	.000	2010/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2004/09/10	.000	2010/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2004/09/10	.000	2010/09
1,1,2-TRICHLOROETHANE	34511	072	2004/09/10	.000	2010/09
1,1-DICHLOROETHANE	34496	072	2004/09/10	.000	2010/09
1,1-DICHLOROETHYLENE	34501	072	2004/09/10	.000	2010/09
1,2,4-TRICHLOROBENZENE	34551	072	2004/09/10	.000	2010/09
1,2-DICHLOROBENZENE	34536	072	2004/09/10	.000	2010/09
1,2-DICHLOROETHANE	34531	072	2004/09/10	.000	2010/09
1,2-DICHLOROPROPANE	34541	072	2004/09/10	.000	2010/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2004/09/10	.000	2010/09
1,4-DICHLOROBENZENE	34571	072	2004/09/10	.000	2010/09
BENZENE	34030	072	2004/09/10	.000	2010/09
CARBON TETRACHLORIDE	32102	072	2004/09/10	.000	2010/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2004/09/10	.000	2010/09
DICHLOROMETHANE	34423	072	2004/09/10	.000	2010/09
ETHYLBENZENE	34371	072	2004/09/10	.000	2010/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2004/09/10	.000	2010/09
MONOCHLOROBENZENE	34301	072	2004/09/10	.000	2010/09
STYRENE	77128	072	2004/09/10	.000	2010/09
TETRACHLOROETHYLENE	34475	072	2004/09/10	.000	2010/09
TOLUENE	34010	072	2004/09/10	.000	2010/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2004/09/10	.000	2010/09
TRICHLOROETHYLENE	39180	072	2004/09/10	.000	2010/09
TRICHLOROFLUOROMETHANE	34488	072	2004/09/10	.000	2010/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200788 GREEN DIAMOND RESOURCE CO.-BIG LAGOON**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200788-002 WELL 001****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2004/09/10	.000	2010/09
XYLENES (TOTAL)	81551	072	2004/09/10	.000	2010/09

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2001/02/06	110.000	2010/02	
CALCIUM	00916	108	2001/02/06	23.000	2010/02	
CARBONATE ALKALINITY	00445	108	2001/02/06	< 1.000	2010/02	
CHLORIDE	00940	036	2001/02/06	26.000	2004/02	DUE
COLOR	00081	036	2001/02/06	17.000	2004/02	DUE
COPPER	01042	036	2001/02/06	.000	2004/02	DUE
FOAMING AGENTS (MBAS)	38260	036	2001/02/06	< .050	2004/02	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2001/02/06	110.000	2010/02	
HYDROXIDE ALKALINITY	71830	108	2001/02/06	< 1.000	2010/02	
IRON	01045	036	2001/02/06	330.000	2004/02	DUE
MAGNESIUM	00927	108	2001/02/06	12.000	2010/02	
MANGANESE	01055	036	2001/02/06	.000	2004/02	DUE
ODOR THRESHOLD @ 60 C	00086	036	2001/02/06	< 1.000	2004/02	DUE
PH, LABORATORY	00403	036	2001/02/06	6.900	2004/02	DUE
SILVER	01077	036	2001/02/06	.000	2004/02	DUE
SODIUM	00929	108	2001/02/06	21.000	2010/02	
SPECIFIC CONDUCTANCE	00095	036	2001/02/06	360.000	2004/02	DUE
SULFATE	00945	036	2001/02/06	2.500	2004/02	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2001/02/06	200.000	2004/02	DUE
TURBIDITY, LABORATORY	82079	036	2001/02/06	2.500	2004/02	DUE
ZINC	01092	036	2001/02/06	.000	2004/02	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-001 WELL 001 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/12/07	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/08	5.800	2007/12
NITRITE (AS N)	00620	036	2006/12/08	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-001 WELL 001 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-001 WELL 001 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/13	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED			WAIVED
TOXAPHENE	39400	WAIVED	WAIVED			WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/13		.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/13		.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/13		.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/13		.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/13		.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/13		.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED			WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/13		.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/13		.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED			WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED			WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/13		.000	WAIVED
BENZENE	34030	WAIVED	1988/04/13		.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/13		.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/13		.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/13		.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/13		.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED			WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/13		.000	WAIVED
STYRENE	77128	WAIVED	WAIVED			WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/13		.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/13		.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/13		.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/13		.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/13		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-001 WELL 001 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/13	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/13	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/12/07	27.000	WAIVED
CALCIUM	00916	WAIVED	1995/12/07	14.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/12/07	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/12/07	42.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1995/12/07	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/12/07	49.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/12/07	< 1.000	WAIVED
IRON	01045	WAIVED	1995/12/07	170.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/12/07	3.500	WAIVED
MANGANESE	01055	WAIVED	1995/12/07	58.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1995/12/07	6.000	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1995/12/07	29.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/12/07	230.000	WAIVED
SULFATE	00945	WAIVED	1995/12/07	13.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/12/07	98.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1995/12/07	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-002 WELL 002 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2000/02/29	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-002 WELL 002 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-002 WELL 002 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-002 WELL 002 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-003 WELL 003 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-003 WELL 003 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-003 WELL 003 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200792 PATRICK'S POINT INN**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200792-003 WELL 003 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200793 MERRYMAN'S RESTAURANT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200793-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/05/16	18.160	2007/05
NITRITE (AS N)	00620	036	2002/03/07	.000	2005/03 DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200793 MERRYMAN'S RESTAURANT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200793-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200793 MERRYMAN'S RESTAURANT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200793-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1988/04/12	<	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED			WAIVED
TOXAPHENE	39400	WAIVED	WAIVED			WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/12		.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/12		.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/12		.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/12		.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/12		.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/12		.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED			WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/12		.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/12		.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED			WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED			WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/12		.000	WAIVED
BENZENE	34030	WAIVED	1988/04/12		.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/12		.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/12		.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/12		.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/12		.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED			WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/12		.000	WAIVED
STYRENE	77128	WAIVED	WAIVED			WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/12		.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/12		.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/12		.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/12		.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/12		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200793 MERRYMAN'S RESTAURANT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200793-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/12	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/12	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200796 BISHOP PINE LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200796-001 MCNEIL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/11/01	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/22	.000	2008/02
NITRITE (AS N)	00620	036	2007/02/22	.000	2010/02

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200796 BISHOP PINE LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200796-001 MCNEIL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200796 BISHOP PINE LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200796-001 MCNEIL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200796 BISHOP PINE LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200796-001 MCNEIL CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/11/01	19.000	WAIVED
CALCIUM	00916	WAIVED	1995/11/01	3.900	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/11/01	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/11/01	22.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1995/11/01	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/11/01	.033	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/11/01	23.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/11/01	< 1.000	WAIVED
IRON	01045	WAIVED	1995/11/01	200.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/11/01	3.200	WAIVED
MANGANESE	01055	WAIVED	1995/11/01	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1995/11/01	7.000	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1995/11/01	16.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/11/01	110.000	WAIVED
SULFATE	00945	WAIVED	1995/11/01	3.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/11/01	120.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1995/11/01	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200798 VAN DUZEN-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200798-001 SWIMMER'S DELIGHT WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1989/03/31	.120	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/04	.000	2007/12
NITRITE (AS N)	00620	036	2006/12/04	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200798 VAN DUZEN-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200798-001 SWIMMER'S DELIGHT WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200798 VAN DUZEN-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200798-001 SWIMMER'S DELIGHT WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200798 VAN DUZEN-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200798-001 SWIMMER'S DELIGHT WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1996/01/17	170.000	WAIVED
CALCIUM	00916	WAIVED	1996/01/17	47.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1996/01/17	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1996/01/17	8.400	WAIVED
COLOR	00081	WAIVED	1989/03/31	3.000	WAIVED
COPPER	01042	WAIVED	1996/01/17	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1996/01/17	.000	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	1996/01/17	160.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1996/01/17	< 1.000	WAIVED
IRON	01045	WAIVED	1996/01/17	1300.000	WAIVED
MAGNESIUM	00927	WAIVED	1996/01/17	9.700	WAIVED
MANGANESE	01055	WAIVED	1996/01/17	95.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1989/03/31	.000	WAIVED
PH, LABORATORY	00403	WAIVED	1996/01/17	7.700	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1996/01/17	38.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1996/01/17	430.000	WAIVED
SULFATE	00945	WAIVED	1996/01/17	32.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1996/01/17	270.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1989/03/31	.450	WAIVED
ZINC	01092	WAIVED	1996/01/17	100.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200798 VAN DUZEN-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200798-002 PAMPLIN GROVE WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/04	.000	2007/12
NITRITE (AS N)	00620	036	2006/12/04	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200798 VAN DUZEN-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200798-002 PAMPLIN GROVE WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200798 VAN DUZEN-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200798-002 PAMPLIN GROVE WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200798 VAN DUZEN-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200798-002 PAMPLIN GROVE WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1996/01/17	170.000	WAIVED
CALCIUM	00916	WAIVED	1996/01/17	47.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1996/01/17	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1996/01/17	8.400	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1996/01/17	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1996/01/17	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1996/01/17	160.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1996/01/17	< 1.000	WAIVED
IRON	01045	WAIVED	1996/01/17	1300.000	WAIVED
MAGNESIUM	00927	WAIVED	1996/01/17	9.700	WAIVED
MANGANESE	01055	WAIVED	1996/01/17	95.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1996/01/17	7.700	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1996/01/17	38.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1996/01/17	430.000	WAIVED
SULFATE	00945	WAIVED	1996/01/17	32.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1996/01/17	270.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1996/01/17	100.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200817 KNEELAND SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200817-001 SPRING - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/04/11	.000	2014/04
ANTIMONY	01097	108	2005/04/11	.000	2014/04
ARSENIC	01002	108	2006/04/24	.000	2015/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2006/04/24	.000	2015/04
BERYLLIUM	01012	108	2005/04/11	.000	2014/04
CADMIUM	01027	108	2006/04/24	.000	2015/04
CHROMIUM (TOTAL)	01034	108	2002/08/19		2011/08
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/04/24	.000	2009/04
LEAD	01051	WAIVED	2001/03/09	10.000	WAIVED
MERCURY	71900	108	2006/04/24	.000	2015/04
NICKEL	01067	108	2005/04/11	.000	2014/04
SELENIUM	01147	108	2006/04/24	.000	2015/04
THALLIUM	01059	108	2005/04/11	.000	2014/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/04/11	.000	2006/04	DUE
NITRITE (AS N)	00620	036	2005/04/11	.000	2008/04	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1998/04/30	.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200817 KNEELAND SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200817-001 SPRING - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1200817 KNEELAND SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200817-001 SPRING - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2007/02/21	.000	2013/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/02/21	.000	2013/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/02/21	.000	2013/02
1,1,2-TRICHLOROETHANE	34511	072	2007/02/21	.000	2013/02
1,1-DICHLOROETHANE	34496	072	2007/02/21	.000	2013/02
1,1-DICHLOROETHYLENE	34501	072	2007/02/21	.000	2013/02
1,2,4-TRICHLOROBENZENE	34551	072	2007/02/21	.000	2013/02
1,2-DICHLOROBENZENE	34536	072	2007/02/21	.000	2013/02
1,2-DICHLOROETHANE	34531	072	2007/02/21	.000	2013/02
1,2-DICHLOROPROPANE	34541	072	2007/02/21	.000	2013/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/02/21	.000	2013/02
1,4-DICHLOROBENZENE	34571	072	2007/02/21	.000	2013/02
BENZENE	34030	072	2007/02/21	.000	2013/02
CARBON TETRACHLORIDE	32102	072	2007/02/21	.000	2013/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/02/21	.000	2013/02
DICHLOROMETHANE	34423	072	2007/02/21	.000	2013/02
ETHYLBENZENE	34371	072	2007/02/21	.000	2013/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/01/11	.000	2007/01 DUE
MONOCHLOROBENZENE	34301	072	2007/02/21	.000	2013/02
STYRENE	77128	072	2007/02/21	.000	2013/02
TETRACHLOROETHYLENE	34475	072	2007/02/21	.000	2013/02
TOLUENE	34010	072	2007/02/21	.000	2013/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/02/21	.000	2013/02
TRICHLOROETHYLENE	39180	072	2007/02/21	.000	2013/02
TRICHLOROFLUOROMETHANE	34488	072	2007/02/21	.000	2013/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1200817 KNEELAND SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200817-001 SPRING - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2007/02/21	.000	2013/02
XYLENES (TOTAL)	81551	072	2007/02/21	.000	2013/02

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1998/04/13	28.000	WAIVED
CALCIUM	00916	WAIVED	1998/04/13	6.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1998/04/13	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1998/04/13	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1998/04/13	23.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1998/04/13	< 1.000	WAIVED
IRON	01045	WAIVED	1998/04/13	240.000	WAIVED
MAGNESIUM	00927	WAIVED	1998/04/13	1.900	WAIVED
MANGANESE	01055	WAIVED	1998/04/13	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1998/04/13	6.100	WAIVED
SILVER	01077	WAIVED	1998/04/13	.000	WAIVED
SODIUM	00929	WAIVED	1998/04/13	6.400	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1998/04/13	620.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200831 LARRUPIN CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200831-001 CREEK INTAKE - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/05/24	.000	2006/05	DUE
NITRITE (AS N)	00620	036	2000/08/15	.000	2003/08	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200831 LARRUPIN CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200831-001 CREEK INTAKE - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1200831 LARRUPIN CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1200831-001 CREEK INTAKE - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1200831 LARRUPIN CAFE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1200831-001 CREEK INTAKE - RAW

Source Number: 001

Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1206001 REDWOOD EMPIRE G&CC

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1206001-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/03/06	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1995/03/06	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1995/03/06	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1995/03/06	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/03/06	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/03/06	.200	WAIVED
LEAD	01051	WAIVED	1995/03/06	.000	WAIVED
MERCURY	71900	WAIVED	1995/03/06	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1995/03/06	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	1995/03/06	2.400	1996/03	DUE
NITRITE (AS N)	00620	000				DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206001 REDWOOD EMPIRE G&CC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206001-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206001 REDWOOD EMPIRE G&CC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206001-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206001 REDWOOD EMPIRE G&CC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206001-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/03/06	76.000	WAIVED
CALCIUM	00916	WAIVED	1995/03/06	9.500	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/03/06	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/03/06	12.000	WAIVED
COLOR	00081	WAIVED	1995/03/06	< 3.000	WAIVED
COPPER	01042	WAIVED	1995/03/06	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/03/06	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/03/06	81.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/03/06	< 1.000	WAIVED
IRON	01045	WAIVED	1995/03/06	.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/03/06	14.000	WAIVED
MANGANESE	01055	WAIVED	1995/03/06	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1995/03/06	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/03/06	7.100	WAIVED
SILVER	01077	WAIVED	1995/03/06	.000	WAIVED
SODIUM	00929	WAIVED	1995/03/06	15.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/03/06	220.000	WAIVED
SULFATE	00945	WAIVED	1995/03/06	15.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/03/06	110.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1995/03/06	.130	WAIVED
ZINC	01092	WAIVED	1995/03/06	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206002 PALOMINO ESTATES M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206002-002 EEL RIVER INFILTRATION GALLERY - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2003/08/06	.000	2012/08
ANTIMONY	01097	108	2004/08/03	.000	2013/08
ARSENIC	01002	108	2002/03/18	.000	2011/03
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/03/18	.000	2011/03
BERYLLIUM	01012	108	2004/08/03	.000	2013/08
CADMIUM	01027	108	2002/03/18	.000	2011/03
CHROMIUM (TOTAL)	01034	108	2002/03/18		2011/03
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/03/18	.140	2011/03
LEAD	01051	WAIVED	2002/03/18	.000	WAIVED
MERCURY	71900	108	2002/03/18	.000	2011/03
NICKEL	01067	108	2004/08/03	.000	2013/08
SELENIUM	01147	108	2002/03/18	.000	2011/03
THALLIUM	01059	108	2004/08/03	.000	2013/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/09/15	.000	2006/09	DUE
NITRITE (AS N)	00620	036	2003/06/10	.000	2006/06	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/08/06	.590	2007/08
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/04
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206002 PALOMINO ESTATES M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206002-002 EEL RIVER INFILTRATION GALLERY - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206002 PALOMINO ESTATES M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206002-002 EEL RIVER INFILTRATION GALLERY - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	2003/09/09	.000	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/06/27	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/06/27	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/06/27	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/06/27	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2002/06/27	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/06/27	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/06/27	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2002/06/27	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2002/06/27	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2002/06/27	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/06/27	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2002/06/27	.000	WAIVED
BENZENE	34030	WAIVED	2002/06/27	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2002/06/27	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/06/27	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2002/06/27	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2002/06/27	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/06/27	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2002/06/27	.000	WAIVED
STYRENE	77128	WAIVED	2002/06/27	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2002/06/27	.000	WAIVED
TOLUENE	34010	WAIVED	2002/06/27	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/06/27	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2002/06/27	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/06/27	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206002 PALOMINO ESTATES M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206002-002 EEL RIVER INFILTRATION GALLERY - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2002/06/27	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2002/06/27	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2003/08/06 -	.880	2012/08
BICARBONATE ALKALINITY	00440	108	2003/09/09	120.000	2012/09
CALCIUM	00916	108	2003/09/09	32.000	2012/09
CARBONATE ALKALINITY	00445	108	2003/09/09 <	1.000	2012/09
CHLORIDE	00940	108	2003/09/09	4.500	2012/09
COLOR	00081	WAIVED	2002/06/27	10.000	WAIVED
COPPER	01042	108	2003/09/09	.000	2012/09
FOAMING AGENTS (MBAS)	38260	108	2003/08/06 <	.050	2012/08
HARDNESS (TOTAL) AS CaCO3	00900	108	2003/09/09	120.000	2012/09
HYDROXIDE ALKALINITY	71830	108	2003/09/09 <	1.000	2012/09
IRON	01045	108	2003/09/09	160.000	2012/09
MAGNESIUM	00927	108	2003/09/09	10.000	2012/09
MANGANESE	01055	108	2003/09/09	33.000	2012/09
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/06/27	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2003/09/09	7.300	WAIVED
SILVER	01077	108	2002/03/18	.000	2011/03
SODIUM	00929	108	2003/09/09	8.700	2012/09
SPECIFIC CONDUCTANCE	00095	108	2003/09/09	270.000	2012/09
SULFATE	00945	108	2003/09/09	13.000	2012/09
TOTAL DISSOLVED SOLIDS	70300	108	2003/08/06	160.000	2012/08
TURBIDITY, LABORATORY	82079	WAIVED	2002/06/27	1.500	WAIVED
ZINC	01092	108	2003/09/09	.000	2012/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206004 PALMER CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206004-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/07/10	.000	2015/07
ANTIMONY	01097	108	2006/07/10	.000	2015/07
ARSENIC	01002	108	2006/07/10	.000	2015/07
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2006/07/10	220.000	2015/07
BERYLLIUM	01012	108	2006/07/10	.000	2015/07
CADMIUM	01027	108	2006/07/10	.000	2015/07
CHROMIUM (TOTAL)	01034	108	2006/07/10	.000	2015/07
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/07/10	.130	2015/07
LEAD	01051	WAIVED	2000/01/27	.000	WAIVED
MERCURY	71900	108	2006/07/10	.000	2015/07
NICKEL	01067	108	2006/07/10	.000	2015/07
SELENIUM	01147	108	2006/07/10	.000	2015/07
THALLIUM	01059	108	2006/07/10	.000	2015/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/07	.000	2008/03
NITRITE (AS N)	00620	036	2007/03/07	.000	2010/03

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/08/07 -	.230	2010/08
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206004 PALMER CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206004-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206004 PALMER CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206004-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/08/07	.000	2012/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/08/07	.000	2012/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/08/07	.000	2012/08
1,1,2-TRICHLOROETHANE	34511	072	2006/08/07	.000	2012/08
1,1-DICHLOROETHANE	34496	072	2006/08/07	.000	2012/08
1,1-DICHLOROETHYLENE	34501	072	2006/08/07	.000	2012/08
1,2,4-TRICHLOROBENZENE	34551	072	2006/08/07	.000	2012/08
1,2-DICHLOROBENZENE	34536	072	2006/08/07	.000	2012/08
1,2-DICHLOROETHANE	34531	072	2006/08/07	.000	2012/08
1,2-DICHLOROPROPANE	34541	072	2006/08/07	.000	2012/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/08/07	.000	2012/08
1,4-DICHLOROBENZENE	34571	072	2006/08/07	.000	2012/08
BENZENE	34030	072	2006/08/07	.000	2012/08
CARBON TETRACHLORIDE	32102	072	2006/08/07	.000	2012/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/08/07	.000	2012/08
DICHLOROMETHANE	34423	072	2006/08/07	.000	2012/08
ETHYLBENZENE	34371	072	2006/08/07	.000	2012/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/08/07	.000	2012/08
MONOCHLOROBENZENE	34301	072	2006/08/07	.000	2012/08
STYRENE	77128	072	2006/08/07	.000	2012/08
TETRACHLOROETHYLENE	34475	072	2006/08/07	.000	2012/08
TOLUENE	34010	072	2006/08/07	.000	2012/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/08/07	.000	2012/08
TRICHLOROETHYLENE	39180	072	2006/08/07	.000	2012/08
TRICHLOROFLUOROMETHANE	34488	072	2006/08/07	.000	2012/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206004 PALMER CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206004-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/08/07	.000	2012/08
XYLENES (TOTAL)	81551	072	2006/08/07	.000	2012/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2000/01/27	160.000	2009/01
CALCIUM	00916	108	2006/06/28	37.000	2015/06
CARBONATE ALKALINITY	00445	108	2000/01/27 <	1.000	2009/01
CHLORIDE	00940	108	2006/06/28	16.000	2015/06
COLOR	00081	108	2006/06/28	5.000	2015/06
COPPER	01042	108	2006/06/28	.000	2015/06
FOAMING AGENTS (MBAS)	38260	036	2006/06/28 <	.050	2009/06
HARDNESS (TOTAL) AS CaCO3	00900	108	2000/01/27	200.000	2009/01
HYDROXIDE ALKALINITY	71830	108	2000/01/27 <	1.000	2009/01
IRON	01045	108	2006/08/07	4700.000	2015/08
MAGNESIUM	00927	108	2000/01/27	17.000	2009/01
MANGANESE	01055	108	2006/08/07	1100.000	2015/08
ODOR THRESHOLD @ 60 C	00086	108	2006/06/28	2.000	2015/06
PH, LABORATORY	00403	108	2006/06/28	6.600	2015/06
SILVER	01077	108	2006/06/28	.000	2015/06
SODIUM	00929	108	2000/01/27	15.000	2009/01
SPECIFIC CONDUCTANCE	00095	108	2006/06/28	390.000	2015/06
SULFATE	00945	108	2006/06/28	12.000	2015/06
TOTAL DISSOLVED SOLIDS	70300	108	2006/06/28	230.000	2015/06
TURBIDITY, LABORATORY	82079	108	2006/06/28	.270	2015/06
ZINC	01092	108	2006/06/28	.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206004 PALMER CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206004-002 WELL 02 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2004/12/22	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206004 PALMER CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206004-002 WELL 02 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206004 PALMER CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206004-002 WELL 02 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206004 PALMER CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206004-002 WELL 02 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206005 BIG LAGOON-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206005-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/12/16	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/27	3.600	2007/11
NITRITE (AS N)	00620	036	2006/11/27	.000	2009/11

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206005 BIG LAGOON-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206005-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206005 BIG LAGOON-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206005-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206005 BIG LAGOON-HUMBOLDT CO. PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206005-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2004/12/16 -	2.500	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2004/12/16	23.000	WAIVED
CALCIUM	00916	WAIVED	2004/12/16	7.500	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2004/12/16 <	1.000	WAIVED
CHLORIDE	00940	WAIVED	2004/12/16	37.000	WAIVED
COLOR	00081	WAIVED	2004/12/16	20.000	WAIVED
COPPER	01042	WAIVED	2004/12/16	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/12/16 <	.050	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2004/12/16	43.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2004/12/16 <	1.000	WAIVED
IRON	01045	WAIVED	2004/12/16	1500.000	WAIVED
MAGNESIUM	00927	WAIVED	2004/12/16	6.000	WAIVED
MANGANESE	01055	WAIVED	2004/12/16	31.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/12/16	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2004/12/16	6.300	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2004/12/16	38.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/12/16	200.000	WAIVED
SULFATE	00945	WAIVED	2004/12/16	1.600	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/12/16	120.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2004/12/16	7.300	WAIVED
ZINC	01092	WAIVED	2004/12/16	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206008 MATTOLE TRIPLE JUNCTION HIGH SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206008-002 MATTOLE RIVER - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	2001/03/27	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	108	2003/06/02	.000	2012/06
ANTIMONY	01097	108	2003/06/02	.000	2012/06
ARSENIC	01002	108	2003/06/02	.000	2012/06
ASBESTOS	81855	000			DUE
BARIUM	01007	108	2003/06/02	.000	2012/06
BERYLLIUM	01012	108	2003/06/02	.000	2012/06
CADMIUM	01027	108	2003/06/02	.000	2012/06
CHROMIUM (TOTAL)	01034	108	2003/06/02	.000	2012/06
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2002/10/21	.130	2003/10 DUE
LEAD	01051	WAIVED	2002/10/21	.000	WAIVED
MERCURY	71900	108	2003/06/02	.000	2012/06
NICKEL	01067	108	2003/06/02	.000	2012/06
SELENIUM	01147	108	2003/06/02	.000	2012/06
THALLIUM	01059	108	2003/06/02	.000	2012/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2003/06/02	.000	2004/06 DUE
NITRITE (AS N)	00620	036	2002/10/21	.000	2005/10 DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2001/11/26 -	.120	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206008 MATTOLE TRIPLE JUNCTION HIGH SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206008-002 MATTOLE RIVER - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	2001/03/27	.000	WAIVED
2,4-D	39730	WAIVED	2001/03/27	.000	WAIVED
ALACHLOR	77825	WAIVED	2001/03/27	.000	WAIVED
ATRAZINE	39033	WAIVED	2001/03/27	.000	WAIVED
BENTAZON	38710	WAIVED	2001/03/27	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	2001/03/27	.000	WAIVED
CARBOFURAN	81405	WAIVED	2001/03/27	.000	WAIVED
CHLORDANE	39350	WAIVED	2001/03/27	.000	WAIVED
DALAPON	38432	WAIVED	2001/03/27	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2001/03/27	.000	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/03/27	< 4.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/03/27	.000	WAIVED
DINOSEB	81287	WAIVED	2001/03/27	.000	WAIVED
DIQUAT	78885	WAIVED	2001/03/27	.000	WAIVED
ENDOTHALL	38926	WAIVED	2001/03/27	.000	WAIVED
ENDRIN	39390	WAIVED	2001/03/27	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2001/03/27	.000	WAIVED
GLYPHOSATE	79743	WAIVED	2001/03/27	.000	WAIVED
HEPTACHLOR	39410	WAIVED	2001/03/27	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/03/27	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2001/03/27	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/03/27	.000	WAIVED
LINDANE	39340	WAIVED	2001/03/27	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	2001/03/27	.000	WAIVED
MOLINATE	82199	WAIVED	2001/03/27	.000	WAIVED
OXAMYL	38865	WAIVED	2001/03/27	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2001/03/27	.000	WAIVED
PICLORAM	39720	WAIVED	2001/03/27	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/03/27	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1206008 MATTOLE TRIPLE JUNCTION HIGH SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206008-002 MATTOLE RIVER - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	2001/03/27	.000	WAIVED
THIOBENCARB	A-001	WAIVED	2001/03/27	.000	WAIVED
TOXAPHENE	39400	WAIVED	2001/03/27	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/03/27	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/03/27	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/03/27	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/03/27	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2001/03/27	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/03/27	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/03/27	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2001/03/27	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2001/03/27	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2001/03/27	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/03/27	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2001/03/27	.000	WAIVED
BENZENE	34030	WAIVED	2001/03/27	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2001/03/27	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/03/27	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2001/03/27	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2001/03/27	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/03/27	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2001/03/27	.000	WAIVED
STYRENE	77128	WAIVED	2001/03/27	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2001/03/27	.000	WAIVED
TOLUENE	34010	WAIVED	2001/03/27	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/03/27	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2001/03/27	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/03/27	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206008 MATTOLE TRIPLE JUNCTION HIGH SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206008-002 MATTOLE RIVER - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2001/03/27	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2001/03/27	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2001/03/27	82.000	WAIVED
CALCIUM	00916	WAIVED	2001/03/27	29.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2001/03/27	.000	WAIVED
CHLORIDE	00940	WAIVED	2001/03/27	4.900	WAIVED
COLOR	00081	WAIVED	2001/03/27	.000	WAIVED
COPPER	01042	WAIVED	2001/03/27	76.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2001/03/27	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2001/03/27	82.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2001/03/27	.000	WAIVED
IRON	01045	WAIVED	2001/03/27	.000	WAIVED
MAGNESIUM	00927	WAIVED	2001/03/27	2.300	WAIVED
MANGANESE	01055	WAIVED	2001/03/27	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2001/03/27	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2001/03/27	7.800	WAIVED
SILVER	01077	WAIVED	2002/10/21	.000	WAIVED
SODIUM	00929	WAIVED	2001/03/27	5.400	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/03/27	210.000	WAIVED
SULFATE	00945	WAIVED	2001/03/27	4.800	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/03/27	120.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2001/03/27	.070	WAIVED
ZINC	01092	WAIVED	2001/03/27	270.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1206009 MATTOLE CAMPGROUND BLM

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1206009-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2002/07/18	.140	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/09/15	2.700	2006/09	DUE
NITRITE (AS N)	00620	036	2006/07/11	.000	2009/07	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206009 MATTOLE CAMPGROUND BLM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206009-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1206009 MATTOLE CAMPGROUND BLM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1206009-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1206009 MATTOLE CAMPGROUND BLM

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1206009-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2002/07/18	66.000	WAIVED
CALCIUM	00916	WAIVED	2002/07/18	18.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2002/07/18	.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	2002/07/18	77.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2002/07/18	.000	WAIVED
IRON	01045	WAIVED	2002/07/18	5000.000	WAIVED
MAGNESIUM	00927	WAIVED	2002/07/18	7.800	WAIVED
MANGANESE	01055	WAIVED	2002/07/18	120.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2002/07/18	7.400	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2002/07/18	16.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-002 HUMBOLDT BAY MWD - ADDITIONAL TREATMENT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-002 HUMBOLDT BAY MWD - ADDITIONAL TREATMENT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-002 HUMBOLDT BAY MWD - ADDITIONAL TREATMENT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-002 HUMBOLDT BAY MWD - ADDITIONAL TREATMENT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-103 WELL 01 - RAW****Source Number: 103****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	1994/03/10	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	108	2002/03/12	.000	2011/03	
ANTIMONY	01097	036	2002/03/12	.000	2005/03	DUE
ARSENIC	01002	108	2002/03/12	.000	2011/03	
ASBESTOS	81855	WAIVED	1994/03/10	.000	WAIVED	
BARIUM	01007	108	2002/03/12	110.000	2011/03	
BERYLLIUM	01012	036	2002/03/12	.000	2005/03	DUE
CADMIUM	01027	108	2002/03/12	.000	2011/03	
CHROMIUM (TOTAL)	01034	108	2003/07/28	.000	2012/07	
CYANIDE	01291	WAIVED	2002/03/12	.000	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/01/04	.100	2014/01	
LEAD	01051	WAIVED	2002/03/12	.000	WAIVED	
MERCURY	71900	108	2002/03/12	.000	2011/03	
NICKEL	01067	036	2002/03/12	.000	2005/03	DUE
SELENIUM	01147	108	2002/03/12	.000	2011/03	
THALLIUM	01059	036	2002/03/12	.000	2005/03	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2003/09/02	1.300	2004/09	DUE
NITRITE (AS N)	00620	036	2002/03/12	.000	2005/03	DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-103 WELL 01 - RAW****Source Number: 103****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1994/03/10	.000	WAIVED
2,4-D	39730	WAIVED	1994/03/10	.000	WAIVED
ALACHLOR	77825	WAIVED	1994/03/10	.000	WAIVED
ATRAZINE	39033	WAIVED	1994/03/10	.000	WAIVED
BENTAZON	38710	WAIVED	1994/03/10	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1994/03/10	.000	WAIVED
CHLORDANE	39350	WAIVED	1994/03/10	.000	WAIVED
DALAPON	38432	WAIVED	1994/03/10	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	1994/03/10	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1994/03/10	.000	WAIVED
DINOSEB	81287	WAIVED	1994/03/10	.000	WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1994/03/10	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1994/03/10	.000	WAIVED
GLYPHOSATE	79743	WAIVED	1994/03/10	.000	WAIVED
HEPTACHLOR	39410	WAIVED	1994/03/10	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	1994/03/10	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	1994/03/10	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1994/03/10	.000	WAIVED
LINDANE	39340	WAIVED	1994/03/10	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1994/03/10	.000	WAIVED
MOLINATE	82199	WAIVED	2003/12/29	.000	WAIVED
OXAMYL	38865	WAIVED	1994/03/10	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1994/03/10	.000	WAIVED
PICLORAM	39720	WAIVED	1994/03/10	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-103 WELL 01 - RAW****Source Number: 103****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1994/03/10	.000	WAIVED
THIOBENCARB	A-001	WAIVED	1994/03/10	.000	WAIVED
TOXAPHENE	39400	WAIVED	1994/03/10	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2003/07/28	.000	2009/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2003/07/28	.000	2009/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2003/07/28	.000	2009/07
1,1,2-TRICHLOROETHANE	34511	072	2003/07/28	.000	2009/07
1,1-DICHLOROETHANE	34496	072	2003/07/28	.000	2009/07
1,1-DICHLOROETHYLENE	34501	072	2003/07/28	.000	2009/07
1,2,4-TRICHLOROBENZENE	34551	072	2003/07/28	.000	2009/07
1,2-DICHLOROBENZENE	34536	072	2003/07/28	.000	2009/07
1,2-DICHLOROETHANE	34531	072	2003/07/28	.000	2009/07
1,2-DICHLOROPROPANE	34541	072	2003/07/28	.000	2009/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2003/07/28	.000	2009/07
1,4-DICHLOROBENZENE	34571	072	2003/07/28	.000	2009/07
BENZENE	34030	072	2003/07/28	.000	2009/07
CARBON TETRACHLORIDE	32102	072	2003/07/28	.000	2009/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2003/07/28	.000	2009/07
DICHLOROMETHANE	34423	072	2003/07/28	.000	2009/07
ETHYLBENZENE	34371	072	2003/07/28	.000	2009/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2003/12/29	.000	2009/12
MONOCHLOROBENZENE	34301	072	2003/07/28	.000	2009/07
STYRENE	77128	072	2003/07/28	.000	2009/07
TETRACHLOROETHYLENE	34475	072	2003/07/28	.000	2009/07
TOLUENE	34010	072	2003/07/28	.000	2009/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2003/07/28	.000	2009/07
TRICHLOROETHYLENE	39180	072	2003/07/28	.000	2009/07
TRICHLOROFLUOROMETHANE	34488	072	2003/07/28	.000	2009/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-103 WELL 01 - RAW****Source Number: 103****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2003/07/28	.000	2009/07
XYLENES (TOTAL)	81551	072	2003/07/28	.000	2009/07

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2002/03/12	130.000	2011/03
CALCIUM	00916	108	2002/03/12	41.000	2011/03
CARBONATE ALKALINITY	00445	108	2002/03/12 <	1.000	2011/03
CHLORIDE	00940	108	2002/03/12	9.700	2011/03
COLOR	00081	108	2002/03/12 <	3.000	2011/03
COPPER	01042	108	2002/03/12	.000	2011/03
FOAMING AGENTS (MBAS)	38260	108	2002/03/12 <	.050	2011/03
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2002/03/12	140.000	2011/03
HYDROXIDE ALKALINITY	71830	108	2002/03/12 <	1.000	2011/03
IRON	01045	108	2002/03/12	.000	2011/03
MAGNESIUM	00927	108	2002/03/12	7.900	2011/03
MANGANESE	01055	108	2002/03/12	31.000	2011/03
ODOR THRESHOLD @ 60 C	00086	108	2002/03/12 <	1.000	2011/03
PH, LABORATORY	00403	108	2002/03/12	7.200	2011/03
SILVER	01077	108	2002/03/12	.000	2011/03
SODIUM	00929	108	2002/03/12	7.000	2011/03
SPECIFIC CONDUCTANCE	00095	108	2002/03/12	300.000	2011/03
SULFATE	00945	108	2002/03/12	5.200	2011/03
TOTAL DISSOLVED SOLIDS	70300	108	2002/03/12	180.000	2011/03
TURBIDITY, LABORATORY	82079	108	2002/03/12	.460	2011/03
ZINC	01092	108	2002/03/12	.000	2011/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-104 WELL 01 - TREATED****Source Number: 104****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/11/04	1.400	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED		WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-104 WELL 01 - TREATED****Source Number: 104****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-104 WELL 01 - TREATED****Source Number: 104****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210001 CITY OF ARCATA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210001-104 WELL 01 - TREATED****Source Number: 104****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210002 CITY OF BLUE LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210002-001 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210002 CITY OF BLUE LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210002-001 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210002 CITY OF BLUE LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210002-001 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210002 CITY OF BLUE LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210002-001 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210002 CITY OF BLUE LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210002-002 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210002 CITY OF BLUE LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210002-002 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210002 CITY OF BLUE LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210002-002 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210002 CITY OF BLUE LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210002-002 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210004 CITY OF EUREKA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210004-002 HUMBOLDT BAY MWD - PURCHASED - TREATED

Source Number: 002

Source Status: **PURCHASED TREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	1992/07/02	.000	1995/07	DUE
ANTIMONY	01097	036				DUE
ARSENIC	01002	036				DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036				DUE
BERYLLIUM	01012	036				DUE
CADMIUM	01027	036				DUE
CHROMIUM (TOTAL)	01034	036				DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2007/04/25	.000	2016/04	
LEAD	01051	WAIVED	WAIVED		WAIVED	
MERCURY	71900	036				DUE
NICKEL	01067	036				DUE
SELENIUM	01147	036				DUE
THALLIUM	01059	036				DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000				DUE
NITRITE (AS N)	00620	000				DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210004 CITY OF EUREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210004-002 HUMBOLDT BAY MWD - PURCHASED - TREATED****Source Number: 002****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210004 CITY OF EUREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210004-002 HUMBOLDT BAY MWD - PURCHASED - TREATED****Source Number: 002****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210004 CITY OF EUREKA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210004-002 HUMBOLDT BAY MWD - PURCHASED - TREATEDSource Number: **002**Source Status: **PURCHASED TREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	000				DUE
XYLENES (TOTAL)	81551	000				DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	036				DUE
COLOR	00081	036				DUE
COPPER	01042	036				DUE
FOAMING AGENTS (MBAS)	38260	036				DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2007/04/25	64.000	2016/04	
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	036				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	036				DUE
ODOR THRESHOLD @ 60 C	00086	036				DUE
PH, LABORATORY	00403	108	2007/04/25	7.400	2016/04	
SILVER	01077	036				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	108	2007/04/25	140.000	2016/04	
SULFATE	00945	036				DUE
TOTAL DISSOLVED SOLIDS	70300	036				DUE
TURBIDITY, LABORATORY	82079	108	2007/04/25	.100	2016/04	
ZINC	01092	036				DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210004 CITY OF EUREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210004-007 HUMBOLDT BAY MWD - ADDITIONAL TREATMENT****Source Number: 007****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/06/09	1.200	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED		WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210004 CITY OF EUREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210004-007 HUMBOLDT BAY MWD - ADDITIONAL TREATMENT****Source Number: 007****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210004 CITY OF EUREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210004-007 HUMBOLDT BAY MWD - ADDITIONAL TREATMENT****Source Number: 007****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210004 CITY OF EUREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210004-007 HUMBOLDT BAY MWD - ADDITIONAL TREATMENT****Source Number: 007****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	2004/06/09	77.000
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	2004/06/09	7.500
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/06/09	190.000
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2004/06/09	.210
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-006 WELL 01A (OLD WELL) - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1994/07/20	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1994/07/20	< 5.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1994/07/20	140.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1993/05/20	< 5.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1994/07/20	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1994/07/20	.160	WAIVED
LEAD	01051	WAIVED	1994/07/20	.000	WAIVED
MERCURY	71900	WAIVED	1994/07/20	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1994/07/20	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	1998/12/10	6.200	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1999/01/24	.880	WAIVED
GROSS BETA	03501	WAIVED	1985/10/08	.000	WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-006 WELL 01A (OLD WELL) - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/09/29 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/09/29 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/09/29 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/09/29 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	1984/11/15 <	3.000	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/09/29 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/09/29 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1984/11/15 <	1.000	WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210006 CITY OF FORTUNA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210006-006 WELL 01A (OLD WELL) - RAWSource Number: **006**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1989/09/29 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/09/29 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1994/07/20	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1994/07/20	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1994/07/20	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1994/07/20	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1994/07/20	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1994/07/20	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1994/07/20	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1994/07/20	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1994/07/20	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1994/07/20	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1994/07/20	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1994/07/20	.000	WAIVED
BENZENE	34030	WAIVED	1994/07/20	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1994/07/20	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1994/07/20	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1994/07/20	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1994/07/20	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1994/07/20	.000	WAIVED
STYRENE	77128	WAIVED	1994/07/20	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1994/07/20	.000	WAIVED
TOLUENE	34010	WAIVED	1994/07/20	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1994/07/20	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1994/07/20	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1994/07/20	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-006 WELL 01A (OLD WELL) - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1994/07/20	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1994/07/20	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1994/07/20	84.000	WAIVED
CALCIUM	00916	WAIVED	1994/07/20	19.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1994/07/20	.000	WAIVED
CHLORIDE	00940	WAIVED	1994/07/20	12.000	WAIVED
COLOR	00081	WAIVED	1994/07/20	.000	WAIVED
COPPER	01042	WAIVED	1994/07/20	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1994/07/20	.000	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	1994/07/20	110.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1994/07/20	.000	WAIVED
IRON	01045	WAIVED	1994/07/20	.000	WAIVED
MAGNESIUM	00927	WAIVED	1994/07/20	15.000	WAIVED
MANGANESE	01055	WAIVED	1994/07/20	98.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1994/07/20	.000	WAIVED
PH, LABORATORY	00403	WAIVED	1994/07/20	6.400	WAIVED
SILVER	01077	WAIVED	1994/07/20	.000	WAIVED
SODIUM	00929	WAIVED	1994/07/20	11.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1994/07/20	250.000	WAIVED
SULFATE	00945	WAIVED	1994/07/20	19.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1994/07/20	180.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1994/07/20	.000	WAIVED
ZINC	01092	WAIVED	1994/07/20	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-007 WELLS COMBINED - RAW****Source Number: 007****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/11/08	.000	2014/11
ANTIMONY	01097	108	2005/11/08	.000	2014/11
ARSENIC	01002	108	2005/11/08	.000	2014/11
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/11/08	180.000	2014/11
BERYLLIUM	01012	108	2005/11/08	.000	2014/11
CADMIUM	01027	108	2005/11/08	.000	2014/11
CHROMIUM (TOTAL)	01034	108	2005/11/08	.000	2014/11
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/11/08	.150	2014/11
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	108	2005/11/08	.000	2014/11
NICKEL	01067	108	2005/11/08	.000	2014/11
SELENIUM	01147	108	2005/11/08	.000	2014/11
THALLIUM	01059	108	2005/11/08	.000	2014/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/07	10.000	2007/12
NITRITE (AS N)	00620	036	2005/11/08	.000	2008/11

RADIOLOGICAL

GROSS ALPHA	01501	000			DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-007 WELLS COMBINED - RAW****Source Number: 007****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-007 WELLS COMBINED - RAW****Source Number: 007****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/12/07	.000	2012/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/12/07	.000	2012/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/12/07	.000	2012/12
1,1,2-TRICHLOROETHANE	34511	072	2006/12/07	.000	2012/12
1,1-DICHLOROETHANE	34496	072	2006/12/07	.000	2012/12
1,1-DICHLOROETHYLENE	34501	072	2006/12/07	.000	2012/12
1,2,4-TRICHLOROBENZENE	34551	072	2006/12/07	.000	2012/12
1,2-DICHLOROBENZENE	34536	072	2006/12/07	.000	2012/12
1,2-DICHLOROETHANE	34531	072	2006/12/07	.000	2012/12
1,2-DICHLOROPROPANE	34541	072	2006/12/07	.000	2012/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/12/07	.000	2012/12
1,4-DICHLOROBENZENE	34571	072	2006/12/07	.000	2012/12
BENZENE	34030	072	2006/12/07	.000	2012/12
CARBON TETRACHLORIDE	32102	072	2006/12/07	.000	2012/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/12/07	.000	2012/12
DICHLOROMETHANE	34423	072	2006/12/07	.000	2012/12
ETHYLBENZENE	34371	072	2006/12/07	.000	2012/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/12/07	.000	2012/12
MONOCHLOROBENZENE	34301	072	2006/12/07	.000	2012/12
STYRENE	77128	072	2006/12/07	.000	2012/12
TETRACHLOROETHYLENE	34475	072	2006/12/07	.000	2012/12
TOLUENE	34010	072	2006/12/07	.000	2012/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/12/07	.000	2012/12
TRICHLOROETHYLENE	39180	072	2006/12/07	.000	2012/12
TRICHLOROFLUOROMETHANE	34488	072	2006/12/07	.000	2012/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-007 WELLS COMBINED - RAW****Source Number: 007****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/12/07	.000	2012/12
XYLENES (TOTAL)	81551	072	2006/12/07	.000	2012/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/11/08 -	.850	2014/11
BICARBONATE ALKALINITY	00440	108	2005/11/08	160.000	2014/11
CALCIUM	00916	108	2005/11/08	35.000	2014/11
CARBONATE ALKALINITY	00445	108	2005/11/08	.000	2014/11
CHLORIDE	00940	108	2005/11/08	12.000	2014/11
COLOR	00081	108	2005/11/08	3.000	2014/11
COPPER	01042	108	2005/11/08	.000	2014/11
FOAMING AGENTS (MBAS)	38260	108	2005/11/08 <	.050	2014/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/11/08	180.000	2014/11
HYDROXIDE ALKALINITY	71830	108	2005/11/08	.000	2014/11
IRON	01045	108	2005/11/08	.000	2014/11
MAGNESIUM	00927	108	2005/11/08	22.000	2014/11
MANGANESE	01055	108	2005/11/08	30.000	2014/11
ODOR THRESHOLD @ 60 C	00086	108	2005/11/08	.000	2014/11
PH, LABORATORY	00403	108	2005/11/08	6.800	2014/11
SILVER	01077	036	2005/11/08	.000	2008/11
SODIUM	00929	108	2005/11/08	12.000	2014/11
SPECIFIC CONDUCTANCE	00095	108	2005/11/08	360.000	2014/11
SULFATE	00945	108	2005/11/08	14.000	2014/11
TOTAL DISSOLVED SOLIDS	70300	108	2005/11/08	230.000	2014/11
TURBIDITY, LABORATORY	82079	036	2005/11/08	.240	2008/11
ZINC	01092	036	2005/11/08	.000	2008/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-008 WELL 02 (NEW WELL) - RAW****Source Number: 008****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1993/08/05	< 100.000	WAIVED
ANTIMONY	01097	WAIVED	2000/03/16	.000	WAIVED
ARSENIC	01002	WAIVED	1993/08/05	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1993/08/05	170.000	WAIVED
BERYLLIUM	01012	WAIVED	2000/03/16	.000	WAIVED
CADMIUM	01027	WAIVED	1993/08/05	< 5.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1993/08/05	< 20.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1993/08/05	.140	WAIVED
LEAD	01051	WAIVED	1993/08/05	36.000	WAIVED
MERCURY	71900	WAIVED	1993/08/05	.000	WAIVED
NICKEL	01067	WAIVED	2000/03/16	.000	WAIVED
SELENIUM	01147	WAIVED	1993/08/05	.000	WAIVED
THALLIUM	01059	WAIVED	2000/03/16	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2000/09/21	6.600	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-008 WELL 02 (NEW WELL) - RAW****Source Number: 008****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-008 WELL 02 (NEW WELL) - RAW****Source Number: 008****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1993/08/05	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1993/08/05	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1993/08/05	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1993/08/05	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1993/08/05	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1993/08/05	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1993/08/05	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1993/08/05	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1993/08/05	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1993/08/05	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1993/08/05	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1993/08/05	.000	WAIVED
BENZENE	34030	WAIVED	1993/08/05	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1993/08/05	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1993/08/05	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1993/08/05	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1993/08/05	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/03/15	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1993/08/05	.000	WAIVED
STYRENE	77128	WAIVED	1993/08/05	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1993/08/05	.000	WAIVED
TOLUENE	34010	WAIVED	1993/08/05	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1993/08/05	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1993/08/05	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1993/08/05	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-008 WELL 02 (NEW WELL) - RAW****Source Number: 008****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1993/08/05	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1993/08/05	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1993/08/05	130.000	WAIVED
CALCIUM	00916	WAIVED	1993/08/05	30.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1993/08/05	.000	WAIVED
CHLORIDE	00940	WAIVED	1993/08/05	14.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1993/08/05	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1993/08/05	.000	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	1993/08/05	160.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1993/08/05	.000	WAIVED
IRON	01045	WAIVED	1993/08/05	290.000	WAIVED
MAGNESIUM	00927	WAIVED	1993/08/05	20.000	WAIVED
MANGANESE	01055	WAIVED	2001/05/24	33.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1993/08/05	6.500	WAIVED
SILVER	01077	WAIVED	1993/08/05	.000	WAIVED
SODIUM	00929	WAIVED	1993/08/05	11.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1993/08/05	360.000	WAIVED
SULFATE	00945	WAIVED	1993/08/05	18.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1993/08/05	230.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1993/08/05	52.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-009 WELL 04 - RAW****Source Number: 009****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1993/05/20	< 100.000	WAIVED
ANTIMONY	01097	WAIVED	1997/05/01	.000	WAIVED
ARSENIC	01002	WAIVED	1993/05/20	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1993/05/20	140.000	WAIVED
BERYLLIUM	01012	WAIVED	1997/05/01	.000	WAIVED
CADMIUM	01027	WAIVED	1993/05/20	< 5.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1993/05/20	< 20.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1993/05/20	.150	WAIVED
LEAD	01051	WAIVED	1993/05/20	.000	WAIVED
MERCURY	71900	WAIVED	1993/05/20	< 1.000	WAIVED
NICKEL	01067	WAIVED	1997/05/01	.000	WAIVED
SELENIUM	01147	WAIVED	1993/05/20	< 5.000	WAIVED
THALLIUM	01059	WAIVED	1997/05/01	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2003/03/10	16.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2002/02/14	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1993/05/20	.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-009 WELL 04 - RAW****Source Number: 009****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/09/29 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/09/29 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/09/29 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/09/29 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/09/29 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/09/29 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-009 WELL 04 - RAW****Source Number: 009****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/09/29 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/09/29 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1993/05/20	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1993/05/20	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1993/05/20	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1993/05/20	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1993/05/20	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1993/05/20	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1993/05/20	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1993/05/20	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1993/05/20	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1993/05/20	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1993/05/20	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1993/05/20	.000	WAIVED
BENZENE	34030	WAIVED	1993/05/20	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1993/05/20	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1993/05/20	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1993/05/20	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1993/05/20	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1993/05/20	.000	WAIVED
STYRENE	77128	WAIVED	1993/05/20	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1993/05/20	.000	WAIVED
TOLUENE	34010	WAIVED	1993/05/20	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1993/05/20	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1993/05/20	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1993/05/20	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-009 WELL 04 - RAW****Source Number: 009****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1993/05/20	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1993/05/20	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1993/05/20	124.000	WAIVED
CALCIUM	00916	WAIVED	1993/05/20	31.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1993/05/20	.000	WAIVED
CHLORIDE	00940	WAIVED	1993/05/20	14.000	WAIVED
COLOR	00081	WAIVED	1984/03/08 <	5.000	WAIVED
COPPER	01042	WAIVED	1993/05/20	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1993/05/20	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1993/05/20	160.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1993/05/20	.000	WAIVED
IRON	01045	WAIVED	1993/05/20	.000	WAIVED
MAGNESIUM	00927	WAIVED	1993/05/20	20.000	WAIVED
MANGANESE	01055	WAIVED	1997/05/01	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1984/03/08 <	1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1993/05/20	6.600	WAIVED
SILVER	01077	WAIVED	1993/05/20	.000	WAIVED
SODIUM	00929	WAIVED	1993/05/20	12.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1993/05/20	380.000	WAIVED
SULFATE	00945	WAIVED	1993/05/20	26.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1993/05/20	240.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1984/03/08	.400	WAIVED
ZINC	01092	WAIVED	1993/05/20	59.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-010 WELL 01B (NEW WELL) - RAW****Source Number: 010****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2000/03/16	8.000	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-010 WELL 01B (NEW WELL) - RAW****Source Number: 010****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-010 WELL 01B (NEW WELL) - RAW****Source Number: 010****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/03/15	.000 WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-010 WELL 01B (NEW WELL) - RAW****Source Number: 010****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	2000/03/16	.000 WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-011 WELL 03 - RAW****Source Number: 011****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-011 WELL 03 - RAW****Source Number: 011****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-011 WELL 03 - RAW****Source Number: 011****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-011 WELL 03 - RAW****Source Number: 011****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-012 WELL 05 - RAW****Source Number: 012****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-012 WELL 05 - RAW****Source Number: 012****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-012 WELL 05 - RAW****Source Number: 012****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/03/10	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/03/10	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/03/10	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/03/10	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2003/03/10	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/03/10	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/03/10	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2003/03/10	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2003/03/10	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2003/03/10	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/03/10	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2003/03/10	.000	WAIVED
BENZENE	34030	WAIVED	2003/03/10	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2003/03/10	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/03/10	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2003/03/10	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2003/03/10	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/03/10	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2003/03/10	.000	WAIVED
STYRENE	77128	WAIVED	2003/03/10	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2003/03/10	.000	WAIVED
TOLUENE	34010	WAIVED	2003/03/10	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/03/10	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2003/03/10	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/03/10	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210006 CITY OF FORTUNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210006-012 WELL 05 - RAW****Source Number: 012****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2003/03/10	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2003/03/10	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210007 DEL ORO WATER CO.-FERNDAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210007-001 HIGH SPRINGS - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/01/03	.000	2011/01
ANTIMONY	01097	108	2002/01/03	.000	2011/01
ARSENIC	01002	108	2002/10/03	.000	2011/10
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/01/03	.000	2011/01
BERYLLIUM	01012	108	2002/01/03	.000	2011/01
CADMIUM	01027	108	2002/01/03	.000	2011/01
CHROMIUM (TOTAL)	01034	108	2002/01/03	3.700	2011/01
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/01/03	.240	2011/01
LEAD	01051	WAIVED	2002/01/03	.000	WAIVED
MERCURY	71900	108	2002/01/03	.000	2011/01
NICKEL	01067	108	2002/01/03	.000	2011/01
SELENIUM	01147	108	2002/01/03	.000	2011/01
THALLIUM	01059	108	2002/01/03	.000	2011/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	5.300	2008/02
NITRITE (AS N)	00620	036	2005/04/18	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2002/08/15	1.520	2011/08
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210007 DEL ORO WATER CO.-FERNDAL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210007-001 HIGH SPRINGS - RAW

Source Number: 001

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1987/04/02 <	.100	WAIVED
2,4-D	39730	WAIVED	1990/07/12 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/07/11 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/07/12 <	.020	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/07/12 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/07/12 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210007 DEL ORO WATER CO.-FERNDAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210007-001 HIGH SPRINGS - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/07/11 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1990/07/12 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/07/25	.000	2007/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/07/25	.000	2007/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/07/25	.000	2007/07
1,1,2-TRICHLOROETHANE	34511	072	2001/07/25	.000	2007/07
1,1-DICHLOROETHANE	34496	072	2001/07/25	.000	2007/07
1,1-DICHLOROETHYLENE	34501	072	2001/07/25	.000	2007/07
1,2,4-TRICHLOROBENZENE	34551	072	2001/07/25	.000	2007/07
1,2-DICHLOROBENZENE	34536	072	2001/07/25	.000	2007/07
1,2-DICHLOROETHANE	34531	072	2001/07/25	.000	2007/07
1,2-DICHLOROPROPANE	34541	072	2001/07/25	.000	2007/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/07/25	.000	2007/07
1,4-DICHLOROBENZENE	34571	072	2001/07/25	.000	2007/07
BENZENE	34030	072	2001/07/25	.000	2007/07
CARBON TETRACHLORIDE	32102	072	2001/07/25	.000	2007/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/07/25	.000	2007/07
DICHLOROMETHANE	34423	072	2001/07/25	.000	2007/07
ETHYLBENZENE	34371	072	2001/07/25	.000	2007/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/07/25	.000	2007/07
MONOCHLOROBENZENE	34301	072	2001/07/25	.000	2007/07
STYRENE	77128	072	2001/07/25	.000	2007/07
TETRACHLOROETHYLENE	34475	072	2001/07/25	.000	2007/07
TOLUENE	34010	072	2001/07/25	.000	2007/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/07/25	.000	2007/07
TRICHLOROETHYLENE	39180	072	2001/07/25	.000	2007/07
TRICHLOROFLUOROMETHANE	34488	072	2001/07/25	.000	2007/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210007 DEL ORO WATER CO.-FERNDAL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210007-001 HIGH SPRINGS - RAW

Source Number: 001

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2001/07/25	.000	2007/07
XYLENES (TOTAL)	81551	072	2001/07/25	.000	2007/07

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2002/07/11	13.000	2011/07
CALCIUM	00916	108	2002/07/11	14.000	2011/07
CARBONATE ALKALINITY	00445	108	2002/07/11	.000	2011/07
CHLORIDE	00940	108	2002/07/11	19.000	2011/07
COLOR	00081	108	2002/04/04	.000	2011/04
COPPER	01042	108	2002/07/11	.000	2011/07
FOAMING AGENTS (MBAS)	38260	108	2002/07/11	.000	2011/07
HARDNESS (TOTAL) AS CaCO3	00900	108	2002/07/11	150.000	2011/07
HYDROXIDE ALKALINITY	71830	108	2002/07/11	.000	2011/07
IRON	01045	108	2002/07/11	.000	2011/07
MAGNESIUM	00927	108	2002/07/11	27.000	2011/07
MANGANESE	01055	108	2002/07/11	.000	2011/07
ODOR THRESHOLD @ 60 C	00086	108	2002/04/04	.000	2011/04
PH, LABORATORY	00403	108	2002/07/11	7.600	2011/07
SILVER	01077	108	2002/01/03	.000	2011/01
SODIUM	00929	108	2002/07/11	14.000	2011/07
SPECIFIC CONDUCTANCE	00095	108	2002/07/11	330.000	2011/07
SULFATE	00945	108	2002/07/11	10.000	2011/07
TOTAL DISSOLVED SOLIDS	70300	108	2002/07/11	180.000	2011/07
TURBIDITY, LABORATORY	82079	108	2002/04/04	.070	2011/04
ZINC	01092	108	2002/07/11	.000	2011/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210007 DEL ORO WATER CO.-FERNDAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210007-002 LOW SPRINGS - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/01/03	.000	2011/01
ANTIMONY	01097	108	2002/01/03	.000	2011/01
ARSENIC	01002	108	2002/10/03	.000	2011/10
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/01/03	.000	2011/01
BERYLLIUM	01012	108	2002/01/03	.000	2011/01
CADMIUM	01027	108	2002/01/03	.000	2011/01
CHROMIUM (TOTAL)	01034	108	2002/01/03		2011/01
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/01/03	.220	2011/01
LEAD	01051	WAIVED	2002/01/03	.000	WAIVED
MERCURY	71900	108	2002/01/03	.000	2011/01
NICKEL	01067	108	2002/01/03	.000	2011/01
SELENIUM	01147	108	2002/01/03	.000	2011/01
THALLIUM	01059	108	2002/01/03	.000	2011/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	3.200	2008/02
NITRITE (AS N)	00620	036	2005/04/18	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2002/08/15	.828	2011/08
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	2006/10/05	.690	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210007 DEL ORO WATER CO.-FERNDAL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210007-002 LOW SPRINGS - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1987/04/02 <	.100	WAIVED
2,4-D	39730	WAIVED	1990/07/12 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/07/11 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/07/12 <	.020	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/07/12 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/07/12 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210007 DEL ORO WATER CO.-FERNDAL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210007-002 LOW SPRINGS - RAW

Source Number: 002

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1989/07/11 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1990/07/12 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/07/25	.000	2007/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/07/25	.000	2007/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/07/25	.000	2007/07
1,1,2-TRICHLOROETHANE	34511	072	2001/07/25	.000	2007/07
1,1-DICHLOROETHANE	34496	072	2001/07/25	.000	2007/07
1,1-DICHLOROETHYLENE	34501	072	2001/07/25	.000	2007/07
1,2,4-TRICHLOROBENZENE	34551	072	2001/07/25	.000	2007/07
1,2-DICHLOROBENZENE	34536	072	2001/07/25	.000	2007/07
1,2-DICHLOROETHANE	34531	072	2001/07/25	.000	2007/07
1,2-DICHLOROPROPANE	34541	072	2001/07/25	.000	2007/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/07/25	.000	2007/07
1,4-DICHLOROBENZENE	34571	072	2001/07/25	.000	2007/07
BENZENE	34030	072	2001/07/25	.000	2007/07
CARBON TETRACHLORIDE	32102	072	2001/07/25	.000	2007/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/07/25	.000	2007/07
DICHLOROMETHANE	34423	072	2001/07/25	.000	2007/07
ETHYLBENZENE	34371	072	2001/07/25	.000	2007/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/07/25	.000	2007/07
MONOCHLOROBENZENE	34301	072	2001/07/25	.000	2007/07
STYRENE	77128	072	2001/07/25	.000	2007/07
TETRACHLOROETHYLENE	34475	072	2001/07/25	.000	2007/07
TOLUENE	34010	072	2001/07/25	.000	2007/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/07/25	.000	2007/07
TRICHLOROETHYLENE	39180	072	2001/07/25	.000	2007/07
TRICHLOROFLUOROMETHANE	34488	072	2001/07/25	.000	2007/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210007 DEL ORO WATER CO.-FERNDAL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210007-002 LOW SPRINGS - RAW

Source Number: 002

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/07/25	.000	2007/07
XYLENES (TOTAL)	81551	072	2001/07/25	.000	2007/07

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2002/07/11	150.000	2011/07
CALCIUM	00916	108	2002/07/11	26.000	2011/07
CARBONATE ALKALINITY	00445	108	2002/07/11	.000	2011/07
CHLORIDE	00940	108	2002/07/11	23.000	2011/07
COLOR	00081	108	2002/04/04	.000	2011/04
COPPER	01042	108	2002/07/11	.000	2011/07
FOAMING AGENTS (MBAS)	38260	108	2002/07/11	.000	2011/07
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2002/07/11	180.000	2011/07
HYDROXIDE ALKALINITY	71830	108	2002/07/11	.000	2011/07
IRON	01045	108	2002/07/11	100.000	2011/07
MAGNESIUM	00927	108	2002/07/11	29.000	2011/07
MANGANESE	01055	108	2002/07/11	33.000	2011/07
ODOR THRESHOLD @ 60 C	00086	108	2002/04/04	.000	2011/04
PH, LABORATORY	00403	108	2002/07/11	7.700	2011/07
SILVER	01077	108	2002/01/03	.000	2011/01
SODIUM	00929	108	2002/07/11	16.000	2011/07
SPECIFIC CONDUCTANCE	00095	108	2002/07/11	410.000	2011/07
SULFATE	00945	108	2002/07/11	16.000	2011/07
TOTAL DISSOLVED SOLIDS	70300	108	2002/07/11	230.000	2011/07
TURBIDITY, LABORATORY	82079	108	2002/04/04	.480	2011/04
ZINC	01092	108	2002/07/11	.000	2011/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210007 DEL ORO WATER CO.-FERNDAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210007-003 VAN NESS WELL - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/01/03	.000	2011/01
ANTIMONY	01097	108	2002/01/03	.000	2011/01
ARSENIC	01002	108	2002/10/03	8.400	2011/10
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/01/03	420.000	2011/01
BERYLLIUM	01012	108	2002/01/03	.000	2011/01
CADMIUM	01027	108	2002/01/03	.000	2011/01
CHROMIUM (TOTAL)	01034	108	2002/01/03	.000	2011/01
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/01/03	.240	2011/01
LEAD	01051	WAIVED	2002/01/03	.000	WAIVED
MERCURY	71900	108	2002/01/03	.000	2011/01
NICKEL	01067	108	2002/01/03	.000	2011/01
SELENIUM	01147	108	2002/01/03	.000	2011/01
THALLIUM	01059	108	2002/01/03	.000	2011/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	.000	2008/02
NITRITE (AS N)	00620	036	2005/04/18	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	108	2002/08/15	.117	2011/08
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	2006/10/05	1.300	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210007 DEL ORO WATER CO.-FERNDAL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210007-003 VAN NESS WELL - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1988/05/26 <	.100	WAIVED
2,4-D	39730	WAIVED	1988/05/26 <	1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/10/26 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1988/05/26 <	.100	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1988/05/26 <	.010	WAIVED
METHOXYCHLOR	39480	WAIVED	1988/05/26 <	.100	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210007 DEL ORO WATER CO.-FERNDAL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210007-003 VAN NESS WELL - RAW

Source Number: 003

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/10/26 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1988/05/26 <	1.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/07/25	.000	2007/07
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/07/25	.000	2007/07
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/07/25	.000	2007/07
1,1,2-TRICHLOROETHANE	34511	072	2001/07/25	.000	2007/07
1,1-DICHLOROETHANE	34496	072	2001/07/25	.000	2007/07
1,1-DICHLOROETHYLENE	34501	072	2001/07/25	.000	2007/07
1,2,4-TRICHLOROBENZENE	34551	072	2001/07/25	.000	2007/07
1,2-DICHLOROBENZENE	34536	072	2001/07/25	.000	2007/07
1,2-DICHLOROETHANE	34531	072	2001/07/25	.000	2007/07
1,2-DICHLOROPROPANE	34541	072	2001/07/25	.000	2007/07
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/07/25	.000	2007/07
1,4-DICHLOROBENZENE	34571	072	2001/07/25	.000	2007/07
BENZENE	34030	072	2001/07/25	.000	2007/07
CARBON TETRACHLORIDE	32102	072	2001/07/25	.000	2007/07
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/07/25	.000	2007/07
DICHLOROMETHANE	34423	072	2001/07/25	.000	2007/07
ETHYLBENZENE	34371	072	2001/07/25	.000	2007/07
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/07/25	.000	2007/07
MONOCHLOROBENZENE	34301	072	2001/07/25	.000	2007/07
STYRENE	77128	072	2001/07/25	.000	2007/07
TETRACHLOROETHYLENE	34475	072	2001/07/25	.000	2007/07
TOLUENE	34010	072	2001/07/25	.000	2007/07
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/07/25	.000	2007/07
TRICHLOROETHYLENE	39180	072	2001/07/25	.000	2007/07
TRICHLOROFLUOROMETHANE	34488	072	2001/07/25	.000	2007/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210007 DEL ORO WATER CO.-FERNDAL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210007-003 VAN NESS WELL - RAW

Source Number: 003

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2001/07/25	.000	2007/07
XYLENES (TOTAL)	81551	072	2001/07/25	.000	2007/07

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2002/07/11	290.000	2011/07
CALCIUM	00916	108	2002/07/11	61.000	2011/07
CARBONATE ALKALINITY	00445	108	2002/07/11	.000	2011/07
CHLORIDE	00940	108	2002/07/11	47.000	2011/07
COLOR	00081	108	2002/05/09	.000	2011/05
COPPER	01042	108	2002/07/11	.000	2011/07
FOAMING AGENTS (MBAS)	38260	108	2002/07/11	.000	2011/07
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2002/07/11	300.000	2011/07
HYDROXIDE ALKALINITY	71830	108	2002/07/11	.000	2011/07
IRON	01045	108	2002/12/05	.000	2011/12
MAGNESIUM	00927	108	2002/07/11	37.000	2011/07
MANGANESE	01055	108	2002/12/05	.000	2011/12
ODOR THRESHOLD @ 60 C	00086	108	2002/05/09	.000	2011/05
PH, LABORATORY	00403	108	2002/07/11	7.200	2011/07
SILVER	01077	108	2002/01/03	.000	2011/01
SODIUM	00929	108	2002/07/11	28.000	2011/07
SPECIFIC CONDUCTANCE	00095	108	2002/07/11	690.000	2011/07
SULFATE	00945	108	2002/07/11	.000	2011/07
TOTAL DISSOLVED SOLIDS	70300	108	2002/07/11	390.000	2011/07
TURBIDITY, LABORATORY	82079	108	2002/05/09	.060	2011/05
ZINC	01092	108	2002/07/11	.000	2011/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210008 GARBerville SANITARY DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210008-001 EEL RIVER SOURCE - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	1999/04/15	330.000	2000/04	DUE
ANTIMONY	01097	012	1999/04/15	.000	2000/04	DUE
ARSENIC	01002	012				DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012				DUE
BERYLLIUM	01012	012	1999/04/15	.000	2000/04	DUE
CADMIUM	01027	012				DUE
CHROMIUM (TOTAL)	01034	012	2001/04/12 <	1.000	2002/04	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012				DUE
LEAD	01051	WAIVED	WAIVED		WAIVED	
MERCURY	71900	012				DUE
NICKEL	01067	012	1999/04/15	.000	2000/04	DUE
SELENIUM	01147	012				DUE
THALLIUM	01059	012	1999/04/15	.000	2000/04	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/02/22	.000	2007/02	DUE
NITRITE (AS N)	00620	036	2006/02/22	.000	2009/02	

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/11/01	.040	2010/11	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	2006/11/01	.410	WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210008 GARBerville SANITARY DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210008-001 EEL RIVER SOURCE - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210008 GARBerville SANITARY DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210008-001 EEL RIVER SOURCE - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/05/23	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/05/23	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/05/23	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/05/23	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2002/05/23	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/05/23	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/05/23	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2002/05/23	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2002/05/23	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2002/05/23	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/05/23	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2078/04/04 <	1200.000	WAIVED
BENZENE	34030	WAIVED	2002/05/23	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2002/05/23	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/05/23	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2002/05/23	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2002/05/23	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/05/23	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2002/05/23	.000	WAIVED
STYRENE	77128	WAIVED	2002/05/23	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2002/05/23	.000	WAIVED
TOLUENE	34010	WAIVED	2002/05/23	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/05/23	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2002/05/23	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/05/23	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210008 GARBerville SANITARY DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210008-001 EEL RIVER SOURCE - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2002/05/23	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2002/05/23	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2004/08/05 -	.140	2013/08
BICARBONATE ALKALINITY	00440	108	2004/08/05	110.000	2013/08
CALCIUM	00916	108	2004/08/05	29.000	2013/08
CARBONATE ALKALINITY	00445	108	2004/08/05 <	1.000	2013/08
CHLORIDE	00940	012	2004/08/05	5.800	2005/08 DUE
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	012	2004/08/05	.000	2005/08 DUE
FOAMING AGENTS (MBAS)	38260	012	2004/08/05	.000	2005/08 DUE
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/08/05	110.000	2013/08
HYDROXIDE ALKALINITY	71830	108	2004/08/05 <	1.000	2013/08
IRON	01045	012	2004/08/05	.000	2005/08 DUE
MAGNESIUM	00927	108	2004/08/05	8.200	2013/08
MANGANESE	01055	012	2004/08/05	.000	2005/08 DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2004/08/05	7.600	WAIVED
SILVER	01077	012	2004/08/05	.000	2005/08 DUE
SODIUM	00929	108	2004/08/05	7.900	2013/08
SPECIFIC CONDUCTANCE	00095	012	2004/08/05	24.000	2005/08 DUE
SULFATE	00945	012	2004/08/05	10.000	2005/08 DUE
TOTAL DISSOLVED SOLIDS	70300	012	2004/08/05	130.000	2005/08 DUE
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	012	2004/08/05	.000	2005/08 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210008 GARBerville SANITARY DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210008-002 PLANT - EEL RIVER SOURCE - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	<	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	<	WAIVED
ARSENIC	01002	WAIVED	1989/03/15	< 5.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	WAIVED	1989/03/15	< 20.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	<	WAIVED
CADMIUM	01027	WAIVED	1989/03/15	< 1.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1989/03/15	< 5.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1989/03/15	< .100	WAIVED
LEAD	01051	WAIVED	1989/03/15	< 10.000	WAIVED
MERCURY	71900	WAIVED	1989/03/15	< 1.000	WAIVED
NICKEL	01067	WAIVED	WAIVED	<	WAIVED
SELENIUM	01147	WAIVED	1989/03/15	< 5.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED	<	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	1989/03/15	< .100	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	<	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	<	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210008 GARBerville SANITARY DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210008-002 PLANT - EEL RIVER SOURCE - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	<	WAIVED
2,4-D	39730	WAIVED	WAIVED	<	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	<	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<	WAIVED
DALAPON	38432	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	<	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	<	WAIVED
DINOSEB	81287	WAIVED	WAIVED	<	WAIVED
DIQUAT	78885	WAIVED	WAIVED	<	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<	WAIVED
ENDRIN	39390	WAIVED	WAIVED	<	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<	WAIVED
LINDANE	39340	WAIVED	WAIVED	<	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	<	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<	WAIVED
OXAMYL	38865	WAIVED	WAIVED	<	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<	WAIVED
PICLORAM	39720	WAIVED	WAIVED	<	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210008 GARBerville SANITARY DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210008-002 PLANT - EEL RIVER SOURCE - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	<	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	<	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	<	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	<	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	<	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	<	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	<	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	<	WAIVED
BENZENE	34030	WAIVED	WAIVED	<	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	<	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	<	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	<	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	<	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	<	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	<	WAIVED
STYRENE	77128	WAIVED	WAIVED	<	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	<	WAIVED
TOLUENE	34010	WAIVED	WAIVED	<	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	<	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	<	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210008 GARBerville SANITARY DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210008-002 PLANT - EEL RIVER SOURCE - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	<	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	<	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	<	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1989/03/15	34.000	WAIVED
CALCIUM	00916	WAIVED	1989/03/15	5.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1989/03/15	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1989/03/15	4.000	WAIVED
COLOR	00081	WAIVED	WAIVED	<	WAIVED
COPPER	01042	WAIVED	1989/03/15	< 50.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1989/03/15	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1989/03/15	33.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1989/03/15	< 1.000	WAIVED
IRON	01045	WAIVED	1989/03/15	320.000	WAIVED
MAGNESIUM	00927	WAIVED	1989/03/15	5.000	WAIVED
MANGANESE	01055	WAIVED	1989/03/15	< 30.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	<	WAIVED
PH, LABORATORY	00403	WAIVED	1989/03/15	6.900	WAIVED
SILVER	01077	WAIVED	1989/03/15	< 2.000	WAIVED
SODIUM	00929	WAIVED	1989/03/15	7.200	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1989/03/15	120.000	WAIVED
SULFATE	00945	WAIVED	1989/03/15	7.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1989/03/15	89.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	<	WAIVED
ZINC	01092	WAIVED	1989/03/15	< 50.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210008 GARBerville SANITARY DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210008-003 TOBIN WELL - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	108	2006/02/22	.000	2015/02
ANTIMONY	01097	108	2006/02/22	.000	2015/02
ARSENIC	01002	108	2006/02/22	.000	2015/02
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	108	2006/02/22	.000	2015/02
BERYLLIUM	01012	108	2006/02/22	.000	2015/02
CADMIUM	01027	108	2006/02/22	.000	2015/02
CHROMIUM (TOTAL)	01034	108	2006/02/22	.000	2015/02
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/02/22	.140	2015/02
LEAD	01051	WAIVED	2004/08/05	.000	WAIVED
MERCURY	71900	108	2006/02/22	.000	2015/02
NICKEL	01067	108	2006/02/22	.000	2015/02
SELENIUM	01147	108	2006/02/22	.000	2015/02
THALLIUM	01059	108	2006/02/22	.000	2015/02

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/02/22	3.300	2007/02	DUE
NITRITE (AS N)	00620	036	2006/02/22	.000	2009/02	

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/11/01	1.250	2010/11
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	2006/11/01	.840	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210008 GARBerville SANITARY DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210008-003 TOBIN WELL - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/09/04	<	1.000	WAIVED
2,4-D	39730	WAIVED	1990/09/04	<	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<		WAIVED
ATRAZINE	39033	WAIVED	WAIVED	<		WAIVED
BENTAZON	38710	WAIVED	WAIVED	<		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<		WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<		WAIVED
DALAPON	38432	WAIVED	WAIVED	<		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	<		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	<		WAIVED
DINOSEB	81287	WAIVED	WAIVED	<		WAIVED
DIQUAT	78885	WAIVED	WAIVED	<		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<		WAIVED
ENDRIN	39390	WAIVED	1990/09/04	<	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<		WAIVED
LINDANE	39340	WAIVED	1990/09/04	<	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/09/04	<	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<		WAIVED
OXAMYL	38865	WAIVED	WAIVED	<		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<		WAIVED
PICLORAM	39720	WAIVED	WAIVED	<		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210008 GARBerville SANITARY DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210008-003 TOBIN WELL - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	<		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	<		WAIVED
TOXAPHENE	39400	WAIVED	1990/09/04	<	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/02/22		.000	2012/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/02/22		.000	2012/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/02/22		.000	2012/02
1,1,2-TRICHLOROETHANE	34511	072	2006/02/22		.000	2012/02
1,1-DICHLOROETHANE	34496	072	2006/02/22		.000	2012/02
1,1-DICHLOROETHYLENE	34501	072	2006/02/22		.000	2012/02
1,2,4-TRICHLOROBENZENE	34551	072	2006/02/22		.000	2012/02
1,2-DICHLOROBENZENE	34536	072	2006/02/22		.000	2012/02
1,2-DICHLOROETHANE	34531	072	2006/02/22		.000	2012/02
1,2-DICHLOROPROPANE	34541	072	2006/02/22		.000	2012/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/02/22		.000	2012/02
1,4-DICHLOROBENZENE	34571	072	2006/02/22		.000	2012/02
BENZENE	34030	072	2006/02/22		.000	2012/02
CARBON TETRACHLORIDE	32102	072	2006/02/22		.000	2012/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/02/22		.000	2012/02
DICHLOROMETHANE	34423	072	2006/02/22		.000	2012/02
ETHYLBENZENE	34371	072	2006/02/22		.000	2012/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/02/22		.000	2012/02
MONOCHLOROBENZENE	34301	072	2006/02/22		.000	2012/02
STYRENE	77128	072	2006/02/22		.000	2012/02
TETRACHLOROETHYLENE	34475	072	2006/02/22		.000	2012/02
TOLUENE	34010	072	2006/02/22		.000	2012/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/02/22		.000	2012/02
TRICHLOROETHYLENE	39180	072	2006/02/22		.000	2012/02
TRICHLOROFLUOROMETHANE	34488	072	2006/02/22		.000	2012/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210008 GARBerville SANITARY DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210008-003 TOBIN WELL - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/02/22	.000	2012/02
XYLENES (TOTAL)	81551	072	2006/02/22	.000	2012/02

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/02/22 -	1.300	2015/02
BICARBONATE ALKALINITY	00440	108	2006/02/22	120.000	2015/02
CALCIUM	00916	108	2006/02/22	17.000	2015/02
CARBONATE ALKALINITY	00445	108	2006/02/22 <	1.000	2015/02
CHLORIDE	00940	108	2006/02/22	12.000	2015/02
COLOR	00081	036	2006/02/22	5.000	2009/02
COPPER	01042	108	2006/02/22	.000	2015/02
FOAMING AGENTS (MBAS)	38260	108	2006/02/22 <	.050	2015/02
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/02/22	120.000	2015/02
HYDROXIDE ALKALINITY	71830	108	2006/02/22 <	1.000	2015/02
IRON	01045	108	2006/02/22	140.000	2015/02
MAGNESIUM	00927	108	2006/02/22	18.000	2015/02
MANGANESE	01055	108	2006/02/22	48.000	2015/02
ODOR THRESHOLD @ 60 C	00086	036	2006/02/22	.000	2009/02
PH, LABORATORY	00403	108	2006/02/22	6.800	2015/02
SILVER	01077	108	2006/02/22	.000	2015/02
SODIUM	00929	108	2006/02/22	27.000	2015/02
SPECIFIC CONDUCTANCE	00095	108	2006/02/22	360.000	2015/02
SULFATE	00945	108	2006/02/22	19.000	2015/02
TOTAL DISSOLVED SOLIDS	70300	108	2006/02/22	190.000	2015/02
TURBIDITY, LABORATORY	82079	036	2006/02/22	.520	2009/02
ZINC	01092	108	2006/02/22	.000	2015/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-004 SOUTH BAY WELL - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2000/03/21	.000	2009/03
ANTIMONY	01097	108	2004/12/17	.000	2013/12
ARSENIC	01002	108	2000/03/21	.000	2009/03
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2000/03/21	.000	2009/03
BERYLLIUM	01012	108	2007/03/05	.000	2016/03
CADMIUM	01027	108	2000/03/21	.000	2009/03
CHROMIUM (TOTAL)	01034	108	2002/06/12		2011/06
CYANIDE	01291	WAIVED	2000/03/21	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2000/03/21	.000	2009/03
LEAD	01051	WAIVED	2000/03/21	.000	WAIVED
MERCURY	71900	108	2000/03/21	.000	2009/03
NICKEL	01067	108	2007/03/05	.000	2016/03
SELENIUM	01147	108	2000/03/21	.000	2009/03
THALLIUM	01059	108	2004/12/17	.000	2013/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/05	2.500	2008/03
NITRITE (AS N)	00620	036	2006/04/05	.000	2009/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/12/17 -	.320	2007/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-004 SOUTH BAY WELL - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/07/27 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/07/27 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/07/27 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/07/27 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/07/27 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/07/27 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-004 SOUTH BAY WELL - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/07/27 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/07/27 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2007/03/05	.000	2013/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/03/05	.000	2013/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/03/05	.000	2013/03
1,1,2-TRICHLOROETHANE	34511	072	2007/03/05	.000	2013/03
1,1-DICHLOROETHANE	34496	072	2007/03/05	.000	2013/03
1,1-DICHLOROETHYLENE	34501	072	2007/03/05	.000	2013/03
1,2,4-TRICHLOROBENZENE	34551	072	2007/03/05	.000	2013/03
1,2-DICHLOROBENZENE	34536	072	2007/03/05	.000	2013/03
1,2-DICHLOROETHANE	34531	072	2007/03/05	.000	2013/03
1,2-DICHLOROPROPANE	34541	072	2007/03/05	.000	2013/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/03/05	.000	2013/03
1,4-DICHLOROBENZENE	34571	072	2007/03/05	.000	2013/03
BENZENE	34030	072	2007/03/05	.000	2013/03
CARBON TETRACHLORIDE	32102	072	2007/03/05	.000	2013/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/03/05	.000	2013/03
DICHLOROMETHANE	34423	072	2007/03/05	.000	2013/03
ETHYLBENZENE	34371	072	2007/03/05	.000	2013/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/03/05	.000	2013/03
MONOCHLOROBENZENE	34301	072	2007/03/05	.000	2013/03
STYRENE	77128	072	2007/03/05	.000	2013/03
TETRACHLOROETHYLENE	34475	072	2007/03/05	.000	2013/03
TOLUENE	34010	072	2007/03/05	.000	2013/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/03/05	.000	2013/03
TRICHLOROETHYLENE	39180	072	2007/03/05	.000	2013/03
TRICHLOROFLUOROMETHANE	34488	072	2007/03/05	.000	2013/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-004 SOUTH BAY WELL - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2007/03/05	.000	2013/03
XYLENES (TOTAL)	81551	072	2007/03/05	.000	2013/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2006/04/05	52.000	2015/04
CALCIUM	00916	108	2006/04/05	6.500	2015/04
CARBONATE ALKALINITY	00445	108	2006/04/05 <	1.000	2015/04
CHLORIDE	00940	108	2007/03/05	60.000	2016/03
COLOR	00081	108	2007/03/05 <	3.000	2016/03
COPPER	01042	108	2004/12/17	.000	2013/12
FOAMING AGENTS (MBAS)	38260	108	2004/12/20 <	.050	2013/12
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2006/04/05	57.000	2015/04
HYDROXIDE ALKALINITY	71830	108	2006/04/05 <	1.000	2015/04
IRON	01045	108	2007/03/05	.000	2016/03
MAGNESIUM	00927	108	2006/04/05	9.900	2015/04
MANGANESE	01055	108	2007/03/05	24.000	2016/03
ODOR THRESHOLD @ 60 C	00086	108	2007/03/05	.000	2016/03
PH, LABORATORY	00403	108	2006/04/05	7.400	2015/04
SILVER	01077	108	2007/03/05	.000	2016/03
SODIUM	00929	108	2006/04/05	19.000	2015/04
SPECIFIC CONDUCTANCE	00095	108	2007/03/05	340.000	2016/03
SULFATE	00945	108	2007/03/05	11.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	108	2007/03/05	200.000	2016/03
TURBIDITY, LABORATORY	82079	108	2007/03/05	.090	2016/03
ZINC	01092	108	2007/03/05	.000	2016/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-006 SPRUCE POINT WELL - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	1990/06/05 <	.020	WAIVED
----------	-------	--------	--------------	------	--------

INORGANIC

ALUMINUM	01105	108	2000/03/21	.000	2009/03
ANTIMONY	01097	108	2004/12/17	.000	2013/12
ARSENIC	01002	108	2000/03/21	5.000	2009/03
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2000/03/21	.000	2009/03
BERYLLIUM	01012	108	2007/03/05	.000	2016/03
CADMIUM	01027	108	2000/03/21	.000	2009/03
CHROMIUM (TOTAL)	01034	108	2000/03/21	.000	2009/03
CYANIDE	01291	WAIVED	2000/03/21	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2000/03/21	.000	2009/03
LEAD	01051	WAIVED	2000/03/21	.000	WAIVED
MERCURY	71900	108	2000/03/21	.000	2009/03
NICKEL	01067	108	2007/03/05	.000	2016/03
SELENIUM	01147	108	2000/03/21	.000	2009/03
THALLIUM	01059	108	2004/12/17	.000	2013/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/05	.000	2008/03
NITRITE (AS N)	00620	036	2006/04/05	.000	2009/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/12/17	.180	2007/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-006 SPRUCE POINT WELL - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/05/24 <	1.000	WAIVED
2,4-D	39730	WAIVED	1990/05/24 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1990/06/05 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/05/24 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/05/24 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/05/24 <	10.000	WAIVED
MOLINATE	82199	WAIVED	1990/06/05 <	2.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-006 SPRUCE POINT WELL - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1990/06/05 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	1990/06/05 <	.800	WAIVED
TOXAPHENE	39400	WAIVED	1990/05/24 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2007/03/05	.000	2013/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/03/05	.000	2013/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/03/05	.000	2013/03
1,1,2-TRICHLOROETHANE	34511	072	2007/03/05	.000	2013/03
1,1-DICHLOROETHANE	34496	072	2007/03/05	.000	2013/03
1,1-DICHLOROETHYLENE	34501	072	2007/03/05	.000	2013/03
1,2,4-TRICHLOROBENZENE	34551	072	2007/03/05	.000	2013/03
1,2-DICHLOROBENZENE	34536	072	2007/03/05	.000	2013/03
1,2-DICHLOROETHANE	34531	072	2007/03/05	.000	2013/03
1,2-DICHLOROPROPANE	34541	072	2007/03/05	.000	2013/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/03/05	.000	2013/03
1,4-DICHLOROBENZENE	34571	072	2007/03/05	.000	2013/03
BENZENE	34030	072	2007/03/05	.000	2013/03
CARBON TETRACHLORIDE	32102	072	2007/03/05	.000	2013/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/03/05	.000	2013/03
DICHLOROMETHANE	34423	072	2007/03/05	.000	2013/03
ETHYLBENZENE	34371	072	2007/03/05	.000	2013/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/03/05	.000	2013/03
MONOCHLOROBENZENE	34301	072	2007/03/05	.000	2013/03
STYRENE	77128	072	2007/03/05	.000	2013/03
TETRACHLOROETHYLENE	34475	072	2007/03/05	.000	2013/03
TOLUENE	34010	072	2007/03/05	.000	2013/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/03/05	.000	2013/03
TRICHLOROETHYLENE	39180	072	2007/03/05	.000	2013/03
TRICHLOROFLUOROMETHANE	34488	072	2007/03/05	.000	2013/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-006 SPRUCE POINT WELL - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2007/03/05	.000	2013/03
XYLENES (TOTAL)	81551	072	2007/03/05	.000	2013/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2006/04/05	57.000	2015/04
CALCIUM	00916	108	2006/04/05	6.000	2015/04
CARBONATE ALKALINITY	00445	108	2006/04/05 <	1.000	2015/04
CHLORIDE	00940	108	2007/03/05	13.000	2016/03
COLOR	00081	108	2007/03/05 <	3.000	2016/03
COPPER	01042	108	2004/12/17	.000	2013/12
FOAMING AGENTS (MBAS)	38260	108	2004/12/20 <	.050	2013/12
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2006/04/05	53.000	2015/04
HYDROXIDE ALKALINITY	71830	108	2006/04/05 <	1.000	2015/04
IRON	01045	108	2007/03/05	.000	2016/03
MAGNESIUM	00927	108	2006/04/05	9.200	2015/04
MANGANESE	01055	108	2007/03/05	.000	2016/03
ODOR THRESHOLD @ 60 C	00086	108	2007/03/05	.000	2016/03
PH, LABORATORY	00403	108	2006/04/05	7.600	2015/04
SILVER	01077	108	2007/03/05	.000	2016/03
SODIUM	00929	108	2006/04/05	12.000	2015/04
SPECIFIC CONDUCTANCE	00095	108	2007/03/05	160.000	2016/03
SULFATE	00945	108	2007/03/05	5.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	108	2007/03/05	110.000	2016/03
TURBIDITY, LABORATORY	82079	108	2007/03/05 <	.050	2016/03
ZINC	01092	108	2007/03/05	.000	2016/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-007 WELL 06 (PRINCETON WELL 01) - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	108	2000/03/21	.000	2009/03
ANTIMONY	01097	108	2004/12/17	.000	2013/12
ARSENIC	01002	108	2000/03/21	.000	2009/03
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	108	2000/03/21	.000	2009/03
BERYLLIUM	01012	108	2007/03/05	.000	2016/03
CADMIUM	01027	108	2000/03/21	.000	2009/03
CHROMIUM (TOTAL)	01034	108	2002/06/12		2011/06
CYANIDE	01291	WAIVED	2000/03/21	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2000/03/21	.000	2009/03
LEAD	01051	WAIVED	2000/03/21	.000	WAIVED
MERCURY	71900	108	2000/03/21	.000	2009/03
NICKEL	01067	108	2007/03/05	.000	2016/03
SELENIUM	01147	108	2000/03/21	.000	2009/03
THALLIUM	01059	108	2004/12/17	.000	2013/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/05	2.700	2008/03
NITRITE (AS N)	00620	036	2006/04/05	.000	2009/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/12/17	-	.180	2007/12
GROSS BETA	03501	WAIVED	WAIVED	<		WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<		WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<		WAIVED
TRITIUM	07000	WAIVED	WAIVED	<		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-007 WELL 06 (PRINCETON WELL 01) - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/02/06	<	1.000	WAIVED
2,4-D	39730	WAIVED	1990/02/06	<	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<		WAIVED
ATRAZINE	39033	WAIVED	1990/02/06	<	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<		WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<		WAIVED
DALAPON	38432	WAIVED	WAIVED	<		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	<		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	<		WAIVED
DINOSEB	81287	WAIVED	WAIVED	<		WAIVED
DIQUAT	78885	WAIVED	WAIVED	<		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<		WAIVED
ENDRIN	39390	WAIVED	1990/02/06	<	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<		WAIVED
LINDANE	39340	WAIVED	1990/02/06	<	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/02/06	<	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<		WAIVED
OXAMYL	38865	WAIVED	WAIVED	<		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<		WAIVED
PICLORAM	39720	WAIVED	WAIVED	<		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210009 HUMBOLDT C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210009-007 WELL 06 (PRINCETON WELL 01) - RAWSource Number: **007**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1990/02/06 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED <		WAIVED
TOXAPHENE	39400	WAIVED	1990/02/06 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2007/03/05	.000	2013/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/03/05	.000	2013/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/03/05	.000	2013/03
1,1,2-TRICHLOROETHANE	34511	072	2007/03/05	.000	2013/03
1,1-DICHLOROETHANE	34496	072	2007/03/05	.000	2013/03
1,1-DICHLOROETHYLENE	34501	072	2007/03/05	.000	2013/03
1,2,4-TRICHLOROBENZENE	34551	072	2007/03/05	.000	2013/03
1,2-DICHLOROBENZENE	34536	072	2007/03/05	.000	2013/03
1,2-DICHLOROETHANE	34531	072	2007/03/05	.000	2013/03
1,2-DICHLOROPROPANE	34541	072	2007/03/05	.000	2013/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/03/05	.000	2013/03
1,4-DICHLOROBENZENE	34571	072	2007/03/05	.000	2013/03
BENZENE	34030	072	2007/03/05	.000	2013/03
CARBON TETRACHLORIDE	32102	072	2007/03/05	.000	2013/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/03/05	.000	2013/03
DICHLOROMETHANE	34423	072	2007/03/05	.000	2013/03
ETHYLBENZENE	34371	072	2007/03/05	.000	2013/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/03/05	.000	2013/03
MONOCHLOROBENZENE	34301	072	2007/03/05	.000	2013/03
STYRENE	77128	072	2007/03/05	.000	2013/03
TETRACHLOROETHYLENE	34475	072	2007/03/05	.000	2013/03
TOLUENE	34010	072	2007/03/05	.000	2013/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/03/05	.000	2013/03
TRICHLOROETHYLENE	39180	072	2007/03/05	.000	2013/03
TRICHLOROFLUOROMETHANE	34488	072	2007/03/05	.000	2013/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-007 WELL 06 (PRINCETON WELL 01) - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2007/03/05	.000	2013/03
XYLENES (TOTAL)	81551	072	2007/03/05	.000	2013/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/25 -	1.900	2014/04
BICARBONATE ALKALINITY	00440	108	2006/04/05	50.000	2015/04
CALCIUM	00916	108	2006/04/05	5.900	2015/04
CARBONATE ALKALINITY	00445	108	2006/04/05 <	1.000	2015/04
CHLORIDE	00940	108	2007/03/05	15.000	2016/03
COLOR	00081	108	2007/03/05 <	3.000	2016/03
COPPER	01042	108	2004/12/17	.000	2013/12
FOAMING AGENTS (MBAS)	38260	108	2004/12/20 <	.050	2013/12
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/04/05	54.000	2015/04
HYDROXIDE ALKALINITY	71830	108	2006/04/05 <	1.000	2015/04
IRON	01045	108	2007/03/05	.000	2016/03
MAGNESIUM	00927	108	2006/04/05	9.500	2015/04
MANGANESE	01055	108	2007/03/05	.000	2016/03
ODOR THRESHOLD @ 60 C	00086	108	2007/03/05	.000	2016/03
PH, LABORATORY	00403	108	2006/04/05	7.100	2015/04
SILVER	01077	108	2007/03/05	.000	2016/03
SODIUM	00929	108	2006/04/05	12.000	2015/04
SPECIFIC CONDUCTANCE	00095	108	2007/03/05	170.000	2016/03
SULFATE	00945	108	2007/03/05	8.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	108	2007/03/05	110.000	2016/03
TURBIDITY, LABORATORY	82079	108	2007/03/05	2.600	2016/03
ZINC	01092	108	2007/03/05	.000	2016/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-009 HUMBOLDT BAY MWD - PURCHASED - TREATED****Source Number: 009****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	036		DUE
ANTIMONY	01097	036		DUE
ARSENIC	01002	036		DUE
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	036		DUE
BERYLLIUM	01012	036		DUE
CADMIUM	01027	036		DUE
CHROMIUM (TOTAL)	01034	036		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	036		DUE
NICKEL	01067	036		DUE
SELENIUM	01147	036		DUE
THALLIUM	01059	036		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-009 HUMBOLDT BAY MWD - PURCHASED - TREATED****Source Number: 009****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210009-009 HUMBOLDT BAY MWD - PURCHASED - TREATED****Source Number: 009****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210009 HUMBOLDT C.S.D.**

<u>STORET</u> <u>NUMBER</u>	<u>TESTING</u> <u>INTERVAL</u> <u>(MONTHS)*</u>	<u>LAST TEST</u> <u>DATE</u> <u>(yyyy/mm/dd)</u>	<u>LAST</u> <u>RESULT</u> <u>REPORTED</u>	<u>NEXT TEST</u> <u>DATE</u> <u>(yyyy/mm)</u>
--------------------------------	---	--	---	---

PS Code / Name:**1210009-009 HUMBOLDT BAY MWD - PURCHASED - TREATED****Source Number: 009****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	036		DUE
COLOR	00081	036		DUE
COPPER	01042	036		DUE
FOAMING AGENTS (MBAS)	38260	036		DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	036		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	036		DUE
ODOR THRESHOLD @ 60 C	00086	036		DUE
PH, LABORATORY	00403	036		DUE
SILVER	01077	036		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	036		DUE
SULFATE	00945	036		DUE
TOTAL DISSOLVED SOLIDS	70300	036		DUE
TURBIDITY, LABORATORY	82079	036		DUE
ZINC	01092	036		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210010 PACIFIC LUMBER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210010-001 EEL RIVER - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/04/21	.000	2015/04
ANTIMONY	01097	108	2006/04/21	.000	2015/04
ARSENIC	01002	108	2006/04/21	.000	2015/04
ASBESTOS	81855	108	1999/03/18 <	3.760	2008/03
BARIUM	01007	108	2006/04/21	.000	2015/04
BERYLLIUM	01012	108	2006/04/21	.000	2015/04
CADMIUM	01027	108	2006/04/21	.000	2015/04
CHROMIUM (TOTAL)	01034	108	2006/04/21	.000	2015/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2000/04/06	.100	2009/04
LEAD	01051	WAIVED	2006/04/21	.000	WAIVED
MERCURY	71900	108	2006/04/21	.000	2015/04
NICKEL	01067	108	2006/04/21	.000	2015/04
SELENIUM	01147	108	2006/04/21	.000	2015/04
THALLIUM	01059	108	2006/04/21	.000	2015/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/27	.000	2008/03
NITRITE (AS N)	00620	036	2006/03/22	.000	2009/03

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/03/22 -	.540	2010/03
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210010 PACIFIC LUMBER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210010-001 EEL RIVER - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1990/08/17	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2006/04/21	.000	WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210010 PACIFIC LUMBER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210010-001 EEL RIVER - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	1990/08/17 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2000/04/13	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2000/04/13	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2000/04/13	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2000/04/13	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2000/04/13	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2000/04/13	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2000/04/13	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2000/04/13	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2000/04/13	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2000/04/13	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2000/04/13	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2000/04/13	.000	WAIVED
BENZENE	34030	WAIVED	2000/04/13	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2000/04/13	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2000/04/13	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2000/04/13	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2000/04/13	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2000/04/13	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2000/04/13	.000	WAIVED
STYRENE	77128	WAIVED	2000/04/13	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2000/04/13	.000	WAIVED
TOLUENE	34010	WAIVED	2000/04/13	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2000/04/13	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2000/04/13	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2000/04/13	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210010 PACIFIC LUMBER CO.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210010-001 EEL RIVER - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED VOC

VINYL CHLORIDE	39175	WAIVED	2000/04/13	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2000/04/13	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/03/22 -	1.200	2015/03
BICARBONATE ALKALINITY	00440	108	2006/03/22	66.000	2015/03
CALCIUM	00916	108	2006/03/22	22.000	2015/03
CARBONATE ALKALINITY	00445	108	2006/03/22 <	1.000	2015/03
CHLORIDE	00940	108	2007/03/27	8.400	2016/03
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	108	2007/03/27	61.000	2016/03
FOAMING AGENTS (MBAS)	38260	108	2007/03/27 <	.050	2016/03
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/03/22	82.000	2015/03
HYDROXIDE ALKALINITY	71830	108	2006/03/22 <	1.000	2015/03
IRON	01045	108	2007/03/27	250.000	2016/03
MAGNESIUM	00927	108	2006/03/22	6.600	2015/03
MANGANESE	01055	108	2007/03/27	62.000	2016/03
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2006/03/22	7.000	WAIVED
SILVER	01077	108	2000/04/06	.000	2009/04
SODIUM	00929	108	2006/03/22	5.000	2015/03
SPECIFIC CONDUCTANCE	00095	108	2007/03/27	290.000	2016/03
SULFATE	00945	108	2007/03/27	10.000	2016/03
TOTAL DISSOLVED SOLIDS	70300	108	2007/03/27	160.000	2016/03
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	108	2007/03/27	76.000	2016/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210010 PACIFIC LUMBER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210010-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2000/04/06	420.000	WAIVED
ANTIMONY	01097	WAIVED	2000/04/06	.000	WAIVED
ARSENIC	01002	WAIVED	2000/04/06	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	2000/04/06	130.000	WAIVED
BERYLLIUM	01012	WAIVED	2000/04/06	.000	WAIVED
CADMIUM	01027	WAIVED	2000/04/06	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2000/04/06	.000	WAIVED
CYANIDE	01291	WAIVED	2006/04/18	< 20.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/04/18	.000	WAIVED
LEAD	01051	WAIVED	2000/04/06	21.000	WAIVED
MERCURY	71900	WAIVED	2000/04/06	.000	WAIVED
NICKEL	01067	WAIVED	2000/04/06	.000	WAIVED
SELENIUM	01147	WAIVED	2000/04/06	.000	WAIVED
THALLIUM	01059	WAIVED	2000/04/06	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2006/04/18	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2006/04/18	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210010 PACIFIC LUMBER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210010-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210010 PACIFIC LUMBER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210010-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2006/04/18	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2006/04/18	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2006/04/18	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2006/04/18	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2006/04/18	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2006/04/18	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2006/04/18	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2006/04/18	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2006/04/18	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2006/04/18	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2006/04/18	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2006/04/18	.000	WAIVED
BENZENE	34030	WAIVED	2006/04/18	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2006/04/18	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2006/04/18	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2006/04/18	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2006/04/18	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2006/04/18	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2006/04/18	.000	WAIVED
STYRENE	77128	WAIVED	2006/04/18	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2006/04/18	.000	WAIVED
TOLUENE	34010	WAIVED	2006/04/18	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2006/04/18	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2006/04/18	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2006/04/18	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210010 PACIFIC LUMBER CO.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210010-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2006/04/18	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2006/04/18	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	2000/04/06	.000	WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210011 REDWAY C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210011-001 EEL RIVER SOURCE - TREATED****Source Number: 001****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1998/03/12	88.000	WAIVED
ANTIMONY	01097	WAIVED	1998/03/12	.000	WAIVED
ARSENIC	01002	WAIVED	1993/03/24	< 5.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1993/03/24	.000	WAIVED
BERYLLIUM	01012	WAIVED	1998/03/12	.000	WAIVED
CADMIUM	01027	WAIVED	1993/03/24	< 5.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2002/02/14		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1993/03/24	.100	WAIVED
LEAD	01051	WAIVED	1993/03/24	.000	WAIVED
MERCURY	71900	WAIVED	1993/03/24	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1993/03/24	.000	WAIVED
THALLIUM	01059	WAIVED	1998/03/12	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2002/02/14	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2002/02/14	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1998/05/07	1.600	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210011 REDWAY C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210011-001 EEL RIVER SOURCE - TREATED****Source Number: 001****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/09/27 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/09/27 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/09/27 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/09/27 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/09/27 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/09/27 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210011 REDWAY C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210011-001 EEL RIVER SOURCE - TREATED

Source Number: 001

Source Status: **ACTIVE TREATED**Water type: **SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/09/27 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/09/27 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1992/02/19	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1992/02/19	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1992/02/19	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1992/02/19	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1992/02/19	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1992/02/19	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1992/02/19	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1992/02/19	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1992/02/19	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1992/02/19	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1992/02/19	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1992/02/19	.000	WAIVED
BENZENE	34030	WAIVED	1992/02/19	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1992/02/19	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1992/02/19	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1992/02/19	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1992/02/19	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1992/02/19	.000	WAIVED
STYRENE	77128	WAIVED	1992/02/19	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1992/02/19	.000	WAIVED
TOLUENE	34010	WAIVED	1992/02/19	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1992/02/19	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1992/02/19	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1992/02/19	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210011 REDWAY C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210011-001 EEL RIVER SOURCE - TREATED****Source Number: 001****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1992/02/19	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1992/02/19	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1993/03/24	58.000	WAIVED
CALCIUM	00916	WAIVED	1993/03/24	16.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1993/03/24	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1993/03/24	3.500	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1993/03/24	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1993/03/24	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1993/03/24	61.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1993/03/24	< 1.000	WAIVED
IRON	01045	WAIVED	1998/03/12	.000	WAIVED
MAGNESIUM	00927	WAIVED	1993/03/24	5.100	WAIVED
MANGANESE	01055	WAIVED	1993/03/24	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1993/03/24	7.500	WAIVED
SILVER	01077	WAIVED	1993/03/24	.000	WAIVED
SODIUM	00929	WAIVED	1993/03/24	5.900	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1993/03/24	140.000	WAIVED
SULFATE	00945	WAIVED	1993/03/24	5.600	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1993/03/24	90.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1993/03/24	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210011 REDWAY C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210011-002 INFILTRATION GALLERY - EEL RIVER - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/09/15	.000	2014/09
ANTIMONY	01097	108	2005/09/15	.000	2014/09
ARSENIC	01002	108	2005/09/15	.000	2014/09
ASBESTOS	81855	108	1996/11/04 <	.430	2005/11 DUE
BARIUM	01007	108	2005/09/15	.000	2014/09
BERYLLIUM	01012	108	2005/09/15	.000	2014/09
CADMIUM	01027	108	2005/09/15	.000	2014/09
CHROMIUM (TOTAL)	01034	108	2005/09/15	.000	2014/09
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/09/15	.000	2014/09
LEAD	01051	WAIVED	1996/03/11	.000	WAIVED
MERCURY	71900	108	2005/09/15	.000	2014/09
NICKEL	01067	108	2005/09/15	.000	2014/09
SELENIUM	01147	108	2005/09/15	.000	2014/09
THALLIUM	01059	108	2005/09/15	.000	2014/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/09/15	.000	2006/09 DUE
NITRITE (AS N)	00620	036	2005/09/15	.000	2008/09

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/11/17	.010	2009/11
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	2005/11/17	.260	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210011 REDWAY C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210011-002 INFILTRATION GALLERY - EEL RIVER - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	1996/11/04	.000	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210011 REDWAY C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210011-002 INFILTRATION GALLERY - EEL RIVER - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/18	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/18	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/04/18	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/18	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/18	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/18	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/18	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/18	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/18	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/18	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/18	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/18	.000	WAIVED
BENZENE	34030	WAIVED	2002/04/18	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/18	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/18	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2002/04/18	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2002/04/18	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/18	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2002/04/18	.000	WAIVED
STYRENE	77128	WAIVED	2002/04/18	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/18	.000	WAIVED
TOLUENE	34010	WAIVED	2002/04/18	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/18	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2002/04/18	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/18	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210011 REDWAY C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210011-002 INFILTRATION GALLERY - EEL RIVER - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2002/04/18	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2002/04/18	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/09/15 -	.260	2014/09
BICARBONATE ALKALINITY	00440	108	2005/09/15	95.000	2014/09
CALCIUM	00916	108	2005/09/15	26.000	2014/09
CARBONATE ALKALINITY	00445	108	2005/09/15 <	1.000	2014/09
CHLORIDE	00940	108	2005/09/15	6.000	2014/09
COLOR	00081	WAIVED	2005/09/15	10.000	WAIVED
COPPER	01042	108	2005/09/15	.000	2014/09
FOAMING AGENTS (MBAS)	38260	108	2005/09/15 <	.050	2014/09
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/09/15	97.000	2014/09
HYDROXIDE ALKALINITY	71830	108	2005/09/15 <	1.000	2014/09
IRON	01045	108	2005/09/15	.000	2014/09
MAGNESIUM	00927	108	2005/09/15	7.900	2014/09
MANGANESE	01055	108	2005/09/15	.000	2014/09
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/09/15	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2005/09/15	7.700	WAIVED
SILVER	01077	108	2005/09/15	.000	2014/09
SODIUM	00929	108	2005/09/15	8.600	2014/09
SPECIFIC CONDUCTANCE	00095	108	2005/09/15	220.000	2014/09
SULFATE	00945	108	2005/09/15	9.800	2014/09
TOTAL DISSOLVED SOLIDS	70300	108	2005/09/15	130.000	2014/09
TURBIDITY, LABORATORY	82079	WAIVED	2005/09/15	.220	WAIVED
ZINC	01092	108	2005/09/15	.000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210011 REDWAY C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210011-003 SPRING - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	2003/09/04	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	108	2005/06/16	.000	2014/06
ANTIMONY	01097	108	2005/06/16	.000	2014/06
ARSENIC	01002	108	2005/06/16	.000	2014/06
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/06/16	.000	2014/06
BERYLLIUM	01012	108	2005/06/16	.000	2014/06
CADMIUM	01027	108	2005/06/16	.000	2014/06
CHROMIUM (TOTAL)	01034	108	2005/06/16	.000	2014/06
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/05/19	.000	2008/05
LEAD	01051	WAIVED	2005/06/16	6.800	WAIVED
MERCURY	71900	108	2005/06/16	.000	2014/06
NICKEL	01067	108	2005/06/16	.000	2014/06
SELENIUM	01147	108	2005/06/16	.000	2014/06
THALLIUM	01059	108	2005/06/16	.000	2014/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/05/19	6.200	2006/05	DUE
NITRITE (AS N)	00620	036	2005/05/19	.000	2008/05	

RADIOLOGICAL

GROSS ALPHA	01501	048	2002/12/09	1.770	2006/12	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210011 REDWAY C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210011-003 SPRING - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2003/11/20	.000	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	2003/09/04	.000	WAIVED
2,4-D	39730	WAIVED	2003/09/04	.000	WAIVED
ALACHLOR	77825	WAIVED	2003/09/04	.000	WAIVED
ATRAZINE	39033	WAIVED	2003/09/04	.000	WAIVED
BENTAZON	38710	WAIVED	2003/09/04	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	2003/11/20	.000	WAIVED
CARBOFURAN	81405	WAIVED	2003/11/20	.000	WAIVED
CHLORDANE	39350	WAIVED	2003/09/04	.000	WAIVED
DALAPON	38432	WAIVED	2003/09/04	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2003/09/04	.000	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2003/09/04	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2003/09/04	.000	WAIVED
DINOSEB	81287	WAIVED	2003/09/04	.000	WAIVED
DIQUAT	78885	WAIVED	2003/11/20	.000	WAIVED
ENDOTHALL	38926	WAIVED	2003/09/04	.000	WAIVED
ENDRIN	39390	WAIVED	2003/09/04	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2003/09/04	.000	WAIVED
GLYPHOSATE	79743	WAIVED	2003/09/04	.000	WAIVED
HEPTACHLOR	39410	WAIVED	2003/09/04	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	2003/09/04	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2003/09/04	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2003/09/04	.000	WAIVED
LINDANE	39340	WAIVED	2003/09/04	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	2003/09/04	.000	WAIVED
MOLINATE	82199	WAIVED	2003/09/04	.000	WAIVED
OXAMYL	38865	WAIVED	2003/11/20	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2003/09/04	.000	WAIVED
PICLORAM	39720	WAIVED	2003/09/04	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2003/09/04	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210011 REDWAY C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210011-003 SPRING - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	2003/09/04	.000	WAIVED
THIOBENCARB	A-001	WAIVED	2003/09/04	.000	WAIVED
TOXAPHENE	39400	WAIVED	2003/09/04	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/04/18	.000	2008/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/04/18	.000	2008/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2002/04/18	.000	2008/04
1,1,2-TRICHLOROETHANE	34511	072	2002/04/18	.000	2008/04
1,1-DICHLOROETHANE	34496	072	2002/04/18	.000	2008/04
1,1-DICHLOROETHYLENE	34501	072	2002/04/18	.000	2008/04
1,2,4-TRICHLOROBENZENE	34551	072	2002/04/18	.000	2008/04
1,2-DICHLOROBENZENE	34536	072	2002/04/18	.000	2008/04
1,2-DICHLOROETHANE	34531	072	2002/04/18	.000	2008/04
1,2-DICHLOROPROPANE	34541	072	2002/04/18	.000	2008/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/04/18	.000	2008/04
1,4-DICHLOROBENZENE	34571	072	2002/04/18	.000	2008/04
BENZENE	34030	072	2002/04/18	.000	2008/04
CARBON TETRACHLORIDE	32102	072	2002/04/18	.000	2008/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/04/18	.000	2008/04
DICHLOROMETHANE	34423	072	2002/04/18	.000	2008/04
ETHYLBENZENE	34371	072	2002/04/18	.000	2008/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/04/18	.000	2008/04
MONOCHLOROBENZENE	34301	072	2002/04/18	.000	2008/04
STYRENE	77128	072	2002/04/18	.000	2008/04
TETRACHLOROETHYLENE	34475	072	2002/04/18	.000	2008/04
TOLUENE	34010	072	2002/04/18	.000	2008/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/04/18	.000	2008/04
TRICHLOROETHYLENE	39180	072	2002/04/18	.000	2008/04
TRICHLOROFLUOROMETHANE	34488	072	2002/04/18	.000	2008/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210011 REDWAY C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210011-003 SPRING - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2002/04/18	.000	2008/04
XYLENES (TOTAL)	81551	072	2002/04/18	.000	2008/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2002/04/18	76.000	2011/04	
CALCIUM	00916	108	2002/04/18	8.200	2011/04	
CARBONATE ALKALINITY	00445	108	2002/04/18	.000	2011/04	
CHLORIDE	00940	036	2002/04/18	7.200	2005/04	DUE
COLOR	00081	036	2002/04/18	.000	2005/04	DUE
COPPER	01042	036	2002/04/18	.000	2005/04	DUE
FOAMING AGENTS (MBAS)	38260	036	2002/04/18	.000	2005/04	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2002/04/18	66.000	2011/04	
HYDROXIDE ALKALINITY	71830	108	2002/04/18	.000	2011/04	
IRON	01045	108	2002/04/18	.000	2011/04	
MAGNESIUM	00927	108	2002/04/18	11.000	2011/04	
MANGANESE	01055	036	2002/04/18	.000	2005/04	DUE
ODOR THRESHOLD @ 60 C	00086	036	2002/04/18	.000	2005/04	DUE
PH, LABORATORY	00403	036	2002/04/18	6.300	2005/04	DUE
SILVER	01077	108	2005/06/16	.000	2014/06	
SODIUM	00929	108	2002/04/18	15.000	2011/04	
SPECIFIC CONDUCTANCE	00095	036	2002/04/18	190.000	2005/04	DUE
SULFATE	00945	036	2002/04/18	2.900	2005/04	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2002/04/18	130.000	2005/04	DUE
TURBIDITY, LABORATORY	82079	036	2002/04/18	.210	2005/04	DUE
ZINC	01092	036	2002/04/18	.000	2005/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210012 CITY OF RIO DELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210012-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2002/03/21	.000	2005/03	DUE
ANTIMONY	01097	036	2002/03/21	.000	2005/03	DUE
ARSENIC	01002	108	2002/03/21	.000	2011/03	
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	108	2002/03/21	160.000	2011/03	
BERYLLIUM	01012	036	2002/03/21	.000	2005/03	DUE
CADMIUM	01027	108	2002/03/21	.000	2011/03	
CHROMIUM (TOTAL)	01034	108	2004/12/22	.000	2013/12	
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/03/21	.160	2011/03	
LEAD	01051	WAIVED	2002/03/21	.000	WAIVED	
MERCURY	71900	108	2002/03/21	.000	2011/03	
NICKEL	01067	036	2002/03/21	.000	2005/03	DUE
SELENIUM	01147	108	2002/03/21	.000	2011/03	
THALLIUM	01059	036	2002/03/21	.000	2005/03	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2004/12/22	.000	2005/12	DUE
NITRITE (AS N)	00620	036	2002/03/21	.000	2005/03	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	1996/07/18	1.340	2000/07	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210012 CITY OF RIO DELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210012-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/06/08 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/06/08 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1990/04/12 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/06/08 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/06/08 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/06/08 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210012 CITY OF RIO DELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210012-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1990/04/12 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/06/08 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/03/21	.000	2008/03
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/03/21	.000	2008/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2002/03/21	.000	2008/03
1,1,2-TRICHLOROETHANE	34511	072	2002/03/21	.000	2008/03
1,1-DICHLOROETHANE	34496	072	2002/03/21	.000	2008/03
1,1-DICHLOROETHYLENE	34501	072	2002/03/21	.000	2008/03
1,2,4-TRICHLOROBENZENE	34551	072	2002/03/21	.000	2008/03
1,2-DICHLOROBENZENE	34536	072	2002/03/21	.000	2008/03
1,2-DICHLOROETHANE	34531	072	2002/03/21	.000	2008/03
1,2-DICHLOROPROPANE	34541	072	2002/03/21	.000	2008/03
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/03/21	.000	2008/03
1,4-DICHLOROBENZENE	34571	072	2002/03/21	.000	2008/03
BENZENE	34030	072	2002/03/21	.000	2008/03
CARBON TETRACHLORIDE	32102	072	2002/03/21	.000	2008/03
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/03/21	.000	2008/03
DICHLOROMETHANE	34423	072	2002/03/21	.000	2008/03
ETHYLBENZENE	34371	072	2002/03/21	.000	2008/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/03/21	.000	2008/03
MONOCHLOROBENZENE	34301	072	2002/03/21	.000	2008/03
STYRENE	77128	072	2002/03/21	.000	2008/03
TETRACHLOROETHYLENE	34475	072	2002/03/21	.000	2008/03
TOLUENE	34010	072	2002/03/21	.000	2008/03
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/03/21	.000	2008/03
TRICHLOROETHYLENE	39180	072	2002/03/21	.000	2008/03
TRICHLOROFLUOROMETHANE	34488	072	2002/03/21	.000	2008/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210012 CITY OF RIO DELL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210012-002 WELL 01 - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2002/03/21	.000	2008/03
XYLENES (TOTAL)	81551	072	2002/03/21	.000	2008/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2002/03/21	310.000	2011/03	
CALCIUM	00916	108	2002/03/21	63.000	2011/03	
CARBONATE ALKALINITY	00445	108	2002/03/21	< 1.000	2011/03	
CHLORIDE	00940	108	2002/03/21	14.000	2011/03	
COLOR	00081	036	2002/03/21	< 3.000	2005/03	DUE
COPPER	01042	108	2002/03/21	.000	2011/03	
FOAMING AGENTS (MBAS)	38260	108	2002/03/21	< .050	2011/03	
HARDNESS (TOTAL) AS CaCO3	00900	108	2002/03/21	320.000	2011/03	
HYDROXIDE ALKALINITY	71830	108	2002/03/21	< 1.000	2011/03	
IRON	01045	108	2002/03/21	.000	2011/03	
MAGNESIUM	00927	108	2002/03/21	39.000	2011/03	
MANGANESE	01055	108	2002/03/21	820.000	2011/03	
ODOR THRESHOLD @ 60 C	00086	036	2002/03/21	< 1.000	2005/03	DUE
PH, LABORATORY	00403	108	2002/03/21	6.600	2011/03	
SILVER	01077	108	2002/03/21	.000	2011/03	
SODIUM	00929	108	2002/03/21	25.000	2011/03	
SPECIFIC CONDUCTANCE	00095	108	2002/03/21	680.000	2011/03	
SULFATE	00945	108	2002/03/21	32.000	2011/03	
TOTAL DISSOLVED SOLIDS	70300	108	2002/03/21	390.000	2011/03	
TURBIDITY, LABORATORY	82079	036	2002/03/21	1.300	2005/03	DUE
ZINC	01092	108	2002/03/21	.000	2011/03	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210012 CITY OF RIO DELL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210012-003 WELL 02 - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	1991/05/09 <	100.000	1994/05	DUE
ANTIMONY	01097	036	2000/04/13	.000	2003/04	DUE
ARSENIC	01002	036	1991/05/09 <	10.000	1994/05	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	1991/05/09	140.000	1994/05	DUE
BERYLLIUM	01012	036	2000/04/13	.000	2003/04	DUE
CADMIUM	01027	036	1991/05/09 <	1.000	1994/05	DUE
CHROMIUM (TOTAL)	01034	036	1991/05/09 <	10.000	1994/05	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	1991/05/09	.150	1994/05	DUE
LEAD	01051	WAIVED	1991/05/09	7.100	WAIVED	
MERCURY	71900	036	1991/05/09 <	.000	1994/05	DUE
NICKEL	01067	036	2000/04/13	12.000	2003/04	DUE
SELENIUM	01147	036	1991/05/09 <	5.000	1994/05	DUE
THALLIUM	01059	036	1996/07/18	.000	1999/07	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2000/04/13	.000	2001/04	DUE
NITRITE (AS N)	00620	036	2000/04/13	.000	2003/04	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2000/08/31	.480	2004/08	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210012 CITY OF RIO DELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210012-003 WELL 02 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/04/19 <	1.000	WAIVED
2,4-D	39730	WAIVED	1990/04/19 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1990/04/12 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/04/12 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/04/12 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/04/12 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210012 CITY OF RIO DELL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210012-003 WELL 02 - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1990/04/12 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1990/04/12 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	1990/07/19	.000	1996/07	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1990/07/19	.000	1996/07	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1990/07/19	.000	1996/07	DUE
1,1,2-TRICHLOROETHANE	34511	072	1990/07/19	.000	1996/07	DUE
1,1-DICHLOROETHANE	34496	072	1990/07/19	.000	1996/07	DUE
1,1-DICHLOROETHYLENE	34501	072	1990/07/19	.000	1996/07	DUE
1,2,4-TRICHLOROBENZENE	34551	072	1990/07/19	.000	1996/07	DUE
1,2-DICHLOROBENZENE	34536	072	1990/07/19	.000	1996/07	DUE
1,2-DICHLOROETHANE	34531	072	1990/07/19	.000	1996/07	DUE
1,2-DICHLOROPROPANE	34541	072	1990/07/19	.000	1996/07	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1990/07/19	.000	1996/07	DUE
1,4-DICHLOROBENZENE	34571	072	1990/07/19	.000	1996/07	DUE
BENZENE	34030	072	1990/07/19	.000	1996/07	DUE
CARBON TETRACHLORIDE	32102	072	1990/07/19	.000	1996/07	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1990/07/19	.000	1996/07	DUE
DICHLOROMETHANE	34423	072	1990/07/19	.000	1996/07	DUE
ETHYLBENZENE	34371	072	1990/07/19	.000	1996/07	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2000/06/22	.000	2006/06	DUE
MONOCHLOROBENZENE	34301	072	1990/07/19	.000	1996/07	DUE
STYRENE	77128	072	1990/07/19	.000	1996/07	DUE
TETRACHLOROETHYLENE	34475	072	1990/07/19	.000	1996/07	DUE
TOLUENE	34010	072	1990/07/19	.000	1996/07	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1990/07/19	.000	1996/07	DUE
TRICHLOROETHYLENE	39180	072	1990/07/19	.000	1996/07	DUE
TRICHLOROFLUOROMETHANE	34488	072	1990/07/19	.000	1996/07	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210012 CITY OF RIO DELL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210012-003 WELL 02 - RAW

Source Number: 003

Source Status: ACTIVE RAW

Water type: WELL OR GROUND WATER

REGULATED VOC

VINYL CHLORIDE	39175	072	1990/07/19	.000	1996/07	DUE
XYLENES (TOTAL)	81551	072	1990/07/19	.000	1996/07	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	108	1996/07/18	47.000	2005/07	DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	036	1996/07/18	32.000	1999/07	DUE
COLOR	00081	036				DUE
COPPER	01042	036				DUE
FOAMING AGENTS (MBAS)	38260	036				DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1996/07/18	280.000	2005/07	DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	108	2000/04/13	.000	2009/04	
MAGNESIUM	00927	108	1996/07/18	39.000	2005/07	DUE
MANGANESE	01055	108	2000/04/13	2400.000	2009/04	
ODOR THRESHOLD @ 60 C	00086	036				DUE
PH, LABORATORY	00403	036				DUE
SILVER	01077	036	1991/05/09 <	10.000	1994/05	DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	036				DUE
SULFATE	00945	036	1996/07/18	25.000	1999/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036				DUE
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036				DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210012 CITY OF RIO DELL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210012-004 WELL 03 - RAWSource Number: **004**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	1991/05/09 <	100.000	1994/05	DUE
ANTIMONY	01097	036	1996/07/18	.000	1999/07	DUE
ARSENIC	01002	036	1991/05/09 <	10.000	1994/05	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	1991/05/09	140.000	1994/05	DUE
BERYLLIUM	01012	036	1996/07/18	.000	1999/07	DUE
CADMIUM	01027	036	1991/05/09 <	1.000	1994/05	DUE
CHROMIUM (TOTAL)	01034	036	1991/05/09 <	10.000	1994/05	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	1991/05/09	.110	1994/05	DUE
LEAD	01051	WAIVED	1991/05/09 <	5.000	WAIVED	
MERCURY	71900	036	1991/05/09 <	.000	1994/05	DUE
NICKEL	01067	036	1996/07/18	.000	1999/07	DUE
SELENIUM	01147	036	1991/05/09 <	5.000	1994/05	DUE
THALLIUM	01059	036	1996/07/18	.000	1999/07	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	1999/04/01	.000	2000/04	DUE
NITRITE (AS N)	00620	036	1996/07/18	.000	1999/07	DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210012 CITY OF RIO DELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210012-004 WELL 03 - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1991/01/24	< 1.000	WAIVED
2,4-D	39730	WAIVED	1991/01/24	< 10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1990/04/12	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1991/01/24	< .010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1991/01/24	< .400	WAIVED
METHOXYCHLOR	39480	WAIVED	1991/01/24	< 10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210012 CITY OF RIO DELL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210012-004 WELL 03 - RAWSource Number: **004**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1990/04/12 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1991/01/24 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	1990/10/25	.000	1996/10	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1990/10/25	.000	1996/10	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1990/10/25	.000	1996/10	DUE
1,1,2-TRICHLOROETHANE	34511	072	1990/10/25	.000	1996/10	DUE
1,1-DICHLOROETHANE	34496	072	1990/10/25	.000	1996/10	DUE
1,1-DICHLOROETHYLENE	34501	072	1990/10/25	.000	1996/10	DUE
1,2,4-TRICHLOROBENZENE	34551	072	1990/10/25	.000	1996/10	DUE
1,2-DICHLOROBENZENE	34536	072	1990/10/25	.000	1996/10	DUE
1,2-DICHLOROETHANE	34531	072	1990/10/25	.000	1996/10	DUE
1,2-DICHLOROPROPANE	34541	072	1990/10/25	.000	1996/10	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1990/10/25	.000	1996/10	DUE
1,4-DICHLOROBENZENE	34571	072	1990/10/25	.000	1996/10	DUE
BENZENE	34030	072	1990/10/25	.000	1996/10	DUE
CARBON TETRACHLORIDE	32102	072	1990/10/25	.000	1996/10	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1990/10/25	.000	1996/10	DUE
DICHLOROMETHANE	34423	072	1990/10/25	.000	1996/10	DUE
ETHYLBENZENE	34371	072	1990/10/25	.000	1996/10	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2000/06/22	.000	2006/06	DUE
MONOCHLOROBENZENE	34301	072	1990/10/25	.000	1996/10	DUE
STYRENE	77128	072	1990/10/25	.000	1996/10	DUE
TETRACHLOROETHYLENE	34475	072	1990/10/25	.000	1996/10	DUE
TOLUENE	34010	072	1990/10/25	.000	1996/10	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1990/10/25	.000	1996/10	DUE
TRICHLOROETHYLENE	39180	072	1990/10/25	.000	1996/10	DUE
TRICHLOROFLUOROMETHANE	34488	072	1990/10/25	.000	1996/10	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210012 CITY OF RIO DELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210012-004 WELL 03 - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	1990/10/25	.000	1996/10	DUE
XYLENES (TOTAL)	81551	072	1990/10/25	.000	1996/10	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	108	1996/07/18	55.000	2005/07	DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	036	1996/07/18	22.000	1999/07	DUE
COLOR	00081	036				DUE
COPPER	01042	036				DUE
FOAMING AGENTS (MBAS)	38260	036				DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1996/07/18	280.000	2005/07	DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	036	1996/07/18	.000	1999/07	DUE
MAGNESIUM	00927	108	1996/07/18	35.000	2005/07	DUE
MANGANESE	01055	036	1996/07/18	270.000	1999/07	DUE
ODOR THRESHOLD @ 60 C	00086	036				DUE
PH, LABORATORY	00403	036				DUE
SILVER	01077	036	1991/05/09 <	10.000	1994/05	DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	036				DUE
SULFATE	00945	036	1996/07/18	45.000	1999/07	DUE
TOTAL DISSOLVED SOLIDS	70300	036				DUE
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036				DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210012 CITY OF RIO DELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210012-005 EEL RIVER - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/01/05	12000.000	2015/01
ANTIMONY	01097	108	2006/01/05	.000	2015/01
ARSENIC	01002	108	2006/01/05	6.000	2015/01
ASBESTOS	81855	000			DUE
BARIUM	01007	108	2006/01/05	140.000	2015/01
BERYLLIUM	01012	108	2006/01/05	.000	2015/01
CADMIUM	01027	108	2006/01/05	.000	2015/01
CHROMIUM (TOTAL)	01034	108	2006/01/05	46.000	2015/01
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/01/05	.000	2015/01
LEAD	01051	WAIVED	2006/01/05	5.200	WAIVED
MERCURY	71900	108	2006/01/05	.000	2015/01
NICKEL	01067	108	2006/01/05	58.000	2015/01
SELENIUM	01147	108	2006/01/05	.000	2015/01
THALLIUM	01059	108	2006/01/05	.000	2015/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2006/01/05	.000	2006/04 DUE
NITRITE (AS N)	00620	036	2006/01/05	.000	2009/01

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/12/22	.060	2008/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210012 CITY OF RIO DELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210012-005 EEL RIVER - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210012 CITY OF RIO DELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210012-005 EEL RIVER - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/07/12	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/07/12	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/07/12	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/07/12	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2001/07/12	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/07/12	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/07/12	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2001/07/12	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2001/07/12	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2001/07/12	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/07/12	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2001/07/12	.000	WAIVED
BENZENE	34030	WAIVED	2001/07/12	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2001/07/12	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/07/12	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2001/07/12	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2001/07/12	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2004/12/22	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2001/07/12	.000	WAIVED
STYRENE	77128	WAIVED	2001/07/12	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2001/07/12	.000	WAIVED
TOLUENE	34010	WAIVED	2001/07/12	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/07/12	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2001/07/12	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/07/12	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210012 CITY OF RIO DELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210012-005 EEL RIVER - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2001/07/12	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2001/07/12	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/01/05 -	.590	2015/01
BICARBONATE ALKALINITY	00440	108	2006/01/05	54.000	2015/01
CALCIUM	00916	108	2006/01/05	18.000	2015/01
CARBONATE ALKALINITY	00445	108	2006/01/05 <	1.000	2015/01
CHLORIDE	00940	108	2006/01/05	1.900	2015/01
COLOR	00081	WAIVED	2004/12/22	10.000	WAIVED
COPPER	01042	108	2006/01/05	.000	2015/01
FOAMING AGENTS (MBAS)	38260	108	2006/01/05 <	.050	2015/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/01/05	98.000	2015/01
HYDROXIDE ALKALINITY	71830	108	2006/01/05 <	1.000	2015/01
IRON	01045	108	2006/01/05	20000.000	2015/01
MAGNESIUM	00927	108	2006/01/05	13.000	2015/01
MANGANESE	01055	108	2006/01/05	370.000	2015/01
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/12/22	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2006/01/05	7.800	WAIVED
SILVER	01077	108	2006/01/05	.000	2015/01
SODIUM	00929	108	2006/01/05	4.400	2015/01
SPECIFIC CONDUCTANCE	00095	108	2006/01/05	120.000	2015/01
SULFATE	00945	108	2006/01/05	6.200	2015/01
TOTAL DISSOLVED SOLIDS	70300	108	2006/01/05	170.000	2015/01
TURBIDITY, LABORATORY	82079	WAIVED	2004/12/22	2.600	WAIVED
ZINC	01092	108	2006/01/05	.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-002 RANNEY WELLS, REPRESENTATIVE - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	-	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	-	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	-	WAIVED
ARSENIC	01002	WAIVED	WAIVED	-	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	-	WAIVED
BARIUM	01007	WAIVED	WAIVED	-	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	-	WAIVED
CADMIUM	01027	WAIVED	WAIVED	-	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	-	WAIVED
CYANIDE	01291	WAIVED	WAIVED	-	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	-	WAIVED
LEAD	01051	WAIVED	WAIVED	-	WAIVED
MERCURY	71900	WAIVED	WAIVED	-	WAIVED
NICKEL	01067	WAIVED	WAIVED	-	WAIVED
SELENIUM	01147	WAIVED	WAIVED	-	WAIVED
THALLIUM	01059	WAIVED	WAIVED	-	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	-	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	-	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	-	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	-	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	-	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	-	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	-	WAIVED
TRITIUM	07000	WAIVED	WAIVED	-	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	-	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-002 RANNEY WELLS, REPRESENTATIVE - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-002 RANNEY WELLS, REPRESENTATIVE - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED -	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED -	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED -	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED -	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED -	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED -	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED -	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED -	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED -	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED -	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED -	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED -	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED -	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED -	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED -	WAIVED
BENZENE	34030	WAIVED	WAIVED -	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED -	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED -	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED -	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED -	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED -	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED -	WAIVED
STYRENE	77128	WAIVED	WAIVED -	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED -	WAIVED
TOLUENE	34010	WAIVED	WAIVED -	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED -	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED -	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-002 RANNEY WELLS, REPRESENTATIVE - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED -	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED -	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED -	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED -	WAIVED
CALCIUM	00916	WAIVED	WAIVED -	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED -	WAIVED
CHLORIDE	00940	WAIVED	WAIVED -	WAIVED
COLOR	00081	WAIVED	WAIVED -	WAIVED
COPPER	01042	WAIVED	WAIVED -	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED -	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED -	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED -	WAIVED
IRON	01045	WAIVED	WAIVED -	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED -	WAIVED
MANGANESE	01055	WAIVED	WAIVED -	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED -	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED -	WAIVED
SILVER	01077	WAIVED	WAIVED -	WAIVED
SODIUM	00929	WAIVED	WAIVED -	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED -	WAIVED
SULFATE	00945	WAIVED	WAIVED -	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED -	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED -	WAIVED
ZINC	01092	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-003 RANNEY WELL - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	-	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/07/10	<	100.000	WAIVED
ANTIMONY	01097	WAIVED	1993/06/08	<	60.000	WAIVED
ARSENIC	01002	WAIVED	1995/07/10		.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	-		WAIVED
BARIUM	01007	WAIVED	1995/07/10		.000	WAIVED
BERYLLIUM	01012	WAIVED	1993/06/08	<	10.000	WAIVED
CADMIUM	01027	WAIVED	1995/07/10	<	10.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/07/10		.000	WAIVED
CYANIDE	01291	WAIVED	1995/07/10		.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/05/19		1.100	WAIVED
LEAD	01051	WAIVED	1995/07/10		.000	WAIVED
MERCURY	71900	WAIVED	1995/07/10		.000	WAIVED
NICKEL	01067	WAIVED	1993/06/08	<	50.000	WAIVED
SELENIUM	01147	WAIVED	1995/07/10		.000	WAIVED
THALLIUM	01059	WAIVED	1993/06/08	<	10.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2001/09/04		.000	WAIVED
NITRITE (AS N)	00620	WAIVED	1993/06/08	<	100.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1996/09/04		.970	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	-		WAIVED
RADIUM 226	09501	WAIVED	WAIVED	-		WAIVED
RADIUM 228	11501	WAIVED	WAIVED	-		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	-		WAIVED
TRITIUM	07000	WAIVED	WAIVED	-		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	-		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-003 RANNEY WELL - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	-		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1993/03/15	<	1.000	WAIVED
2,4-D	39730	WAIVED	1993/03/15	<	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	-		WAIVED
ATRAZINE	39033	WAIVED	WAIVED	-		WAIVED
BENTAZON	38710	WAIVED	WAIVED	-		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	-		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	-		WAIVED
CHLORDANE	39350	WAIVED	WAIVED	-		WAIVED
DALAPON	38432	WAIVED	WAIVED	-		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	-		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	-		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	-		WAIVED
DINOSEB	81287	WAIVED	WAIVED	-		WAIVED
DIQUAT	78885	WAIVED	WAIVED	-		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	-		WAIVED
ENDRIN	39390	WAIVED	1993/03/15		.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	-		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	-		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	-		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	-		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	-		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	-		WAIVED
LINDANE	39340	WAIVED	1993/03/15		.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1993/03/15		.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED	-		WAIVED
OXAMYL	38865	WAIVED	WAIVED	-		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	-		WAIVED
PICLORAM	39720	WAIVED	WAIVED	-		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	-		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-003 RANNEY WELL - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED -		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED -		WAIVED
TOXAPHENE	39400	WAIVED	1993/03/15	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1998/03/16	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1998/03/16	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1998/03/16	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1998/03/16	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1998/03/16	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1998/03/16	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1998/03/16	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1998/03/16	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1998/03/16	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1998/03/16	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1998/03/16	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1998/03/16	.000	WAIVED
BENZENE	34030	WAIVED	1998/03/16	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1998/03/16	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1998/03/16	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1998/03/16	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1998/03/16	14.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1998/12/01	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1998/03/16	.000	WAIVED
STYRENE	77128	WAIVED	1998/03/16	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1998/03/16	.000	WAIVED
TOLUENE	34010	WAIVED	1998/03/16	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1998/03/16	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1998/03/16	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1998/03/16	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-003 RANNEY WELL - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1998/03/16	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1998/03/16	62.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED -		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1996/09/04	83.000	WAIVED
CALCIUM	00916	WAIVED	1996/09/04	28.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1996/09/04	.000	WAIVED
CHLORIDE	00940	WAIVED	1996/09/04	2.800	WAIVED
COLOR	00081	WAIVED	1996/09/04	3.000	WAIVED
COPPER	01042	WAIVED	1996/09/04	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/07/10 <	.020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2004/05/19	75.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1996/09/04	.000	WAIVED
IRON	01045	WAIVED	1996/09/04	.000	WAIVED
MAGNESIUM	00927	WAIVED	1996/09/04	4.500	WAIVED
MANGANESE	01055	WAIVED	1996/09/04	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1996/09/04	1.000	WAIVED
PH, LABORATORY	00403	WAIVED	2004/05/19	7.400	WAIVED
SILVER	01077	WAIVED	1995/07/10	.000	WAIVED
SODIUM	00929	WAIVED	1996/09/04	5.200	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/05/19	150.000	WAIVED
SULFATE	00945	WAIVED	1996/09/04	13.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1996/09/04	110.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2004/05/19	.290	WAIVED
ZINC	01092	WAIVED	1996/09/04	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-004 PUMP STATION 02 - RAW****Source Number: 004****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	1998/01/13	.000	WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	1998/01/13	.000	WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	1998/01/13	.000	WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	1998/01/13	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	1998/01/13	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	1998/01/13	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-004 PUMP STATION 02 - RAW****Source Number: 004****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	1998/01/13	.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1998/01/13	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	1998/01/13	.000	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-004 PUMP STATION 02 - RAW****Source Number: 004****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-004 PUMP STATION 02 - RAW****Source Number: 004****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-005 PUMP STATIONS 1,3 & 4 - RAW****Source Number: 005****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/04/14	160.000	2015/04
ANTIMONY	01097	108	2006/04/14	.000	2015/04
ARSENIC	01002	108	2006/04/14	.000	2015/04
ASBESTOS	81855	WAIVED	1998/01/13 <	3.140	WAIVED
BARIUM	01007	108	2006/04/14	.000	2015/04
BERYLLIUM	01012	108	2006/04/14	.000	2015/04
CADMIUM	01027	108	2006/04/14	.000	2015/04
CHROMIUM (TOTAL)	01034	108	2006/04/14	.000	2015/04
CYANIDE	01291	WAIVED	1994/03/16	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2007/01/29	.000	2016/01
LEAD	01051	WAIVED	1994/09/06	.000	WAIVED
MERCURY	71900	108	2006/04/14	.000	2015/04
NICKEL	01067	108	2006/04/14	.000	2015/04
SELENIUM	01147	108	2006/04/14	.000	2015/04
THALLIUM	01059	108	2006/04/14	.000	2015/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/01/29	.000	2008/01
NITRITE (AS N)	00620	036	2005/09/19	.000	2008/09

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/01/25 -	.160	2009/01
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	2005/01/25	.200	WAIVED
RADIUM 228	11501	WAIVED	2005/01/25	.660	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-005 PUMP STATIONS 1,3 & 4 - RAW****Source Number: 005****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1993/03/15	< 1.000	WAIVED
2,4-D	39730	WAIVED	1998/01/13	.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1998/01/13	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	1991/06/11	< 1.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1993/03/15	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	1998/01/13	.000	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1993/03/15	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1993/03/15	.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1991/06/11	< .500	WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-005 PUMP STATIONS 1,3 & 4 - RAW****Source Number: 005****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1991/06/11	<	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED			WAIVED
TOXAPHENE	39400	WAIVED	1993/03/15		.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/04/14		.000	2012/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/04/14		.000	2012/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/04/14		.000	2012/04
1,1,2-TRICHLOROETHANE	34511	072	2006/04/14		.000	2012/04
1,1-DICHLOROETHANE	34496	072	2006/04/14		.000	2012/04
1,1-DICHLOROETHYLENE	34501	072	2006/04/14		.000	2012/04
1,2,4-TRICHLOROBENZENE	34551	072	2006/04/14		.000	2012/04
1,2-DICHLOROBENZENE	34536	072	2006/04/14		.000	2012/04
1,2-DICHLOROETHANE	34531	072	2006/04/14		.000	2012/04
1,2-DICHLOROPROPANE	34541	072	2006/04/14		.000	2012/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/04/14		.000	2012/04
1,4-DICHLOROBENZENE	34571	072	2006/04/14		.000	2012/04
BENZENE	34030	072	2006/04/14		.000	2012/04
CARBON TETRACHLORIDE	32102	072	2006/04/14		.000	2012/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/04/14		.000	2012/04
DICHLOROMETHANE	34423	072	2006/04/14		.000	2012/04
ETHYLBENZENE	34371	072	2006/04/14		.000	2012/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/04/14		.000	2012/04
MONOCHLOROBENZENE	34301	072	2006/04/14		.000	2012/04
STYRENE	77128	072	2006/04/14		.000	2012/04
TETRACHLOROETHYLENE	34475	072	2006/04/14		.000	2012/04
TOLUENE	34010	072	2006/04/14		.000	2012/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/04/14		.000	2012/04
TRICHLOROETHYLENE	39180	072	2006/04/14		.000	2012/04
TRICHLOROFLUOROMETHANE	34488	072	2006/04/14		.000	2012/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-005 PUMP STATIONS 1,3 & 4 - RAW****Source Number: 005****Source Status: COMBINATION OR BLEND RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/04/14	.000	2012/04
XYLENES (TOTAL)	81551	072	2006/04/14	.000	2012/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2007/01/29	63.000	2016/01
CALCIUM	00916	108	2007/01/29	21.000	2016/01
CARBONATE ALKALINITY	00445	108	2007/01/29 <	1.000	2016/01
CHLORIDE	00940	108	2007/01/29	2.800	2016/01
COLOR	00081	108	2007/01/29 <	3.000	2016/01
COPPER	01042	108	2007/01/29	110.000	2016/01
FOAMING AGENTS (MBAS)	38260	108	2007/01/29 <	.050	2016/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2007/01/29	68.000	2016/01
HYDROXIDE ALKALINITY	71830	108	2007/01/29 <	1.000	2016/01
IRON	01045	108	2007/01/29	.000	2016/01
MAGNESIUM	00927	108	2007/01/29	3.600	2016/01
MANGANESE	01055	108	2007/01/29	.000	2016/01
ODOR THRESHOLD @ 60 C	00086	108	2007/01/29	.000	2016/01
PH, LABORATORY	00403	108	2007/01/29	7.300	2016/01
SILVER	01077	108	2007/01/29	.000	2016/01
SODIUM	00929	108	2007/01/29	3.600	2016/01
SPECIFIC CONDUCTANCE	00095	108	2007/01/29	150.000	2016/01
SULFATE	00945	108	2007/01/29	9.500	2016/01
TOTAL DISSOLVED SOLIDS	70300	108	2007/01/29	93.000	2016/01
TURBIDITY, LABORATORY	82079	108	2007/01/29	.520	2016/01
ZINC	01092	108	2007/01/29	.000	2016/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-006 RANNEY WELL 01 - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-006 RANNEY WELL 01 - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-006 RANNEY WELL 01 - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-006 RANNEY WELL 01 - RAW****Source Number: 006****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-007 RANNEY WELL 02 - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-007 RANNEY WELL 02 - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-007 RANNEY WELL 02 - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-007 RANNEY WELL 02 - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-008 RANNEY WELL 03 - RAW****Source Number: 008****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-008 RANNEY WELL 03 - RAW****Source Number: 008****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-008 RANNEY WELL 03 - RAW****Source Number: 008****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-008 RANNEY WELL 03 - RAW****Source Number: 008****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-009 RANNEY WELL 04 - RAW****Source Number: 009****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-009 RANNEY WELL 04 - RAW****Source Number: 009****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-009 RANNEY WELL 04 - RAW****Source Number: 009****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210013 HUMBOLDT BAY MWD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210013-009 RANNEY WELL 04 - RAW****Source Number: 009****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-004 WELLS 01,03,05 & 06 COMPOSITE - RAW****Source Number: 004****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/08/23	.000	2015/08
ANTIMONY	01097	012	2006/08/23	.000	2007/08
ARSENIC	01002	108	2006/08/23	.000	2015/08
ASBESTOS	81855	108	2006/12/19 <	.200	2015/12
BARIUM	01007	108	2006/08/23	.000	2015/08
BERYLLIUM	01012	012	2006/08/23	.000	2007/08
CADMIUM	01027	108	2006/08/23	.000	2015/08
CHROMIUM (TOTAL)	01034	108	2004/12/07	.000	2013/12
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/08/23	.000	2015/08
LEAD	01051	WAIVED	1995/11/28	.000	WAIVED
MERCURY	71900	108	2006/08/23	.000	2015/08
NICKEL	01067	012	2006/08/23	.000	2007/08
SELENIUM	01147	108	2006/08/23	.000	2015/08
THALLIUM	01059	012	2006/08/23	.000	2007/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/23	.000	2007/08
NITRITE (AS N)	00620	036	2006/08/23	.000	2009/08

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/18	.240	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-004 WELLS 01,03,05 & 06 COMPOSITE - RAW****Source Number: 004****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1995/11/28	.000	WAIVED
2,4-D	39730	WAIVED	1995/11/28	.000	WAIVED
ALACHLOR	77825	WAIVED	1995/11/28	.000	WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	1995/11/28	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	1995/11/28	.000	WAIVED
DALAPON	38432	WAIVED	1995/11/28	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	1995/11/28	.000	WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1995/11/28	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	1995/11/28	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	1995/11/28	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	1995/11/28	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1995/11/28	.000	WAIVED
LINDANE	39340	WAIVED	1995/11/28	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1995/11/28	.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1995/11/28	.000	WAIVED
PICLORAM	39720	WAIVED	1995/11/28	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-004 WELLS 01,03,05 & 06 COMPOSITE - RAW****Source Number: 004****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1995/11/28	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2004/08/24	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2004/08/24	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2004/08/24	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2004/08/24	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2004/08/24	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2004/08/24	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2004/08/24	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2004/08/24	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2004/08/24	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2004/08/24	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2004/08/24	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2004/08/24	.000	WAIVED
BENZENE	34030	WAIVED	2004/08/24	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2004/08/24	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2004/08/24	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2004/08/24	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2004/08/24	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2004/08/24	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2004/08/24	.000	WAIVED
STYRENE	77128	WAIVED	2004/08/24	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2004/08/24	.000	WAIVED
TOLUENE	34010	WAIVED	2004/08/24	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2004/08/24	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2004/08/24	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2004/08/24	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-004 WELLS 01,03,05 & 06 COMPOSITE - RAW****Source Number: 004****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2004/08/24	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2004/08/24	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/08/23 -	.860	2015/08
BICARBONATE ALKALINITY	00440	108	2004/08/24	110.000	2013/08
CALCIUM	00916	108	2006/08/23	20.000	2015/08
CARBONATE ALKALINITY	00445	108	2004/08/24 <	1.000	2013/08
CHLORIDE	00940	108	2006/08/23	1.900	2015/08
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	108	2006/08/23	.000	2015/08
FOAMING AGENTS (MBAS)	38260	108	2004/08/24	.000	2013/08
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/08/24	120.000	2013/08
HYDROXIDE ALKALINITY	71830	108	2004/08/24 <	1.000	2013/08
IRON	01045	108	2006/08/23	.000	2015/08
MAGNESIUM	00927	108	2004/08/24	15.000	2013/08
MANGANESE	01055	108	2006/08/23	.000	2015/08
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2006/08/23	7.400	WAIVED
SILVER	01077	108	2004/08/24	.000	2013/08
SODIUM	00929	108	2004/08/24	4.500	2013/08
SPECIFIC CONDUCTANCE	00095	108	2004/08/24	230.000	2013/08
SULFATE	00945	108	2006/08/23	11.000	2015/08
TOTAL DISSOLVED SOLIDS	70300	108	2006/08/23	140.000	2015/08
TURBIDITY, LABORATORY	82079	WAIVED	2004/08/24	.050	WAIVED
ZINC	01092	108	2006/08/23	.000	2015/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-005 WELL 01-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	1996/12/02	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	WAIVED	2000/11/20	.000	WAIVED
ANTIMONY	01097	WAIVED	2000/11/20	.000	WAIVED
ARSENIC	01002	WAIVED	2000/11/20	2.500	WAIVED
ASBESTOS	81855	WAIVED	1996/12/02	.000	WAIVED
BARIUM	01007	WAIVED	2000/11/20	.000	WAIVED
BERYLLIUM	01012	WAIVED	2000/11/20	.000	WAIVED
CADMIUM	01027	WAIVED	2000/11/20	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2000/11/20	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED <		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED <		WAIVED
LEAD	01051	WAIVED	2000/11/20	.000	WAIVED
MERCURY	71900	WAIVED	2000/11/20	.000	WAIVED
NICKEL	01067	WAIVED	2000/11/20	11.000	WAIVED
SELENIUM	01147	WAIVED	2000/11/20	.000	WAIVED
THALLIUM	01059	WAIVED	2000/11/20	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2000/11/20	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED <		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2001/08/06 -	.090	WAIVED
GROSS BETA	03501	WAIVED	WAIVED <		WAIVED
RADIUM 226	09501	WAIVED	WAIVED <		WAIVED
RADIUM 228	11501	WAIVED	WAIVED <		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED <		WAIVED
TRITIUM	07000	WAIVED	WAIVED <		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED <		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-005 WELL 01-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	<	WAIVED
2,4-D	39730	WAIVED	WAIVED	<	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<	WAIVED
ATRAZINE	39033	WAIVED	1996/12/02	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<	WAIVED
DALAPON	38432	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	<	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	<	WAIVED
DINOSEB	81287	WAIVED	WAIVED	<	WAIVED
DIQUAT	78885	WAIVED	WAIVED	<	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<	WAIVED
ENDRIN	39390	WAIVED	WAIVED	<	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<	WAIVED
GLYPHOSATE	79743	WAIVED	1996/12/02	.000	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<	WAIVED
LINDANE	39340	WAIVED	WAIVED	<	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	<	WAIVED
MOLINATE	82199	WAIVED	1996/12/02	.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED	<	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<	WAIVED
PICLORAM	39720	WAIVED	WAIVED	<	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-005 WELL 01-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	1996/12/02	.000	WAIVED
THIOBENCARB	A-001	WAIVED	1996/12/02	.000	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	<	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	<	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	<	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	<	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	<	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	<	WAIVED
BENZENE	34030	WAIVED	WAIVED	<	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	<	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	<	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	<	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	<	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/08/30	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	<	WAIVED
STYRENE	77128	WAIVED	WAIVED	<	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	<	WAIVED
TOLUENE	34010	WAIVED	WAIVED	<	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	<	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	<	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-005 WELL 01-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED <	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED <	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED <	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1999/11/29	92.000 WAIVED
CALCIUM	00916	WAIVED	1999/11/29	21.000 WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1999/11/29 <	1.000 WAIVED
CHLORIDE	00940	WAIVED	1999/11/29	3.400 WAIVED
COLOR	00081	WAIVED	WAIVED <	WAIVED
COPPER	01042	WAIVED	2000/11/20	.000 WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1999/11/29 <	.050 WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1999/11/29	120.000 WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1999/11/29 <	1.000 WAIVED
IRON	01045	WAIVED	1999/11/29	.000 WAIVED
MAGNESIUM	00927	WAIVED	2000/11/20	14.000 WAIVED
MANGANESE	01055	WAIVED	1999/11/29	.000 WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED <	WAIVED
PH, LABORATORY	00403	WAIVED	1999/11/29	7.100 WAIVED
SILVER	01077	WAIVED	2000/11/20	.000 WAIVED
SODIUM	00929	WAIVED	1999/11/29	3.200 WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1999/11/29	260.000 WAIVED
SULFATE	00945	WAIVED	1999/11/29	12.000 WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1999/11/29	130.000 WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED <	WAIVED
ZINC	01092	WAIVED	2000/11/20	.000 WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-006 WELL 03-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 006****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	1998/12/03	.000	WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2004/12/07	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	1998/12/03	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2003/12/09	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2002/12/17	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-006 WELL 03-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 006****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-006 WELL 03-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 006****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1999/04/28	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1999/04/28	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1999/04/28	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1999/04/28	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1999/04/28	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1999/04/28	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1999/04/28	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1999/04/28	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1999/04/28	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1999/04/28	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1999/04/28	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1999/04/28	.000	WAIVED
BENZENE	34030	WAIVED	1999/04/28	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1999/04/28	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1999/04/28	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1999/04/28	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1999/04/28	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/12/18	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1999/04/28	.000	WAIVED
STYRENE	77128	WAIVED	1999/04/28	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1999/04/28	.000	WAIVED
TOLUENE	34010	WAIVED	1999/04/28	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1999/04/28	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1999/04/28	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1999/04/28	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-006 WELL 03-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 006****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1999/04/28	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1999/04/28	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-007 WELL 05-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 007****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	1997/12/09	.000	WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	1997/12/09	.000	WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	1997/12/09	19.000	WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	1997/12/09	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	1997/12/09	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-007 WELL 05-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 007****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-007 WELL 05-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 007****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-007 WELL 05-NO DATA ACCEPTED AS OF 10/21/04****Source Number: 007****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-009 WELLS 02 & 04 COMBINED - RAW****Source Number: 009****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	2006/08/23	.000	2007/08
ANTIMONY	01097	012	2006/08/23	.000	2007/08
ARSENIC	01002	012	2006/08/23	.000	2007/08
ASBESTOS	81855	108	2006/12/19 <	.200	2015/12
BARIUM	01007	012	2006/08/23	.000	2007/08
BERYLLIUM	01012	012	2006/08/23	.000	2007/08
CADMIUM	01027	012	2006/08/23	.000	2007/08
CHROMIUM (TOTAL)	01034	108	2006/08/23	.000	2015/08
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	2006/08/23	.000	2007/08
LEAD	01051	WAIVED	2006/08/23	.000	WAIVED
MERCURY	71900	012	2006/08/23	.000	2007/08
NICKEL	01067	012	2006/08/23	10.000	2007/08
SELENIUM	01147	012	2006/08/23	.000	2007/08
THALLIUM	01059	012	2006/08/23	.000	2007/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	2006/08/23	.000	2006/11 DUE
NITRITE (AS N)	00620	036	2006/08/23	.000	2009/08

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/18	.580	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-009 WELLS 02 & 04 COMBINED - RAW****Source Number: 009****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-009 WELLS 02 & 04 COMBINED - RAW****Source Number: 009****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2004/12/07	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2004/12/07	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2004/12/07	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2004/12/07	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2004/12/07	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2004/12/07	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2004/12/07	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2004/12/07	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2004/12/07	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2004/12/07	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2004/12/07	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2004/12/07	.000	WAIVED
BENZENE	34030	WAIVED	2004/12/07	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2004/12/07	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2004/12/07	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2004/12/07	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2004/12/07	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2004/12/07	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2004/12/07	.000	WAIVED
STYRENE	77128	WAIVED	2004/12/07	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2004/12/07	.000	WAIVED
TOLUENE	34010	WAIVED	2004/12/07	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2004/12/07	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2004/12/07	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2004/12/07	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210015 WILLOW CREEK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210015-009 WELLS 02 & 04 COMBINED - RAW****Source Number: 009****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2004/12/07	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2004/12/07	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/08/23 -	.800	2015/08
BICARBONATE ALKALINITY	00440	108	2006/08/23	110.000	2015/08
CALCIUM	00916	108	2006/08/23	21.000	2015/08
CARBONATE ALKALINITY	00445	108	2006/08/23 <	1.000	2015/08
CHLORIDE	00940	012	2006/08/23	2.000	2007/08
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	012	2006/08/23	.000	2007/08
FOAMING AGENTS (MBAS)	38260	012	2006/08/23 <	.050	2007/08
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/08/23	110.000	2015/08
HYDROXIDE ALKALINITY	71830	108	2006/08/23 <	1.000	2015/08
IRON	01045	012	2006/08/23	.000	2007/08
MAGNESIUM	00927	108	2006/08/23	14.000	2015/08
MANGANESE	01055	012	2006/08/23	.000	2007/08
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2006/08/23	7.200	WAIVED
SILVER	01077	012	2006/08/23	.000	2007/08
SODIUM	00929	108	2006/08/23	3.400	2015/08
SPECIFIC CONDUCTANCE	00095	012	2006/08/23	240.000	2007/08
SULFATE	00945	012	2006/08/23	11.000	2007/08
TOTAL DISSOLVED SOLIDS	70300	012	2006/08/23	150.000	2007/08
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	012	2006/08/23	61.000	2007/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210016 MCKINLEYVILLE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210016-023 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 023****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	036		<	DUE
ANTIMONY	01097	036		<	DUE
ARSENIC	01002	036		<	DUE
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	036		<	DUE
BERYLLIUM	01012	036		<	DUE
CADMIUM	01027	036		<	DUE
CHROMIUM (TOTAL)	01034	036		<	DUE
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		<	DUE
LEAD	01051	WAIVED	WAIVED	<	WAIVED
MERCURY	71900	036		<	DUE
NICKEL	01067	036		<	DUE
SELENIUM	01147	036		<	DUE
THALLIUM	01059	036		<	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		<	DUE
NITRITE (AS N)	00620	000		<	DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		<	DUE
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210016 MCKINLEYVILLE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210016-023 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 023****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	<	WAIVED
2,4-D	39730	WAIVED	WAIVED	<	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	<	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<	WAIVED
DALAPON	38432	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	<	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	<	WAIVED
DINOSEB	81287	WAIVED	WAIVED	<	WAIVED
DIQUAT	78885	WAIVED	WAIVED	<	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<	WAIVED
ENDRIN	39390	WAIVED	WAIVED	<	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<	WAIVED
LINDANE	39340	WAIVED	WAIVED	<	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	<	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<	WAIVED
OXAMYL	38865	WAIVED	WAIVED	<	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<	WAIVED
PICLORAM	39720	WAIVED	WAIVED	<	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210016 MCKINLEYVILLE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210016-023 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 023****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	<	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	<	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	<	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	<	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	<	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	<	DUE
1,1,2-TRICHLOROETHANE	34511	000	<	DUE
1,1-DICHLOROETHANE	34496	000	<	DUE
1,1-DICHLOROETHYLENE	34501	000	<	DUE
1,2,4-TRICHLOROBENZENE	34551	000	<	DUE
1,2-DICHLOROBENZENE	34536	000	<	DUE
1,2-DICHLOROETHANE	34531	000	<	DUE
1,2-DICHLOROPROPANE	34541	000	<	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	<	DUE
1,4-DICHLOROBENZENE	34571	000	<	DUE
BENZENE	34030	000	<	DUE
CARBON TETRACHLORIDE	32102	000	<	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	<	DUE
DICHLOROMETHANE	34423	000	<	DUE
ETHYLBENZENE	34371	000	<	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	<	DUE
MONOCHLOROBENZENE	34301	000	<	DUE
STYRENE	77128	000	<	DUE
TETRACHLOROETHYLENE	34475	000	<	DUE
TOLUENE	34010	000	<	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	<	DUE
TRICHLOROETHYLENE	39180	000	<	DUE
TRICHLOROFLUOROMETHANE	34488	000	<	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210016 MCKINLEYVILLE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210016-023 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 023****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	000	<	DUE
XYLENES (TOTAL)	81551	000	<	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000	<	DUE
BICARBONATE ALKALINITY	00440	000	<	DUE
CALCIUM	00916	000	<	DUE
CARBONATE ALKALINITY	00445	000	<	DUE
CHLORIDE	00940	036	<	DUE
COLOR	00081	036	<	DUE
COPPER	01042	036	<	DUE
FOAMING AGENTS (MBAS)	38260	036	<	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000	<	DUE
HYDROXIDE ALKALINITY	71830	000	<	DUE
IRON	01045	036	<	DUE
MAGNESIUM	00927	000	<	DUE
MANGANESE	01055	036	<	DUE
ODOR THRESHOLD @ 60 C	00086	036	<	DUE
PH, LABORATORY	00403	036	<	DUE
SILVER	01077	036	<	DUE
SODIUM	00929	000	<	DUE
SPECIFIC CONDUCTANCE	00095	036	<	DUE
SULFATE	00945	036	<	DUE
TOTAL DISSOLVED SOLIDS	70300	036	<	DUE
TURBIDITY, LABORATORY	82079	036	<	DUE
ZINC	01092	036	<	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210017 MANILA COMMUNITY SERVICES DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210017-001 HUMBOLDT BAY MWD - TREATED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	<	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	<	WAIVED
ARSENIC	01002	WAIVED	WAIVED	<	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	WAIVED	WAIVED	<	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	<	WAIVED
CADMIUM	01027	WAIVED	WAIVED	<	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	<	WAIVED
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	<	WAIVED
LEAD	01051	WAIVED	WAIVED	<	WAIVED
MERCURY	71900	WAIVED	WAIVED	<	WAIVED
NICKEL	01067	WAIVED	WAIVED	<	WAIVED
SELENIUM	01147	WAIVED	WAIVED	<	WAIVED
THALLIUM	01059	WAIVED	WAIVED	<	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	<	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	<	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	<	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210017 MANILA COMMUNITY SERVICES DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210017-001 HUMBOLDT BAY MWD - TREATED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED <	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED <	WAIVED
2,4-D	39730	WAIVED	WAIVED <	WAIVED
ALACHLOR	77825	WAIVED	WAIVED <	WAIVED
ATRAZINE	39033	WAIVED	WAIVED <	WAIVED
BENTAZON	38710	WAIVED	WAIVED <	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED <	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED <	WAIVED
CHLORDANE	39350	WAIVED	WAIVED <	WAIVED
DALAPON	38432	WAIVED	WAIVED <	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED <	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED <	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED <	WAIVED
DINOSEB	81287	WAIVED	WAIVED <	WAIVED
DIQUAT	78885	WAIVED	WAIVED <	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED <	WAIVED
ENDRIN	39390	WAIVED	WAIVED <	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED <	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED <	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED <	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED <	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED <	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED <	WAIVED
LINDANE	39340	WAIVED	WAIVED <	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED <	WAIVED
MOLINATE	82199	WAIVED	WAIVED <	WAIVED
OXAMYL	38865	WAIVED	WAIVED <	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED <	WAIVED
PICLORAM	39720	WAIVED	WAIVED <	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED <	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210017 MANILA COMMUNITY SERVICES DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210017-001 HUMBOLDT BAY MWD - TREATED

Source Number: 001

Source Status: **PURCHASED TREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	<	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	<	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	<	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	<	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	<	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	<	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	<	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	<	WAIVED
BENZENE	34030	WAIVED	WAIVED	<	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	<	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	<	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	<	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	<	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	<	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	<	WAIVED
STYRENE	77128	WAIVED	WAIVED	<	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	<	WAIVED
TOLUENE	34010	WAIVED	WAIVED	<	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	<	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	<	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210017 MANILA COMMUNITY SERVICES DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210017-001 HUMBOLDT BAY MWD - TREATED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	<	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	<	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	<	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	<	WAIVED
CALCIUM	00916	WAIVED	WAIVED	<	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	<	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	<	WAIVED
COLOR	00081	WAIVED	WAIVED	<	WAIVED
COPPER	01042	WAIVED	WAIVED	<	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	<	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	<	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	<	WAIVED
IRON	01045	WAIVED	WAIVED	<	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	<	WAIVED
MANGANESE	01055	WAIVED	WAIVED	<	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	<	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	<	WAIVED
SILVER	01077	WAIVED	WAIVED	<	WAIVED
SODIUM	00929	WAIVED	WAIVED	<	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	<	WAIVED
SULFATE	00945	WAIVED	WAIVED	<	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	<	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	<	WAIVED
ZINC	01092	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210017 MANILA COMMUNITY SERVICES DIST.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210017-002 HUMBOLDT BAY MWD - TREATED - PURCHASED

Source Number: 002

Source Status: **PURCHASED TREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	036		<	DUE
ANTIMONY	01097	036		<	DUE
ARSENIC	01002	036		<	DUE
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	036		<	DUE
BERYLLIUM	01012	036		<	DUE
CADMIUM	01027	036		<	DUE
CHROMIUM (TOTAL)	01034	036		<	DUE
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		<	DUE
LEAD	01051	WAIVED	WAIVED	<	WAIVED
MERCURY	71900	036		<	DUE
NICKEL	01067	036		<	DUE
SELENIUM	01147	036		<	DUE
THALLIUM	01059	036		<	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		<	DUE
NITRITE (AS N)	00620	000		<	DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		<	DUE
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210017 MANILA COMMUNITY SERVICES DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210017-002 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 002****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	<	WAIVED
2,4-D	39730	WAIVED	WAIVED	<	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	<	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<	WAIVED
DALAPON	38432	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	<	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	<	WAIVED
DINOSEB	81287	WAIVED	WAIVED	<	WAIVED
DIQUAT	78885	WAIVED	WAIVED	<	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<	WAIVED
ENDRIN	39390	WAIVED	WAIVED	<	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<	WAIVED
LINDANE	39340	WAIVED	WAIVED	<	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	<	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<	WAIVED
OXAMYL	38865	WAIVED	WAIVED	<	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<	WAIVED
PICLORAM	39720	WAIVED	WAIVED	<	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210017 MANILA COMMUNITY SERVICES DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210017-002 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 002****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	<	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	<	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	<	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	<	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	<	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	<	DUE
1,1,2-TRICHLOROETHANE	34511	000	<	DUE
1,1-DICHLOROETHANE	34496	000	<	DUE
1,1-DICHLOROETHYLENE	34501	000	<	DUE
1,2,4-TRICHLOROBENZENE	34551	000	<	DUE
1,2-DICHLOROBENZENE	34536	000	<	DUE
1,2-DICHLOROETHANE	34531	000	<	DUE
1,2-DICHLOROPROPANE	34541	000	<	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	<	DUE
1,4-DICHLOROBENZENE	34571	000	<	DUE
BENZENE	34030	000	<	DUE
CARBON TETRACHLORIDE	32102	000	<	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	<	DUE
DICHLOROMETHANE	34423	000	<	DUE
ETHYLBENZENE	34371	000	<	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	<	DUE
MONOCHLOROBENZENE	34301	000	<	DUE
STYRENE	77128	000	<	DUE
TETRACHLOROETHYLENE	34475	000	<	DUE
TOLUENE	34010	000	<	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	<	DUE
TRICHLOROETHYLENE	39180	000	<	DUE
TRICHLOROFLUOROMETHANE	34488	000	<	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210017 MANILA COMMUNITY SERVICES DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210017-002 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 002****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	000	<	DUE
XYLENES (TOTAL)	81551	000	<	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000	<	DUE
BICARBONATE ALKALINITY	00440	000	<	DUE
CALCIUM	00916	000	<	DUE
CARBONATE ALKALINITY	00445	000	<	DUE
CHLORIDE	00940	036	<	DUE
COLOR	00081	036	<	DUE
COPPER	01042	036	<	DUE
FOAMING AGENTS (MBAS)	38260	036	<	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000	<	DUE
HYDROXIDE ALKALINITY	71830	000	<	DUE
IRON	01045	036	<	DUE
MAGNESIUM	00927	000	<	DUE
MANGANESE	01055	036	<	DUE
ODOR THRESHOLD @ 60 C	00086	036	<	DUE
PH, LABORATORY	00403	036	<	DUE
SILVER	01077	036	<	DUE
SODIUM	00929	000	<	DUE
SPECIFIC CONDUCTANCE	00095	036	<	DUE
SULFATE	00945	036	<	DUE
TOTAL DISSOLVED SOLIDS	70300	036	<	DUE
TURBIDITY, LABORATORY	82079	036	<	DUE
ZINC	01092	036	<	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210018 CITY OF TRINIDAD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210018-001 LUFFENHOLTZ CREEK - TREATED****Source Number: 001****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	WAIVED	1996/03/20	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	<	WAIVED
ARSENIC	01002	WAIVED	1996/03/20	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	WAIVED	1996/03/20	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	<	WAIVED
CADMIUM	01027	WAIVED	1996/03/20	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1996/03/20	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1996/03/20	.000	WAIVED
LEAD	01051	WAIVED	1996/03/20	.000	WAIVED
MERCURY	71900	WAIVED	1996/03/20	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED	<	WAIVED
SELENIUM	01147	WAIVED	1996/03/20	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED	<	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2001/07/25	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2001/07/25	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1995/02/27	.180	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210018 CITY OF TRINIDAD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210018-001 LUFFENHOLTZ CREEK - TREATED****Source Number: 001****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED <		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1996/03/20	.000	WAIVED
2,4-D	39730	WAIVED	1996/03/20	.000	WAIVED
ALACHLOR	77825	WAIVED	1995/02/27	.000	WAIVED
ATRAZINE	39033	WAIVED	WAIVED <		WAIVED
BENTAZON	38710	WAIVED	1996/03/20	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED <		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED <		WAIVED
CHLORDANE	39350	WAIVED	1996/03/20	.000	WAIVED
DALAPON	38432	WAIVED	1996/03/20	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED <		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED <		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED <		WAIVED
DINOSEB	81287	WAIVED	1996/03/20	.000	WAIVED
DIQUAT	78885	WAIVED	WAIVED <		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED <		WAIVED
ENDRIN	39390	WAIVED	1996/03/20	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED <		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED <		WAIVED
HEPTACHLOR	39410	WAIVED	1996/03/20	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	1996/03/20	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	1996/03/20	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1995/02/27	.000	WAIVED
LINDANE	39340	WAIVED	1996/03/20	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1996/03/20	.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED <		WAIVED
OXAMYL	38865	WAIVED	WAIVED <		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1995/02/27	.000	WAIVED
PICLORAM	39720	WAIVED	1996/03/20	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED <		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210018 CITY OF TRINIDAD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210018-001 LUFFENHOLTZ CREEK - TREATED

Source Number: 001

Source Status: **ACTIVE TREATED**Water type: **SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED <		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED <		WAIVED
TOXAPHENE	39400	WAIVED	1996/03/20	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1992/03/23	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1992/03/23	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1992/03/23	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1992/03/23	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1992/03/23	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1992/03/23	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1992/03/23	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1992/03/23	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1992/03/23	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1992/03/23	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1992/03/23	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1992/03/23	.000	WAIVED
BENZENE	34030	WAIVED	1992/03/23	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1992/03/23	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1992/03/23	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1992/03/23	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1992/03/23	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED <		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1992/03/23	.000	WAIVED
STYRENE	77128	WAIVED	1992/03/23	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1992/03/23	.000	WAIVED
TOLUENE	34010	WAIVED	1992/03/23	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1992/03/23	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1992/03/23	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1992/03/23	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210018 CITY OF TRINIDAD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210018-001 LUFFENHOLTZ CREEK - TREATED****Source Number: 001****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1992/03/23	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1992/03/23	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	<	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1996/03/20	11.000	WAIVED
CALCIUM	00916	WAIVED	1996/03/20	3.400	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1996/03/20	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1996/03/20	16.000	WAIVED
COLOR	00081	WAIVED	1993/03/04	.000	WAIVED
COPPER	01042	WAIVED	1996/03/20	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1996/03/20	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	1996/03/20	14.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1996/03/20	< 1.000	WAIVED
IRON	01045	WAIVED	1996/03/20	.000	WAIVED
MAGNESIUM	00927	WAIVED	1996/03/20	1.300	WAIVED
MANGANESE	01055	WAIVED	1996/03/20	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1993/03/04	.000	WAIVED
PH, LABORATORY	00403	WAIVED	1996/03/20	6.400	WAIVED
SILVER	01077	WAIVED	1996/03/20	.000	WAIVED
SODIUM	00929	WAIVED	1996/03/20	11.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1996/03/20	91.000	WAIVED
SULFATE	00945	WAIVED	1996/03/20	1.900	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1996/03/20	47.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1993/03/04	.290	WAIVED
ZINC	01092	WAIVED	1996/03/20	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210018 CITY OF TRINIDAD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210018-002 LUFFENHOLTZ CREEK RAW WATER DIVERSION****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	1996/03/20	.000	2005/03	DUE
ANTIMONY	01097	108	2003/08/05	.000	2012/08	
ARSENIC	01002	108	1996/03/20	.000	2005/03	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	108	1996/03/20	.000	2005/03	DUE
BERYLLIUM	01012	108	2003/08/05	.000	2012/08	
CADMIUM	01027	108	1996/03/20	.000	2005/03	DUE
CHROMIUM (TOTAL)	01034	108	2002/03/28		2011/03	
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	1996/03/20	.000	2005/03	DUE
LEAD	01051	WAIVED	1996/03/20	.000	WAIVED	
MERCURY	71900	108	1996/03/20	.000	2005/03	DUE
NICKEL	01067	108	2003/08/05	.000	2012/08	
SELENIUM	01147	108	1996/03/20	.000	2005/03	DUE
THALLIUM	01059	108	2003/08/05	.000	2012/08	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2003/08/05	.000	2004/08	DUE
NITRITE (AS N)	00620	000				DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2002/05/15 -	.480	2006/05	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210018 CITY OF TRINIDAD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210018-002 LUFFENHOLTZ CREEK RAW WATER DIVERSION****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	2002/03/28	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210018 CITY OF TRINIDAD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210018-002 LUFFENHOLTZ CREEK RAW WATER DIVERSION****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/03/28	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/03/28	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2002/03/28	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/03/28	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2002/03/28	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/03/28	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/03/28	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2002/03/28	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2002/03/28	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2002/03/28	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/03/28	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2002/03/28	.000	WAIVED
BENZENE	34030	WAIVED	2002/03/28	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2002/03/28	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/03/28	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2002/03/28	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2002/03/28	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/08/05	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2002/03/28	.000	WAIVED
STYRENE	77128	WAIVED	2002/03/28	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2002/03/28	.000	WAIVED
TOLUENE	34010	WAIVED	2002/03/28	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/03/28	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2002/03/28	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/03/28	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210018 CITY OF TRINIDAD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210018-002 LUFFENHOLTZ CREEK RAW WATER DIVERSION****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2002/03/28	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2002/03/28	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1996/03/20	11.000	2005/03	DUE
CALCIUM	00916	108	1996/03/20	3.400	2005/03	DUE
CARBONATE ALKALINITY	00445	108	1996/03/20 <	1.000	2005/03	DUE
CHLORIDE	00940	108	1996/03/20	16.000	2005/03	DUE
COLOR	00081	WAIVED	1988/03/01	80.000	WAIVED	
COPPER	01042	108	1996/03/20	.000	2005/03	DUE
FOAMING AGENTS (MBAS)	38260	108	1996/03/20 <	.020	2005/03	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1996/03/20	14.000	2005/03	DUE
HYDROXIDE ALKALINITY	71830	108	1996/03/20 <	1.000	2005/03	DUE
IRON	01045	108	1996/03/20	.000	2005/03	DUE
MAGNESIUM	00927	108	1996/03/20	1.300	2005/03	DUE
MANGANESE	01055	108	1996/03/20	.000	2005/03	DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	1988/03/01 <	1.000	WAIVED	
PH, LABORATORY	00403	WAIVED	1996/03/20	6.400	WAIVED	
SILVER	01077	108	1996/03/20	.000	2005/03	DUE
SODIUM	00929	108	1996/03/20	11.000	2005/03	DUE
SPECIFIC CONDUCTANCE	00095	108	1996/03/20	91.000	2005/03	DUE
SULFATE	00945	108	1996/03/20	1.900	2005/03	DUE
TOTAL DISSOLVED SOLIDS	70300	108	1996/03/20	47.000	2005/03	DUE
TURBIDITY, LABORATORY	82079	WAIVED	1988/03/01	27.000	WAIVED	
ZINC	01092	108	1996/03/20	.000	2005/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210019 HYDESVILLE CO. W.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210019-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1992/12/16	.000	WAIVED
ANTIMONY	01097	WAIVED	1997/07/22	.000	WAIVED
ARSENIC	01002	WAIVED	1992/12/16	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1992/12/16	110.000	WAIVED
BERYLLIUM	01012	WAIVED	1997/07/22	.000	WAIVED
CADMIUM	01027	WAIVED	1992/12/16	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1992/12/16	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1992/12/16	.140	WAIVED
LEAD	01051	WAIVED	1992/12/16	.000	WAIVED
MERCURY	71900	WAIVED	1992/12/16	.000	WAIVED
NICKEL	01067	WAIVED	1997/07/22	.000	WAIVED
SELENIUM	01147	WAIVED	1992/12/16	.000	WAIVED
THALLIUM	01059	WAIVED	1997/07/22	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2003/09/29	3.900	WAIVED
NITRITE (AS N)	00620	WAIVED	1997/07/22	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2003/09/29	.670	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210019 HYDESVILLE CO. W.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210019-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/09/07 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/09/07 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/09/07 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/09/07 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/09/07 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210019 HYDESVILLE CO. W.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210019-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/09/07	< .500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1990/08/16	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1990/08/16	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1990/08/16	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1990/08/16	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1990/08/16	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1990/08/16	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1990/08/16	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1990/08/16	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1990/08/16	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1990/08/16	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1990/08/16	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1990/08/16	.000	WAIVED
BENZENE	34030	WAIVED	1990/08/16	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1990/08/16	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1990/08/16	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1990/08/16	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1990/08/16	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1997/07/22	< 5.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1990/08/16	.000	WAIVED
STYRENE	77128	WAIVED	1990/08/16	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1990/08/16	.000	WAIVED
TOLUENE	34010	WAIVED	1990/08/16	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1990/08/16	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1990/08/16	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1990/08/16	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210019 HYDESVILLE CO. W.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210019-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1990/08/16	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1990/08/16	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1992/12/16	155.000	WAIVED
CALCIUM	00916	WAIVED	1992/12/16	51.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1992/12/16	.000	WAIVED
CHLORIDE	00940	WAIVED	1992/12/16	13.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1992/12/16	67.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1992/12/16	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1992/12/16	180.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1992/12/16	.000	WAIVED
IRON	01045	WAIVED	1992/12/16	.000	WAIVED
MAGNESIUM	00927	WAIVED	1992/12/16	14.000	WAIVED
MANGANESE	01055	WAIVED	1992/12/16	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1992/12/16	7.100	WAIVED
SILVER	01077	WAIVED	1992/12/16	.000	WAIVED
SODIUM	00929	WAIVED	1992/12/16	13.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1992/12/16	390.000	WAIVED
SULFATE	00945	WAIVED	1992/12/16	21.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1992/12/16	230.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1992/12/16	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210019 HYDESVILLE CO. W.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210019-002 WELL 02 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2007/04/03	.000	2016/04
ANTIMONY	01097	036	2005/12/29	.000	2008/12
ARSENIC	01002	108	2005/12/29	.000	2014/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2007/04/03	.000	2016/04
BERYLLIUM	01012	108	2007/04/03	.000	2016/04
CADMIUM	01027	108	2005/12/29	.000	2014/12
CHROMIUM (TOTAL)	01034	108	2006/10/03	.000	2015/10
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2007/04/03	.000	2016/04
LEAD	01051	WAIVED	1995/11/01	.000	WAIVED
MERCURY	71900	108	2005/12/29	.000	2014/12
NICKEL	01067	108	2007/04/03	.000	2016/04
SELENIUM	01147	108	2005/12/29	.000	2014/12
THALLIUM	01059	036	2005/12/29	.000	2008/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/04/03	5.300	2008/04
NITRITE (AS N)	00620	036	2005/12/08	.000	2008/12

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/12/29 -	.240	2009/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210019 HYDESVILLE CO. W.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210019-002 WELL 02 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1997/08/08	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	1997/08/08	.000	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210019 HYDESVILLE CO. W.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210019-002 WELL 02 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/11/07	.000	2008/11
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/11/07	.000	2008/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2002/11/07	.000	2008/11
1,1,2-TRICHLOROETHANE	34511	072	2002/11/07	.000	2008/11
1,1-DICHLOROETHANE	34496	072	2002/11/07	.000	2008/11
1,1-DICHLOROETHYLENE	34501	072	2002/11/07	.000	2008/11
1,2,4-TRICHLOROBENZENE	34551	072	2002/11/07	.000	2008/11
1,2-DICHLOROBENZENE	34536	072	2002/11/07	.000	2008/11
1,2-DICHLOROETHANE	34531	072	2002/11/07	.000	2008/11
1,2-DICHLOROPROPANE	34541	072	2002/11/07	.000	2008/11
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/11/07	.000	2008/11
1,4-DICHLOROBENZENE	34571	072	2002/11/07	.000	2008/11
BENZENE	34030	072	2002/11/07	.000	2008/11
CARBON TETRACHLORIDE	32102	072	2002/11/07	.000	2008/11
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/11/07	.000	2008/11
DICHLOROMETHANE	34423	072	2002/11/07	.000	2008/11
ETHYLBENZENE	34371	072	2002/11/07	.000	2008/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/11/07	.000	2008/11
MONOCHLOROBENZENE	34301	072	2002/11/07	.000	2008/11
STYRENE	77128	072	2002/11/07	.000	2008/11
TETRACHLOROETHYLENE	34475	072	2002/11/07	.000	2008/11
TOLUENE	34010	072	2002/11/07	.000	2008/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/11/07	.000	2008/11
TRICHLOROETHYLENE	39180	072	2002/11/07	.000	2008/11
TRICHLOROFLUOROMETHANE	34488	072	2002/11/07	.000	2008/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210019 HYDESVILLE CO. W.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210019-002 WELL 02 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2002/11/07	.000	2008/11
XYLENES (TOTAL)	81551	072	2002/11/07	.000	2008/11

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/12/29 -	.790	2014/12
BICARBONATE ALKALINITY	00440	108	2004/11/02	140.000	2013/11
CALCIUM	00916	108	2005/12/29	44.000	2014/12
CARBONATE ALKALINITY	00445	108	2004/11/02 <	1.000	2013/11
CHLORIDE	00940	108	2007/04/03	8.500	2016/04
COLOR	00081	108	2007/04/03 <	3.000	2016/04
COPPER	01042	108	2007/04/03	.000	2016/04
FOAMING AGENTS (MBAS)	38260	108	2004/11/02	.000	2013/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/11/02	150.000	2013/11
HYDROXIDE ALKALINITY	71830	108	2004/11/02 <	1.000	2013/11
IRON	01045	108	2007/04/03	.000	2016/04
MAGNESIUM	00927	108	2004/11/02	9.700	2013/11
MANGANESE	01055	108	2007/04/03	.000	2016/04
ODOR THRESHOLD @ 60 C	00086	108	2007/04/03	.000	2016/04
PH, LABORATORY	00403	108	2005/12/29	6.800	2014/12
SILVER	01077	108	2007/04/03	.000	2016/04
SODIUM	00929	108	2004/11/02	9.700	2013/11
SPECIFIC CONDUCTANCE	00095	108	2007/04/03	360.000	2016/04
SULFATE	00945	108	2007/04/03	14.000	2016/04
TOTAL DISSOLVED SOLIDS	70300	108	2005/12/29	190.000	2014/12
TURBIDITY, LABORATORY	82079	108	2007/04/03	.070	2016/04
ZINC	01092	108	2007/04/03	.000	2016/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210020 FIELDBROOK GLENDALE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210020-001 HUMBOLDT BAY MWD PURCHASED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210020 FIELDBROOK GLENDALE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210020-001 HUMBOLDT BAY MWD PURCHASED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210020 FIELDBROOK GLENDALE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210020-001 HUMBOLDT BAY MWD PURCHASED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210020 FIELDBROOK GLENDALE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210020-001 HUMBOLDT BAY MWD PURCHASED****Source Number: 001****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210020 FIELDBROOK GLENDALE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210020-002 HUMBOLDT BAY MWD PURCHASED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210020 FIELDBROOK GLENDALE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210020-002 HUMBOLDT BAY MWD PURCHASED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210020 FIELDBROOK GLENDALE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210020-002 HUMBOLDT BAY MWD PURCHASED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210020 FIELDBROOK GLENDALE C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210020-002 HUMBOLDT BAY MWD PURCHASED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210021 JACOBY CREEK CSD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210021-002 HUMBOLDT BAY MWD - TREATED - PURCHASED

Source Number: 002

Source Status: **PURCHASED TREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	036		DUE
ANTIMONY	01097	036		DUE
ARSENIC	01002	036		DUE
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	036		DUE
BERYLLIUM	01012	036		DUE
CADMIUM	01027	036		DUE
CHROMIUM (TOTAL)	01034	036		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	036		DUE
NICKEL	01067	036		DUE
SELENIUM	01147	036		DUE
THALLIUM	01059	036		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210021 JACOBY CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210021-002 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 002****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210021 JACOBY CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210021-002 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 002****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210021 JACOBY CREEK CSD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210021-002 HUMBOLDT BAY MWD - TREATED - PURCHASED****Source Number: 002****Source Status: PURCHASED TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	036		DUE
COLOR	00081	036		DUE
COPPER	01042	036		DUE
FOAMING AGENTS (MBAS)	38260	036		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	036		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	036		DUE
ODOR THRESHOLD @ 60 C	00086	036		DUE
PH, LABORATORY	00403	036		DUE
SILVER	01077	036		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	036		DUE
SULFATE	00945	036		DUE
TOTAL DISSOLVED SOLIDS	70300	036		DUE
TURBIDITY, LABORATORY	82079	036		DUE
ZINC	01092	036		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-002 POLEYARD WELL 01 (NORTH WELL) - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	2001/12/28	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	108	2006/12/20	.000	2015/12
ANTIMONY	01097	108	2006/12/20	.000	2015/12
ARSENIC	01002	108	2006/12/20	.000	2015/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2006/12/20	.000	2015/12
BERYLLIUM	01012	108	2006/12/20	.000	2015/12
CADMIUM	01027	108	2006/12/20	.000	2015/12
CHROMIUM (TOTAL)	01034	108	2006/12/20	.000	2015/12
CYANIDE	01291	WAIVED	2001/12/28	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/12/20	.000	2015/12
LEAD	01051	WAIVED	1992/03/04	.000	WAIVED
MERCURY	71900	108	2006/12/20	.000	2015/12
NICKEL	01067	108	2006/12/20	.000	2015/12
SELENIUM	01147	108	2006/12/20	.000	2015/12
THALLIUM	01059	108	2006/12/20	.000	2015/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/20	6.600	2007/12
NITRITE (AS N)	00620	036	2006/12/20	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/12/20	.010	2010/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	2006/12/20	.010	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-002 POLEYARD WELL 01 (NORTH WELL) - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2001/12/28	.000	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	2001/12/28	.000	WAIVED
2,4-D	39730	WAIVED	2001/12/28	.000	WAIVED
ALACHLOR	77825	WAIVED	2001/12/28	.000	WAIVED
ATRAZINE	39033	WAIVED	2001/12/28	.000	WAIVED
BENTAZON	38710	WAIVED	2001/12/28	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	2001/12/28	.000	WAIVED
CARBOFURAN	81405	WAIVED	2001/12/28	.000	WAIVED
CHLORDANE	39350	WAIVED	2001/12/28	.000	WAIVED
DALAPON	38432	WAIVED	2001/12/28	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2001/12/28	.000	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/12/28	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/12/28	.000	WAIVED
DINOSEB	81287	WAIVED	2001/12/28	.000	WAIVED
DIQUAT	78885	WAIVED	2001/12/28	.000	WAIVED
ENDOTHALL	38926	WAIVED	2001/12/28	.000	WAIVED
ENDRIN	39390	WAIVED	2001/12/28	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2001/12/28	.000	WAIVED
GLYPHOSATE	79743	WAIVED	2006/12/20	.000	WAIVED
HEPTACHLOR	39410	WAIVED	2001/12/28	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/12/28	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2001/12/28	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/12/28	.000	WAIVED
LINDANE	39340	WAIVED	2001/12/28	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	2001/12/28	.000	WAIVED
MOLINATE	82199	WAIVED	2001/12/28	.000	WAIVED
OXAMYL	38865	WAIVED	2001/12/28	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2001/12/28	.000	WAIVED
PICLORAM	39720	WAIVED	2001/12/28	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/12/28	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210022 RESORT IMPRVMT. DIST. #1

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210022-002 POLEYARD WELL 01 (NORTH WELL) - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	2001/12/28	.000	WAIVED
THIOBENCARB	A-001	WAIVED	2006/12/20	.000	WAIVED
TOXAPHENE	39400	WAIVED	2001/12/28	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/04/19	.000	2011/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/04/19	.000	2011/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/04/19	.000	2011/04
1,1,2-TRICHLOROETHANE	34511	072	2005/04/19	.000	2011/04
1,1-DICHLOROETHANE	34496	072	2005/04/19	.000	2011/04
1,1-DICHLOROETHYLENE	34501	072	2005/04/19	.000	2011/04
1,2,4-TRICHLOROBENZENE	34551	072	2005/04/19	.000	2011/04
1,2-DICHLOROBENZENE	34536	072	2005/04/19	.000	2011/04
1,2-DICHLOROETHANE	34531	072	2005/04/19	.000	2011/04
1,2-DICHLOROPROPANE	34541	072	2005/04/19	.000	2011/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/04/19	.000	2011/04
1,4-DICHLOROBENZENE	34571	072	2005/04/19	.000	2011/04
BENZENE	34030	072	2005/04/19	.000	2011/04
CARBON TETRACHLORIDE	32102	072	2005/04/19	.000	2011/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/04/19	.000	2011/04
DICHLOROMETHANE	34423	072	2005/04/19	.000	2011/04
ETHYLBENZENE	34371	072	2005/04/19	.000	2011/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/12/20	.000	2012/12
MONOCHLOROBENZENE	34301	072	2005/04/19	.000	2011/04
STYRENE	77128	072	2005/04/19	.000	2011/04
TETRACHLOROETHYLENE	34475	072	2005/04/19	.000	2011/04
TOLUENE	34010	072	2005/04/19	.000	2011/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/04/19	.000	2011/04
TRICHLOROETHYLENE	39180	072	2005/04/19	.000	2011/04
TRICHLOROFLUOROMETHANE	34488	072	2005/04/19	.000	2011/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-002 POLEYARD WELL 01 (NORTH WELL) - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/04/19	.000	2011/04
XYLENES (TOTAL)	81551	072	2005/04/19	.000	2011/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/12/20 -	2.400	2015/12
BICARBONATE ALKALINITY	00440	108	2006/12/20	42.000	2015/12
CALCIUM	00916	108	2006/12/20	15.000	2015/12
CARBONATE ALKALINITY	00445	108	2006/12/20 <	1.000	2015/12
CHLORIDE	00940	108	2006/12/20	11.000	2015/12
COLOR	00081	036	2006/12/20 <	3.000	2009/12
COPPER	01042	108	2006/12/20	.000	2015/12
FOAMING AGENTS (MBAS)	38260	108	2006/12/20 <	.050	2015/12
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/12/20	54.000	2015/12
HYDROXIDE ALKALINITY	71830	108	2006/12/20 <	1.000	2015/12
IRON	01045	108	2006/12/20	.000	2015/12
MAGNESIUM	00927	108	2006/12/20	4.100	2015/12
MANGANESE	01055	108	2006/12/20	.000	2015/12
ODOR THRESHOLD @ 60 C	00086	036	2006/12/20	.000	2009/12
PH, LABORATORY	00403	108	2006/12/20	6.100	2015/12
SILVER	01077	108	2006/12/20	.000	2015/12
SODIUM	00929	108	2006/12/20	9.500	2015/12
SPECIFIC CONDUCTANCE	00095	108	2006/12/20	160.000	2015/12
SULFATE	00945	108	2006/12/20	13.000	2015/12
TOTAL DISSOLVED SOLIDS	70300	108	2006/12/20	110.000	2015/12
TURBIDITY, LABORATORY	82079	036	2006/12/20	.060	2009/12
ZINC	01092	108	2006/12/20	.000	2015/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-003 SPRINGS - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	2001/12/28	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	108	2006/12/20	.000	2015/12
ANTIMONY	01097	108	2006/12/20	.000	2015/12
ARSENIC	01002	108	2006/12/20	.000	2015/12
ASBESTOS	81855	WAIVED	WAIVED -		WAIVED
BARIUM	01007	108	2006/12/20	.000	2015/12
BERYLLIUM	01012	108	2006/12/20	.000	2015/12
CADMIUM	01027	108	2006/12/20	.000	2015/12
CHROMIUM (TOTAL)	01034	108	2006/12/20	.000	2015/12
CYANIDE	01291	WAIVED	2001/12/28	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/12/20	.110	2015/12
LEAD	01051	WAIVED	2004/12/27	.000	WAIVED
MERCURY	71900	108	2006/12/20	.000	2015/12
NICKEL	01067	108	2006/12/20	.000	2015/12
SELENIUM	01147	108	2006/12/20	.000	2015/12
THALLIUM	01059	108	2006/12/20	.000	2015/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/20	.000	2007/12
NITRITE (AS N)	00620	036	2006/12/20	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/12/20	.270	2010/12
GROSS BETA	03501	WAIVED	WAIVED -		WAIVED
RADIUM 226	09501	WAIVED	WAIVED -		WAIVED
RADIUM 228	11501	WAIVED	WAIVED -		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED -		WAIVED
TRITIUM	07000	WAIVED	WAIVED -		WAIVED
URANIUM (PCI/L)	28012	WAIVED	2006/12/20	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-003 SPRINGS - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2001/12/28	.000	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	2001/12/28	.000	WAIVED
2,4-D	39730	WAIVED	2001/12/28	.000	WAIVED
ALACHLOR	77825	WAIVED	2001/12/28	.000	WAIVED
ATRAZINE	39033	WAIVED	2001/12/28	.000	WAIVED
BENTAZON	38710	WAIVED	2001/12/28	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	2001/12/28	.000	WAIVED
CARBOFURAN	81405	WAIVED	2001/12/28	.000	WAIVED
CHLORDANE	39350	WAIVED	2001/12/28	.000	WAIVED
DALAPON	38432	WAIVED	2001/12/28	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2001/12/28	.000	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	2001/12/28	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/12/28	.000	WAIVED
DINOSEB	81287	WAIVED	2001/12/28	.000	WAIVED
DIQUAT	78885	WAIVED	2001/12/28	.000	WAIVED
ENDOTHALL	38926	WAIVED	2001/12/28	.000	WAIVED
ENDRIN	39390	WAIVED	2001/12/28	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2001/12/28	.000	WAIVED
GLYPHOSATE	79743	WAIVED	2006/12/20	.000	WAIVED
HEPTACHLOR	39410	WAIVED	2001/12/28	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/12/28	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2001/12/28	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/12/28	.000	WAIVED
LINDANE	39340	WAIVED	2001/12/28	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	2001/12/28	.000	WAIVED
MOLINATE	82199	WAIVED	2001/12/28	.000	WAIVED
OXAMYL	38865	WAIVED	2001/12/28	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2001/12/28	.000	WAIVED
PICLORAM	39720	WAIVED	2001/12/28	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/12/28	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210022 RESORT IMPRVMT. DIST. #1

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210022-003 SPRINGS - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	2001/12/28	.000	WAIVED
THIOBENCARB	A-001	WAIVED	2006/12/20	.000	WAIVED
TOXAPHENE	39400	WAIVED	2001/12/28	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/12/28	.000	2007/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/12/28	.000	2007/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/12/28	.000	2007/12
1,1,2-TRICHLOROETHANE	34511	072	2001/12/28	.000	2007/12
1,1-DICHLOROETHANE	34496	072	2001/12/28	.000	2007/12
1,1-DICHLOROETHYLENE	34501	072	2001/12/28	.000	2007/12
1,2,4-TRICHLOROBENZENE	34551	072	2001/12/28	.000	2007/12
1,2-DICHLOROBENZENE	34536	072	2001/12/28	.000	2007/12
1,2-DICHLOROETHANE	34531	072	2001/12/28	.000	2007/12
1,2-DICHLOROPROPANE	34541	072	2001/12/28	.000	2007/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/12/28	.000	2007/12
1,4-DICHLOROBENZENE	34571	072	2001/12/28	.000	2007/12
BENZENE	34030	072	2001/12/28	.000	2007/12
CARBON TETRACHLORIDE	32102	072	2001/12/28	.000	2007/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/12/28	.000	2007/12
DICHLOROMETHANE	34423	072	2001/12/28	.000	2007/12
ETHYLBENZENE	34371	072	2001/12/28	.000	2007/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/12/20	.000	2012/12
MONOCHLOROBENZENE	34301	072	2001/12/28	.000	2007/12
STYRENE	77128	072	2001/12/28	.000	2007/12
TETRACHLOROETHYLENE	34475	072	2001/12/28	.000	2007/12
TOLUENE	34010	072	2001/12/28	.000	2007/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/12/28	.000	2007/12
TRICHLOROETHYLENE	39180	072	2001/12/28	.000	2007/12
TRICHLOROFLUOROMETHANE	34488	072	2001/12/28	.000	2007/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-003 SPRINGS - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/12/28	.000	2007/12
XYLENES (TOTAL)	81551	072	2001/12/28	.000	2007/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/12/20 -	1.000	2015/12
BICARBONATE ALKALINITY	00440	108	2006/12/20	69.000	2015/12
CALCIUM	00916	108	2006/12/20	20.000	2015/12
CARBONATE ALKALINITY	00445	108	2006/12/20 <	1.000	2015/12
CHLORIDE	00940	108	2006/12/20	5.900	2015/12
COLOR	00081	108	2006/12/20 <	3.000	2015/12
COPPER	01042	108	2006/12/20	.000	2015/12
FOAMING AGENTS (MBAS)	38260	108	2006/12/20 <	.050	2015/12
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/12/20	73.000	2015/12
HYDROXIDE ALKALINITY	71830	108	2006/12/20 <	1.000	2015/12
IRON	01045	108	2006/12/20	.000	2015/12
MAGNESIUM	00927	108	2006/12/20	5.400	2015/12
MANGANESE	01055	108	2006/12/20	.000	2015/12
ODOR THRESHOLD @ 60 C	00086	108	2006/12/20	.000	2015/12
PH, LABORATORY	00403	108	2006/12/20	7.200	2015/12
SILVER	01077	108	2006/12/20	.000	2015/12
SODIUM	00929	108	2006/12/20	8.000	2015/12
SPECIFIC CONDUCTANCE	00095	108	2006/12/20	180.000	2015/12
SULFATE	00945	108	2006/12/20	12.000	2015/12
TOTAL DISSOLVED SOLIDS	70300	108	2006/12/20	110.000	2015/12
TURBIDITY, LABORATORY	82079	108	2006/12/20	.070	2015/12
ZINC	01092	108	2006/12/20	.000	2015/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-004 TELEGRAPH CREEK - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	2001/12/28	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	108	2006/12/20	160.000	2015/12
ANTIMONY	01097	108	2006/12/20	.000	2015/12
ARSENIC	01002	108	2006/12/20	.000	2015/12
ASBESTOS	81855	000	-		DUE
BARIUM	01007	108	2006/12/20	.000	2015/12
BERYLLIUM	01012	108	2006/12/20	.000	2015/12
CADMIUM	01027	108	2006/12/20	.000	2015/12
CHROMIUM (TOTAL)	01034	108	2006/12/20	.000	2015/12
CYANIDE	01291	WAIVED	2001/12/28	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	1994/12/29	.100	2003/12 DUE
LEAD	01051	WAIVED	2004/12/27	.000	WAIVED
MERCURY	71900	108	2006/12/20	.000	2015/12
NICKEL	01067	108	2006/12/20	.000	2015/12
SELENIUM	01147	108	2006/12/20	.000	2015/12
THALLIUM	01059	108	2006/12/20	.000	2015/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/20	.000	2007/12
NITRITE (AS N)	00620	036	2006/12/20	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/12/20	.000	2010/12
GROSS BETA	03501	WAIVED	WAIVED	-	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	-	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	-	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	-	WAIVED
TRITIUM	07000	WAIVED	WAIVED	-	WAIVED
URANIUM (PCI/L)	28012	WAIVED	2006/12/20	2.810	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-004 TELEGRAPH CREEK - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2001/12/28	.000	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	2001/12/28	.000	WAIVED
2,4-D	39730	WAIVED	2001/12/28	.000	WAIVED
ALACHLOR	77825	WAIVED	2001/12/28	.000	WAIVED
ATRAZINE	39033	WAIVED	2001/12/28	.000	WAIVED
BENTAZON	38710	WAIVED	2001/12/28	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	2001/12/28	.000	WAIVED
CARBOFURAN	81405	WAIVED	2001/12/28	.000	WAIVED
CHLORDANE	39350	WAIVED	2001/12/28	.000	WAIVED
DALAPON	38432	WAIVED	2001/12/28	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2001/12/28	.000	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	2001/12/28	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/12/28	.000	WAIVED
DINOSEB	81287	WAIVED	2001/12/28	.000	WAIVED
DIQUAT	78885	WAIVED	2001/12/28	.000	WAIVED
ENDOTHALL	38926	WAIVED	2001/12/28	.000	WAIVED
ENDRIN	39390	WAIVED	2001/12/28	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2001/12/28	.000	WAIVED
GLYPHOSATE	79743	WAIVED	2006/12/20	.000	WAIVED
HEPTACHLOR	39410	WAIVED	2001/12/28	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/12/28	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2001/12/28	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/12/28	.000	WAIVED
LINDANE	39340	WAIVED	2001/12/28	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	2001/12/28	.000	WAIVED
MOLINATE	82199	WAIVED	2001/12/28	.000	WAIVED
OXAMYL	38865	WAIVED	2001/12/28	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2001/12/28	.000	WAIVED
PICLORAM	39720	WAIVED	2001/12/28	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/12/28	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-004 TELEGRAPH CREEK - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	2001/12/28	.000	WAIVED
THIOBENCARB	A-001	WAIVED	2006/12/20	.000	WAIVED
TOXAPHENE	39400	WAIVED	2001/12/28	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/12/28	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/12/28	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/12/28	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/12/28	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2001/12/28	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/12/28	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/12/28	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2001/12/28	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2001/12/28	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2001/12/28	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/12/28	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2001/12/28	.000	WAIVED
BENZENE	34030	WAIVED	2001/12/28	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2001/12/28	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/12/28	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2001/12/28	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2001/12/28	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2006/12/20	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2001/12/28	.000	WAIVED
STYRENE	77128	WAIVED	2001/12/28	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2001/12/28	.000	WAIVED
TOLUENE	34010	WAIVED	2001/12/28	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/12/28	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2001/12/28	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/12/28	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210022 RESORT IMPRVMT. DIST. #1

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210022-004 TELEGRAPH CREEK - RAWSource Number: **004**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED VOC

VINYL CHLORIDE	39175	WAIVED	2001/12/28	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2001/12/28	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/12/20 -	.780	2015/12
BICARBONATE ALKALINITY	00440	108	2006/12/20	64.000	2015/12
CALCIUM	00916	108	2006/12/20	18.000	2015/12
CARBONATE ALKALINITY	00445	108	2006/12/20 <	1.000	2015/12
CHLORIDE	00940	108	2006/12/20	6.500	2015/12
COLOR	00081	WAIVED	2006/12/20	5.000	WAIVED
COPPER	01042	108	2006/12/20	.000	2015/12
FOAMING AGENTS (MBAS)	38260	108	2006/12/20 <	.050	2015/12
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/12/20	60.000	2015/12
HYDROXIDE ALKALINITY	71830	108	2006/12/20 <	1.000	2015/12
IRON	01045	108	2006/12/20	170.000	2015/12
MAGNESIUM	00927	108	2006/12/20	3.600	2015/12
MANGANESE	01055	108	2006/12/20	.000	2015/12
ODOR THRESHOLD @ 60 C	00086	WAIVED	2006/12/20	2.000	WAIVED
PH, LABORATORY	00403	WAIVED	2006/12/20	7.500	WAIVED
SILVER	01077	108	2006/12/20	.000	2015/12
SODIUM	00929	108	2006/12/20	7.100	2015/12
SPECIFIC CONDUCTANCE	00095	108	2006/12/20	160.000	2015/12
SULFATE	00945	108	2006/12/20	15.000	2015/12
TOTAL DISSOLVED SOLIDS	70300	108	2006/12/20	96.000	2015/12
TURBIDITY, LABORATORY	82079	WAIVED	2006/12/20	1.500	WAIVED
ZINC	01092	108	2006/12/20	.000	2015/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-005 TELEGRAPH CREEK - TREATED****Source Number: 005****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED -	WAIVED
----------	-------	--------	----------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED -	WAIVED
ANTIMONY	01097	WAIVED	WAIVED -	WAIVED
ARSENIC	01002	WAIVED	WAIVED -	WAIVED
ASBESTOS	81855	WAIVED	WAIVED -	WAIVED
BARIUM	01007	WAIVED	WAIVED -	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED -	WAIVED
CADMIUM	01027	WAIVED	WAIVED -	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED -	WAIVED
CYANIDE	01291	WAIVED	WAIVED -	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED -	WAIVED
LEAD	01051	WAIVED	WAIVED -	WAIVED
MERCURY	71900	WAIVED	WAIVED -	WAIVED
NICKEL	01067	WAIVED	WAIVED -	WAIVED
SELENIUM	01147	WAIVED	WAIVED -	WAIVED
THALLIUM	01059	WAIVED	WAIVED -	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED -	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED -	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED -	WAIVED
GROSS BETA	03501	WAIVED	WAIVED -	WAIVED
RADIUM 226	09501	WAIVED	WAIVED -	WAIVED
RADIUM 228	11501	WAIVED	WAIVED -	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED -	WAIVED
TRITIUM	07000	WAIVED	WAIVED -	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-005 TELEGRAPH CREEK - TREATED****Source Number: 005****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED -	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED -	WAIVED
2,4-D	39730	WAIVED	WAIVED -	WAIVED
ALACHLOR	77825	WAIVED	WAIVED -	WAIVED
ATRAZINE	39033	WAIVED	WAIVED -	WAIVED
BENTAZON	38710	WAIVED	WAIVED -	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED -	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED -	WAIVED
CHLORDANE	39350	WAIVED	WAIVED -	WAIVED
DALAPON	38432	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED -	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED -	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED -	WAIVED
DINOSEB	81287	WAIVED	WAIVED -	WAIVED
DIQUAT	78885	WAIVED	WAIVED -	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED -	WAIVED
ENDRIN	39390	WAIVED	WAIVED -	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED -	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED -	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED -	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED -	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED -	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED -	WAIVED
LINDANE	39340	WAIVED	WAIVED -	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED -	WAIVED
MOLINATE	82199	WAIVED	WAIVED -	WAIVED
OXAMYL	38865	WAIVED	WAIVED -	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED -	WAIVED
PICLORAM	39720	WAIVED	WAIVED -	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-005 TELEGRAPH CREEK - TREATED****Source Number: 005****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED -	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED -	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED -	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED -	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED -	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED -	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED -	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED -	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED -	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED -	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED -	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED -	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED -	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED -	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED -	WAIVED
BENZENE	34030	WAIVED	WAIVED -	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED -	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED -	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED -	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED -	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED -	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED -	WAIVED
STYRENE	77128	WAIVED	WAIVED -	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED -	WAIVED
TOLUENE	34010	WAIVED	WAIVED -	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED -	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED -	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210022 RESORT IMPRVMT. DIST. #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210022-005 TELEGRAPH CREEK - TREATED****Source Number: 005****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED -	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED -	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED -	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED -	WAIVED
CALCIUM	00916	WAIVED	WAIVED -	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED -	WAIVED
CHLORIDE	00940	WAIVED	WAIVED -	WAIVED
COLOR	00081	WAIVED	WAIVED -	WAIVED
COPPER	01042	WAIVED	WAIVED -	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED -	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED -	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED -	WAIVED
IRON	01045	WAIVED	WAIVED -	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED -	WAIVED
MANGANESE	01055	WAIVED	WAIVED -	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED -	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED -	WAIVED
SILVER	01077	WAIVED	WAIVED -	WAIVED
SODIUM	00929	WAIVED	WAIVED -	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED -	WAIVED
SULFATE	00945	WAIVED	WAIVED -	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED -	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED -	WAIVED
ZINC	01092	WAIVED	WAIVED -	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210023 LOLETA C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210023-004 WELL 03 - EAST - RAWSource Number: **004**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED -	WAIVED
----------	-------	--------	----------	--------

INORGANIC

ALUMINUM	01105	036	2003/08/28	.000	2006/08	DUE
ANTIMONY	01097	036	2003/08/28	.000	2006/08	DUE
ARSENIC	01002	036	2003/08/28	3.300	2006/08	DUE
ASBESTOS	81855	WAIVED	WAIVED -		WAIVED	
BARIUM	01007	036	2003/08/28	390.000	2006/08	DUE
BERYLLIUM	01012	036	2003/08/28	.000	2006/08	DUE
CADMIUM	01027	036	2003/08/28	.000	2006/08	DUE
CHROMIUM (TOTAL)	01034	036	2003/08/28	1.200	2006/08	DUE
CYANIDE	01291	WAIVED	WAIVED -		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2003/08/28	.000	2006/08	DUE
LEAD	01051	WAIVED	2003/08/28	.000	WAIVED	
MERCURY	71900	036	2003/08/28	.000	2006/08	DUE
NICKEL	01067	036	2003/08/28	.000	2006/08	DUE
SELENIUM	01147	036	2003/08/28	.000	2006/08	DUE
THALLIUM	01059	036	2003/08/28	.000	2006/08	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/09/27	.000	2006/09	DUE
NITRITE (AS N)	00620	036	2003/08/28	.000	2006/08	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/06/25	.600	2008/06	
GROSS BETA	03501	WAIVED	WAIVED -		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED -		WAIVED	
RADIUM 228	11501	048	-			DUE
STRONTIUM-90	13501	WAIVED	WAIVED -		WAIVED	
TRITIUM	07000	WAIVED	WAIVED -		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED -		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-004 WELL 03 - EAST - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	-	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/02/21	< 1.000	WAIVED
2,4-D	39730	WAIVED	1990/02/21	< 10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	-	WAIVED
ATRAZINE	39033	WAIVED	1990/02/21	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED	-	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	-	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	-	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	-	WAIVED
DALAPON	38432	WAIVED	WAIVED	-	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	-	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	-	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	-	WAIVED
DINOSEB	81287	WAIVED	WAIVED	-	WAIVED
DIQUAT	78885	WAIVED	WAIVED	-	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	-	WAIVED
ENDRIN	39390	WAIVED	1989/05/08	< .010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	-	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	-	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	-	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	-	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	-	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	-	WAIVED
LINDANE	39340	WAIVED	1989/05/08	< .400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/05/08	< 10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED	-	WAIVED
OXAMYL	38865	WAIVED	WAIVED	-	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	-	WAIVED
PICLORAM	39720	WAIVED	WAIVED	-	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	-	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-004 WELL 03 - EAST - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1990/02/21	<	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	-		WAIVED
TOXAPHENE	39400	WAIVED	1989/05/08	<	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2003/08/28		.000	2009/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2003/08/28		.000	2009/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2003/08/28		.000	2009/08
1,1,2-TRICHLOROETHANE	34511	072	2003/08/28		.000	2009/08
1,1-DICHLOROETHANE	34496	072	2003/08/28		.000	2009/08
1,1-DICHLOROETHYLENE	34501	072	2003/08/28		.000	2009/08
1,2,4-TRICHLOROBENZENE	34551	072	2003/08/28		.000	2009/08
1,2-DICHLOROBENZENE	34536	072	2003/08/28		.000	2009/08
1,2-DICHLOROETHANE	34531	072	2003/08/28		.000	2009/08
1,2-DICHLOROPROPANE	34541	072	2003/08/28		.000	2009/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2003/08/28		.000	2009/08
1,4-DICHLOROBENZENE	34571	072	2003/08/28		.000	2009/08
BENZENE	34030	072	2003/08/28		.000	2009/08
CARBON TETRACHLORIDE	32102	072	2003/08/28		.000	2009/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2003/08/28		.000	2009/08
DICHLOROMETHANE	34423	072	2003/08/28		.000	2009/08
ETHYLBENZENE	34371	072	2003/08/28		.000	2009/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2003/08/28		.000	2009/08
MONOCHLOROBENZENE	34301	072	2003/08/28		.000	2009/08
STYRENE	77128	072	2003/08/28		.000	2009/08
TETRACHLOROETHYLENE	34475	072	2003/08/28		.000	2009/08
TOLUENE	34010	072	2003/08/28		.000	2009/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2003/08/28		.000	2009/08
TRICHLOROETHYLENE	39180	072	2003/08/28		.000	2009/08
TRICHLOROFLUOROMETHANE	34488	072	2003/08/28		.000	2009/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210023 LOLETA C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210023-004 WELL 03 - EAST - RAWSource Number: **004**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2003/08/28	.000	2009/08
XYLENES (TOTAL)	81551	072	2003/08/28	.000	2009/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000	-		DUE
BICARBONATE ALKALINITY	00440	108	2004/11/19	340.000	2013/11
CALCIUM	00916	108	2005/09/27	59.000	2014/09
CARBONATE ALKALINITY	00445	108	2004/11/19	1.600	2013/11
CHLORIDE	00940	036	2003/08/28	19.000	2006/08 DUE
COLOR	00081	036	2003/08/28	17.000	2006/08 DUE
COPPER	01042	036	2003/08/28	.000	2006/08 DUE
FOAMING AGENTS (MBAS)	38260	036	2003/08/28	< .050	2006/08 DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2004/11/19	310.000	2013/11
HYDROXIDE ALKALINITY	71830	108	2004/11/19	< 1.000	2013/11
IRON	01045	108	2004/11/19	1000.000	2013/11
MAGNESIUM	00927	108	2004/11/19	41.000	2013/11
MANGANESE	01055	108	2004/11/19	880.000	2013/11
ODOR THRESHOLD @ 60 C	00086	036	2003/08/28	.000	2006/08 DUE
PH, LABORATORY	00403	108	2005/09/27	7.500	2014/09
SILVER	01077	036	2003/08/28	.000	2006/08 DUE
SODIUM	00929	108	2004/11/19	48.000	2013/11
SPECIFIC CONDUCTANCE	00095	036	2003/08/28	660.000	2006/08 DUE
SULFATE	00945	036	2003/08/28	3.900	2006/08 DUE
TOTAL DISSOLVED SOLIDS	70300	108	2005/09/27	390.000	2014/09
TURBIDITY, LABORATORY	82079	036	2003/08/28	3.000	2006/08 DUE
ZINC	01092	036	2003/08/28	100.000	2006/08 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-005 WELL 01 - WEST - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/09/27	.000	2014/09
ANTIMONY	01097	036	2006/01/25	.000	2009/01
ARSENIC	01002	108	2005/09/27	.000	2014/09
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/09/27	2000.000	2014/09
BERYLLIUM	01012	036	2006/01/25	.000	2009/01
CADMIUM	01027	108	2005/09/27	.000	2014/09
CHROMIUM (TOTAL)	01034	108	2003/02/13		2012/02
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/09/27	.000	2014/09
LEAD	01051	WAIVED	1995/11/29	.000	WAIVED
MERCURY	71900	108	2005/09/27	.000	2014/09
NICKEL	01067	036	2006/01/25	.000	2009/01
SELENIUM	01147	108	2006/01/25	.000	2015/01
THALLIUM	01059	036	2006/01/25	.000	2009/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/09/27	.000	2006/09	DUE
NITRITE (AS N)	00620	036	2005/09/27	.000	2008/09	

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/04/01	1.110	2010/04	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048				DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-005 WELL 01 - WEST - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/03/17 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/03/17 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/03/17 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/03/17 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/03/17 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/03/17 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-005 WELL 01 - WEST - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/03/17 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/03/17 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2003/05/08	.000	2009/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2003/05/08	.000	2009/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2003/05/08	.000	2009/05
1,1,2-TRICHLOROETHANE	34511	072	2003/05/08	.000	2009/05
1,1-DICHLOROETHANE	34496	072	2003/05/08	.000	2009/05
1,1-DICHLOROETHYLENE	34501	072	2003/05/08	.000	2009/05
1,2,4-TRICHLOROBENZENE	34551	072	2003/05/08	.000	2009/05
1,2-DICHLOROBENZENE	34536	072	2003/05/08	.000	2009/05
1,2-DICHLOROETHANE	34531	072	2003/05/08	.000	2009/05
1,2-DICHLOROPROPANE	34541	072	2003/05/08	.000	2009/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2003/05/08	.000	2009/05
1,4-DICHLOROBENZENE	34571	072	2003/05/08	.000	2009/05
BENZENE	34030	072	2003/05/08	.000	2009/05
CARBON TETRACHLORIDE	32102	072	2003/05/08	.000	2009/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2003/05/08	.000	2009/05
DICHLOROMETHANE	34423	072	2003/05/08	.000	2009/05
ETHYLBENZENE	34371	072	2003/05/08	.000	2009/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2003/05/08	.000	2009/05
MONOCHLOROBENZENE	34301	072	2003/05/08	.000	2009/05
STYRENE	77128	072	2003/05/08	.000	2009/05
TETRACHLOROETHYLENE	34475	072	2003/05/08	.000	2009/05
TOLUENE	34010	072	2003/05/08	.000	2009/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2003/05/08	.000	2009/05
TRICHLOROETHYLENE	39180	072	2003/05/08	.000	2009/05
TRICHLOROFLUOROMETHANE	34488	072	2003/05/08	.000	2009/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-005 WELL 01 - WEST - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2003/05/08	.000	2009/05
XYLENES (TOTAL)	81551	072	2003/05/08	.000	2009/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/09/27 -	.510	2014/09
BICARBONATE ALKALINITY	00440	108	2004/11/19	150.000	2013/11
CALCIUM	00916	108	2005/09/27	150.000	2014/09
CARBONATE ALKALINITY	00445	108	2004/11/19 <	1.000	2013/11
CHLORIDE	00940	108	2004/02/18	580.000	2013/02
COLOR	00081	108	2004/02/18	3.000	2013/02
COPPER	01042	108	2004/02/18	.000	2013/02
FOAMING AGENTS (MBAS)	38260	108	2004/02/18	.000	2013/02
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/11/19	1000.000	2013/11
HYDROXIDE ALKALINITY	71830	108	2004/11/19 <	1.000	2013/11
IRON	01045	108	2004/11/19	4300.000	2013/11
MAGNESIUM	00927	108	2004/11/19	180.000	2013/11
MANGANESE	01055	108	2004/11/19	1900.000	2013/11
ODOR THRESHOLD @ 60 C	00086	108	2004/02/18	7.000	2013/02
PH, LABORATORY	00403	108	2005/09/27	6.800	2014/09
SILVER	01077	108	2005/09/27	.000	2014/09
SODIUM	00929	108	2004/11/19	55.000	2013/11
SPECIFIC CONDUCTANCE	00095	108	2004/02/18	2300.000	2013/02
SULFATE	00945	108	2004/02/18	15.000	2013/02
TOTAL DISSOLVED SOLIDS	70300	108	2005/09/27	2200.000	2014/09
TURBIDITY, LABORATORY	82079	108	2004/02/18	6.200	2013/02
ZINC	01092	108	2004/02/18	.000	2013/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-007 WELL 02A - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2003/06/19	.000	WAIVED
ANTIMONY	01097	WAIVED	2003/06/19	.000	WAIVED
ARSENIC	01002	WAIVED	2003/06/19	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	2003/06/19	320.000	WAIVED
BERYLLIUM	01012	WAIVED	2003/06/19	.000	WAIVED
CADMIUM	01027	WAIVED	2003/06/19	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2003/06/19	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2003/06/19	.330	WAIVED
LEAD	01051	WAIVED	2003/06/19	.000	WAIVED
MERCURY	71900	WAIVED	2003/06/19	.000	WAIVED
NICKEL	01067	WAIVED	2003/06/19	.000	WAIVED
SELENIUM	01147	WAIVED	2003/06/19	.000	WAIVED
THALLIUM	01059	WAIVED	2003/06/19	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2003/06/19	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2003/06/19	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-007 WELL 02A - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-007 WELL 02A - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/06/19	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/06/19	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/06/19	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/06/19	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2003/06/19	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/06/19	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/06/19	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2003/06/19	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2003/06/19	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2003/06/19	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/06/19	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2003/06/19	.000	WAIVED
BENZENE	34030	WAIVED	2003/06/19	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2003/06/19	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/06/19	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2003/06/19	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2003/06/19	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/06/19	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2003/06/19	.000	WAIVED
STYRENE	77128	WAIVED	2003/06/19	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2003/06/19	.000	WAIVED
TOLUENE	34010	WAIVED	2003/06/19	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/06/19	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2003/06/19	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/06/19	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-007 WELL 02A - RAW****Source Number: 007****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2003/06/19	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2003/06/19	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2003/06/19	170.000	WAIVED
CALCIUM	00916	WAIVED	2003/06/19	66.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2003/06/19	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	2003/06/19	210.000	WAIVED
COLOR	00081	WAIVED	2003/06/19	18.000	WAIVED
COPPER	01042	WAIVED	2003/06/19	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2003/06/19	< .050	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2003/06/19	420.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2003/06/19	< 1.000	WAIVED
IRON	01045	WAIVED	2003/06/19	2100.000	WAIVED
MAGNESIUM	00927	WAIVED	2003/06/19	61.000	WAIVED
MANGANESE	01055	WAIVED	2003/06/19	820.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2003/06/19	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	2003/06/19	7.400	WAIVED
SILVER	01077	WAIVED	2003/06/19	.000	WAIVED
SODIUM	00929	WAIVED	2003/06/19	48.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2003/06/19	1100.000	WAIVED
SULFATE	00945	WAIVED	2003/06/19	20.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2003/06/19	740.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2003/06/19	9.700	WAIVED
ZINC	01092	WAIVED	2003/06/19	120.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-010 O'DELL/JENSEN WELL - RAW****Source Number: 010****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2006/01/25	.000	2009/01
ANTIMONY	01097	036	2006/01/25	.000	2009/01
ARSENIC	01002	036	2006/01/25	.000	2009/01
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2006/01/25	.000	2009/01
BERYLLIUM	01012	036	2006/01/25	.000	2009/01
CADMIUM	01027	036	2006/01/25	.000	2009/01
CHROMIUM (TOTAL)	01034	036	2006/01/25	.000	2009/01
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/01/25	.300	2009/01
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	036	2006/01/25	.000	2009/01
NICKEL	01067	036	2006/01/25	.000	2009/01
SELENIUM	01147	036	2006/01/25	.000	2009/01
THALLIUM	01059	036	2006/01/25	.000	2009/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/01/25	.000	2007/01	DUE
NITRITE (AS N)	00620	036	2006/01/25	.000	2009/01	

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/09/20	.530	2010/09	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048				DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-010 O'DELL/JENSEN WELL - RAW****Source Number: 010****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-010 O'DELL/JENSEN WELL - RAW****Source Number: 010****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/01/25	.000	2012/01
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/01/25	.000	2012/01
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/01/25	.000	2012/01
1,1,2-TRICHLOROETHANE	34511	072	2006/01/25	.000	2012/01
1,1-DICHLOROETHANE	34496	072	2006/01/25	.000	2012/01
1,1-DICHLOROETHYLENE	34501	072	2006/01/25	.000	2012/01
1,2,4-TRICHLOROBENZENE	34551	072	2006/01/25	.000	2012/01
1,2-DICHLOROBENZENE	34536	072	2006/01/25	.000	2012/01
1,2-DICHLOROETHANE	34531	072	2006/01/25	.000	2012/01
1,2-DICHLOROPROPANE	34541	072	2006/01/25	.000	2012/01
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/01/25	.000	2012/01
1,4-DICHLOROBENZENE	34571	072	2006/01/25	.000	2012/01
BENZENE	34030	072	2006/01/25	.000	2012/01
CARBON TETRACHLORIDE	32102	072	2006/01/25	.000	2012/01
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/01/25	.000	2012/01
DICHLOROMETHANE	34423	072	2006/01/25	.000	2012/01
ETHYLBENZENE	34371	072	2006/01/25	.000	2012/01
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/01/25	.000	2012/01
MONOCHLOROBENZENE	34301	072	2006/01/25	.000	2012/01
STYRENE	77128	072	2006/01/25	.000	2012/01
TETRACHLOROETHYLENE	34475	072	2006/01/25	.000	2012/01
TOLUENE	34010	072	2006/01/25	.000	2012/01
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/01/25	.000	2012/01
TRICHLOROETHYLENE	39180	072	2006/01/25	.000	2012/01
TRICHLOROFLUOROMETHANE	34488	072	2006/01/25	.000	2012/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210023 LOLETA C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210023-010 O'DELL/JENSEN WELL - RAW****Source Number: 010****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/01/25	.000	2012/01
XYLENES (TOTAL)	81551	072	2006/01/25	.000	2012/01

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/01/25 -	.320	2015/01
BICARBONATE ALKALINITY	00440	108	2006/01/25	240.000	2015/01
CALCIUM	00916	108	2006/01/25	33.000	2015/01
CARBONATE ALKALINITY	00445	108	2006/01/25 <	1.000	2015/01
CHLORIDE	00940	036	2006/01/25	13.000	2009/01
COLOR	00081	036	2006/01/25	3.000	2009/01
COPPER	01042	036	2006/01/25	.000	2009/01
FOAMING AGENTS (MBAS)	38260	036	2006/01/25 <	.500	2009/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/01/25	250.000	2015/01
HYDROXIDE ALKALINITY	71830	108	2006/01/25 <	1.000	2015/01
IRON	01045	036	2006/06/14	720.000	2009/06
MAGNESIUM	00927	108	2006/01/25	41.000	2015/01
MANGANESE	01055	036	2006/06/14	500.000	2009/06
ODOR THRESHOLD @ 60 C	00086	036	2006/01/25	1.000	2009/01
PH, LABORATORY	00403	036	2006/01/25	7.200	2009/01
SILVER	01077	036	2006/01/25	.000	2009/01
SODIUM	00929	108	2006/01/25	21.000	2015/01
SPECIFIC CONDUCTANCE	00095	036	2006/01/25	540.000	2009/01
SULFATE	00945	036	2006/01/25	27.000	2009/01
TOTAL DISSOLVED SOLIDS	70300	036	2006/01/25	310.000	2009/01
TURBIDITY, LABORATORY	82079	036	2006/01/25	.230	2009/01
ZINC	01092	036	2006/01/25	.000	2009/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-003 N,S AND TRIBUTARY COLLECTORS - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	1997/11/18	.000	WAIVED
ARSENIC	01002	WAIVED	1997/11/18	.000	WAIVED
ASBESTOS	81855	WAIVED	1997/11/18 <	.590	WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	1997/11/18	.000	WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	1997/11/18	.000	WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	1997/11/18	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	1997/11/18	3.200	WAIVED
NITRITE (AS N)	00620	WAIVED	1997/11/18	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2000/05/01 -	.240	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-003 N,S AND TRIBUTARY COLLECTORS - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-003 N,S AND TRIBUTARY COLLECTORS - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1995/11/16	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1995/11/16	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1995/11/16	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1995/11/16	.610	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1995/11/16	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1995/11/16	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1995/11/16	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1995/11/16	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1995/11/16	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1995/11/16	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1995/11/16	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1995/11/16	.000	WAIVED
BENZENE	34030	WAIVED	1995/11/16	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1995/11/16	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1995/11/16	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1995/11/16	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1995/11/16	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/07/11	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1995/11/16	.000	WAIVED
STYRENE	77128	WAIVED	1995/11/16	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1995/11/16	.000	WAIVED
TOLUENE	34010	WAIVED	1995/11/16	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1995/11/16	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1995/11/16	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1995/11/16	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-003 N,S AND TRIBUTARY COLLECTORS - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1995/11/16	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1995/11/16	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-004 4TH AVE WELL - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/06/14	.000	2015/06
ANTIMONY	01097	036	2001/09/18	.000	2004/09 DUE
ARSENIC	01002	108	2001/09/18	.000	2010/09
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2001/09/18	68.000	2010/09
BERYLLIUM	01012	108	2006/06/14	.000	2015/06
CADMIUM	01027	108	2001/09/18	.000	2010/09
CHROMIUM (TOTAL)	01034	108	2002/03/04		2011/03
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/07/19	.000	2013/07
LEAD	01051	WAIVED	2001/09/18	.000	WAIVED
MERCURY	71900	108	2001/09/18	.000	2010/09
NICKEL	01067	108	2006/06/14	10.000	2015/06
SELENIUM	01147	108	2001/09/18	.000	2010/09
THALLIUM	01059	108	2006/06/14	.000	2015/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/14	23.000	2008/03
NITRITE (AS N)	00620	036	2005/08/24	.000	2008/08

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/05/24 -	.420	2010/05
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-004 4TH AVE WELL - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-004 4TH AVE WELL - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/09/18	.000	2007/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/09/18	.000	2007/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/09/18	.000	2007/09
1,1,2-TRICHLOROETHANE	34511	072	2001/09/18	.000	2007/09
1,1-DICHLOROETHANE	34496	072	2001/09/18	.000	2007/09
1,1-DICHLOROETHYLENE	34501	072	2001/09/18	.000	2007/09
1,2,4-TRICHLOROBENZENE	34551	072	2001/09/18	.000	2007/09
1,2-DICHLOROBENZENE	34536	072	2001/09/18	.000	2007/09
1,2-DICHLOROETHANE	34531	072	2001/09/18	.000	2007/09
1,2-DICHLOROPROPANE	34541	072	2001/09/18	.000	2007/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/09/18	.000	2007/09
1,4-DICHLOROBENZENE	34571	072	2001/09/18	.000	2007/09
BENZENE	34030	072	2001/09/18	.000	2007/09
CARBON TETRACHLORIDE	32102	072	2001/09/18	.000	2007/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/09/18	.000	2007/09
DICHLOROMETHANE	34423	072	2001/09/18	.000	2007/09
ETHYLBENZENE	34371	072	2001/09/18	.000	2007/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/02/18	.000	2008/02
MONOCHLOROBENZENE	34301	072	2001/09/18	.000	2007/09
STYRENE	77128	072	2001/09/18	.000	2007/09
TETRACHLOROETHYLENE	34475	072	2001/09/18	.000	2007/09
TOLUENE	34010	072	2001/09/18	.000	2007/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/09/18	.000	2007/09
TRICHLOROETHYLENE	39180	072	2001/09/18	.000	2007/09
TRICHLOROFLUOROMETHANE	34488	072	2001/09/18	.000	2007/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-004 4TH AVE WELL - RAW****Source Number: 004****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/09/18	.000	2007/09
XYLENES (TOTAL)	81551	072	2001/09/18	.000	2007/09

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	108	2004/07/19	31.000	2013/07
CALCIUM	00916	108	2004/07/19	10.000	2013/07
CARBONATE ALKALINITY	00445	108	2004/07/19 <	1.000	2013/07
CHLORIDE	00940	036	2004/07/19	19.000	2007/07
COLOR	00081	036	2004/07/19	.000	2007/07
COPPER	01042	036	2004/07/19	.000	2007/07
FOAMING AGENTS (MBAS)	38260	036	2004/07/19	.000	2007/07
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/07/19	45.000	2013/07
HYDROXIDE ALKALINITY	71830	108	2004/07/19 <	1.000	2013/07
IRON	01045	036	2004/07/19	.000	2007/07
MAGNESIUM	00927	108	2004/07/19	4.600	2013/07
MANGANESE	01055	036	2004/07/19	.000	2007/07
ODOR THRESHOLD @ 60 C	00086	036	2004/07/19	.000	2007/07
PH, LABORATORY	00403	036	2004/07/19	6.500	2007/07
SILVER	01077	108	2006/06/14	.000	2015/06
SODIUM	00929	108	2004/07/19	16.000	2013/07
SPECIFIC CONDUCTANCE	00095	036	2004/07/19	180.000	2007/07
SULFATE	00945	036	2004/07/19	7.600	2007/07
TOTAL DISSOLVED SOLIDS	70300	036	2004/07/19	110.000	2007/07
TURBIDITY, LABORATORY	82079	036	2004/07/19	.000	2007/07
ZINC	01092	036	2004/07/19	.000	2007/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-005 4TH AVE WELL - TREATED****Source Number: 005****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	1998/11/16	19.000	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-005 4TH AVE WELL - TREATED****Source Number: 005****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-005 4TH AVE WELL - TREATED****Source Number: 005****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-005 4TH AVE WELL - TREATED****Source Number: 005****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210024 WESTHAVEN C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210024-010 STREAM SOURCES - COMBINED (RAW)

Source Number: 010

Source Status: COMBINATION OR BLEND RAW

Water type: SURFACE

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/07/19	.000	2013/07
ANTIMONY	01097	108	2007/02/14	.000	2016/02
ARSENIC	01002	108	2004/07/19	.000	2013/07
ASBESTOS	81855	000			DUE
BARIUM	01007	108	2004/07/19	.000	2013/07
BERYLLIUM	01012	108	2006/05/24	.000	2015/05
CADMIUM	01027	108	2004/07/19	.000	2013/07
CHROMIUM (TOTAL)	01034	108	2004/07/19	2.800	2013/07
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/07/19	.000	2013/07
LEAD	01051	WAIVED	2004/07/19	.000	WAIVED
MERCURY	71900	108	2004/07/19	.000	2013/07
NICKEL	01067	108	2006/05/24 <	20.000	2015/05
SELENIUM	01147	108	2004/07/19	.000	2013/07
THALLIUM	01059	108	2006/05/24	.000	2015/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/05/24	6.200	2007/05
NITRITE (AS N)	00620	036	2006/05/24	.000	2009/05

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/10/10	.220	2009/10
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210024 WESTHAVEN C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210024-010 STREAM SOURCES - COMBINED (RAW)****Source Number: 010****Source Status: COMBINATION OR BLEND RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210024 WESTHAVEN C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210024-010 STREAM SOURCES - COMBINED (RAW)

Source Number: 010

Source Status: COMBINATION OR BLEND RAW

Water type: SURFACE

REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2003/01/21	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2003/01/21	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2003/01/21	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2003/01/21	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2003/01/21	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2003/01/21	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2003/01/21	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2003/01/21	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2003/01/21	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2003/01/21	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2003/01/21	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2003/01/21	.000	WAIVED
BENZENE	34030	WAIVED	2003/01/21	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2003/01/21	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2003/01/21	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2003/01/21	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2003/01/21	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2003/01/21	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2003/01/21	.000	WAIVED
STYRENE	77128	WAIVED	2003/01/21	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2003/01/21	.000	WAIVED
TOLUENE	34010	WAIVED	2003/01/21	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2003/01/21	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2003/01/21	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2003/01/21	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210024 WESTHAVEN C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210024-010 STREAM SOURCES - COMBINED (RAW)

Source Number: 010

Source Status: COMBINATION OR BLEND RAW

Water type: SURFACE

REGULATED VOC

VINYL CHLORIDE	39175	WAIVED	2003/01/21	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2003/01/21	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2004/07/19 -	2.300	2013/07
BICARBONATE ALKALINITY	00440	108	2004/07/19	36.000	2013/07
CALCIUM	00916	108	2004/07/19	2.400	2013/07
CARBONATE ALKALINITY	00445	108	2004/07/19 <	1.000	2013/07
CHLORIDE	00940	108	2004/07/19	10.000	2013/07
COLOR	00081	WAIVED	2004/07/19	15.000	WAIVED
COPPER	01042	108	2004/07/19	.000	2013/07
FOAMING AGENTS (MBAS)	38260	108	2004/07/19	.000	2013/07
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/07/19	15.000	2013/07
HYDROXIDE ALKALINITY	71830	108	2004/07/19 <	1.000	2013/07
IRON	01045	108	2004/07/19	.000	2013/07
MAGNESIUM	00927	108	2004/07/19	2.100	2013/07
MANGANESE	01055	108	2004/07/19	.000	2013/07
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/07/19	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2004/07/19	7.100	WAIVED
SILVER	01077	108	2004/07/19	.000	2013/07
SODIUM	00929	108	2004/07/19	11.000	2013/07
SPECIFIC CONDUCTANCE	00095	108	2004/07/19	87.000	2013/07
SULFATE	00945	108	2004/07/19	2.500	2013/07
TOTAL DISSOLVED SOLIDS	70300	108	2004/07/19	68.000	2013/07
TURBIDITY, LABORATORY	82079	WAIVED	2004/07/19	.080	WAIVED
ZINC	01092	108	2004/07/19	.000	2013/07

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210307 RICHARDSON GROVE SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210307-002 RIVER WELL - SURFACE INFLUENCE - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/04/19	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1995/04/19	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1995/04/19	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1995/04/19	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/04/19	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/04/19	.100	WAIVED
LEAD	01051	WAIVED	1995/04/19	5.600	WAIVED
MERCURY	71900	WAIVED	1995/04/19	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1995/04/19	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/29	1.200	2007/11
NITRITE (AS N)	00620	036	2005/10/18	.000	2008/10

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210307 RICHARDSON GROVE SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210307-002 RIVER WELL - SURFACE INFLUENCE - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/03/28	.000	WAIVED
2,4-D	39730	WAIVED	1989/03/28	.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/03/28	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/03/28	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/03/28	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/03/28	< 10.000	WAIVED
MOLINATE	82199	WAIVED	1989/03/28	< 2.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210307 RICHARDSON GROVE SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210307-002 RIVER WELL - SURFACE INFLUENCE - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/03/28	.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/03/28	< .500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED		WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED		WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED		WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED		WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED		WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED		WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED		WAIVED
BENZENE	34030	WAIVED	WAIVED		WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED		WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED		WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED		WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED		WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED		WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED		WAIVED
TOLUENE	34010	WAIVED	WAIVED		WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED		WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED		WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210307 RICHARDSON GROVE SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210307-002 RIVER WELL - SURFACE INFLUENCE - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/04/19	100.000	WAIVED
CALCIUM	00916	WAIVED	1995/04/19	24.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/04/19	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/04/19	7.400	WAIVED
COLOR	00081	WAIVED	1995/04/19	< 3.000	WAIVED
COPPER	01042	WAIVED	1995/04/19	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/04/19	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/04/19	110.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/04/19	< 1.000	WAIVED
IRON	01045	WAIVED	1995/04/19	.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/04/19	12.000	WAIVED
MANGANESE	01055	WAIVED	1995/04/19	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1995/04/19	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/04/19	7.000	WAIVED
SILVER	01077	WAIVED	1995/04/19	.000	WAIVED
SODIUM	00929	WAIVED	1995/04/19	9.600	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/04/19	250.000	WAIVED
SULFATE	00945	WAIVED	1995/04/19	1.200	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/04/19	200.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1995/04/19	< .050	WAIVED
ZINC	01092	WAIVED	1995/04/19	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210308 GRIZZLY CREEK SP-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210308-004 SURFACE WATER SOURCESource Number: **004**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/29	.000	2007/11
------------------	-------	-----	------------	------	---------

NITRITE (AS N)	00620	000			DUE
-----------------------	-------	-----	--	--	------------

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210308 GRIZZLY CREEK SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210308-004 SURFACE WATER SOURCE****Source Number: 004****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210308 GRIZZLY CREEK SP-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210308-004 SURFACE WATER SOURCESource Number: **004**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210308 GRIZZLY CREEK SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210308-004 SURFACE WATER SOURCE****Source Number: 004****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210312 FOUNDERS GROVE-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210312-001 CABIN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/29	.000	2007/11
NITRITE (AS N)	00620	036	2005/09/19	.000	2008/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210312 FOUNDERS GROVE-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210312-001 CABIN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210312 FOUNDERS GROVE-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210312-001 CABIN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210312 FOUNDERS GROVE-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210312-001 CABIN CREEK - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210312 FOUNDERS GROVE-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210312-002 CABIN CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210312 FOUNDERS GROVE-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210312-002 CABIN CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210312 FOUNDERS GROVE-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210312-002 CABIN CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210312 FOUNDERS GROVE-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210312-002 CABIN CREEK - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210314 HIDDEN SPRINGS CG-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210314-002 SPRING - RAW

Source Number: 002

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/10/18	.000	2006/10	DUE
NITRITE (AS N)	00620	036	2005/10/18	.000	2008/10	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210314 HIDDEN SPRINGS CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210314-002 SPRING - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210314 HIDDEN SPRINGS CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210314-002 SPRING - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210314 HIDDEN SPRINGS CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210314-002 SPRING - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-001 PENN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/02/23	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1995/02/23	2.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1995/02/23	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1995/02/23	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/02/23	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/02/23	.000	WAIVED
LEAD	01051	WAIVED	1995/02/23	.000	WAIVED
MERCURY	71900	WAIVED	1995/02/23	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1995/02/23	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	.000	2008/02
NITRITE (AS N)	00620	036	2006/02/27	.000	2009/02

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-001 PENN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/02/24 <	.000	WAIVED
2,4-D	39730	WAIVED	1989/02/24 <	1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/02/24 <	.100	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/02/24 <	.010	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/02/24 <	.100	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-001 PENN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/02/24	< 1.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED		WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED		WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED		WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED		WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED		WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED		WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED		WAIVED
BENZENE	34030	WAIVED	WAIVED		WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED		WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED		WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED		WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED		WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED		WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED		WAIVED
TOLUENE	34010	WAIVED	WAIVED		WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED		WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED		WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-001 PENN CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/02/23	8.000	WAIVED
CALCIUM	00916	WAIVED	1995/02/23	3.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/02/23	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/02/23	20.000	WAIVED
COLOR	00081	WAIVED	1991/10/21	< 30.000	WAIVED
COPPER	01042	WAIVED	1995/02/23	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/02/23	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/02/23	18.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/02/23	< 1.000	WAIVED
IRON	01045	WAIVED	1995/02/23	640.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/02/23	2.600	WAIVED
MANGANESE	01055	WAIVED	1995/02/23	61.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1991/10/21	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/02/23	6.500	WAIVED
SILVER	01077	WAIVED	1995/02/23	.000	WAIVED
SODIUM	00929	WAIVED	1995/02/23	11.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/02/23	98.000	WAIVED
SULFATE	00945	WAIVED	1995/02/23	< 1.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/02/23	63.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1991/10/21	1.200	WAIVED
ZINC	01092	WAIVED	1995/02/23	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-002 WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1994/01/24	< 100.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1994/01/24	< 5.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1994/01/24	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1994/01/24	< 5.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1994/01/24	< 20.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1994/01/24	.100	WAIVED
LEAD	01051	WAIVED	1994/01/24	.000	WAIVED
MERCURY	71900	WAIVED	1994/01/24	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1991/10/29	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	9.300	2008/02
NITRITE (AS N)	00620	036	2006/02/27	.000	2009/02

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-002 WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/03/16	< 1.000	WAIVED
2,4-D	39730	WAIVED	1989/03/16	< 10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/03/16	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/03/16	< .010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/03/16	< .400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/03/16	< 10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-002 WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/03/16 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/03/16 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED		WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED		WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED		WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED		WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED		WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED		WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED		WAIVED
BENZENE	34030	WAIVED	WAIVED		WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED		WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED		WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED		WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED		WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED		WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED		WAIVED
TOLUENE	34010	WAIVED	WAIVED		WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED		WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED		WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210319 PATRICK'S POINT SP-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210319-002 WELL - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1994/01/24	54.000	WAIVED
CALCIUM	00916	WAIVED	1994/01/24	20.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1994/01/24	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1994/01/24	34.000	WAIVED
COLOR	00081	WAIVED	1991/10/29	.000	WAIVED
COPPER	01042	WAIVED	1994/01/24	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1994/01/24	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1994/01/24	69.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1994/01/24	< 1.000	WAIVED
IRON	01045	WAIVED	1994/01/24	.000	WAIVED
MAGNESIUM	00927	WAIVED	1994/01/24	4.600	WAIVED
MANGANESE	01055	WAIVED	1994/01/24	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1991/10/29	.000	WAIVED
PH, LABORATORY	00403	WAIVED	1994/01/24	6.300	WAIVED
SILVER	01077	WAIVED	1994/01/24	.000	WAIVED
SODIUM	00929	WAIVED	1994/01/24	20.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1994/01/24	270.000	WAIVED
SULFATE	00945	WAIVED	1994/01/24	11.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1994/01/24	160.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1991/10/29	4.900	WAIVED
ZINC	01092	WAIVED	1994/01/24	800.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-003 SOURCES COMBINED - TREATED****Source Number: 003****Source Status: COMBINATION OR BLEND TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2000/02/18	10.000	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-003 SOURCES COMBINED - TREATED****Source Number: 003****Source Status: COMBINATION OR BLEND TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-003 SOURCES COMBINED - TREATED****Source Number: 003****Source Status: COMBINATION OR BLEND TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210319 PATRICK'S POINT SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210319-003 SOURCES COMBINED - TREATED****Source Number: 003****Source Status: COMBINATION OR BLEND TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210320 GOLD BLUFFS BEACH CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210320-001 GOLD BLUFF DAM - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	.000	2008/02
NITRITE (AS N)	00620	036	2005/01/26	.000	2008/01

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210320 GOLD BLUFFS BEACH CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210320-001 GOLD BLUFF DAM - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210320 GOLD BLUFFS BEACH CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210320-001 GOLD BLUFF DAM - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210320 GOLD BLUFFS BEACH CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210320-001 GOLD BLUFF DAM - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210321 STONE LAGOON-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210321-001 LATERAL WELLS - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1994/11/22	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	16.000	2008/02
NITRITE (AS N)	00620	036	2006/02/27	.000	2009/02

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210321 STONE LAGOON-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210321-001 LATERAL WELLS - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210321 STONE LAGOON-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210321-001 LATERAL WELLS - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210321 STONE LAGOON-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210321-001 LATERAL WELLS - RAW

Source Number: 001

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1994/11/22	6.000	WAIVED
CALCIUM	00916	WAIVED	1994/11/22	3.300	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1994/11/22	.000	WAIVED
CHLORIDE	00940	WAIVED	1994/11/22	14.000	WAIVED
COLOR	00081	WAIVED	1988/10/24	20.000	WAIVED
COPPER	01042	WAIVED	1994/11/22	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1988/10/24 <	.020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1994/11/22	19.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1994/11/22	.000	WAIVED
IRON	01045	WAIVED	1994/11/22	.000	WAIVED
MAGNESIUM	00927	WAIVED	1994/11/22	2.700	WAIVED
MANGANESE	01055	WAIVED	1994/11/22	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1988/10/24 <	1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1994/11/22	7.500	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1994/11/22	8.200	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1994/11/22	90.000	WAIVED
SULFATE	00945	WAIVED	1994/11/22	.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1994/11/22	47.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1994/11/22	.000	WAIVED
ZINC	01092	WAIVED	1994/11/22	7.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210322 PRAIRIE CREEK SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210322-001 CAMPGROUND WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/09/12	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1995/09/12	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1995/09/12	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1995/09/12	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/09/12	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/09/12	.000	WAIVED
LEAD	01051	WAIVED	1995/09/12	.000	WAIVED
MERCURY	71900	WAIVED	1995/09/12	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1995/09/12	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	.000	2008/02
NITRITE (AS N)	00620	036	2005/01/26	.000	2008/01

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210322 PRAIRIE CREEK SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210322-001 CAMPGROUND WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/03/15 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/03/15 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/03/15 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/03/15 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/03/15 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/03/15 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210322 PRAIRIE CREEK SP-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210322-001 CAMPGROUND WELL - RAW

Source Number: 001

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1989/03/15 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/03/15 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1989/03/15	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1989/03/15	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1989/03/15	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1989/03/15	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1989/03/15	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1989/03/15	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1989/03/15	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1989/03/15	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1989/03/15	.000	WAIVED
BENZENE	34030	WAIVED	1989/03/15	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1989/03/15	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1989/03/15	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1989/03/15	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1989/03/15	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1989/03/15	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1989/03/15	.000	WAIVED
TOLUENE	34010	WAIVED	1989/03/15	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1989/03/15	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1989/03/15	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1989/03/15	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210322 PRAIRIE CREEK SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210322-001 CAMPGROUND WELL - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1989/03/15	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1989/03/15	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/09/12	64.000	WAIVED
CALCIUM	00916	WAIVED	1995/09/12	12.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/09/12	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/09/12	16.000	WAIVED
COLOR	00081	WAIVED	1995/09/12	< 3.000	WAIVED
COPPER	01042	WAIVED	1995/09/12	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/09/12	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/09/12	51.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/09/12	< 1.000	WAIVED
IRON	01045	WAIVED	1995/09/12	2400.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/09/12	5.200	WAIVED
MANGANESE	01055	WAIVED	1995/09/12	180.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1995/09/12	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/09/12	7.600	WAIVED
SILVER	01077	WAIVED	1995/09/12	.000	WAIVED
SODIUM	00929	WAIVED	1995/09/12	19.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/09/12	160.000	WAIVED
SULFATE	00945	WAIVED	1995/09/12	< 1.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/09/12	130.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1995/09/12	.250	WAIVED
ZINC	01092	WAIVED	1995/09/12	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210322 PRAIRIE CREEK SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210322-002 CAMPGROUND WELL - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210322 PRAIRIE CREEK SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210322-002 CAMPGROUND WELL - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210322 PRAIRIE CREEK SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210322-002 CAMPGROUND WELL - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210322 PRAIRIE CREEK SP-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210322-002 CAMPGROUND WELL - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210324 BURLINGTON CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210324-002 BURLINGTON CMPGRND - RIVER WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/04/20	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1995/04/20	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1995/04/20	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1995/04/20	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/04/20	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/04/20	.100	WAIVED
LEAD	01051	WAIVED	1995/04/20	.000	WAIVED
MERCURY	71900	WAIVED	1995/04/20	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1995/04/20	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/29	.000	2007/11
NITRITE (AS N)	00620	036	2005/09/19	.000	2008/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1992/09/15	.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210324 BURLINGTON CG-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210324-002 BURLINGTON CMPGRND - RIVER WELL - RAW

Source Number: 002

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/03/06	< 1.000	WAIVED
2,4-D	39730	WAIVED	1990/03/06	< 10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/03/28	< .050	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/03/06	< .010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/03/06	< .400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/03/06	< 10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210324 BURLINGTON CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210324-002 BURLINGTON CMPGRND - RIVER WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/03/28 <	.060	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1990/03/06 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1989/03/28	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1989/03/28	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1989/03/28	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1989/03/28	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1989/03/28	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1989/03/28	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1989/03/28	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1989/03/28	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1989/03/28	.000	WAIVED
BENZENE	34030	WAIVED	1989/03/28	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1989/03/28	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1989/03/28	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1989/03/28	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1989/03/28	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1989/03/28	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1989/03/28	.000	WAIVED
TOLUENE	34010	WAIVED	1989/03/28	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1989/03/28	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1989/03/28	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1989/03/28	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210324 BURLINGTON CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210324-002 BURLINGTON CMPGRND - RIVER WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1989/03/28	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1989/03/28	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/04/20	53.000	WAIVED
CALCIUM	00916	WAIVED	1995/04/20	10.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/04/20	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/04/20	5.700	WAIVED
COLOR	00081	WAIVED	1995/04/20	< 3.000	WAIVED
COPPER	01042	WAIVED	1995/04/20	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/04/20	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/04/20	42.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/04/20	< 1.000	WAIVED
IRON	01045	WAIVED	1995/04/20	.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/04/20	4.200	WAIVED
MANGANESE	01055	WAIVED	1995/04/20	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1995/04/20	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/04/20	7.100	WAIVED
SILVER	01077	WAIVED	1995/04/20	.000	WAIVED
SODIUM	00929	WAIVED	1995/04/20	9.400	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/04/20	130.000	WAIVED
SULFATE	00945	WAIVED	1995/04/20	< 1.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/04/20	130.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1995/04/20	1.300	WAIVED
ZINC	01092	WAIVED	1995/04/20	64.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210324 BURLINGTON CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210324-003 BURLINGTON CG - HORIZONTAL WELL-TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210324 BURLINGTON CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210324-003 BURLINGTON CG - HORIZONTAL WELL-TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210324 BURLINGTON CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210324-003 BURLINGTON CG - HORIZONTAL WELL-TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210324 BURLINGTON CG-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210324-003 BURLINGTON CG - HORIZONTAL WELL-TREATEDSource Number: **003**Source Status: **ACTIVE TREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210324 BURLINGTON CG-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210324-004 BURLINGTON CG RIVER WELL - TREATEDSource Number: **004**Source Status: **ACTIVE TREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210324 BURLINGTON CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210324-004 BURLINGTON CG RIVER WELL - TREATED****Source Number: 004****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210324 BURLINGTON CG-STATE PARKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210324-004 BURLINGTON CG RIVER WELL - TREATEDSource Number: **004**Source Status: **ACTIVE TREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210324 BURLINGTON CG-STATE PARKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210324-004 BURLINGTON CG RIVER WELL - TREATED****Source Number: 004****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210800 EEL RIVER CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210800-001 EEL RIVER - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	1999/03/03	620.000	2000/03	DUE
ANTIMONY	01097	108	2000/12/12	.000	2009/12	
ARSENIC	01002	012				DUE
ASBESTOS	81855	108	1998/01/14 <	.630	2007/01	DUE
BARIUM	01007	012				DUE
BERYLLIUM	01012	108	2000/12/12	.000	2009/12	
CADMIUM	01027	012				DUE
CHROMIUM (TOTAL)	01034	012				DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012				DUE
LEAD	01051	WAIVED	WAIVED		WAIVED	
MERCURY	71900	012				DUE
NICKEL	01067	108	2000/12/12	.000	2009/12	
SELENIUM	01147	012				DUE
THALLIUM	01059	108	2000/12/12	.000	2009/12	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2003/06/19	.000	2004/06	DUE
NITRITE (AS N)	00620	036	2003/06/19	.000	2006/06	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1991/01/08	.820	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-001 EEL RIVER - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-001 EEL RIVER - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1999/03/03	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1999/03/03	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1999/03/03	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1999/03/03	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1999/03/03	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1999/03/03	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1999/03/03	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1999/03/03	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1999/03/03	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1999/03/03	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1999/03/03	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1999/03/03	.000	WAIVED
BENZENE	34030	WAIVED	1999/03/03	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1999/03/03	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1999/03/03	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1999/03/03	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1999/03/03	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/05/09	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1999/03/03	.000	WAIVED
STYRENE	77128	WAIVED	1999/03/03	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1999/03/03	.000	WAIVED
TOLUENE	34010	WAIVED	1999/03/03	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1999/03/03	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1999/03/03	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1999/03/03	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-001 EEL RIVER - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1999/03/03	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1999/03/03	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1991/01/08	118.000	WAIVED
CALCIUM	00916	WAIVED	1991/01/08	31.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1991/01/08	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1991/01/08	11.000	WAIVED
COLOR	00081	WAIVED	1991/01/08	< 3.000	WAIVED
COPPER	01042	WAIVED	1991/01/08	110.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1991/01/08	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1991/01/08	120.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1991/01/08	< 1.000	WAIVED
IRON	01045	WAIVED	1991/01/08	470.000	WAIVED
MAGNESIUM	00927	WAIVED	1991/01/08	11.000	WAIVED
MANGANESE	01055	WAIVED	1991/01/08	31.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1991/01/08	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1991/01/08	7.700	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1991/01/08	11.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1991/01/08	300.000	WAIVED
SULFATE	00945	WAIVED	1991/01/08	29.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1991/01/08	140.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1991/01/08	.440	WAIVED
ZINC	01092	WAIVED	1991/01/08	64.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2006/06/30	.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	2006/06/30	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	2006/06/30	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	2006/06/30	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2006/06/30	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2006/06/30	.100	WAIVED
LEAD	01051	WAIVED	1996/04/01	.000	WAIVED
MERCURY	71900	WAIVED	2006/06/30	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	2006/06/30	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2006/06/30	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2006/06/30	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/10/05 <	1.000	WAIVED
2,4-D	39730	WAIVED	1990/10/05 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1990/10/05 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/10/05 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/10/05 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/10/05 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	1990/10/05 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1990/10/05 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED		WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED		WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED		WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED		WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED		WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED		WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED		WAIVED
BENZENE	34030	WAIVED	WAIVED		WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED		WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED		WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED		WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED		WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED		WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED		WAIVED
TOLUENE	34010	WAIVED	WAIVED		WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED		WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED		WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-002 EEL RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1996/04/01	82.000	WAIVED
CALCIUM	00916	WAIVED	1996/04/01	21.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1996/04/01	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	1996/04/01	6.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1996/04/01	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1996/04/01	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1996/04/01	75.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1996/04/01	< 1.000	WAIVED
IRON	01045	WAIVED	1996/04/01	.000	WAIVED
MAGNESIUM	00927	WAIVED	1996/04/01	5.600	WAIVED
MANGANESE	01055	WAIVED	1996/04/01	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1996/04/01	7.800	WAIVED
SILVER	01077	WAIVED	1996/04/01	.000	WAIVED
SODIUM	00929	WAIVED	1996/04/01	7.900	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1996/04/01	150.000	WAIVED
SULFATE	00945	WAIVED	1996/04/01	8.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1996/04/01	67.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1996/04/01	79.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-004 PINE TREE WELL - STANDBY****Source Number: 004****Source Status: STANDBY RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	1998/01/14	.000	2007/01	DUE
ANTIMONY	01097	108	1998/01/14	.000	2007/01	DUE
ARSENIC	01002	108	1998/01/14	.000	2007/01	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	108	1998/01/14	.000	2007/01	DUE
BERYLLIUM	01012	108	1998/01/14	.000	2007/01	DUE
CADMIUM	01027	108	1998/01/14	.000	2007/01	DUE
CHROMIUM (TOTAL)	01034	108	1998/01/14	.000	2007/01	DUE
CYANIDE	01291	WAIVED	1998/01/14	.000	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	1998/01/14	.130	2007/01	DUE
LEAD	01051	WAIVED	1998/01/14	.000	WAIVED	
MERCURY	71900	108	1998/01/14	.000	2007/01	DUE
NICKEL	01067	108	1998/01/14	.000	2007/01	DUE
SELENIUM	01147	108	1998/01/14	.000	2007/01	DUE
THALLIUM	01059	108	1998/01/14	.000	2007/01	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2001/10/04	.000	2010/10	
NITRITE (AS N)	00620	108	1998/01/14	.000	2007/01	DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-004 PINE TREE WELL - STANDBY****Source Number: 004****Source Status: STANDBY RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-004 PINE TREE WELL - STANDBY****Source Number: 004****Source Status: STANDBY RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	1999/03/03	.000	2008/03
1,1,2,2-TETRACHLOROETHANE	34516	108	1999/03/03	.000	2008/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	1999/03/03	.000	2008/03
1,1,2-TRICHLOROETHANE	34511	108	1999/03/03	.000	2008/03
1,1-DICHLOROETHANE	34496	108	1999/03/03	.000	2008/03
1,1-DICHLOROETHYLENE	34501	108	1999/03/03	.000	2008/03
1,2,4-TRICHLOROBENZENE	34551	108	1999/03/03	.000	2008/03
1,2-DICHLOROBENZENE	34536	108	1999/03/03	.000	2008/03
1,2-DICHLOROETHANE	34531	108	1999/03/03	.000	2008/03
1,2-DICHLOROPROPANE	34541	108	1999/03/03	.000	2008/03
1,3-DICHLOROPROPENE (TOTAL)	34561	108	1999/03/03	.000	2008/03
1,4-DICHLOROBENZENE	34571	108	1999/03/03	.000	2008/03
BENZENE	34030	108	1999/03/03	.000	2008/03
CARBON TETRACHLORIDE	32102	108	1999/03/03	.000	2008/03
CIS-1,2-DICHLOROETHYLENE	77093	108	1999/03/03	.000	2008/03
DICHLOROMETHANE	34423	108	1999/03/03	.000	2008/03
ETHYLBENZENE	34371	108	1999/03/03	.000	2008/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2002/05/09	.000	2011/05
MONOCHLOROBENZENE	34301	108	1999/03/03	.000	2008/03
STYRENE	77128	108	1999/03/03	.000	2008/03
TETRACHLOROETHYLENE	34475	108	1999/03/03	.000	2008/03
TOLUENE	34010	108	1999/03/03	.000	2008/03
TRANS-1,2-DICHLOROETHYLENE	34546	108	1999/03/03	.000	2008/03
TRICHLOROETHYLENE	39180	108	1999/03/03	.000	2008/03
TRICHLOROFLUOROMETHANE	34488	108	1999/03/03	.000	2008/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210800 EEL RIVER CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210800-004 PINE TREE WELL - STANDBY****Source Number: 004****Source Status: STANDBY RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	108	1999/03/03	.000	2008/03
XYLENES (TOTAL)	81551	108	1999/03/03	.000	2008/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1998/01/14	98.000	2007/01	DUE
CALCIUM	00916	108	1998/01/14	10.000	2007/01	DUE
CARBONATE ALKALINITY	00445	108	1998/01/14 <	1.000	2007/01	DUE
CHLORIDE	00940	108	1998/01/14	5.300	2007/01	DUE
COLOR	00081	108	1998/01/14	3.000	2007/01	DUE
COPPER	01042	108	1998/01/14	.000	2007/01	DUE
FOAMING AGENTS (MBAS)	38260	108	1998/01/14 <	.020	2007/01	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1998/01/14	87.000	2007/01	DUE
HYDROXIDE ALKALINITY	71830	108	1998/01/14 <	1.000	2007/01	DUE
IRON	01045	108	1998/01/14	.000	2007/01	DUE
MAGNESIUM	00927	108	1998/01/14	15.000	2007/01	DUE
MANGANESE	01055	108	1998/01/14	.000	2007/01	DUE
ODOR THRESHOLD @ 60 C	00086	108	1998/01/14 <	1.000	2007/01	DUE
PH, LABORATORY	00403	108	1998/01/14	7.100	2007/01	DUE
SILVER	01077	108	1998/01/14	.000	2007/01	DUE
SODIUM	00929	108	1998/01/14	11.000	2007/01	DUE
SPECIFIC CONDUCTANCE	00095	108	1998/01/14	210.000	2007/01	DUE
SULFATE	00945	108	1998/01/14	3.400	2007/01	DUE
TOTAL DISSOLVED SOLIDS	70300	108	1998/01/14	91.000	2007/01	DUE
TURBIDITY, LABORATORY	82079	108	1998/01/14	.210	2007/01	DUE
ZINC	01092	108	1998/01/14	.000	2007/01	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210801 HIGH ROCK CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210801-001 MATTHEWS CREEK - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2001/03/29	58.000	2010/03
ANTIMONY	01097	108	2004/12/15	.000	2013/12
ARSENIC	01002	108	2004/12/15	.000	2013/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/12/28	.000	2014/12
BERYLLIUM	01012	108	2005/12/28	.000	2014/12
CADMIUM	01027	108	2004/12/15	.000	2013/12
CHROMIUM (TOTAL)	01034	108	2004/12/15	.000	2013/12
CYANIDE	01291	WAIVED	2004/12/15	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/12/28	.000	2014/12
LEAD	01051	WAIVED	2004/12/15	.000	WAIVED
MERCURY	71900	108	2005/12/28	.000	2014/12
NICKEL	01067	108	2005/12/28	.000	2014/12
SELENIUM	01147	108	2004/12/15	.000	2013/12
THALLIUM	01059	108	2004/12/15	.000	2013/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/12/28	.000	2006/12 DUE
NITRITE (AS N)	00620	036	2005/12/28	.000	2008/12

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/12/15 -	.150	2007/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210801 HIGH ROCK CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210801-001 MATTHEWS CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1991/01/31	< 1.000	WAIVED
2,4-D	39730	WAIVED	1991/01/31	< 10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1991/01/31	< .010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1991/01/31	< .400	WAIVED
METHOXYCHLOR	39480	WAIVED	1991/01/31	< 10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210801 HIGH ROCK CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210801-001 MATTHEWS CREEK - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	2004/12/15	.000	WAIVED
TOXAPHENE	39400	WAIVED	1991/01/31	< .500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2005/12/28	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2005/12/28	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2005/12/28	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2005/12/28	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2005/12/28	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2005/12/28	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2005/12/28	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2005/12/28	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2005/12/28	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2005/12/28	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2005/12/28	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2005/12/28	.000	WAIVED
BENZENE	34030	WAIVED	2005/12/28	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2005/12/28	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2005/12/28	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2005/12/28	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2005/12/28	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2005/12/28	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2005/12/28	.000	WAIVED
STYRENE	77128	WAIVED	2005/12/28	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2005/12/28	.000	WAIVED
TOLUENE	34010	WAIVED	2005/12/28	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2005/12/28	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2005/12/28	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2005/12/28	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210801 HIGH ROCK CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210801-001 MATTHEWS CREEK - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2005/12/28	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2005/12/28	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2004/12/15	-	1.200	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/04/21		30.000	WAIVED
CALCIUM	00916	WAIVED	2004/12/15		57.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/04/21	<	1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/04/21		8.100	WAIVED
COLOR	00081	WAIVED	1991/01/31		3.000	WAIVED
COPPER	01042	WAIVED	1995/04/21		.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/12/28	<	.050	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2004/12/15		190.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/04/21	<	1.000	WAIVED
IRON	01045	WAIVED	1995/04/21		.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/04/21		2.400	WAIVED
MANGANESE	01055	WAIVED	1995/04/21		.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1991/01/31	<	1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/04/21		7.400	WAIVED
SILVER	01077	WAIVED	1995/04/21		.000	WAIVED
SODIUM	00929	WAIVED	1995/04/21		9.100	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/04/21		100.000	WAIVED
SULFATE	00945	WAIVED	1995/04/21		1.200	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/04/21		83.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1991/01/31		.320	WAIVED
ZINC	01092	WAIVED	1995/04/21		.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

1210801 HIGH ROCK CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210801-002 WELL 01 - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2004/12/15	.000	2007/12
ANTIMONY	01097	036	2004/12/15	.000	2007/12
ARSENIC	01002	108	2004/12/15	2.000	2013/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2004/12/15	250.000	2013/12
BERYLLIUM	01012	036	2004/12/15	.000	2007/12
CADMIUM	01027	108	2004/12/15	.000	2013/12
CHROMIUM (TOTAL)	01034	108	2004/12/15	.000	2013/12
CYANIDE	01291	WAIVED	2004/12/15	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/12/15	.250	2013/12
LEAD	01051	WAIVED	2004/12/15	.000	WAIVED
MERCURY	71900	108	2004/12/15	.000	2013/12
NICKEL	01067	036	2004/12/15	.000	2007/12
SELENIUM	01147	108	2004/12/15	.000	2013/12
THALLIUM	01059	036	2004/12/15	.000	2007/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2004/12/15	.000	2005/12	DUE
NITRITE (AS N)	00620	036	2002/08/06	.000	2005/08	DUE

RADIOLOGICAL

GROSS ALPHA	01501	108	1995/04/21	.000	2004/04	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210801 HIGH ROCK CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210801-002 WELL 01 - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210801 HIGH ROCK CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210801-002 WELL 01 - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	2004/12/15	.000	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	1995/04/21	.000	2001/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1995/04/21	.000	2001/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1995/04/21	.000	2001/04	DUE
1,1,2-TRICHLOROETHANE	34511	072	1995/04/21	.000	2001/04	DUE
1,1-DICHLOROETHANE	34496	072	1995/04/21	.000	2001/04	DUE
1,1-DICHLOROETHYLENE	34501	072	1995/04/21	.000	2001/04	DUE
1,2,4-TRICHLOROBENZENE	34551	072	1995/04/21	.000	2001/04	DUE
1,2-DICHLOROBENZENE	34536	072	1995/04/21	.000	2001/04	DUE
1,2-DICHLOROETHANE	34531	072	1995/04/21	.000	2001/04	DUE
1,2-DICHLOROPROPANE	34541	072	1995/04/21	.000	2001/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1995/04/21	.000	2001/04	DUE
1,4-DICHLOROBENZENE	34571	072	1995/04/21	.000	2001/04	DUE
BENZENE	34030	072	1995/04/21	.000	2001/04	DUE
CARBON TETRACHLORIDE	32102	072	1995/04/21	.000	2001/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1995/04/21	.000	2001/04	DUE
DICHLOROMETHANE	34423	072	1995/04/21	.000	2001/04	DUE
ETHYLBENZENE	34371	072	1995/04/21	.000	2001/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	072	1995/04/21	.000	2001/04	DUE
STYRENE	77128	072	1995/04/21	.000	2001/04	DUE
TETRACHLOROETHYLENE	34475	072	1995/04/21	.000	2001/04	DUE
TOLUENE	34010	072	1995/04/21	.000	2001/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1995/04/21	.000	2001/04	DUE
TRICHLOROETHYLENE	39180	072	1995/04/21	.000	2001/04	DUE
TRICHLOROFLUOROMETHANE	34488	072	1995/04/21	.000	2001/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210801 HIGH ROCK CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210801-002 WELL 01 - RAWSource Number: **002**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2004/12/15	.000	2010/12
XYLENES (TOTAL)	81551	072	2004/12/15	.000	2010/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2004/12/15 -	.260	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2004/12/15	250.000	WAIVED
CALCIUM	00916	WAIVED	2004/12/15	29.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2004/12/15 <	1.000	WAIVED
CHLORIDE	00940	WAIVED	2004/12/15	15.000	WAIVED
COLOR	00081	WAIVED	2004/12/15	30.000	WAIVED
COPPER	01042	WAIVED	2004/12/15	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/12/28 <	.050	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2004/12/15	98.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2004/12/15 <	1.000	WAIVED
IRON	01045	WAIVED	2004/12/15	2400.000	WAIVED
MAGNESIUM	00927	WAIVED	2004/12/15	6.100	WAIVED
MANGANESE	01055	WAIVED	2004/12/15	580.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/12/15	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2004/12/15	7.300	WAIVED
SILVER	01077	WAIVED	2004/12/15	.000	WAIVED
SODIUM	00929	WAIVED	2004/12/15	79.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/12/15	520.000	WAIVED
SULFATE	00945	WAIVED	2004/12/15	3.300	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/12/15	300.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1989/01/31	1.000	WAIVED
ZINC	01092	WAIVED	2004/12/15	120.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210801 HIGH ROCK CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210801-003 MATTHEWS CREEK - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	<	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	<	WAIVED
ARSENIC	01002	WAIVED	WAIVED	<	WAIVED
ASBESTOS	81855	WAIVED	1998/10/14	.000	WAIVED
BARIUM	01007	WAIVED	WAIVED	<	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	<	WAIVED
CADMIUM	01027	WAIVED	WAIVED	<	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	<	WAIVED
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	<	WAIVED
LEAD	01051	WAIVED	WAIVED	<	WAIVED
MERCURY	71900	WAIVED	WAIVED	<	WAIVED
NICKEL	01067	WAIVED	WAIVED	<	WAIVED
SELENIUM	01147	WAIVED	WAIVED	<	WAIVED
THALLIUM	01059	WAIVED	WAIVED	<	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	<	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	<	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	<	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

1210801 HIGH ROCK CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

1210801-003 MATTHEWS CREEK - TREATEDSource Number: **003**Source Status: **ACTIVE TREATED**Water type: **SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	<	WAIVED
2,4-D	39730	WAIVED	WAIVED	<	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	<	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<	WAIVED
DALAPON	38432	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	<	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	<	WAIVED
DINOSEB	81287	WAIVED	WAIVED	<	WAIVED
DIQUAT	78885	WAIVED	WAIVED	<	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<	WAIVED
ENDRIN	39390	WAIVED	WAIVED	<	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<	WAIVED
LINDANE	39340	WAIVED	WAIVED	<	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	<	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<	WAIVED
OXAMYL	38865	WAIVED	WAIVED	<	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<	WAIVED
PICLORAM	39720	WAIVED	WAIVED	<	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**1210801 HIGH ROCK CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210801-003 MATTHEWS CREEK - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	<	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	<	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	<	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	<	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	<	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	<	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	<	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	<	WAIVED
BENZENE	34030	WAIVED	WAIVED	<	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	<	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	<	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	<	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	<	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	<	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	<	WAIVED
STYRENE	77128	WAIVED	WAIVED	<	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	<	WAIVED
TOLUENE	34010	WAIVED	WAIVED	<	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	<	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	<	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**1210801 HIGH ROCK CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**1210801-003 MATTHEWS CREEK - TREATED****Source Number: 003****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	<	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	<	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	<	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	<	WAIVED
CALCIUM	00916	WAIVED	WAIVED	<	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	<	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	<	WAIVED
COLOR	00081	WAIVED	WAIVED	<	WAIVED
COPPER	01042	WAIVED	WAIVED	<	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	<	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	<	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	<	WAIVED
IRON	01045	WAIVED	WAIVED	<	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	<	WAIVED
MANGANESE	01055	WAIVED	WAIVED	<	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	<	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	<	WAIVED
SILVER	01077	WAIVED	WAIVED	<	WAIVED
SODIUM	00929	WAIVED	WAIVED	<	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	<	WAIVED
SULFATE	00945	WAIVED	WAIVED	<	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	<	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	<	WAIVED
ZINC	01092	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700501 LAKE SISKIYOU CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700501-001 SCOTT CAMP CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/04/26	.000	2007/04
NITRITE (AS N)	00620	036	2006/04/26	.000	2009/04

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700501 LAKE SISKIYOU CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700501-001 SCOTT CAMP CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700501 LAKE SISKIYOU CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700501-001 SCOTT CAMP CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700501 LAKE SISKIYOU CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700501-001 SCOTT CAMP CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700501 LAKE SISKIYOU CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700501-002 FILTER PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2002/05/20	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2002/05/20	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700501 LAKE SISKIYOU CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700501-002 FILTER PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700501 LAKE SISKIYOU CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700501-002 FILTER PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700501 LAKE SISKIYOU CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700501-002 FILTER PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700503 CALLAHAN WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700503-001 WEST BOULDER CREEK - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	012	1992/04/14	.140	1993/04	DUE
ANTIMONY	01097	012				DUE
ARSENIC	01002	012	1992/04/14	.000	1993/04	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	012	1992/04/14	.000	1993/04	DUE
BERYLLIUM	01012	012				DUE
CADMIUM	01027	012	1992/04/14	.000	1993/04	DUE
CHROMIUM (TOTAL)	01034	012	1992/04/14	.000	1993/04	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	012	1992/04/14	.000	1993/04	DUE
LEAD	01051	WAIVED	1992/04/14	.000	WAIVED	
MERCURY	71900	012	1992/04/14	.000	1993/04	DUE
NICKEL	01067	012				DUE
SELENIUM	01147	012	1992/04/14	.000	1993/04	DUE
THALLIUM	01059	012				DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	003	1992/04/14	.490	1992/07	DUE
NITRITE (AS N)	00620	000				DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700503 CALLAHAN WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700503-001 WEST BOULDER CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700503 CALLAHAN WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700503-001 WEST BOULDER CREEK - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1992/04/28	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1992/04/28	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1992/04/28	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1992/04/28	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1992/04/28	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1992/04/28	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1992/04/28	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1992/04/28	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1992/04/28	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1992/04/28	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1992/04/28	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1992/04/28	.000	WAIVED
BENZENE	34030	WAIVED	1992/04/28	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1992/04/28	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1992/04/28	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1992/04/28	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1992/04/28	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000			DUE
MONOCHLOROBENZENE	34301	WAIVED	1992/04/28	.000	WAIVED
STYRENE	77128	WAIVED	1992/04/28	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1992/04/28	.000	WAIVED
TOLUENE	34010	WAIVED	1992/04/28	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1992/04/28	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1992/04/28	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1992/04/28	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700503 CALLAHAN WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700503-001 WEST BOULDER CREEK - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**REGULATED VOC

VINYL CHLORIDE	39175	WAIVED	1992/04/28	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1992/04/28	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1992/04/14	42.000	2001/04	DUE
CALCIUM	00916	108	1992/04/14	3.200	2001/04	DUE
CARBONATE ALKALINITY	00445	108	1992/04/14	.000	2001/04	DUE
CHLORIDE	00940	012	1992/04/14	.000	1993/04	DUE
COLOR	00081	WAIVED	1992/04/14	20.000	WAIVED	
COPPER	01042	012	1992/04/14	.000	1993/04	DUE
FOAMING AGENTS (MBAS)	38260	012	1992/04/14	.000	1993/04	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1992/04/14	36.000	2001/04	DUE
HYDROXIDE ALKALINITY	71830	108	1992/04/14	.000	2001/04	DUE
IRON	01045	012	1992/04/14	.140	1993/04	DUE
MAGNESIUM	00927	108	1992/04/14	6.800	2001/04	DUE
MANGANESE	01055	012	1992/04/14	.000	1993/04	DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	1992/04/14	.000	WAIVED	
PH, LABORATORY	00403	WAIVED	1992/04/14	7.800	WAIVED	
SILVER	01077	012	1992/04/14	.000	1993/04	DUE
SODIUM	00929	108	1992/04/14	1.200	2001/04	DUE
SPECIFIC CONDUCTANCE	00095	012	1992/04/14	89.000	1993/04	DUE
SULFATE	00945	012	1992/04/14	3.000	1993/04	DUE
TOTAL DISSOLVED SOLIDS	70300	012	1992/04/14	51.000	1993/04	DUE
TURBIDITY, LABORATORY	82079	WAIVED	1992/04/14	.950	WAIVED	
ZINC	01092	012	1992/04/14	.000	1993/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700503 CALLAHAN WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700503-002 FILTER PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700503 CALLAHAN WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700503-002 FILTER PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700503 CALLAHAN WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700503-002 FILTER PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700503 CALLAHAN WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700503-002 FILTER PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/04/28	.000	2014/04
ANTIMONY	01097	036	2005/04/28	.000	2008/04
ARSENIC	01002	108	2005/04/28	.000	2014/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/04/28	.000	2014/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	108	2005/04/28	.000	2014/04
CHROMIUM (TOTAL)	01034	108	2005/04/28	.000	2014/04
CYANIDE	01291	WAIVED	1998/12/01	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/04/28	.100	2008/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	036	2005/04/28	.000	2008/04
NICKEL	01067	108	2005/04/28	.000	2014/04
SELENIUM	01147	036	2005/04/28	.000	2008/04
THALLIUM	01059	108	2005/04/28	.000	2014/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/07	.000	2007/11
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28	< 3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/04/28	.000	2011/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/04/28	.000	2011/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHANE	34496	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHYLENE	34501	072	2005/04/28	.000	2011/04
1,2,4-TRICHLOROBENZENE	34551	072	2002/08/06	.000	2008/08
1,2-DICHLOROBENZENE	34536	072	2005/04/28	.000	2011/04
1,2-DICHLOROETHANE	34531	072	2005/04/28	.000	2011/04
1,2-DICHLOROPROPANE	34541	072	2005/04/28	.000	2011/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/04/28	.000	2011/04
1,4-DICHLOROBENZENE	34571	072	2005/04/28	.000	2011/04
BENZENE	34030	072	2005/04/28	.000	2011/04
CARBON TETRACHLORIDE	32102	072	2005/04/28	.000	2011/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/04/28	.000	2011/04
DICHLOROMETHANE	34423	072	2005/04/28	.000	2011/04
ETHYLBENZENE	34371	072	2005/04/28	.000	2011/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/04/28	.000	2011/04
MONOCHLOROBENZENE	34301	072	2005/04/28	.000	2011/04
STYRENE	77128	072	2005/04/28	.000	2011/04
TETRACHLOROETHYLENE	34475	072	2005/04/28	.000	2011/04
TOLUENE	34010	072	2005/04/28	.000	2011/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/04/28	.000	2011/04
TRICHLOROETHYLENE	39180	072	2005/04/28	.000	2011/04
TRICHLOROFLUOROMETHANE	34488	072	2005/04/28	.000	2011/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/04/28	.000	2011/04
XYLENES (TOTAL)	81551	072	2005/04/28	.000	2011/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	11.800	2014/04
BICARBONATE ALKALINITY	00440	108	2006/11/07	268.000	2015/11
CALCIUM	00916	108	2006/11/07	14.700	2015/11
CARBONATE ALKALINITY	00445	108	2006/11/07	.000	2015/11
CHLORIDE	00940	036	2006/11/07	4.010	2009/11
COLOR	00081	036	2005/04/28	15.000	2008/04
COPPER	01042	036	2005/04/28	.000	2008/04
FOAMING AGENTS (MBAS)	38260	036	2005/04/28	.000	2008/04
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/11/07	41.000	2015/11
HYDROXIDE ALKALINITY	71830	108	2006/11/07	.000	2015/11
IRON	01045	036	2005/04/28	514.400	2008/04
MAGNESIUM	00927	108	2006/11/07	1.700	2015/11
MANGANESE	01055	036	2005/04/28	47.600	2008/04
ODOR THRESHOLD @ 60 C	00086	036	2005/04/28	2.000	2008/04
PH, LABORATORY	00403	036	2005/04/28	7.890	2008/04
SILVER	01077	036	2005/04/28	.000	2008/04
SODIUM	00929	108	2006/11/07	77.700	2015/11
SPECIFIC CONDUCTANCE	00095	036	2005/04/28	422.000	2008/04
SULFATE	00945	036	2006/11/07	23.900	2009/11
TOTAL DISSOLVED SOLIDS	70300	036	2005/04/28	260.000	2008/04
TURBIDITY, LABORATORY	82079	036	2005/04/28	3.360	2008/04
ZINC	01092	036	2005/04/28	179.100	2008/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/04/28	.000	2014/04
ANTIMONY	01097	036	2005/04/28	.000	2008/04
ARSENIC	01002	108	2005/04/28	.000	2014/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/04/28	.000	2014/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	108	2005/04/28	.000	2014/04
CHROMIUM (TOTAL)	01034	108	2005/04/28	.000	2014/04
CYANIDE	01291	WAIVED	1998/12/01	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/04/28	.200	2008/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	036	2005/04/28	.000	2008/04
NICKEL	01067	108	2005/04/28	.000	2014/04
SELENIUM	01147	036	2005/04/28	.000	2008/04
THALLIUM	01059	108	2005/04/28	.000	2014/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/14	.000	2007/11
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28	< 3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/04/28	.000	2011/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/04/28	.000	2011/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1988/04/26	.000	1994/04 DUE
1,1,2-TRICHLOROETHANE	34511	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHANE	34496	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHYLENE	34501	072	2005/04/28	.000	2011/04
1,2,4-TRICHLOROBENZENE	34551	072	2002/08/06	.000	2008/08
1,2-DICHLOROBENZENE	34536	072	2005/04/28	.000	2011/04
1,2-DICHLOROETHANE	34531	072	2005/04/28	.000	2011/04
1,2-DICHLOROPROPANE	34541	072	2005/04/28	.000	2011/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/04/28	.000	2011/04
1,4-DICHLOROBENZENE	34571	072	2005/04/28	.000	2011/04
BENZENE	34030	072	2005/04/28	.000	2011/04
CARBON TETRACHLORIDE	32102	072	2005/04/28	.000	2011/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/04/28	.000	2011/04
DICHLOROMETHANE	34423	072	2005/04/28	.000	2011/04
ETHYLBENZENE	34371	072	2005/04/28	.000	2011/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/04/28	.000	2011/04
MONOCHLOROBENZENE	34301	072	2005/04/28	.000	2011/04
STYRENE	77128	072	2005/04/28	.000	2011/04
TETRACHLOROETHYLENE	34475	072	2005/04/28	.000	2011/04
TOLUENE	34010	072	2005/04/28	.000	2011/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/04/28	.000	2011/04
TRICHLOROETHYLENE	39180	072	2005/04/28	.000	2011/04
TRICHLOROFLUOROMETHANE	34488	072	2005/04/28	.000	2011/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/04/28	.000	2011/04
XYLENES (TOTAL)	81551	072	2005/04/28	.000	2011/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	12.000	2014/04
BICARBONATE ALKALINITY	00440	108	2005/04/28	194.000	2014/04
CALCIUM	00916	108	2005/04/28	7.700	2014/04
CARBONATE ALKALINITY	00445	108	2005/04/28	10.000	2014/04
CHLORIDE	00940	036	2005/04/28	223.000	2008/04
COLOR	00081	036	2005/04/28	15.000	2008/04
COPPER	01042	036	2005/04/28	.000	2008/04
FOAMING AGENTS (MBAS)	38260	036	2005/04/28	.030	2008/04
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/04/28	22.000	2014/04
HYDROXIDE ALKALINITY	71830	108	2005/04/28	.000	2014/04
IRON	01045	036	2005/04/28	.000	2008/04
MAGNESIUM	00927	108	2005/04/28	.700	2014/04
MANGANESE	01055	036	2005/04/28	.000	2008/04
ODOR THRESHOLD @ 60 C	00086	036	2005/04/28	2.000	2008/04
PH, LABORATORY	00403	036	2005/04/28	8.430	2008/04
SILVER	01077	036	2005/04/28	.000	2008/04
SODIUM	00929	108	2005/04/28	172.000	2014/04
SPECIFIC CONDUCTANCE	00095	036	2005/04/28	1082.000	2008/04
SULFATE	00945	036	2005/04/28	22.500	2008/04
TOTAL DISSOLVED SOLIDS	70300	036	2005/04/28	596.000	2008/04
TURBIDITY, LABORATORY	82079	036	2005/04/28	5.520	2008/04
ZINC	01092	036	2005/04/28	178.200	2008/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-004 WELL 04****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/05/07	.000	2011/05
ANTIMONY	01097	108	2006/11/07	.000	2015/11
ARSENIC	01002	108	2002/05/07	.000	2011/05
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/05/07	.000	2011/05
BERYLLIUM	01012	108	2006/11/07	.000	2015/11
CADMIUM	01027	108	2002/05/07	.000	2011/05
CHROMIUM (TOTAL)	01034	108	2002/05/07		2011/05
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/05/07	.160	2011/05
LEAD	01051	WAIVED	1994/08/22	.000	WAIVED
MERCURY	71900	108	2002/05/07	.000	2011/05
NICKEL	01067	108	2006/11/07	.000	2015/11
SELENIUM	01147	108	2002/05/07	.000	2011/05
THALLIUM	01059	108	2006/11/07	.000	2015/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/07	.000	2007/11
NITRITE (AS N)	00620	036	2003/09/02	.000	2006/09 DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28 <	3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-004 WELL 04****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-004 WELL 04****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/04/28	.000	2011/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/04/28	.000	2011/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHANE	34496	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHYLENE	34501	072	2005/04/28	.000	2011/04
1,2,4-TRICHLOROBENZENE	34551	072	2002/05/07	.000	2008/05
1,2-DICHLOROBENZENE	34536	072	2005/04/28	.000	2011/04
1,2-DICHLOROETHANE	34531	072	2005/04/28	.000	2011/04
1,2-DICHLOROPROPANE	34541	072	2005/04/28	.000	2011/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/04/28	.000	2011/04
1,4-DICHLOROBENZENE	34571	072	2005/04/28	.000	2011/04
BENZENE	34030	072	2005/04/28	.000	2011/04
CARBON TETRACHLORIDE	32102	072	2005/04/28	.000	2011/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/04/28	.000	2011/04
DICHLOROMETHANE	34423	072	2005/04/28	.000	2011/04
ETHYLBENZENE	34371	072	2005/04/28	.000	2011/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/04/28	.000	2011/04
MONOCHLOROBENZENE	34301	072	2005/04/28	.000	2011/04
STYRENE	77128	072	2005/04/28	.000	2011/04
TETRACHLOROETHYLENE	34475	072	2005/04/28	.000	2011/04
TOLUENE	34010	072	2005/04/28	.000	2011/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/04/28	.000	2011/04
TRICHLOROETHYLENE	39180	072	2005/04/28	.000	2011/04
TRICHLOROFLUOROMETHANE	34488	072	2005/04/28	.000	2011/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-004 WELL 04****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/04/28	.000	2011/04
XYLENES (TOTAL)	81551	072	2005/04/28	.000	2011/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/11/07	12.200	2015/11
BICARBONATE ALKALINITY	00440	108	2006/11/07	204.000	2015/11
CALCIUM	00916	108	2006/11/07	5.310	2015/11
CARBONATE ALKALINITY	00445	108	2006/11/07	21.000	2015/11
CHLORIDE	00940	036	2006/11/07	8.340	2009/11
COLOR	00081	036	2006/11/07	15.000	2009/11
COPPER	01042	036	2006/11/07	.000	2009/11
FOAMING AGENTS (MBAS)	38260	036	2006/11/07	.070	2009/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/11/07	16.000	2015/11
HYDROXIDE ALKALINITY	71830	108	2006/11/07	.000	2015/11
IRON	01045	036	2006/11/07	144.000	2009/11
MAGNESIUM	00927	108	2006/11/07	.700	2015/11
MANGANESE	01055	036	2006/11/07	.000	2009/11
ODOR THRESHOLD @ 60 C	00086	036	2006/11/07	.000	2009/11
PH, LABORATORY	00403	036	2006/11/07	8.750	2009/11
SILVER	01077	036	2006/11/07	.000	2009/11
SODIUM	00929	108	2006/11/07	140.000	2015/11
SPECIFIC CONDUCTANCE	00095	036	2006/11/07	843.000	2009/11
SULFATE	00945	036	2006/11/07	47.100	2009/11
TOTAL DISSOLVED SOLIDS	70300	036	2006/11/07	490.000	2009/11
TURBIDITY, LABORATORY	82079	036	2006/11/07	51.800	2009/11
ZINC	01092	036	2006/11/07	2590.000	2009/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-005 RANCHERIA CREEK - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/04/28	.000	2014/04
ANTIMONY	01097	108	2005/04/28	.000	2014/04
ARSENIC	01002	108	2005/04/28	.000	2014/04
ASBESTOS	81855	108	1998/12/01	.000	2007/12
BARIUM	01007	108	2005/04/28	.000	2014/04
BERYLLIUM	01012	108	2005/04/28	.000	2014/04
CADMIUM	01027	108	2005/04/28	.000	2014/04
CHROMIUM (TOTAL)	01034	108	2005/04/28	.000	2014/04
CYANIDE	01291	WAIVED	1998/12/01	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/04/28	.000	2014/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	108	2005/04/28	.000	2014/04
NICKEL	01067	108	2005/04/28	.000	2014/04
SELENIUM	01147	108	2005/04/28	.000	2014/04
THALLIUM	01059	108	2005/04/28	.000	2014/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/07	.000	2007/11
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2002/02/05 <	1.000	2006/02 DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-005 RANCHERIA CREEK - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1995/03/07	.000	WAIVED
2,4-D	39730	WAIVED	1995/03/07	.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1995/03/07	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1995/03/07	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1995/03/07	.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-005 RANCHERIA CREEK - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1995/03/07	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2005/04/28	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2005/04/28	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1993/04/26	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2005/04/28	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2005/04/28	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2005/04/28	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1995/03/07	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2005/04/28	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2005/04/28	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2005/04/28	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2005/04/28	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2005/04/28	.000	WAIVED
BENZENE	34030	WAIVED	2005/04/28	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2005/04/28	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2005/04/28	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2005/04/28	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2005/04/28	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2005/04/28	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2005/04/28	.000	WAIVED
STYRENE	77128	WAIVED	2005/04/28	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2005/04/28	.000	WAIVED
TOLUENE	34010	WAIVED	2005/04/28	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2005/04/28	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2005/04/28	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2005/04/28	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700513 HORN BROOK C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700513-005 RANCHERIA CREEK - RAW****Source Number: 005****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2005/04/28	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2005/04/28	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	12.600	2014/04
BICARBONATE ALKALINITY	00440	108	2005/04/28	239.000	2014/04
CALCIUM	00916	108	2005/04/28	7.900	2014/04
CARBONATE ALKALINITY	00445	108	2005/04/28	5.000	2014/04
CHLORIDE	00940	108	2005/04/28	78.600	2014/04
COLOR	00081	WAIVED	2005/04/28	10.000	WAIVED
COPPER	01042	108	2005/04/28	.000	2014/04
FOAMING AGENTS (MBAS)	38260	108	2005/04/28	.030	2014/04
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/04/28	20.000	2014/04
HYDROXIDE ALKALINITY	71830	108	2005/04/28	.000	2014/04
IRON	01045	108	2005/04/28	.000	2014/04
MAGNESIUM	00927	108	2005/04/28	.500	2014/04
MANGANESE	01055	108	2005/04/28	.000	2014/04
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/04/28	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2005/04/28	8.110	WAIVED
SILVER	01077	108	2005/04/28	.000	2014/04
SODIUM	00929	108	2005/04/28	146.000	2014/04
SPECIFIC CONDUCTANCE	00095	108	2005/04/28	360.000	2014/04
SULFATE	00945	108	2005/04/28	50.000	2014/04
TOTAL DISSOLVED SOLIDS	70300	108	2005/04/28	215.000	2014/04
TURBIDITY, LABORATORY	82079	WAIVED	2005/04/28	.880	WAIVED
ZINC	01092	108	2005/04/28	.000	2014/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700517 SAWYERS BAR COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700517-001 JESSUP CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/20	.000	2008/03
NITRITE (AS N)	00620	036	2007/03/20	.000	2010/03

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700517 SAWYERS BAR COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700517-001 JESSUP CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700517 SAWYERS BAR COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700517-001 JESSUP CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700517 SAWYERS BAR COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700517-001 JESSUP CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700517 SAWYERS BAR COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700517-002 TANNER CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/20	.000	2008/03
NITRITE (AS N)	00620	036	2007/03/20	.000	2010/03

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700517 SAWYERS BAR COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700517-002 TANNER CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700517 SAWYERS BAR COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700517-002 TANNER CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700517 SAWYERS BAR COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700517-002 TANNER CREEK - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700521 SISKIYOU CO.SERVICE AREA #5/CARRICK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700521-002 CARRICK PARK WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2003/02/06	.000	2006/02	DUE
ANTIMONY	01097	036	2003/02/06	.000	2006/02	DUE
ARSENIC	01002	036	2003/02/06	4.000	2006/02	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	2003/02/06	.000	2006/02	DUE
BERYLLIUM	01012	036	2003/02/06	.000	2006/02	DUE
CADMIUM	01027	036	2003/02/06	.000	2006/02	DUE
CHROMIUM (TOTAL)	01034	036	2003/02/06	24.000	2006/02	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2003/02/06	.370	2006/02	DUE
LEAD	01051	WAIVED	2003/02/06	.000	WAIVED	
MERCURY	71900	036	2003/02/06	.000	2006/02	DUE
NICKEL	01067	036	2003/02/06	.000	2006/02	DUE
SELENIUM	01147	036	2003/02/06	.000	2006/02	DUE
THALLIUM	01059	036	2003/02/06	.000	2006/02	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2003/02/06	.000	2004/02	DUE
NITRITE (AS N)	00620	036	2003/02/06	.000	2006/02	DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700521 SISKIYOU CO.SERVICE AREA #5/CARRICK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700521-002 CARRICK PARK WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700521 SISKIYOU CO.SERVICE AREA #5/CARRICK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700521-002 CARRICK PARK WELL

Source Number: 002

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2003/02/06	.000	2009/02
1,1,2,2-TETRACHLOROETHANE	34516	072	2003/02/06	.000	2009/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	072	2003/02/06	.000	2009/02
1,1-DICHLOROETHANE	34496	072	2003/02/06	.000	2009/02
1,1-DICHLOROETHYLENE	34501	072	2003/02/06	.000	2009/02
1,2,4-TRICHLOROBENZENE	34551	072	2003/02/06	.000	2009/02
1,2-DICHLOROBENZENE	34536	072	2003/02/06	.000	2009/02
1,2-DICHLOROETHANE	34531	072	2003/02/06	.000	2009/02
1,2-DICHLOROPROPANE	34541	072	2003/02/06	.000	2009/02
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2003/02/06	.000	2009/02
1,4-DICHLOROBENZENE	34571	072	2003/02/06	.000	2009/02
BENZENE	34030	072	2003/02/06	.000	2009/02
CARBON TETRACHLORIDE	32102	072	2003/02/06	.000	2009/02
CIS-1,2-DICHLOROETHYLENE	77093	072	2003/02/06	.000	2009/02
DICHLOROMETHANE	34423	072	2003/02/06	.000	2009/02
ETHYLBENZENE	34371	072	2003/02/06	.000	2009/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2003/02/06	.000	2009/02
MONOCHLOROBENZENE	34301	072	2003/02/06	.000	2009/02
STYRENE	77128	072	2003/02/06	.000	2009/02
TETRACHLOROETHYLENE	34475	072	2003/02/06	.000	2009/02
TOLUENE	34010	072	2003/02/06	.000	2009/02
TRANS-1,2-DICHLOROETHYLENE	34546	072	2003/02/06	.000	2009/02
TRICHLOROETHYLENE	39180	072	2003/02/06	.000	2009/02
TRICHLOROFLUOROMETHANE	34488	072	2003/02/06	.000	2009/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700521 SISKIYOU CO.SERVICE AREA #5/CARRICK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700521-002 CARRICK PARK WELLSource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2003/02/06	.000	2009/02
XYLENES (TOTAL)	81551	072	2003/02/06	.000	2009/02

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2003/02/06	628.000	2012/02	
CALCIUM	00916	108	2003/02/06	40.000	2012/02	
CARBONATE ALKALINITY	00445	108	2003/02/06	.000	2012/02	
CHLORIDE	00940	036	2003/02/06	50.700	2006/02	DUE
COLOR	00081	036	2003/02/06	.000	2006/02	DUE
COPPER	01042	036	2003/02/06	.000	2006/02	DUE
FOAMING AGENTS (MBAS)	38260	036	2003/02/06	.300	2006/02	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2003/02/06	459.000	2012/02	
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	036	2003/02/06	.000	2006/02	DUE
MAGNESIUM	00927	108	2003/02/06	49.000	2012/02	
MANGANESE	01055	036	2003/02/06	.000	2006/02	DUE
ODOR THRESHOLD @ 60 C	00086	036	2003/02/06	.000	2006/02	DUE
PH, LABORATORY	00403	036	2003/02/06	6.880	2006/02	DUE
SILVER	01077	036	2003/02/06	.000	2006/02	DUE
SODIUM	00929	108	2003/02/06	54.000	2012/02	
SPECIFIC CONDUCTANCE	00095	036	2003/02/06	1170.000	2006/02	DUE
SULFATE	00945	036	2003/02/06	78.000	2006/02	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2003/02/06	697.000	2006/02	DUE
TURBIDITY, LABORATORY	82079	036	2003/02/06	.390	2006/02	DUE
ZINC	01092	036	2003/02/06	.000	2006/02	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700523 GRENADA SANITARY DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700523-003 2003 WELLSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2003/09/04	106.000	2006/09 DUE
ANTIMONY	01097	036	2003/09/04	.000	2006/09 DUE
ARSENIC	01002	036	2003/09/04	.000	2006/09 DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2003/09/04	.000	2006/09 DUE
BERYLLIUM	01012	036	2003/09/04	.000	2006/09 DUE
CADMIUM	01027	036	2003/09/04	.000	2006/09 DUE
CHROMIUM (TOTAL)	01034	036	2003/09/04	9.000	2006/09 DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2003/09/04	.160	2006/09 DUE
LEAD	01051	WAIVED	2003/09/04	.000	WAIVED
MERCURY	71900	036	2003/09/04	.000	2006/09 DUE
NICKEL	01067	036	2003/09/04	2.000	2006/09 DUE
SELENIUM	01147	036	2003/09/04	.000	2006/09 DUE
THALLIUM	01059	036	2003/09/04	.000	2006/09 DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/04/28	18.500	2006/04 DUE
NITRITE (AS N)	00620	036	2003/09/04	10.000	2006/09 DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28 <	3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700523 GRENADA SANITARY DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700523-003 2003 WELL****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700523 GRENADA SANITARY DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700523-003 2003 WELLSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/04/28	.000	2011/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/04/28	.000	2011/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2003/09/04	.000	2009/09
1,1,2-TRICHLOROETHANE	34511	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHANE	34496	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHYLENE	34501	072	2005/04/28	.000	2011/04
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	072	2005/04/28	.000	2011/04
1,2-DICHLOROETHANE	34531	072	2005/04/28	.000	2011/04
1,2-DICHLOROPROPANE	34541	072	2005/04/28	.000	2011/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/04/28	.000	2011/04
1,4-DICHLOROBENZENE	34571	072	2005/04/28	.000	2011/04
BENZENE	34030	072	2005/04/28	.000	2011/04
CARBON TETRACHLORIDE	32102	072	2005/04/28	.000	2011/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/04/28	.000	2011/04
DICHLOROMETHANE	34423	072	2005/04/28	.000	2011/04
ETHYLBENZENE	34371	072	2005/04/28	.000	2011/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/04/28	.000	2011/04
MONOCHLOROBENZENE	34301	072	2005/04/28	.000	2011/04
STYRENE	77128	072	2005/04/28	.000	2011/04
TETRACHLOROETHYLENE	34475	072	2005/04/28	.000	2011/04
TOLUENE	34010	072	2005/04/28	.000	2011/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/04/28	.000	2011/04
TRICHLOROETHYLENE	39180	072	2005/04/28	.000	2011/04
TRICHLOROFLUOROMETHANE	34488	072	2005/04/28	.000	2011/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700523 GRENADA SANITARY DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700523-003 2003 WELLSource Number: **003**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/04/28	.000	2011/04
XYLENES (TOTAL)	81551	072	2005/04/28	.000	2011/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	11.400	2014/04
BICARBONATE ALKALINITY	00440	108	2005/04/28	253.000	2014/04
CALCIUM	00916	108	2003/09/04	53.000	2012/09
CARBONATE ALKALINITY	00445	108	2005/04/28	.000	2014/04
CHLORIDE	00940	036	2003/09/04	16.000	2006/09 DUE
COLOR	00081	036	2003/09/04	.000	2006/09 DUE
COPPER	01042	036	2003/09/04	.000	2006/09 DUE
FOAMING AGENTS (MBAS)	38260	036	2003/09/04	.000	2006/09 DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2003/09/04	225.000	2012/09
HYDROXIDE ALKALINITY	71830	108	2005/04/28	.000	2014/04
IRON	01045	036	2003/09/04	110.000	2006/09 DUE
MAGNESIUM	00927	108	2003/09/04	19.000	2012/09
MANGANESE	01055	036	2003/09/04	.000	2006/09 DUE
ODOR THRESHOLD @ 60 C	00086	036	2003/09/04	.000	2006/09 DUE
PH, LABORATORY	00403	036	2003/09/04	7.180	2006/09 DUE
SILVER	01077	036	2003/09/04	.000	2006/09 DUE
SODIUM	00929	108	2003/09/04	16.000	2012/09
SPECIFIC CONDUCTANCE	00095	036	2003/09/04	540.000	2006/09 DUE
SULFATE	00945	036	2003/09/04	13.500	2006/09 DUE
TOTAL DISSOLVED SOLIDS	70300	036	2003/09/04	292.000	2006/09 DUE
TURBIDITY, LABORATORY	82079	036	2003/09/04	3.840	2006/09 DUE
ZINC	01092	036	2003/09/04	.000	2006/09 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700528 SISKIYOU CO. ROLLING HILLS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700528-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/05/12	.000	2013/05
ANTIMONY	01097	108	2007/01/16	.000	2016/01
ARSENIC	01002	108	2004/05/12	.000	2013/05
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2004/05/12	.000	2013/05
BERYLLIUM	01012	108	2007/01/16	.000	2016/01
CADMIUM	01027	108	2004/05/12	.000	2013/05
CHROMIUM (TOTAL)	01034	108	2004/05/12		2013/05
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/05/12	.100	2013/05
LEAD	01051	WAIVED	2004/05/12	.000	WAIVED
MERCURY	71900	108	2004/05/12	.000	2013/05
NICKEL	01067	108	2007/01/16	.000	2016/01
SELENIUM	01147	108	2004/05/12	.000	2013/05
THALLIUM	01059	108	2007/01/16	.000	2016/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/01/16	7.800	2008/01
NITRITE (AS N)	00620	036	2004/05/12	.000	2007/05

RADIOLOGICAL

GROSS ALPHA	01501	000			DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	2004/05/12 <	1.000	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700528 SISKIYOU CO. ROLLING HILLS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700528-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700528 SISKIYOU CO. ROLLING HILLS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700528-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2004/05/12	.000	2010/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2004/05/12	.000	2010/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2004/05/12	.000	2010/05
1,1,2-TRICHLOROETHANE	34511	072	2004/05/12	.000	2010/05
1,1-DICHLOROETHANE	34496	072	2004/05/12	.000	2010/05
1,1-DICHLOROETHYLENE	34501	072	2004/05/12	.000	2010/05
1,2,4-TRICHLOROBENZENE	34551	072	2004/05/12	.000	2010/05
1,2-DICHLOROBENZENE	34536	072	2004/05/12	.000	2010/05
1,2-DICHLOROETHANE	34531	072	2004/05/12	.000	2010/05
1,2-DICHLOROPROPANE	34541	072	2004/05/12	.000	2010/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2004/05/12	.000	2010/05
1,4-DICHLOROBENZENE	34571	072	2004/05/12	.000	2010/05
BENZENE	34030	072	2004/05/12	.000	2010/05
CARBON TETRACHLORIDE	32102	072	2004/05/12	.000	2010/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2004/05/12	.000	2010/05
DICHLOROMETHANE	34423	072	2004/05/12	.000	2010/05
ETHYLBENZENE	34371	072	2004/05/12	.000	2010/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2004/05/12	.000	2010/05
MONOCHLOROBENZENE	34301	072	2004/05/12	.000	2010/05
STYRENE	77128	072	2004/05/12	.000	2010/05
TETRACHLOROETHYLENE	34475	072	2004/05/12	.000	2010/05
TOLUENE	34010	072	2004/05/12	.000	2010/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2004/05/12	.000	2010/05
TRICHLOROETHYLENE	39180	072	2004/05/12	.000	2010/05
TRICHLOROFLUOROMETHANE	34488	072	2004/05/12	.000	2010/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700528 SISKIYOU CO. ROLLING HILLS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700528-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2004/05/12	.000	2010/05
XYLENES (TOTAL)	81551	072	2004/05/12	.000	2010/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108				DUE
BICARBONATE ALKALINITY	00440	108	2004/05/12	284.000	2013/05	
CALCIUM	00916	108	2004/05/12	65.900	2013/05	
CARBONATE ALKALINITY	00445	108	2004/05/12	.000	2013/05	
CHLORIDE	00940	108	2004/05/12	5.890	2013/05	
COLOR	00081	108	2004/05/12	.000	2013/05	
COPPER	01042	108	2004/05/12	.000	2013/05	
FOAMING AGENTS (MBAS)	38260	108	2004/05/12	.000	2013/05	
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2004/05/12	217.000	2013/05	
HYDROXIDE ALKALINITY	71830	108				DUE
IRON	01045	108	2004/05/12	.000	2013/05	
MAGNESIUM	00927	108	2004/05/12	8.620	2013/05	
MANGANESE	01055	108	2004/05/12	.000	2013/05	
ODOR THRESHOLD @ 60 C	00086	108	2004/05/12	.000	2013/05	
PH, LABORATORY	00403	108	2004/05/12	7.410	2013/05	
SILVER	01077	108	2004/05/12	.000	2013/05	
SODIUM	00929	108	2004/05/12	7.580	2013/05	
SPECIFIC CONDUCTANCE	00095	108	2004/05/12	513.000	2013/05	
SULFATE	00945	108	2004/05/12	9.300	2013/05	
TOTAL DISSOLVED SOLIDS	70300	108	2004/05/12	301.000	2013/05	
TURBIDITY, LABORATORY	82079	108	2004/05/12	.250	2013/05	
ZINC	01092	108	2004/05/12	.000	2013/05	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700531 TENNANT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700531-001 ANTELOPE CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	1994/08/25	.000	2003/08	DUE
ANTIMONY	01097	012				DUE
ARSENIC	01002	108	1994/08/25	.000	2003/08	DUE
ASBESTOS	81855	000				DUE
BARIUM	01007	108	1994/08/25	.000	2003/08	DUE
BERYLLIUM	01012	012				DUE
CADMIUM	01027	108	1992/10/08	.000	2001/10	DUE
CHROMIUM (TOTAL)	01034	108	1994/08/25	.000	2003/08	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	1994/08/25	.000	2003/08	DUE
LEAD	01051	WAIVED	1994/08/25	.000	WAIVED	
MERCURY	71900	108	1994/08/25	.000	2003/08	DUE
NICKEL	01067	012				DUE
SELENIUM	01147	108	1994/08/25	.000	2003/08	DUE
THALLIUM	01059	012				DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2001/05/29	.000	2002/05	DUE
NITRITE (AS N)	00620	036	2001/05/29	.000	2004/05	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2001/09/10	.090	2005/09	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700531 TENNANT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700531-001 ANTELOPE CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700531 TENNANT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700531-001 ANTELOPE CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/02/13	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/02/13	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/02/13	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/02/13	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2001/02/13	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/02/13	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/02/13	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2001/02/13	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2001/02/13	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2001/02/13	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/02/13	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2001/02/13	.000	WAIVED
BENZENE	34030	WAIVED	2001/02/13	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2001/02/13	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/02/13	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2001/02/13	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2001/02/13	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/09/26	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2001/02/13	.000	WAIVED
STYRENE	77128	WAIVED	2001/02/13	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2001/02/13	.000	WAIVED
TOLUENE	34010	WAIVED	2001/02/13	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/02/13	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2001/02/13	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/02/13	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700531 TENNANT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700531-001 ANTELOPE CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2001/02/13	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2001/02/13	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1994/08/25	34.000	2003/08	DUE
CALCIUM	00916	108	1994/08/25	7.800	2003/08	DUE
CARBONATE ALKALINITY	00445	108	1994/08/25	.000	2003/08	DUE
CHLORIDE	00940	108	1994/08/25	.000	2003/08	DUE
COLOR	00081	WAIVED	1990/08/16	10.000	WAIVED	
COPPER	01042	108	1994/08/25	.000	2003/08	DUE
FOAMING AGENTS (MBAS)	38260	108	1994/08/25	.000	2003/08	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1994/08/25	28.000	2003/08	DUE
HYDROXIDE ALKALINITY	71830	108	1994/08/25	.000	2003/08	DUE
IRON	01045	108	1994/08/25	.000	2003/08	DUE
MAGNESIUM	00927	108	1994/08/25	2.100	2003/08	DUE
MANGANESE	01055	108	1994/08/25	.000	2003/08	DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	1990/08/16	.000	WAIVED	
PH, LABORATORY	00403	WAIVED	1994/08/25	6.950	WAIVED	
SILVER	01077	108	1994/08/25	.000	2003/08	DUE
SODIUM	00929	108	1994/08/25	4.000	2003/08	DUE
SPECIFIC CONDUCTANCE	00095	108	1994/08/25	70.000	2003/08	DUE
SULFATE	00945	108	1994/08/25	.000	2003/08	DUE
TOTAL DISSOLVED SOLIDS	70300	108	1994/08/25	67.000	2003/08	DUE
TURBIDITY, LABORATORY	82079	WAIVED	1992/10/08	.000	WAIVED	
ZINC	01092	108	1994/08/25	.000	2003/08	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700531 TENNANT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700531-002 TREATMENT PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700531 TENNANT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700531-002 TREATMENT PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700531 TENNANT C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700531-002 TREATMENT PLANTSource Number: **002**Source Status: **ACTIVE TREATED**Water type: **SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700531 TENNANT C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700531-002 TREATMENT PLANT****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700539 MACDOEL WATERWORKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700539-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2000/01/28	.000	2003/01	DUE
ANTIMONY	01097	036	2000/01/28	.000	2003/01	DUE
ARSENIC	01002	036	2000/01/28	4.000	2003/01	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	2000/01/28	.000	2003/01	DUE
BERYLLIUM	01012	036	2000/01/28	.000	2003/01	DUE
CADMIUM	01027	036	2000/01/28	.000	2003/01	DUE
CHROMIUM (TOTAL)	01034	036	2000/01/28	.000	2003/01	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2000/01/28	.000	2003/01	DUE
LEAD	01051	WAIVED	2000/01/28	.000	WAIVED	
MERCURY	71900	036	2000/01/28	.000	2003/01	DUE
NICKEL	01067	036	2000/01/28	.000	2003/01	DUE
SELENIUM	01147	036	2000/01/28	.000	2003/01	DUE
THALLIUM	01059	036	2000/01/28	.000	2003/01	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/10/01	10.600	2007/10	
NITRITE (AS N)	00620	036	2000/01/28	.000	2003/01	DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700539 MACDOEL WATERWORKS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700539-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1988/05/09	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1988/05/09	< 5.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	1988/05/09	< 1.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700539 MACDOEL WATERWORKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700539-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1988/05/09 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000				DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1988/06/03 F	.850	1994/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	000				DUE
1,1-DICHLOROETHANE	34496	000				DUE
1,1-DICHLOROETHYLENE	34501	000				DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	000				DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	072	1988/06/03	2.500	1994/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	000				DUE
BENZENE	34030	000				DUE
CARBON TETRACHLORIDE	32102	000				DUE
CIS-1,2-DICHLOROETHYLENE	77093	000				DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	000				DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	000				DUE
TOLUENE	34010	000				DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000				DUE
TRICHLOROETHYLENE	39180	000				DUE
TRICHLOROFLUOROMETHANE	34488	000				DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700539 MACDOEL WATERWORKS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700539-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	036		DUE
COLOR	00081	036		DUE
COPPER	01042	036		DUE
FOAMING AGENTS (MBAS)	38260	036		DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	036		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	036		DUE
ODOR THRESHOLD @ 60 C	00086	036		DUE
PH, LABORATORY	00403	036		DUE
SILVER	01077	036	2000/01/28	.000 2003/01 DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	036		DUE
SULFATE	00945	036		DUE
TOTAL DISSOLVED SOLIDS	70300	036		DUE
TURBIDITY, LABORATORY	82079	036		DUE
ZINC	01092	036		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700541 CHATEAU SHASTA MOBILE HOME & RV PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700541-002 WELL 02 - SOUTH WELLSource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/04/28	.000	2008/04
ANTIMONY	01097	036	2005/04/28	.000	2008/04
ARSENIC	01002	036	2005/04/28	.000	2008/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/04/28	.000	2008/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	036	2005/04/28	.000	2008/04
CHROMIUM (TOTAL)	01034	036	2005/04/28	.000	2008/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/04/28	.000	2008/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	036	2005/04/28	.000	2008/04
NICKEL	01067	036	2005/04/28	.000	2008/04
SELENIUM	01147	036	2005/04/28	.000	2008/04
THALLIUM	01059	036	2005/04/28	.000	2008/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/04/28	.000	2006/04	DUE
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04	

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/16 <	3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700541 CHATEAU SHASTA MOBILE HOME & RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700541-002 WELL 02 - SOUTH WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700541 CHATEAU SHASTA MOBILE HOME & RV PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700541-002 WELL 02 - SOUTH WELL

Source Number: 002

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/05/10	.000	2011/05	
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/05/10	.000	2011/05	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1988/04/27	.000	1994/04	DUE
1,1,2-TRICHLOROETHANE	34511	072	2005/05/10	.000	2011/05	
1,1-DICHLOROETHANE	34496	072	2005/05/10	.000	2011/05	
1,1-DICHLOROETHYLENE	34501	072	2005/05/10	.000	2011/05	
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	072	2005/05/10	.000	2011/05	
1,2-DICHLOROETHANE	34531	072	2005/05/10	.000	2011/05	
1,2-DICHLOROPROPANE	34541	072	2005/05/10	.000	2011/05	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/05/10	.000	2011/05	
1,4-DICHLOROBENZENE	34571	072	2005/05/10	.000	2011/05	
BENZENE	34030	072	2005/05/10	.000	2011/05	
CARBON TETRACHLORIDE	32102	072	2005/05/10	.000	2011/05	
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/05/10	.000	2011/05	
DICHLOROMETHANE	34423	072	2005/05/10	.000	2011/05	
ETHYLBENZENE	34371	072	2005/05/10	.000	2011/05	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/05/10	.000	2011/05	
MONOCHLOROBENZENE	34301	072	2005/05/10	.000	2011/05	
STYRENE	77128	072	2005/05/10	.000	2011/05	
TETRACHLOROETHYLENE	34475	072	2005/05/10	.000	2011/05	
TOLUENE	34010	072	2005/05/10	.000	2011/05	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/05/10	.000	2011/05	
TRICHLOROETHYLENE	39180	072	2005/05/10	.000	2011/05	
TRICHLOROFLUOROMETHANE	34488	072	2005/05/10	.000	2011/05	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700541 CHATEAU SHASTA MOBILE HOME & RV PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700541-002 WELL 02 - SOUTH WELLSource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/05/10	.000	2011/05
XYLENES (TOTAL)	81551	072	2005/05/10	.000	2011/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	10.800	2014/04
BICARBONATE ALKALINITY	00440	108	2003/10/21	68.000	2012/10
CALCIUM	00916	108	2003/10/21	8.590	2012/10
CARBONATE ALKALINITY	00445	108	2003/10/21	.000	2012/10
CHLORIDE	00940	036	2003/10/21	1.240	2006/10 DUE
COLOR	00081	036			DUE
COPPER	01042	036	2003/10/21	.000	2006/10 DUE
FOAMING AGENTS (MBAS)	38260	036	2003/10/21	.000	2006/10 DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2003/10/21	41.000	2012/10
HYDROXIDE ALKALINITY	71830	108	2003/10/21	.000	2012/10
IRON	01045	036	2003/10/21	.000	2006/10 DUE
MAGNESIUM	00927	108	2003/10/21	4.090	2012/10
MANGANESE	01055	036	2003/10/21	.000	2006/10 DUE
ODOR THRESHOLD @ 60 C	00086	036			DUE
PH, LABORATORY	00403	036	2003/10/21	7.280	2006/10 DUE
SILVER	01077	036	2005/04/28	.000	2008/04
SODIUM	00929	108	2003/10/21	7.750	2012/10
SPECIFIC CONDUCTANCE	00095	036	2003/10/21	110.000	2006/10 DUE
SULFATE	00945	036	2003/10/21	.700	2006/10 DUE
TOTAL DISSOLVED SOLIDS	70300	036	2003/10/21	94.000	2006/10 DUE
TURBIDITY, LABORATORY	82079	036			DUE
ZINC	01092	036	2003/10/21	59.200	2006/10 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700542 ABRAMS LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700542-001 ABRAM'S LAKE SPRINGSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2004/01/14	.000	2007/01	DUE
ANTIMONY	01097	036	2004/01/14	.000	2007/01	DUE
ARSENIC	01002	036	2004/01/14	.000	2007/01	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	2004/01/14	.000	2007/01	DUE
BERYLLIUM	01012	036	2004/01/14	.000	2007/01	DUE
CADMIUM	01027	036	2004/01/14	.000	2007/01	DUE
CHROMIUM (TOTAL)	01034	108	2004/01/14	.000	2013/01	
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2004/01/14	.000	2007/01	DUE
LEAD	01051	WAIVED	2004/01/14	.000	WAIVED	
MERCURY	71900	036	2004/01/14	.000	2007/01	DUE
NICKEL	01067	036	2004/01/14	.000	2007/01	DUE
SELENIUM	01147	036	2004/01/14	.000	2007/01	DUE
THALLIUM	01059	036	2004/01/14	.000	2007/01	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/06/06	5.400	2007/06
NITRITE (AS N)	00620	036	2006/06/06	.000	2009/06

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/01/14	.000	2008/01
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700542 ABRAMS LAKE MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700542-001 ABRAM'S LAKE SPRING****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700542 ABRAMS LAKE MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700542-001 ABRAM'S LAKE SPRING****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/04/27	.000	2007/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/04/27	.000	2007/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/04/27	.000	2007/04
1,1,2-TRICHLOROETHANE	34511	072	2001/04/27	.000	2007/04
1,1-DICHLOROETHANE	34496	072	2001/04/27	.000	2007/04
1,1-DICHLOROETHYLENE	34501	072	2001/04/27	.000	2007/04
1,2,4-TRICHLOROBENZENE	34551	072	2001/04/27	.000	2007/04
1,2-DICHLOROBENZENE	34536	072	2001/04/27	.000	2007/04
1,2-DICHLOROETHANE	34531	072	2001/04/27	.000	2007/04
1,2-DICHLOROPROPANE	34541	072	2001/04/27	.000	2007/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/04/27	.000	2007/04
1,4-DICHLOROBENZENE	34571	072	2001/04/27	.000	2007/04
BENZENE	34030	072	2001/04/27	.000	2007/04
CARBON TETRACHLORIDE	32102	072	2001/04/27	.000	2007/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/04/27	.000	2007/04
DICHLOROMETHANE	34423	072	2001/04/27	.000	2007/04
ETHYLBENZENE	34371	072	2001/04/27	.000	2007/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/04/27	.000	2007/04
MONOCHLOROBENZENE	34301	072	2001/04/27	.000	2007/04
STYRENE	77128	072	2001/04/27	.000	2007/04
TETRACHLOROETHYLENE	34475	072	2001/04/27	.000	2007/04
TOLUENE	34010	072	2001/04/27	.000	2007/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/04/27	.000	2007/04
TRICHLOROETHYLENE	39180	072	2001/04/27	.000	2007/04
TRICHLOROFLUOROMETHANE	34488	072	2001/04/27	.000	2007/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700542 ABRAMS LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700542-001 ABRAM'S LAKE SPRING

Source Number: 001

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/04/27	.000	2007/04
XYLENES (TOTAL)	81551	072	2001/04/27	.000	2007/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/06/06	10.000	2015/06
BICARBONATE ALKALINITY	00440	108	2006/06/06	67.000	2015/06
CALCIUM	00916	108	2006/06/06	7.960	2015/06
CARBONATE ALKALINITY	00445	108	2006/06/06	.000	2015/06
CHLORIDE	00940	108	2006/06/06	4.040	2015/06
COLOR	00081	036	2005/04/28	.000	2008/04
COPPER	01042	108	2006/06/06	.000	2015/06
FOAMING AGENTS (MBAS)	38260	108	2006/06/06	.020	2015/06
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/06/06	46.000	2015/06
HYDROXIDE ALKALINITY	71830	108	2006/06/06	.000	2015/06
IRON	01045	108	2006/06/06	.000	2015/06
MAGNESIUM	00927	108	2006/06/06	6.300	2015/06
MANGANESE	01055	108	2006/06/06	.000	2015/06
ODOR THRESHOLD @ 60 C	00086	036	2005/04/28	.000	2008/04
PH, LABORATORY	00403	108	2006/06/06	6.960	2015/06
SILVER	01077	036	2004/01/14	.000	2007/01 DUE
SODIUM	00929	108	2006/06/06	7.110	2015/06
SPECIFIC CONDUCTANCE	00095	108	2006/06/06	133.000	2015/06
SULFATE	00945	108	2006/06/06	3.100	2015/06
TOTAL DISSOLVED SOLIDS	70300	108	2006/06/06	104.000	2015/06
TURBIDITY, LABORATORY	82079	036	2005/04/28	1.060	2008/04
ZINC	01092	108	2006/06/06	.000	2015/06

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700542 ABRAMS LAKE MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700542-002 WELL 01 - STANDBYSource Number: **002**Source Status: **STANDBY UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/04/28	.000	2014/04
ANTIMONY	01097	108	2005/04/28	.000	2014/04
ARSENIC	01002	108	2005/04/28	.000	2014/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/04/28	.000	2014/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	108	2005/04/28	.000	2014/04
CHROMIUM (TOTAL)	01034	108	2005/04/28	.000	2014/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/04/28	.000	2014/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	108	2005/04/28	.000	2014/04
NICKEL	01067	108	2005/04/28	.000	2014/04
SELENIUM	01147	108	2005/04/28	.000	2014/04
THALLIUM	01059	108	2005/04/28	.000	2014/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/04/28	3.300	2006/04	DUE
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04	

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28 <	3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700542 ABRAMS LAKE MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700542-002 WELL 01 - STANDBY****Source Number: 002****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700542 ABRAMS LAKE MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700542-002 WELL 01 - STANDBY****Source Number: 002****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/04/27	.000	2007/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/04/27	.000	2007/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/04/27	.000	2007/04
1,1,2-TRICHLOROETHANE	34511	072	2001/04/27	.000	2007/04
1,1-DICHLOROETHANE	34496	072	2001/04/27	.000	2007/04
1,1-DICHLOROETHYLENE	34501	072	2001/04/27	.000	2007/04
1,2,4-TRICHLOROBENZENE	34551	072	2001/04/27	.000	2007/04
1,2-DICHLOROBENZENE	34536	072	2001/04/27	.000	2007/04
1,2-DICHLOROETHANE	34531	072	2001/04/27	.000	2007/04
1,2-DICHLOROPROPANE	34541	072	2001/04/27	.000	2007/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/04/27	.000	2007/04
1,4-DICHLOROBENZENE	34571	072	2001/04/27	.000	2007/04
BENZENE	34030	072	2001/04/27	.000	2007/04
CARBON TETRACHLORIDE	32102	072	2001/04/27	.000	2007/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/04/27	.000	2007/04
DICHLOROMETHANE	34423	072	2001/04/27	.000	2007/04
ETHYLBENZENE	34371	072	2001/04/27	.000	2007/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/04/27	.000	2007/04
MONOCHLOROBENZENE	34301	072	2001/04/27	.000	2007/04
STYRENE	77128	072	2001/04/27	.000	2007/04
TETRACHLOROETHYLENE	34475	072	2001/04/27	.000	2007/04
TOLUENE	34010	072	2001/04/27	.000	2007/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/04/27	.000	2007/04
TRICHLOROETHYLENE	39180	072	2001/04/27	.000	2007/04
TRICHLOROFLUOROMETHANE	34488	072	2001/04/27	.000	2007/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700542 ABRAMS LAKE MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700542-002 WELL 01 - STANDBY****Source Number: 002****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/04/27	.000	2007/04
XYLENES (TOTAL)	81551	072	2001/04/27	.000	2007/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	9.800	2014/04
BICARBONATE ALKALINITY	00440	108	2005/04/28	79.000	2014/04
CALCIUM	00916	108	2005/04/28	13.100	2014/04
CARBONATE ALKALINITY	00445	108	2005/04/28	.000	2014/04
CHLORIDE	00940	036	2005/04/28	4.550	2008/04
COLOR	00081	036	2005/04/28	10.000	2008/04
COPPER	01042	036	2005/04/28	.000	2008/04
FOAMING AGENTS (MBAS)	38260	036	2005/04/28	.000	2008/04
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/04/28	51.000	2014/04
HYDROXIDE ALKALINITY	71830	108	2005/04/28	.000	2014/04
IRON	01045	036	2005/04/28	507.200	2008/04
MAGNESIUM	00927	108	2005/04/28	5.700	2014/04
MANGANESE	01055	036	2005/04/28	.000	2008/04
ODOR THRESHOLD @ 60 C	00086	036	2005/04/28	.000	2008/04
PH, LABORATORY	00403	036	2005/04/28	6.510	2008/04
SILVER	01077	036	2005/04/28	.000	2008/04
SODIUM	00929	108	2005/04/28	6.100	2014/04
SPECIFIC CONDUCTANCE	00095	036	2005/04/28	155.000	2008/04
SULFATE	00945	036	2005/04/28	2.800	2008/04
TOTAL DISSOLVED SOLIDS	70300	036	2005/04/28	133.000	2008/04
TURBIDITY, LABORATORY	82079	036	2005/04/28	6.370	2008/04
ZINC	01092	036	2005/04/28	67.600	2008/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700545 RAILROAD PARK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700545-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2005/08/24	.000	WAIVED
ANTIMONY	01097	WAIVED	2005/08/24	.000	WAIVED
ARSENIC	01002	WAIVED	2005/08/24	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	2005/08/24	.000	WAIVED
BERYLLIUM	01012	WAIVED	2005/08/24	.000	WAIVED
CADMIUM	01027	WAIVED	2005/08/24	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2005/08/24	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2005/08/24	.000	WAIVED
LEAD	01051	WAIVED	2005/08/24	.000	WAIVED
MERCURY	71900	WAIVED	2005/08/24	.000	WAIVED
NICKEL	01067	WAIVED	2005/08/24	22.000	WAIVED
SELENIUM	01147	WAIVED	2005/08/24	.000	WAIVED
THALLIUM	01059	WAIVED	2005/08/24	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/08/24	.000	2006/08	DUE
NITRITE (AS N)	00620	036	2005/08/24	.000	2008/08	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700545 RAILROAD PARK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700545-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700545 RAILROAD PARK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700545-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1989/06/29	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1989/06/29	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1989/06/29	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1989/06/29	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1989/06/29	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1989/06/29	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1989/06/29	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1989/06/29	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1989/06/29	.000	WAIVED
BENZENE	34030	WAIVED	1989/06/29	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1989/06/29	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1989/06/29	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1989/06/29	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1989/06/29	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1989/06/29	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1989/06/29	.000	WAIVED
TOLUENE	34010	WAIVED	1989/06/29	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1989/06/29	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1989/06/29	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1989/06/29	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700545 RAILROAD PARK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700545-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1989/06/29	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1989/06/29	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2005/08/24	10.300	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2005/08/24	161.000	WAIVED
CALCIUM	00916	WAIVED	2005/08/24	5.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2005/08/24	.000	WAIVED
CHLORIDE	00940	WAIVED	2005/08/24	2.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2005/08/24	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2005/08/24	.000	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	2005/08/24	133.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2005/08/24	.000	WAIVED
IRON	01045	WAIVED	2005/08/24	.000	WAIVED
MAGNESIUM	00927	WAIVED	2005/08/24	26.000	WAIVED
MANGANESE	01055	WAIVED	2005/08/24	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2005/08/24	7.050	WAIVED
SILVER	01077	WAIVED	2005/08/24	.000	WAIVED
SODIUM	00929	WAIVED	2005/08/24	2.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2005/08/24	269.000	WAIVED
SULFATE	00945	WAIVED	2005/08/24	3.500	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2005/08/24	114.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	2005/08/24	54.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700546 CAL ORE TRAIL MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700546-001 SPRING 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/01/22	.000	2013/01
ANTIMONY	01097	036	2004/01/22	.000	2007/01 DUE
ARSENIC	01002	036	2004/01/22	.000	2007/01 DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2004/01/22	.000	2007/01 DUE
BERYLLIUM	01012	036	2004/01/22	.000	2007/01 DUE
CADMIUM	01027	036	2004/01/22	.000	2007/01 DUE
CHROMIUM (TOTAL)	01034	036	2004/01/22	.000	2007/01 DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2004/01/22	.110	2007/01 DUE
LEAD	01051	WAIVED	2004/01/22	.000	WAIVED
MERCURY	71900	036	2004/01/22	.000	2007/01 DUE
NICKEL	01067	036	2004/01/22	.000	2007/01 DUE
SELENIUM	01147	036	2004/01/22	.000	2007/01 DUE
THALLIUM	01059	036	2004/01/22	.000	2007/01 DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/06/06	3.100	2007/06
NITRITE (AS N)	00620	036	2006/06/06	.000	2009/06

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/01/22	.000	2008/01
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700546 CAL ORE TRAIL MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700546-001 SPRING 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700546 CAL ORE TRAIL MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700546-001 SPRING 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/04/27	.000	2007/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/04/27	.000	2007/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/04/27	.000	2007/04
1,1,2-TRICHLOROETHANE	34511	072	2001/04/27	.000	2007/04
1,1-DICHLOROETHANE	34496	072	2001/04/27	.000	2007/04
1,1-DICHLOROETHYLENE	34501	072	2001/04/27	.000	2007/04
1,2,4-TRICHLOROBENZENE	34551	072	2001/04/27	.000	2007/04
1,2-DICHLOROBENZENE	34536	072	2001/04/27	.000	2007/04
1,2-DICHLOROETHANE	34531	072	2001/04/27	.000	2007/04
1,2-DICHLOROPROPANE	34541	072	2001/04/27	.000	2007/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/04/27	.000	2007/04
1,4-DICHLOROBENZENE	34571	072	2001/04/27	.000	2007/04
BENZENE	34030	072	2001/04/27	.000	2007/04
CARBON TETRACHLORIDE	32102	072	2001/04/27	.000	2007/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/04/27	.000	2007/04
DICHLOROMETHANE	34423	072	2001/04/27	.000	2007/04
ETHYLBENZENE	34371	072	2001/04/27	.000	2007/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/04/27	.000	2007/04
MONOCHLOROBENZENE	34301	072	2001/04/27	.000	2007/04
STYRENE	77128	072	2001/04/27	.000	2007/04
TETRACHLOROETHYLENE	34475	072	2001/04/27	.000	2007/04
TOLUENE	34010	072	2001/04/27	.000	2007/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/04/27	.000	2007/04
TRICHLOROETHYLENE	39180	072	2001/04/27	.000	2007/04
TRICHLOROFLUOROMETHANE	34488	072	2001/04/27	.000	2007/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700546 CAL ORE TRAIL MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700546-001 SPRING 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/04/27	.000	2007/04
XYLENES (TOTAL)	81551	072	2001/04/27	.000	2007/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	9.500	2014/04
BICARBONATE ALKALINITY	00440	108	2005/04/28	56.000	2014/04
CALCIUM	00916	108	2004/01/22	5.240	2013/01
CARBONATE ALKALINITY	00445	108	2005/04/28	.000	2014/04
CHLORIDE	00940	036	2004/01/22	.680	2007/01 DUE
COLOR	00081	036	2005/04/28	.000	2008/04
COPPER	01042	036	2004/01/22	.000	2007/01 DUE
FOAMING AGENTS (MBAS)	38260	036	2004/01/22	.000	2007/01 DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2004/01/22	25.000	2013/01
HYDROXIDE ALKALINITY	71830	108	2005/04/28	.000	2014/04
IRON	01045	036	2004/01/22	.000	2007/01 DUE
MAGNESIUM	00927	108	2004/01/22	2.390	2013/01
MANGANESE	01055	036	2004/01/22	.000	2007/01 DUE
ODOR THRESHOLD @ 60 C	00086	036	2005/04/28	.000	2008/04
PH, LABORATORY	00403	036	2004/01/22	6.780	2007/01 DUE
SILVER	01077	036	2004/01/22	.000	2007/01 DUE
SODIUM	00929	108	2004/01/22	8.040	2013/01
SPECIFIC CONDUCTANCE	00095	036	2004/01/22	98.000	2007/01 DUE
SULFATE	00945	036	2004/01/22	.700	2007/01 DUE
TOTAL DISSOLVED SOLIDS	70300	036	2004/01/22	105.000	2007/01 DUE
TURBIDITY, LABORATORY	82079	036	2005/04/28	.310	2008/04
ZINC	01092	036	2004/01/22	178.000	2007/01 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700549 LAKE SISKIYOU M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700549-001 WELL 03****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/10/12	.000	2013/10
ANTIMONY	01097	036	2004/10/12	.000	2007/10
ARSENIC	01002	108	2004/10/12	6.200	2013/10
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2004/10/12	.000	2013/10
BERYLLIUM	01012	036	2004/10/12	.000	2007/10
CADMIUM	01027	108	2004/10/12	.000	2013/10
CHROMIUM (TOTAL)	01034	108	2004/10/12	.000	2013/10
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/10/12	.080	2013/10
LEAD	01051	WAIVED	2004/10/12	11.400	WAIVED
MERCURY	71900	108	2004/10/12	.000	2013/10
NICKEL	01067	036	2004/10/12	.000	2007/10
SELENIUM	01147	108	2004/10/12	.000	2013/10
THALLIUM	01059	036	2004/10/12	.000	2007/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/11/08	.000	2006/11	DUE
NITRITE (AS N)	00620	036	2005/11/08	.000	2008/11	

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/10/12	.000	2008/10
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700549 LAKE SISKIYOU M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700549-001 WELL 03****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700549 LAKE SISKIYOU M.W.C.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700549-001 WELL 03

Source Number: 001

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/03/13	.000	2007/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/03/13	.000	2007/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/03/13	.000	2007/03	DUE
1,1-DICHLOROETHANE	34496	072	2001/03/13	.000	2007/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/03/13	.000	2007/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/03/13	.000	2007/03	DUE
1,2-DICHLOROBENZENE	34536	072	2001/03/13	.000	2007/03	DUE
1,2-DICHLOROETHANE	34531	072	2001/03/13	.000	2007/03	DUE
1,2-DICHLOROPROPANE	34541	072	2001/03/13	.000	2007/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/03/13	.000	2007/03	DUE
1,4-DICHLOROBENZENE	34571	072	2001/03/13	.000	2007/03	DUE
BENZENE	34030	072	2001/03/13	.000	2007/03	DUE
CARBON TETRACHLORIDE	32102	072	2001/03/13	.000	2007/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/03/13	.000	2007/03	DUE
DICHLOROMETHANE	34423	072	2001/03/13	.000	2007/03	DUE
ETHYLBENZENE	34371	072	2001/03/13	.000	2007/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/03/13	.000	2007/03	DUE
MONOCHLOROBENZENE	34301	072	2001/03/13	.000	2007/03	DUE
STYRENE	77128	072	2001/03/13	.000	2007/03	DUE
TETRACHLOROETHYLENE	34475	072	2001/03/13	.000	2007/03	DUE
TOLUENE	34010	072	2001/03/13	.000	2007/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/03/13	.000	2007/03	DUE
TRICHLOROETHYLENE	39180	072	2001/03/13	.000	2007/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/03/13	.000	2007/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700549 LAKE SISKIYOU M.W.C.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700549-001 WELL 03Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2001/03/13	.000	2007/03	DUE
XYLENES (TOTAL)	81551	072	2001/03/13	.000	2007/03	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108				DUE
BICARBONATE ALKALINITY	00440	108	2004/10/12	89.000	2013/10	
CALCIUM	00916	108	2004/10/12	11.000	2013/10	
CARBONATE ALKALINITY	00445	108	2004/10/12	.000	2013/10	
CHLORIDE	00940	108	2004/10/12	1.990	2013/10	
COLOR	00081	108	2004/10/12	30.000	2013/10	
COPPER	01042	108	2004/10/12	.000	2013/10	
FOAMING AGENTS (MBAS)	38260	108	2004/10/12	.000	2013/10	
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/10/12	52.000	2013/10	
HYDROXIDE ALKALINITY	71830	108				DUE
IRON	01045	108	2006/08/08	.000	2015/08	
MAGNESIUM	00927	108	2004/10/12	6.000	2013/10	
MANGANESE	01055	108	2004/10/12	.000	2013/10	
ODOR THRESHOLD @ 60 C	00086	108	2004/10/12	.000	2013/10	
PH, LABORATORY	00403	108	2004/10/12	7.050	2013/10	
SILVER	01077	108	2004/10/12	.000	2013/10	
SODIUM	00929	108	2004/10/12	10.000	2013/10	
SPECIFIC CONDUCTANCE	00095	108	2004/10/12	153.000	2013/10	
SULFATE	00945	108	2004/10/12	4.410	2013/10	
TOTAL DISSOLVED SOLIDS	70300	108	2004/10/12	141.000	2013/10	
TURBIDITY, LABORATORY	82079	108	2004/10/12	37.000	2013/10	
ZINC	01092	108	2004/10/12	100.700	2013/10	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700551 COPCO LAKE MWC

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700551-001 SPRING - TREATED

Source Number: 001

Source Status: **ACTIVE TREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/12/07	268.000	2013/12
ANTIMONY	01097	108	2005/04/26	.000	2014/04
ARSENIC	01002	108	2000/02/17	.000	2009/02
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2000/02/17	.000	2009/02
BERYLLIUM	01012	108	2005/04/26	.000	2014/04
CADMIUM	01027	108	2000/02/17	.000	2009/02
CHROMIUM (TOTAL)	01034	108	2000/02/17	1.000	2009/02
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2000/02/17	.000	2009/02
LEAD	01051	WAIVED	2000/02/17	1.600	WAIVED
MERCURY	71900	108	2005/04/26	.000	2014/04
NICKEL	01067	108	2005/04/26	.000	2014/04
SELENIUM	01147	108	2000/02/17	.000	2009/02
THALLIUM	01059	108	2005/04/26	.000	2014/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/04/26	.000	2006/04	DUE
NITRITE (AS N)	00620	036	2005/04/26	.000	2008/04	

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/26 <	3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700551 COPCO LAKE MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700551-001 SPRING - TREATED****Source Number: 001****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700551 COPCO LAKE MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700551-001 SPRING - TREATED****Source Number: 001****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/04/26	.000	2011/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/04/26	.000	2011/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/04/26	.000	2011/04
1,1,2-TRICHLOROETHANE	34511	072	2005/04/26	.000	2011/04
1,1-DICHLOROETHANE	34496	072	2005/04/26	.000	2011/04
1,1-DICHLOROETHYLENE	34501	072	2005/04/26	.000	2011/04
1,2,4-TRICHLOROBENZENE	34551	072	2005/04/26	.000	2011/04
1,2-DICHLOROBENZENE	34536	072	2005/04/26	.000	2011/04
1,2-DICHLOROETHANE	34531	072	2005/04/26	.000	2011/04
1,2-DICHLOROPROPANE	34541	072	2005/04/26	.000	2011/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/04/26	.000	2011/04
1,4-DICHLOROBENZENE	34571	072	2005/04/26	.000	2011/04
BENZENE	34030	072	2005/04/26	.000	2011/04
CARBON TETRACHLORIDE	32102	072	2005/04/26	.000	2011/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/04/26	.000	2011/04
DICHLOROMETHANE	34423	072	2005/04/26	.000	2011/04
ETHYLBENZENE	34371	072	2005/04/26	.000	2011/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/04/26	.000	2011/04
MONOCHLOROBENZENE	34301	072	2005/04/26	.000	2011/04
STYRENE	77128	072	2005/04/26	.000	2011/04
TETRACHLOROETHYLENE	34475	072	2005/04/26	.000	2011/04
TOLUENE	34010	072	2005/04/26	.000	2011/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/04/26	.000	2011/04
TRICHLOROETHYLENE	39180	072	2005/04/26	.000	2011/04
TRICHLOROFLUOROMETHANE	34488	072	2005/04/26	.000	2011/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700551 COPCO LAKE MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700551-001 SPRING - TREATED****Source Number: 001****Source Status: ACTIVE TREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/04/26	.000	2011/04
XYLENES (TOTAL)	81551	072	2005/04/26	.000	2011/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/29	10.300	2014/04
BICARBONATE ALKALINITY	00440	108	2000/02/17	56.600	2009/02
CALCIUM	00916	108	2000/02/17	8.320	2009/02
CARBONATE ALKALINITY	00445	108	2000/02/17	.000	2009/02
CHLORIDE	00940	108	2000/02/17	1.400	2009/02
COLOR	00081	108	2000/02/17	.000	2009/02
COPPER	01042	108	2000/02/17	6.300	2009/02
FOAMING AGENTS (MBAS)	38260	108	2000/02/17	.000	2009/02
HARDNESS (TOTAL) AS CaCO3	00900	108	2000/02/17	36.735	2009/02
HYDROXIDE ALKALINITY	71830	108	2000/02/17	.000	2009/02
IRON	01045	108	2002/05/07	818.000	2011/05
MAGNESIUM	00927	108	2000/02/17	3.870	2009/02
MANGANESE	01055	108	2000/02/17	2.900	2009/02
ODOR THRESHOLD @ 60 C	00086	108	2000/02/17	.000	2009/02
PH, LABORATORY	00403	108	2000/02/17	7.600	2009/02
SILVER	01077	108	2000/02/17	.000	2009/02
SODIUM	00929	108	2000/02/17	3.900	2009/02
SPECIFIC CONDUCTANCE	00095	108	2000/02/17	85.800	2009/02
SULFATE	00945	108	2000/02/17	.000	2009/02
TOTAL DISSOLVED SOLIDS	70300	108	2000/02/17	113.000	2009/02
TURBIDITY, LABORATORY	82079	108	2004/12/07	2.030	2013/12
ZINC	01092	108	2000/02/17	19.000	2009/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700554 CALTRANS-COLLIER REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700554-001 KLAMATH RIVER INFILTRATION GALLERY - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1999/11/02	.160	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/05/03	.000	2006/05	DUE
NITRITE (AS N)	00620	036	2005/05/03	.000	2008/05	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700554 CALTRANS-COLLIER REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700554-001 KLAMATH RIVER INFILTRATION GALLERY - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700554 CALTRANS-COLLIER REST STOP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700554-001 KLAMATH RIVER INFILTRATION GALLERY - RAW

Source Number: 001

Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700554 CALTRANS-COLLIER REST STOP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700554-001 KLAMATH RIVER INFILTRATION GALLERY - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	1999/11/02	15.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1999/11/02	67.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	1999/11/02	.000	WAIVED
MAGNESIUM	00927	WAIVED	1999/11/02	7.000	WAIVED
MANGANESE	01055	WAIVED	1999/11/02	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1999/11/02	7.440	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1999/11/02	18.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700554 CALTRANS-COLLIER REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700554-002 FILTER PLANT - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2006/05/02	.800	WAIVED
NITRITE (AS N)	00620	WAIVED	2000/10/03	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700554 CALTRANS-COLLIER REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700554-002 FILTER PLANT - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700554 CALTRANS-COLLIER REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700554-002 FILTER PLANT - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700554 CALTRANS-COLLIER REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700554-002 FILTER PLANT - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700557 CALTRANS-WEED REST STOP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700557-001 WELL 01 SOUTHSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	2000/10/10	126.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/02/07	7.100	2007/02	DUE
NITRITE (AS N)	00620	036	2006/02/07	1600.000	2009/02	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700557 CALTRANS-WEED REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700557-001 WELL 01 SOUTH****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1989/06/29 < .500	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/06/29 < .500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700557 CALTRANS-WEED REST STOP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700557-001 WELL 01 SOUTH

Source Number: 001

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	1989/06/29	2.200
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1989/06/29	2.000

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700557 CALTRANS-WEED REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700557-001 WELL 01 SOUTH****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700557 CALTRANS-WEED REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700557-002 WELL 02 NORTH****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	2000/10/10	103.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/02/07	7.100	2007/02	DUE
NITRITE (AS N)	00620	036	2006/02/07	1600.000	2009/02	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700557 CALTRANS-WEED REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700557-002 WELL 02 NORTH****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700557 CALTRANS-WEED REST STOP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700557-002 WELL 02 NORTH

Source Number: 002

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700557 CALTRANS-WEED REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700557-002 WELL 02 NORTH****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700558 CALTRANS-GRASS LAKE REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700558-001 SPRING****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1999/11/09	.100	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/10/11	2.900	2006/10	DUE
NITRITE (AS N)	00620	036	2005/10/11	.000	2008/10	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700558 CALTRANS-GRASS LAKE REST STOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700558-001 SPRING****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700558 CALTRANS-GRASS LAKE REST STOP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700558-001 SPRINGSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700558 CALTRANS-GRASS LAKE REST STOP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700558-001 SPRINGSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	1999/11/09	18.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	1999/11/09	67.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	1999/11/09	.000	WAIVED
MAGNESIUM	00927	WAIVED	1999/11/09	5.000	WAIVED
MANGANESE	01055	WAIVED	1999/11/09	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1999/11/09	7.450	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	1999/11/09	5.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700559 BUTTEVILLE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700559-001 WELL 03****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2001/04/30	.600	2010/04
ANTIMONY	01097	108	2001/04/30	.000	2010/04
ARSENIC	01002	108	2001/04/30	1.500	2010/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2001/04/30	18.100	2010/04
BERYLLIUM	01012	108	2001/04/30	.000	2010/04
CADMIUM	01027	108	2001/04/30	.000	2010/04
CHROMIUM (TOTAL)	01034	108	2001/04/30	.000	2010/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2001/04/30	.300	2010/04
LEAD	01051	WAIVED	2001/04/30	.000	WAIVED
MERCURY	71900	108	2005/04/28	.000	2014/04
NICKEL	01067	108	2001/04/30	5.400	2010/04
SELENIUM	01147	108	2001/04/30	.000	2010/04
THALLIUM	01059	108	2001/04/30	.000	2010/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/10/11	23.800	2007/10
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2005/10/24 <	3.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	2001/04/30	.230	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700559 BUTTEVILLE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700559-001 WELL 03****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700559 BUTTEVILLE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700559-001 WELL 03****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/04/30	.000	2007/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/04/30	.000	2007/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/04/28	.000	2011/04
1,1,2-TRICHLOROETHANE	34511	072	2001/04/30	.000	2007/04
1,1-DICHLOROETHANE	34496	072	2001/04/30	.000	2007/04
1,1-DICHLOROETHYLENE	34501	072	2001/04/30	.000	2007/04
1,2,4-TRICHLOROBENZENE	34551	072	2001/04/30	.000	2007/04
1,2-DICHLOROBENZENE	34536	072	2001/04/30	.000	2007/04
1,2-DICHLOROETHANE	34531	072	2001/04/30	.000	2007/04
1,2-DICHLOROPROPANE	34541	072	2001/04/30	.000	2007/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/04/30	.000	2007/04
1,4-DICHLOROBENZENE	34571	072	2001/04/30	.000	2007/04
BENZENE	34030	072	2001/04/30	.000	2007/04
CARBON TETRACHLORIDE	32102	072	2001/04/30	.000	2007/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/04/30	.000	2007/04
DICHLOROMETHANE	34423	072	2001/04/30	.000	2007/04
ETHYLBENZENE	34371	072	2001/04/30	.000	2007/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/04/30	.000	2007/04
MONOCHLOROBENZENE	34301	072	2001/04/30	.000	2007/04
STYRENE	77128	072	2001/04/30	.000	2007/04
TETRACHLOROETHYLENE	34475	072	2001/04/30	.000	2007/04
TOLUENE	34010	072	2001/04/30	.000	2007/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/04/30	.000	2007/04
TRICHLOROETHYLENE	39180	072	2001/04/30	.000	2007/04
TRICHLOROFLUOROMETHANE	34488	072	2001/04/30	.000	2007/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700559 BUTTEVILLE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700559-001 WELL 03****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/04/30	.000	2007/04
XYLENES (TOTAL)	81551	072	2001/04/30	.000	2007/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2005/04/28	137.000	WAIVED
CALCIUM	00916	WAIVED	2001/04/30	11.900	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2005/04/28	.000	WAIVED
CHLORIDE	00940	WAIVED	2001/04/30	8.700	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2001/04/30	10.100	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1997/02/11 <	.020	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	2001/04/30	69.100	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2005/04/28	.000	WAIVED
IRON	01045	WAIVED	2001/04/30	.000	WAIVED
MAGNESIUM	00927	WAIVED	2001/04/30	9.600	WAIVED
MANGANESE	01055	WAIVED	2001/04/30	10.100	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2001/04/30	6.800	WAIVED
SILVER	01077	WAIVED	2001/04/30	.000	WAIVED
SODIUM	00929	WAIVED	2001/04/30	26.800	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/04/30	255.000	WAIVED
SULFATE	00945	WAIVED	2001/04/30	4.800	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/04/30	232.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	2001/04/30	8.300	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700562 SWISS HOLIDAY LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700562-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/10/11	3.300	2006/10	DUE
NITRITE (AS N)	00620	036	2005/10/11	.000	2008/10	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700562 SWISS HOLIDAY LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700562-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700562 SWISS HOLIDAY LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700562-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/26	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/26	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/26	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/26	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/26	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/26	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/26	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/26	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/26	.000	WAIVED
BENZENE	34030	WAIVED	1988/04/26	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/26	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/26	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/26	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/26	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/26	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/26	.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/26	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/26	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/26	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/26	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700562 SWISS HOLIDAY LODGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700562-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/26	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/26	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700563 FINLANDIA MOTEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700563-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/10/11	6.600	2006/10	DUE
NITRITE (AS N)	00620	036	2005/10/11	.000	2008/10	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700563 FINLANDIA MOTEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700563-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700563 FINLANDIA MOTEL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700563-001 WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1989/06/29	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1989/06/29	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1989/06/29	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1989/06/29	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1989/06/29	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1989/06/29	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1989/06/29	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1989/06/29	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1989/06/29	.000	WAIVED
BENZENE	34030	WAIVED	1989/06/29	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1989/06/29	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1989/06/29	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1989/06/29	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1989/06/29	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1989/06/29	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1989/06/29	.000	WAIVED
TOLUENE	34010	WAIVED	1989/06/29	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1989/06/29	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1989/06/29	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1989/06/29	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700563 FINLANDIA MOTEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700563-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1989/06/29	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1989/06/29	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700565 FOWLERS CAMPGROUND-STNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700565-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	2006/08/11	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/04/20	.000	2008/04
NITRITE (AS N)	00620	036	2007/04/20	.000	2010/04

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700565 FOWLERS CAMPGROUND-STNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700565-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700565 FOWLERS CAMPGROUND-STNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700565-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700565 FOWLERS CAMPGROUND-STNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700565-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700569 WILLOW CREEK SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700569-001 WELL 01 - 1989 WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/01/05	.000	2014/01
ANTIMONY	01097	108	2005/01/05	.000	2014/01
ARSENIC	01002	108	2005/01/05	.000	2014/01
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/01/05	.000	2014/01
BERYLLIUM	01012	108	2005/01/05	.000	2014/01
CADMIUM	01027	108	2005/01/05	.000	2014/01
CHROMIUM (TOTAL)	01034	108	2005/01/05	.000	2014/01
CYANIDE	01291	WAIVED	2005/01/05 <	20.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/01/05	.290	2014/01
LEAD	01051	WAIVED	2001/05/01	.000	WAIVED
MERCURY	71900	108	2005/01/05	.000	2014/01
NICKEL	01067	108	2005/01/05	.000	2014/01
SELENIUM	01147	108	2005/01/05	.000	2014/01
THALLIUM	01059	108	2005/01/05	.000	2014/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/01/05	3.000	2006/01 DUE
NITRITE (AS N)	00620	036	2005/01/05	.000	2008/01

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2001/05/01	.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	2001/05/01	.100	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700569 WILLOW CREEK SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700569-001 WELL 01 - 1989 WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1988/04/26	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1988/04/26	< 5.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	1988/04/26	< 1.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700569 WILLOW CREEK SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700569-001 WELL 01 - 1989 WELLSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/26 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/05/01	.000	2007/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/05/01	.000	2007/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1993/09/30	.000	1999/09 DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/05/01	.000	2007/05
1,1-DICHLOROETHANE	34496	072	2001/05/01	.000	2007/05
1,1-DICHLOROETHYLENE	34501	072	2001/05/01	.000	2007/05
1,2,4-TRICHLOROBENZENE	34551	072	1993/09/30	.000	1999/09 DUE
1,2-DICHLOROBENZENE	34536	072	2001/05/01	.000	2007/05
1,2-DICHLOROETHANE	34531	072	2001/05/01	.000	2007/05
1,2-DICHLOROPROPANE	34541	072	2001/05/01	.000	2007/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/05/01	.000	2007/05
1,4-DICHLOROBENZENE	34571	072	2001/05/01	.000	2007/05
BENZENE	34030	072	2001/05/01	.000	2007/05
CARBON TETRACHLORIDE	32102	072	2001/05/01	.000	2007/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/05/01	.000	2007/05
DICHLOROMETHANE	34423	072	2001/05/01	.000	2007/05
ETHYLBENZENE	34371	072	2001/05/01	.000	2007/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/02/23	.000	2007/02 DUE
MONOCHLOROBENZENE	34301	072	2001/05/01	.000	2007/05
STYRENE	77128	072	2001/05/01	.000	2007/05
TETRACHLOROETHYLENE	34475	072	2001/05/01	.000	2007/05
TOLUENE	34010	072	2001/05/01	.000	2007/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/05/01	.000	2007/05
TRICHLOROETHYLENE	39180	072	2001/05/01	.000	2007/05
TRICHLOROFLUOROMETHANE	34488	072	2001/05/01	.000	2007/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700569 WILLOW CREEK SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700569-001 WELL 01 - 1989 WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/05/01	.000	2007/05
XYLENES (TOTAL)	81551	072	2001/05/01	.000	2007/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1989/12/27	296.000	WAIVED
CALCIUM	00916	WAIVED	2001/05/01	29.700	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1989/12/27	4.000	WAIVED
CHLORIDE	00940	WAIVED	2001/05/01	50.200	WAIVED
COLOR	00081	WAIVED	1989/12/27	.000	WAIVED
COPPER	01042	WAIVED	2001/05/01	8.800	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1989/12/27	.000	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	2001/05/01	184.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1989/12/27	.000	WAIVED
IRON	01045	WAIVED	2001/05/01	.000	WAIVED
MAGNESIUM	00927	WAIVED	2001/05/01	26.600	WAIVED
MANGANESE	01055	WAIVED	2001/05/01	36.500	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1989/12/27	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2001/05/01	8.000	WAIVED
SILVER	01077	WAIVED	2001/05/01	.000	WAIVED
SODIUM	00929	WAIVED	2001/05/01	86.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/05/01	711.000	WAIVED
SULFATE	00945	WAIVED	2001/05/01	31.300	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/05/01	405.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1989/12/27	.150	WAIVED
ZINC	01092	WAIVED	2001/05/01	19.600	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700571 MCBRIDE SPRINGS CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700571-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/05/08	.000	2007/05
NITRITE (AS N)	00620	036	2004/05/04	.000	2007/05

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700571 MCBRIDE SPRINGS CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700571-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700571 MCBRIDE SPRINGS CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700571-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700571 MCBRIDE SPRINGS CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700571-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700573 DUNSMUIR GRADE INSP. FACILITY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700573-002 WELL 02 (NEW WELL)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2005/04/28	117.300	WAIVED
ANTIMONY	01097	WAIVED	2005/04/28	.000	WAIVED
ARSENIC	01002	WAIVED	2005/04/28	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	2005/04/28	.000	WAIVED
BERYLLIUM	01012	WAIVED	2005/04/28	.000	WAIVED
CADMIUM	01027	WAIVED	2005/04/28	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2005/04/28	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2005/04/28	.000	WAIVED
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	WAIVED	2005/04/28	.000	WAIVED
NICKEL	01067	WAIVED	2005/04/28	.000	WAIVED
SELENIUM	01147	WAIVED	2005/04/28	.000	WAIVED
THALLIUM	01059	WAIVED	2005/04/28	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/12/09	.660	2006/12	DUE
NITRITE (AS N)	00620	036	2005/12/09 <	50.000	2008/12	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2000/10/05 <	1.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700573 DUNSMUIR GRADE INSP. FACILITY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700573-002 WELL 02 (NEW WELL)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/01/30	.000 WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700573 DUNSMUIR GRADE INSP. FACILITY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700573-002 WELL 02 (NEW WELL)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/01/30	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/01/30	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/01/30	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/01/30	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2001/01/30	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/01/30	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/01/30	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2001/01/30	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2001/01/30	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2001/01/30	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/01/30	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2001/01/30	.000	WAIVED
BENZENE	34030	WAIVED	2001/01/30	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2001/01/30	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/01/30	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2001/01/30	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2001/01/30	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/01/30	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2001/01/30	.000	WAIVED
STYRENE	77128	WAIVED	2001/01/30	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2001/01/30	.000	WAIVED
TOLUENE	34010	WAIVED	2001/01/30	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/01/30	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2001/01/30	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/01/30	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700573 DUNSMUIR GRADE INSP. FACILITY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700573-002 WELL 02 (NEW WELL)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2001/01/30	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2001/01/30	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2000/07/12	57.000	WAIVED
CALCIUM	00916	WAIVED	2001/01/30	15.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2000/07/12	.000	WAIVED
CHLORIDE	00940	WAIVED	2000/07/12	3.730	WAIVED
COLOR	00081	WAIVED	2000/07/12	.000	WAIVED
COPPER	01042	WAIVED	2000/07/12	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/07/12	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2000/07/12	26.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2000/07/12	.000	WAIVED
IRON	01045	WAIVED	2006/02/07	3200.000	WAIVED
MAGNESIUM	00927	WAIVED	2000/07/12	3.000	WAIVED
MANGANESE	01055	WAIVED	2000/07/12	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2000/07/12	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2000/07/12	8.700	WAIVED
SILVER	01077	WAIVED	2005/04/28	.000	WAIVED
SODIUM	00929	WAIVED	2000/07/12	9.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/07/12	83.000	WAIVED
SULFATE	00945	WAIVED	2000/07/12	.410	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/07/12	81.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2006/02/07	< 1.000	WAIVED
ZINC	01092	WAIVED	2000/07/12	69.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700575 BUTTE VALLEY MIDDLE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700575-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	036	2006/01/10	.000	2009/01
ANTIMONY	01097	036	2006/01/10	.000	2009/01
ARSENIC	01002	036	2006/01/10	.000	2009/01
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	036	2006/01/10	.000	2009/01
BERYLLIUM	01012	036	2006/01/10	.000	2009/01
CADMIUM	01027	036	2006/01/10	.000	2009/01
CHROMIUM (TOTAL)	01034	036	2006/01/10	.000	2009/01
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/01/10	.200	2009/01
LEAD	01051	WAIVED	WAIVED	<	WAIVED
MERCURY	71900	036	2006/01/10	.000	2009/01
NICKEL	01067	036	2006/01/10	.000	2009/01
SELENIUM	01147	036	2006/01/10	.000	2009/01
THALLIUM	01059	036	2006/01/10	.000	2009/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/01/10	30.100	2007/01	DUE
NITRITE (AS N)	00620	036	2004/12/20	.000	2007/12	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2007/02/27	.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700575 BUTTE VALLEY MIDDLE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700575-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	<	WAIVED
2,4-D	39730	WAIVED	WAIVED	<	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	<	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<	WAIVED
DALAPON	38432	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	<	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/01/09	.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED	<	WAIVED
DIQUAT	78885	WAIVED	WAIVED	<	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<	WAIVED
ENDRIN	39390	WAIVED	WAIVED	<	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<	WAIVED
LINDANE	39340	WAIVED	WAIVED	<	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	<	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<	WAIVED
OXAMYL	38865	WAIVED	WAIVED	<	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<	WAIVED
PICLORAM	39720	WAIVED	WAIVED	<	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700575 BUTTE VALLEY MIDDLE SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700575-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED	<	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	<	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	<	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/01/09	.000	2007/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/01/09	.000	2007/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/01/09	.000	2007/01	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/01/09	.000	2007/01	DUE
1,1-DICHLOROETHANE	34496	072	2001/01/09	.000	2007/01	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/01/09	.000	2007/01	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/01/09	.000	2007/01	DUE
1,2-DICHLOROBENZENE	34536	072	2001/01/09	.000	2007/01	DUE
1,2-DICHLOROETHANE	34531	072	2001/01/09	.000	2007/01	DUE
1,2-DICHLOROPROPANE	34541	072	2001/01/09	.000	2007/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/01/09	.000	2007/01	DUE
1,4-DICHLOROBENZENE	34571	072	2001/01/09	.000	2007/01	DUE
BENZENE	34030	072	2001/01/09	.000	2007/01	DUE
CARBON TETRACHLORIDE	32102	072	2001/01/09	.000	2007/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/01/09	.000	2007/01	DUE
DICHLOROMETHANE	34423	072	2001/01/09	.000	2007/01	DUE
ETHYLBENZENE	34371	072	2001/01/09	.000	2007/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/01/09	.000	2007/01	DUE
MONOCHLOROBENZENE	34301	072	2001/01/09	.000	2007/01	DUE
STYRENE	77128	072	2001/01/09	.000	2007/01	DUE
TETRACHLOROETHYLENE	34475	072	2001/01/09	.000	2007/01	DUE
TOLUENE	34010	072	2001/01/09	.000	2007/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/01/09	.000	2007/01	DUE
TRICHLOROETHYLENE	39180	072	2001/01/09	.000	2007/01	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/01/09	.000	2007/01	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700575 BUTTE VALLEY MIDDLE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700575-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/01/09	.000	2007/01	DUE
XYLENES (TOTAL)	81551	072	2001/01/09	.000	2007/01	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	<		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2006/01/10		221.000	WAIVED
CALCIUM	00916	WAIVED	2006/01/10		39.600	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2006/01/10		.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	<		WAIVED
COLOR	00081	WAIVED	WAIVED	<		WAIVED
COPPER	01042	WAIVED	WAIVED	<		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2006/01/10		.020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2006/01/10		220.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2006/01/10		.000	WAIVED
IRON	01045	WAIVED	2006/01/10		.000	WAIVED
MAGNESIUM	00927	WAIVED	2006/01/10		31.500	WAIVED
MANGANESE	01055	WAIVED	2006/01/10		.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	<		WAIVED
PH, LABORATORY	00403	WAIVED	2006/01/10		7.560	WAIVED
SILVER	01077	WAIVED	WAIVED	<		WAIVED
SODIUM	00929	WAIVED	2006/01/10		22.800	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	<		WAIVED
SULFATE	00945	WAIVED	WAIVED	<		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	<		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	<		WAIVED
ZINC	01092	WAIVED	WAIVED	<		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700577 BIG SPRINGS UNION ELEM. SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700577-001 WELL 01Source Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2002/10/09	.000	2005/10 DUE
ANTIMONY	01097	036	2002/10/09	.000	2005/10 DUE
ARSENIC	01002	036	2002/10/09	8.000	2005/10 DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2002/10/09	.000	2005/10 DUE
BERYLLIUM	01012	036	2002/10/09	.000	2005/10 DUE
CADMIUM	01027	036	2002/10/09	.000	2005/10 DUE
CHROMIUM (TOTAL)	01034	036	2002/10/09		2005/10 DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2002/10/09	.170	2005/10 DUE
LEAD	01051	WAIVED	2002/10/01	.000	WAIVED
MERCURY	71900	036	2002/10/09	.000	2005/10 DUE
NICKEL	01067	036	2002/10/01	.000	2005/10 DUE
SELENIUM	01147	036	2002/10/09	.000	2005/10 DUE
THALLIUM	01059	036	2002/10/09	.000	2005/10 DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/04/26	27.400	2006/04 DUE
NITRITE (AS N)	00620	036	2002/10/09	.000	2005/10 DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700577 BIG SPRINGS UNION ELEM. SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700577-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1988/05/10	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1988/05/10	< 5.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	1988/05/10	< 1.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700577 BIG SPRINGS UNION ELEM. SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700577-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/05/10 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/10/09	.000	2008/10
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/10/09	.000	2008/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/04/26	.000	2011/04
1,1,2-TRICHLOROETHANE	34511	072	2002/10/09	.000	2008/10
1,1-DICHLOROETHANE	34496	072	2002/10/09	.000	2008/10
1,1-DICHLOROETHYLENE	34501	072	2002/10/09	.000	2008/10
1,2,4-TRICHLOROBENZENE	34551	072	2002/10/09	.000	2008/10
1,2-DICHLOROBENZENE	34536	072	2002/10/09	.000	2008/10
1,2-DICHLOROETHANE	34531	072	2002/10/09	.000	2008/10
1,2-DICHLOROPROPANE	34541	072	2002/10/09	.000	2008/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/10/09	.000	2008/10
1,4-DICHLOROBENZENE	34571	072	2002/10/09	.000	2008/10
BENZENE	34030	072	2002/10/09	.000	2008/10
CARBON TETRACHLORIDE	32102	072	2002/10/09	.000	2008/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/10/09	.000	2008/10
DICHLOROMETHANE	34423	072	2002/10/09	.000	2008/10
ETHYLBENZENE	34371	072	2002/10/09	.000	2008/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/10/09	.000	2008/10
MONOCHLOROBENZENE	34301	072	2002/10/09	.000	2008/10
STYRENE	77128	072	2002/10/09	.000	2008/10
TETRACHLOROETHYLENE	34475	072	2002/10/09	.000	2008/10
TOLUENE	34010	072	2002/10/09	.000	2008/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/10/09	.000	2008/10
TRICHLOROETHYLENE	39180	072	2002/10/09	.000	2008/10
TRICHLOROFLUOROMETHANE	34488	072	2002/10/09	.000	2008/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700577 BIG SPRINGS UNION ELEM. SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700577-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2002/10/09	.000	2008/10
XYLENES (TOTAL)	81551	072	2002/10/09	.000	2008/10

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2005/04/26	349.000	WAIVED
CALCIUM	00916	WAIVED	2005/04/26	41.100	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2005/04/26	.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2002/10/01	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2005/04/26	247.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2005/04/26	.000	WAIVED
IRON	01045	WAIVED	2002/10/01	.000	WAIVED
MAGNESIUM	00927	WAIVED	2005/04/26	33.600	WAIVED
MANGANESE	01055	WAIVED	2002/10/01	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2005/04/26	7.310	WAIVED
SILVER	01077	WAIVED	2002/10/01	.000	WAIVED
SODIUM	00929	WAIVED	2005/04/26	39.400	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700580 KLAMATH RIVER SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700580-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2006/12/04	.000	2009/12
ANTIMONY	01097	036	2006/12/04	.000	2009/12
ARSENIC	01002	036	2006/12/04	2.200	2009/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2006/12/04	.000	2009/12
BERYLLIUM	01012	036	2006/12/04	.000	2009/12
CADMIUM	01027	036	2006/12/04	.000	2009/12
CHROMIUM (TOTAL)	01034	036	2006/12/04	.000	2009/12
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2006/12/04	.600	2009/12
LEAD	01051	WAIVED	2006/12/04	10.200	WAIVED
MERCURY	71900	036	2006/12/04	.000	2009/12
NICKEL	01067	036	2006/12/04	.000	2009/12
SELENIUM	01147	036	2006/12/04	.000	2009/12
THALLIUM	01059	036	2006/12/04	.000	2009/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/04	.000	2007/12
NITRITE (AS N)	00620	036	2006/12/04	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700580 KLAMATH RIVER SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700580-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/02/07	.000 WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700580 KLAMATH RIVER SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700580-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2007/04/10	.000	2013/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2007/04/10	.000	2013/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2007/04/10	.000	2013/04
1,1,2-TRICHLOROETHANE	34511	072	2007/04/10	.000	2013/04
1,1-DICHLOROETHANE	34496	072	2007/04/10	.000	2013/04
1,1-DICHLOROETHYLENE	34501	072	2007/04/10	.000	2013/04
1,2,4-TRICHLOROBENZENE	34551	072	2007/04/10	.000	2013/04
1,2-DICHLOROBENZENE	34536	072	2007/04/10	.000	2013/04
1,2-DICHLOROETHANE	34531	072	2007/04/10	.000	2013/04
1,2-DICHLOROPROPANE	34541	072	2007/04/10	.000	2013/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2007/04/10	.000	2013/04
1,4-DICHLOROBENZENE	34571	072	2007/04/10	.000	2013/04
BENZENE	34030	072	2007/04/10	.000	2013/04
CARBON TETRACHLORIDE	32102	072	2007/04/10	.000	2013/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2007/04/10	.000	2013/04
DICHLOROMETHANE	34423	072	2007/04/10	.000	2013/04
ETHYLBENZENE	34371	072	2007/04/10	.000	2013/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2007/04/10	.000	2013/04
MONOCHLOROBENZENE	34301	072	2007/04/10	.000	2013/04
STYRENE	77128	072	2007/04/10	.000	2013/04
TETRACHLOROETHYLENE	34475	072	2007/04/10	.000	2013/04
TOLUENE	34010	072	2007/04/10	.000	2013/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2007/04/10	.000	2013/04
TRICHLOROETHYLENE	39180	072	2007/04/10	.000	2013/04
TRICHLOROFLUOROMETHANE	34488	072	2007/04/10	.000	2013/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700580 KLAMATH RIVER SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700580-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2007/04/10	.000	2013/04
XYLENES (TOTAL)	81551	072	2007/04/10	.000	2013/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2006/12/04	226.000	WAIVED
CALCIUM	00916	WAIVED	2001/05/01	44.200	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2006/12/04	.000	WAIVED
CHLORIDE	00940	WAIVED	2001/05/01	6.100	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2001/05/01	2.800	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2001/05/01	189.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2006/12/04	.000	WAIVED
IRON	01045	WAIVED	2001/05/01	.000	WAIVED
MAGNESIUM	00927	WAIVED	2001/05/01	19.200	WAIVED
MANGANESE	01055	WAIVED	2001/05/01	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2001/05/01	7.100	WAIVED
SILVER	01077	WAIVED	2006/12/04	.000	WAIVED
SODIUM	00929	WAIVED	2001/05/01	12.100	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/05/01	384.000	WAIVED
SULFATE	00945	WAIVED	2001/05/01	15.700	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/05/01	235.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	2001/05/01	13.800	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700582 GAZELLE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700582-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/04/28	.000	2008/04
ANTIMONY	01097	036	2005/04/28	.000	2008/04
ARSENIC	01002	036	2005/04/28	.000	2008/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/04/28	.000	2008/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	036	2005/04/28	.000	2008/04
CHROMIUM (TOTAL)	01034	036	2005/04/28	14.100	2008/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/04/28	.000	2008/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	036	2005/04/28	.000	2008/04
NICKEL	01067	036	2005/04/28	.000	2008/04
SELENIUM	01147	036	2005/04/28	.000	2008/04
THALLIUM	01059	036	2005/04/28	.000	2008/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/04/28	17.000	2006/04	DUE
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700582 GAZELLE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700582-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	1988/04/25	< 1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1988/04/25	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1988/04/25	< 5.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	1988/04/25	< 1.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700582 GAZELLE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700582-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1988/04/25 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/04/30	.000	2007/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/04/30	.000	2007/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/04/28	.000	2011/04
1,1,2-TRICHLOROETHANE	34511	072	2001/04/30	.000	2007/04
1,1-DICHLOROETHANE	34496	072	2001/04/30	.000	2007/04
1,1-DICHLOROETHYLENE	34501	072	2001/04/30	.000	2007/04
1,2,4-TRICHLOROBENZENE	34551	072	2005/04/28	.000	2011/04
1,2-DICHLOROBENZENE	34536	072	2001/04/30	.000	2007/04
1,2-DICHLOROETHANE	34531	072	2001/04/30	.000	2007/04
1,2-DICHLOROPROPANE	34541	072	2001/04/30	.000	2007/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/04/30	.000	2007/04
1,4-DICHLOROBENZENE	34571	072	2001/04/30	.000	2007/04
BENZENE	34030	072	2001/04/30	.000	2007/04
CARBON TETRACHLORIDE	32102	072	2001/04/30	.000	2007/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/04/30	.000	2007/04
DICHLOROMETHANE	34423	072	2001/04/30	.000	2007/04
ETHYLBENZENE	34371	072	2001/04/30	.000	2007/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/04/28	.000	2011/04
MONOCHLOROBENZENE	34301	072	2001/04/30	.000	2007/04
STYRENE	77128	072	2001/04/30	.000	2007/04
TETRACHLOROETHYLENE	34475	072	2001/04/30	.000	2007/04
TOLUENE	34010	072	2001/04/30	.000	2007/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/04/30	.000	2007/04
TRICHLOROETHYLENE	39180	072	2001/04/30	.000	2007/04
TRICHLOROFLUOROMETHANE	34488	072	2001/04/30	.000	2007/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700582 GAZELLE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700582-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/04/30	.000	2007/04
XYLENES (TOTAL)	81551	072	2001/04/30	.000	2007/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2005/04/28	401.000	WAIVED
CALCIUM	00916	WAIVED	2001/04/30	82.100	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2005/04/28	.000	WAIVED
CHLORIDE	00940	WAIVED	2001/04/30	6.400	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2001/04/30	2.100	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2001/04/30	373.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2005/04/28	.000	WAIVED
IRON	01045	WAIVED	2001/04/30	.000	WAIVED
MAGNESIUM	00927	WAIVED	2001/04/30	40.700	WAIVED
MANGANESE	01055	WAIVED	2001/04/30	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2001/04/30	7.600	WAIVED
SILVER	01077	WAIVED	2005/04/28	.000	WAIVED
SODIUM	00929	WAIVED	2001/04/30	12.400	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/04/30	672.000	WAIVED
SULFATE	00945	WAIVED	2001/04/30	26.600	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/04/30	405.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	2001/04/30	37.200	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700585 JUNCTION ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700585-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	036		DUE
ANTIMONY	01097	036		DUE
ARSENIC	01002	036		DUE
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	036		DUE
BERYLLIUM	01012	036		DUE
CADMIUM	01027	036		DUE
CHROMIUM (TOTAL)	01034	036		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	036		DUE
NICKEL	01067	036		DUE
SELENIUM	01147	036		DUE
THALLIUM	01059	036		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700585 JUNCTION ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700585-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700585 JUNCTION ELEMENTARY SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700585-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	1988/04/21	.000	1994/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1988/04/21	.000	1994/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1988/04/21	.000	1994/04	DUE
1,1,2-TRICHLOROETHANE	34511	072	1988/04/21	.000	1994/04	DUE
1,1-DICHLOROETHANE	34496	072	1988/04/21	.000	1994/04	DUE
1,1-DICHLOROETHYLENE	34501	072	1988/04/21	.000	1994/04	DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	072	1988/04/21	.000	1994/04	DUE
1,2-DICHLOROETHANE	34531	072	1988/04/21	.000	1994/04	DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	072	1988/04/21	.000	1994/04	DUE
BENZENE	34030	072	1988/04/21	.000	1994/04	DUE
CARBON TETRACHLORIDE	32102	072	1988/04/21	.000	1994/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1988/04/21	.000	1994/04	DUE
DICHLOROMETHANE	34423	072	1988/04/21	.000	1994/04	DUE
ETHYLBENZENE	34371	072	1988/04/21	.000	1994/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	072	1988/04/21	.000	1994/04	DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	072	1988/04/21	.000	1994/04	DUE
TOLUENE	34010	072	1988/04/21	.000	1994/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1988/04/21	.000	1994/04	DUE
TRICHLOROETHYLENE	39180	072	1988/04/21	.000	1994/04	DUE
TRICHLOROFLUOROMETHANE	34488	072	1988/04/21	.000	1994/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700585 JUNCTION ELEMENTARY SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700585-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	1988/04/21	.000	1994/04	DUE
XYLENES (TOTAL)	81551	072	1988/04/21	.000	1994/04	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED	
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED	WAIVED		WAIVED	
COLOR	00081	WAIVED	WAIVED		WAIVED	
COPPER	01042	WAIVED	WAIVED		WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED	
HARDNESS (TOTAL) AS CaCO ₃	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED	
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	WAIVED		WAIVED	
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED	
SULFATE	00945	WAIVED	WAIVED		WAIVED	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED	
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED	
ZINC	01092	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700586 SEIAD SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700586-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/10/18	.000	2008/10
ANTIMONY	01097	036	2005/10/18	.000	2008/10
ARSENIC	01002	036	2005/10/18	.000	2008/10
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/10/18	.000	2008/10
BERYLLIUM	01012	036	2005/10/18	.000	2008/10
CADMIUM	01027	036	2005/10/18	.000	2008/10
CHROMIUM (TOTAL)	01034	036	2005/10/18	.000	2008/10
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/10/18	.000	2014/10
LEAD	01051	WAIVED	2001/05/01	.000	WAIVED
MERCURY	71900	036	2005/10/18	.000	2008/10
NICKEL	01067	036	2005/10/18	17.700	2008/10
SELENIUM	01147	036	2005/10/18	.000	2008/10
THALLIUM	01059	036	2005/10/18	.000	2008/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/10/23	.000	2007/10
NITRITE (AS N)	00620	036	2005/07/12	.000	2008/07

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700586 SEIAD SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700586-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/05/01	.000 WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700586 SEIAD SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700586-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/11/08	.000	2011/11
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/11/08	.000	2011/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/11/08	.000	2011/11
1,1,2-TRICHLOROETHANE	34511	072	2005/11/08	.000	2011/11
1,1-DICHLOROETHANE	34496	072	2005/11/08	.000	2011/11
1,1-DICHLOROETHYLENE	34501	072	2005/11/08	.000	2011/11
1,2,4-TRICHLOROBENZENE	34551	072	2005/11/08	.000	2011/11
1,2-DICHLOROBENZENE	34536	072	2005/11/08	.000	2011/11
1,2-DICHLOROETHANE	34531	072	2005/11/08	.000	2011/11
1,2-DICHLOROPROPANE	34541	072	2005/11/08	.000	2011/11
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/11/08	.000	2011/11
1,4-DICHLOROBENZENE	34571	072	2005/11/08	.000	2011/11
BENZENE	34030	072	2005/11/08	.000	2011/11
CARBON TETRACHLORIDE	32102	072	2005/11/08	.000	2011/11
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/11/08	.000	2011/11
DICHLOROMETHANE	34423	072	2005/11/08	.000	2011/11
ETHYLBENZENE	34371	072	2005/11/08	.000	2011/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/11/08	.000	2011/11
MONOCHLOROBENZENE	34301	072	2005/11/08	.000	2011/11
STYRENE	77128	072	2005/11/08	.000	2011/11
TETRACHLOROETHYLENE	34475	072	2005/11/08	.000	2011/11
TOLUENE	34010	072	2005/11/08	.000	2011/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/11/08	.000	2011/11
TRICHLOROETHYLENE	39180	072	2005/11/08	.000	2011/11
TRICHLOROFLUOROMETHANE	34488	072	2005/11/08	.000	2011/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700586 SEIAD SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700586-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/11/08	.000	2011/11
XYLENES (TOTAL)	81551	072	2005/11/08	.000	2011/11

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2005/10/18	124.000	WAIVED
CALCIUM	00916	WAIVED	2001/05/01	10.700	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2005/10/18	.000	WAIVED
CHLORIDE	00940	WAIVED	2001/05/01	4.300	WAIVED
COLOR	00081	WAIVED	1998/03/17 <	5.000	WAIVED
COPPER	01042	WAIVED	2001/05/01	6.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1998/03/17	.020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2001/05/01	82.700	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2005/10/18	.000	WAIVED
IRON	01045	WAIVED	2001/05/01	.000	WAIVED
MAGNESIUM	00927	WAIVED	2001/05/01	13.600	WAIVED
MANGANESE	01055	WAIVED	2001/05/01	2.100	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1998/03/17 <	2.000	WAIVED
PH, LABORATORY	00403	WAIVED	2001/05/01	7.000	WAIVED
SILVER	01077	WAIVED	2001/05/01	.000	WAIVED
SODIUM	00929	WAIVED	2001/05/01	4.700	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/05/01	167.000	WAIVED
SULFATE	00945	WAIVED	2001/05/01	3.200	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/05/01	149.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1998/03/17	.440	WAIVED
ZINC	01092	WAIVED	2001/05/01	52.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700591 DELPHIC ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700591-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/04/28	.000	2008/04
ANTIMONY	01097	036	2005/04/28	.000	2008/04
ARSENIC	01002	036	2005/04/28	.000	2008/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/04/28	.000	2008/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	036	2005/04/28	.000	2008/04
CHROMIUM (TOTAL)	01034	036	2005/04/28	17.400	2008/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/04/28	.400	2008/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	036	2005/04/28	.000	2008/04
NICKEL	01067	036	2005/04/28	.000	2008/04
SELENIUM	01147	036	2005/04/28	.000	2008/04
THALLIUM	01059	036	2005/04/28	.000	2008/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/04/13	.000	2007/04
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700591 DELPHIC ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700591-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700591 DELPHIC ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700591-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/08/06	.000	2008/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/08/06	.000	2008/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/04/28	.000	2011/04
1,1,2-TRICHLOROETHANE	34511	072	2002/08/06	.000	2008/08
1,1-DICHLOROETHANE	34496	072	2002/08/06	.000	2008/08
1,1-DICHLOROETHYLENE	34501	072	2002/08/06	.000	2008/08
1,2,4-TRICHLOROBENZENE	34551	072	2002/08/06	.000	2008/08
1,2-DICHLOROBENZENE	34536	072	2002/08/06	.000	2008/08
1,2-DICHLOROETHANE	34531	072	2002/08/06	.000	2008/08
1,2-DICHLOROPROPANE	34541	072	2002/08/06	.000	2008/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/08/06	.000	2008/08
1,4-DICHLOROBENZENE	34571	072	2002/08/06	.000	2008/08
BENZENE	34030	072	2002/08/06	.000	2008/08
CARBON TETRACHLORIDE	32102	072	2002/08/06	.000	2008/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/08/06	.000	2008/08
DICHLOROMETHANE	34423	072	2002/08/06	.000	2008/08
ETHYLBENZENE	34371	072	2002/08/06	.000	2008/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/04/13	.000	2012/04
MONOCHLOROBENZENE	34301	072	2002/08/06	.000	2008/08
STYRENE	77128	072	2002/08/06	.000	2008/08
TETRACHLOROETHYLENE	34475	072	2002/08/06	.000	2008/08
TOLUENE	34010	072	2002/08/06	.000	2008/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/08/06	.000	2008/08
TRICHLOROETHYLENE	39180	072	2002/08/06	.000	2008/08
TRICHLOROFLUOROMETHANE	34488	072	2002/08/06	.000	2008/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700591 DELPHIC ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700591-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2002/08/06	.000	2008/08
XYLENES (TOTAL)	81551	072	2002/08/06	.000	2008/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2005/04/28	497.000	WAIVED
CALCIUM	00916	WAIVED	2001/05/01	79.700	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2005/04/28	.000	WAIVED
CHLORIDE	00940	WAIVED	2001/05/01	97.600	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2001/05/01	10.300	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2001/05/01	314.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2005/04/28	.000	WAIVED
IRON	01045	WAIVED	2001/05/01	.000	WAIVED
MAGNESIUM	00927	WAIVED	2001/05/01	28.000	WAIVED
MANGANESE	01055	WAIVED	2001/05/01	150.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2001/05/01	7.700	WAIVED
SILVER	01077	WAIVED	2005/04/28	.000	WAIVED
SODIUM	00929	WAIVED	2001/05/01	137.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/05/01	1.920	WAIVED
SULFATE	00945	WAIVED	2001/05/01	62.200	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/05/01	636.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	2001/05/01	81.700	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700593 OAK BOTTOM CG & WC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700593-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036			DUE
ANTIMONY	01097	036			DUE
ARSENIC	01002	036			DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036			DUE
BERYLLIUM	01012	036			DUE
CADMIUM	01027	036			DUE
CHROMIUM (TOTAL)	01034	036			DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2007/02/07	.000	2010/02
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	036			DUE
NICKEL	01067	036			DUE
SELENIUM	01147	036			DUE
THALLIUM	01059	036			DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/02/07	.000	2008/02
NITRITE (AS N)	00620	036	2007/02/07	.000	2010/02

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700593 OAK BOTTOM CG & WC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700593-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700593 OAK BOTTOM CG & WC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700593-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000			DUE
1,1,2,2-TETRACHLOROETHANE	34516	000			DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000			DUE
1,1,2-TRICHLOROETHANE	34511	000			DUE
1,1-DICHLOROETHANE	34496	000			DUE
1,1-DICHLOROETHYLENE	34501	000			DUE
1,2,4-TRICHLOROBENZENE	34551	000			DUE
1,2-DICHLOROBENZENE	34536	000			DUE
1,2-DICHLOROETHANE	34531	000			DUE
1,2-DICHLOROPROPANE	34541	000			DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000			DUE
1,4-DICHLOROBENZENE	34571	000			DUE
BENZENE	34030	000			DUE
CARBON TETRACHLORIDE	32102	000			DUE
CIS-1,2-DICHLOROETHYLENE	77093	000			DUE
DICHLOROMETHANE	34423	000			DUE
ETHYLBENZENE	34371	000			DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/04/18	.000	2008/04
MONOCHLOROBENZENE	34301	000			DUE
STYRENE	77128	000			DUE
TETRACHLOROETHYLENE	34475	000			DUE
TOLUENE	34010	000			DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000			DUE
TRICHLOROETHYLENE	39180	000			DUE
TRICHLOROFLUOROMETHANE	34488	000			DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700593 OAK BOTTOM CG & WC

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700593-001 WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED VOC

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2007/02/07	92.000	WAIVED
CALCIUM	00916	WAIVED	2007/02/07	28.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2007/02/07	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2007/02/07	97.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2007/02/07	< 1.000	WAIVED
IRON	01045	WAIVED	2007/02/07	330.000	WAIVED
MAGNESIUM	00927	WAIVED	2007/02/07	6.600	WAIVED
MANGANESE	01055	WAIVED	2007/02/07	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2007/02/07	7.200	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2007/02/07	3.300	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700593 OAK BOTTOM CG & WC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700593-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036			DUE
ANTIMONY	01097	036			DUE
ARSENIC	01002	036			DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036			DUE
BERYLLIUM	01012	036			DUE
CADMIUM	01027	036			DUE
CHROMIUM (TOTAL)	01034	036			DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2007/03/20	.000	2010/03
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	036			DUE
NICKEL	01067	036			DUE
SELENIUM	01147	036			DUE
THALLIUM	01059	036			DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/03/20	.000	2008/03
NITRITE (AS N)	00620	036	2007/03/20	.000	2010/03

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700593 OAK BOTTOM CG & WC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700593-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700593 OAK BOTTOM CG & WC

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700593-002 WELL 02

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/03/08	.000	2007/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/03/08	.000	2007/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/03/08	.000	2007/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/03/08	.000	2007/03	DUE
1,1-DICHLOROETHANE	34496	072	2001/03/08	.000	2007/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/03/08	.000	2007/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/03/08	.000	2007/03	DUE
1,2-DICHLOROBENZENE	34536	072	2001/03/08	.000	2007/03	DUE
1,2-DICHLOROETHANE	34531	072	2001/03/08	.000	2007/03	DUE
1,2-DICHLOROPROPANE	34541	072	2001/03/08	.000	2007/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/03/08	.000	2007/03	DUE
1,4-DICHLOROBENZENE	34571	072	2001/03/08	.000	2007/03	DUE
BENZENE	34030	072	2001/03/08	.000	2007/03	DUE
CARBON TETRACHLORIDE	32102	072	2001/03/08	.000	2007/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/03/08	.000	2007/03	DUE
DICHLOROMETHANE	34423	072	2001/03/08	.000	2007/03	DUE
ETHYLBENZENE	34371	072	2001/03/08	.000	2007/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/07/22	.000	2008/07	
MONOCHLOROBENZENE	34301	072	2001/03/08	.000	2007/03	DUE
STYRENE	77128	072	2001/03/08	.000	2007/03	DUE
TETRACHLOROETHYLENE	34475	072	2001/03/08	.000	2007/03	DUE
TOLUENE	34010	072	2001/03/08	.000	2007/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/03/08	.000	2007/03	DUE
TRICHLOROETHYLENE	39180	072	2001/03/08	.000	2007/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/03/08	.000	2007/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700593 OAK BOTTOM CG & WC

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700593-002 WELL 02Source Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2001/03/08	.000	2007/03	DUE
XYLENES (TOTAL)	81551	072	2001/03/08	.000	2007/03	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2007/03/20	85.000	WAIVED
CALCIUM	00916	WAIVED	2007/03/20	25.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2007/03/20	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	2007/03/20	88.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2007/03/20	< 1.000	WAIVED
IRON	01045	WAIVED	2007/03/20	.000	WAIVED
MAGNESIUM	00927	WAIVED	2007/03/20	5.900	WAIVED
MANGANESE	01055	WAIVED	2007/03/20	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2007/03/20	7.100	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2007/03/20	3.200	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700594 DILLON CREEK CAMPGROUND-SRNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700594-001 HORIZONTAL WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700594 DILLON CREEK CAMPGROUND-SRNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700594-001 HORIZONTAL WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700594 DILLON CREEK CAMPGROUND-SRNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700594-001 HORIZONTAL WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700594 DILLON CREEK CAMPGROUND-SRNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700594-001 HORIZONTAL WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700597 JUANITA LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700597-001 SPRING****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700597 JUANITA LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700597-001 SPRING****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700597 JUANITA LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700597-001 SPRING****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700597 JUANITA LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700597-001 SPRING****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700601 INDIAN SCOTTY CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700601-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/07/26	750.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	1995/07/26	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1995/07/26	.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	1995/07/26	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/07/26	10.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/07/26	.000	WAIVED
LEAD	01051	WAIVED	1995/07/26	.000	WAIVED
MERCURY	71900	WAIVED	1995/07/26	.000	WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	1995/07/26	.000	WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	1995/07/26	.000	1996/07	DUE
NITRITE (AS N)	00620	000				DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700601 INDIAN SCOTTY CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700601-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700601 INDIAN SCOTTY CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700601-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700601 INDIAN SCOTTY CAMPGROUND

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700601-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/07/26	< 1.000	WAIVED
CALCIUM	00916	WAIVED	1995/07/26	6.700	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/07/26	24.000	WAIVED
CHLORIDE	00940	WAIVED	1995/07/26	210.000	WAIVED
COLOR	00081	WAIVED	1995/07/26	< 3.000	WAIVED
COPPER	01042	WAIVED	1995/07/26	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/07/26	< .020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/07/26	22.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/07/26	45.000	WAIVED
IRON	01045	WAIVED	1995/07/26	1300.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/07/26	1.200	WAIVED
MANGANESE	01055	WAIVED	1995/07/26	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1995/07/26	10.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/07/26	10.300	WAIVED
SILVER	01077	WAIVED	1995/07/26	.000	WAIVED
SODIUM	00929	WAIVED	1995/07/26	170.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1995/07/26	980.000	WAIVED
SULFATE	00945	WAIVED	1995/07/26	17.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/07/26	400.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1995/07/26	20.000	WAIVED
ZINC	01092	WAIVED	1995/07/26	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700603 KANGAROO LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700603-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700603 KANGAROO LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700603-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700603 KANGAROO LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700603-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700603 KANGAROO LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700603-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700612 TREE OF HEAVEN CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700612-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700612 TREE OF HEAVEN CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700612-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700612 TREE OF HEAVEN CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700612-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700612 TREE OF HEAVEN CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700612-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700621 MID RIVER RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700621-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	1997/09/18	.000	1998/09	DUE
NITRITE (AS N)	00620	036	1997/09/18	.000	2000/09	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700621 MID RIVER RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700621-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700621 MID RIVER RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700621-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700621 MID RIVER RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700621-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700624 GAZELLE MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700624-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/04/28	.000	2014/04
ANTIMONY	01097	036	2005/04/28	.000	2008/04
ARSENIC	01002	108	2005/04/28	.000	2014/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/04/28	.000	2014/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	108	2005/04/28	.000	2014/04
CHROMIUM (TOTAL)	01034	108	2005/04/28	.000	2014/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/04/28	.000	2014/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	108	2005/04/28	.000	2014/04
NICKEL	01067	036	2005/04/28	.000	2008/04
SELENIUM	01147	108	2005/04/28	.000	2014/04
THALLIUM	01059	036	2005/04/28	.000	2008/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/06	7.600	2007/09
NITRITE (AS N)	00620	036	2006/09/06	.000	2009/09

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28 <	3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700624 GAZELLE MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700624-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700624 GAZELLE MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700624-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/04/28	.000	2011/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/04/28	.000	2011/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/04/28	.000	2011/04
1,1,2-TRICHLOROETHANE	34511	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHANE	34496	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHYLENE	34501	072	2005/04/28	.000	2011/04
1,2,4-TRICHLOROBENZENE	34551	072	2005/04/28	.000	2011/04
1,2-DICHLOROBENZENE	34536	072	2005/04/28	.000	2011/04
1,2-DICHLOROETHANE	34531	072	2005/04/28	.000	2011/04
1,2-DICHLOROPROPANE	34541	072	2005/04/28	.000	2011/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/04/28	.000	2011/04
1,4-DICHLOROBENZENE	34571	072	2005/04/28	.000	2011/04
BENZENE	34030	072	2005/04/28	.000	2011/04
CARBON TETRACHLORIDE	32102	072	2005/04/28	.000	2011/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/04/28	.000	2011/04
DICHLOROMETHANE	34423	072	2005/04/28	.000	2011/04
ETHYLBENZENE	34371	072	2005/04/28	.000	2011/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/04/28	.000	2011/04
MONOCHLOROBENZENE	34301	072	2005/04/28	.000	2011/04
STYRENE	77128	072	2005/04/28	.000	2011/04
TETRACHLOROETHYLENE	34475	072	2005/04/28	.000	2011/04
TOLUENE	34010	072	2005/04/28	.000	2011/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/04/28	.000	2011/04
TRICHLOROETHYLENE	39180	072	2005/04/28	.000	2011/04
TRICHLOROFLUOROMETHANE	34488	072	2005/04/28	.000	2011/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700624 GAZELLE MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700624-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/04/28	.000	2011/04
XYLENES (TOTAL)	81551	072	2005/04/28	.000	2011/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	12.200	2014/04
BICARBONATE ALKALINITY	00440	108	2005/04/28	379.000	2014/04
CALCIUM	00916	108	2005/04/28	48.700	2014/04
CARBONATE ALKALINITY	00445	108	2005/04/28	.000	2014/04
CHLORIDE	00940	108	2005/04/28	14.800	2014/04
COLOR	00081	108	2005/04/28	.000	2014/04
COPPER	01042	108	2005/04/28	.000	2014/04
FOAMING AGENTS (MBAS)	38260	108	2005/04/28	.000	2014/04
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/04/28	302.000	2014/04
HYDROXIDE ALKALINITY	71830	108	2005/04/28	.000	2014/04
IRON	01045	108	2005/04/28	.000	2014/04
MAGNESIUM	00927	108	2005/04/28	45.100	2014/04
MANGANESE	01055	108	2005/04/28	.000	2014/04
ODOR THRESHOLD @ 60 C	00086	108	2005/04/28	.000	2014/04
PH, LABORATORY	00403	108	2005/04/28	7.640	2014/04
SILVER	01077	108	2005/04/28	.000	2014/04
SODIUM	00929	108	2005/04/28	14.000	2014/04
SPECIFIC CONDUCTANCE	00095	108	2005/04/28	636.000	2014/04
SULFATE	00945	108	2005/04/28	17.500	2014/04
TOTAL DISSOLVED SOLIDS	70300	108	2005/04/28	376.000	2014/04
TURBIDITY, LABORATORY	82079	108	2005/04/28	1.100	2014/04
ZINC	01092	108	2005/04/28	.000	2014/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700626 COVE MOBILE VILLA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700626-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/04/28	.000	2008/04
ANTIMONY	01097	036	2005/04/28	.000	2008/04
ARSENIC	01002	036	2005/04/28	.000	2008/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/04/28	.000	2008/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	036	2005/04/28	.000	2008/04
CHROMIUM (TOTAL)	01034	036	2005/04/28	.000	2008/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/04/28	.000	2008/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	036	2005/04/28	.000	2008/04
NICKEL	01067	036	2005/04/28	.000	2008/04
SELENIUM	01147	036	2005/04/28	.000	2008/04
THALLIUM	01059	036	2005/04/28	.000	2008/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/06/06	15.700	2007/06
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28	< 3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700626 COVE MOBILE VILLA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700626-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/02/06	.000 WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700626 COVE MOBILE VILLA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700626-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/03/13	.000	2011/03	
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/03/13	.000	2011/03	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/02/06	.000	2007/02	DUE
1,1,2-TRICHLOROETHANE	34511	072	2005/03/13	.000	2011/03	
1,1-DICHLOROETHANE	34496	072	2005/03/13	.000	2011/03	
1,1-DICHLOROETHYLENE	34501	072	2005/03/13	.000	2011/03	
1,2,4-TRICHLOROBENZENE	34551	072	2001/02/06	.000	2007/02	DUE
1,2-DICHLOROBENZENE	34536	072	2005/03/13	.000	2011/03	
1,2-DICHLOROETHANE	34531	072	2005/03/13	.000	2011/03	
1,2-DICHLOROPROPANE	34541	072	2005/03/13	.000	2011/03	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/03/13	.000	2011/03	
1,4-DICHLOROBENZENE	34571	072	2005/03/13	.000	2011/03	
BENZENE	34030	072	2005/03/13	.000	2011/03	
CARBON TETRACHLORIDE	32102	072	2005/03/13	.000	2011/03	
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/03/13	.000	2011/03	
DICHLOROMETHANE	34423	072	2005/03/13	.000	2011/03	
ETHYLBENZENE	34371	072	2005/03/13	.000	2011/03	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/03/13	.000	2011/03	
MONOCHLOROBENZENE	34301	072	2005/03/13	.000	2011/03	
STYRENE	77128	072	2005/03/13	.000	2011/03	
TETRACHLOROETHYLENE	34475	072	2005/03/13	.000	2011/03	
TOLUENE	34010	072	2005/03/13	.000	2011/03	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/03/13	.000	2011/03	
TRICHLOROETHYLENE	39180	072	2005/03/13	.000	2011/03	
TRICHLOROFLUOROMETHANE	34488	072	2005/03/13	.000	2011/03	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700626 COVE MOBILE VILLA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700626-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/03/13	.000	2011/03
XYLENES (TOTAL)	81551	072	2005/03/13	.000	2011/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	12.200	2014/04
BICARBONATE ALKALINITY	00440	108	2005/04/28	267.000	2014/04
CALCIUM	00916	108	2005/04/28	72.600	2014/04
CARBONATE ALKALINITY	00445	108	2005/04/28	.000	2014/04
CHLORIDE	00940	036	2005/04/28	5.000	2008/04
COLOR	00081	036	2005/04/28	.000	2008/04
COPPER	01042	036	2005/04/28	.000	2008/04
FOAMING AGENTS (MBAS)	38260	036	2005/04/28	.000	2008/04
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/04/28	208.000	2014/04
HYDROXIDE ALKALINITY	71830	108	2005/04/28	.000	2014/04
IRON	01045	036	2005/04/28	.000	2008/04
MAGNESIUM	00927	108	2005/04/28	8.200	2014/04
MANGANESE	01055	036	2005/04/28	.000	2008/04
ODOR THRESHOLD @ 60 C	00086	036	2005/04/28	2.000	2008/04
PH, LABORATORY	00403	036	2005/04/28	6.920	2008/04
SILVER	01077	036	2005/04/28	.000	2008/04
SODIUM	00929	108	2005/04/28	6.900	2014/04
SPECIFIC CONDUCTANCE	00095	036	2005/04/28	436.000	2008/04
SULFATE	00945	036	2005/04/28	6.500	2008/04
TOTAL DISSOLVED SOLIDS	70300	036	2005/04/28	261.000	2008/04
TURBIDITY, LABORATORY	82079	036	2005/04/28	1.100	2008/04
ZINC	01092	036	2005/04/28	.000	2008/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700627 RANCH MOBILE PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700627-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2006/09/05	.000	2015/09
ANTIMONY	01097	108	2006/09/05	.000	2015/09
ARSENIC	01002	108	2006/09/05	.000	2015/09
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/04/28	.000	2014/04
BERYLLIUM	01012	108	2005/04/28	.000	2014/04
CADMIUM	01027	108	2005/04/28	.000	2014/04
CHROMIUM (TOTAL)	01034	108	2005/04/28	.000	2014/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/04/28	.100	2014/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	108	2005/04/28	.000	2014/04
NICKEL	01067	108	2005/04/28	.000	2014/04
SELENIUM	01147	108	2005/04/28	.000	2014/04
THALLIUM	01059	108	2005/04/28	.000	2014/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/09/05	18.300	2007/09
NITRITE (AS N)	00620	036	2006/08/29	.000	2009/08

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28	< 3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700627 RANCH MOBILE PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700627-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700627 RANCH MOBILE PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700627-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2002/05/07	.000	2008/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2002/05/07	.000	2008/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/04/28	.000	2011/04
1,1,2-TRICHLOROETHANE	34511	072	2002/05/07	.000	2008/05
1,1-DICHLOROETHANE	34496	072	2002/05/07	.000	2008/05
1,1-DICHLOROETHYLENE	34501	072	2002/05/07	.000	2008/05
1,2,4-TRICHLOROBENZENE	34551	072	2002/05/07	.000	2008/05
1,2-DICHLOROBENZENE	34536	072	2002/05/07	.000	2008/05
1,2-DICHLOROETHANE	34531	072	2002/05/07	.000	2008/05
1,2-DICHLOROPROPANE	34541	072	2002/05/07	.000	2008/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2002/05/07	.000	2008/05
1,4-DICHLOROBENZENE	34571	072	2002/05/07	.000	2008/05
BENZENE	34030	072	2002/05/07	.000	2008/05
CARBON TETRACHLORIDE	32102	072	2002/05/07	.000	2008/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2002/05/07	.000	2008/05
DICHLOROMETHANE	34423	072	2002/05/07	.000	2008/05
ETHYLBENZENE	34371	072	2002/05/07	.000	2008/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/05/07	.000	2008/05
MONOCHLOROBENZENE	34301	072	2002/05/07	.000	2008/05
STYRENE	77128	072	2002/05/07	.000	2008/05
TETRACHLOROETHYLENE	34475	072	2002/05/07	.000	2008/05
TOLUENE	34010	072	2002/05/07	.000	2008/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2002/05/07	.000	2008/05
TRICHLOROETHYLENE	39180	072	2002/05/07	.000	2008/05
TRICHLOROFLUOROMETHANE	34488	072	2002/05/07	.000	2008/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700627 RANCH MOBILE PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700627-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2002/05/07	.000	2008/05
XYLENES (TOTAL)	81551	072	2002/05/07	.000	2008/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/09/05	12.000	2015/09
BICARBONATE ALKALINITY	00440	108	2006/09/05	267.000	2015/09
CALCIUM	00916	108	2006/09/05	71.600	2015/09
CARBONATE ALKALINITY	00445	108	2006/09/05	.000	2015/09
CHLORIDE	00940	108	2006/09/05	5.200	2015/09
COLOR	00081	108	2006/09/05	.000	2015/09
COPPER	01042	108	2006/09/05	.000	2015/09
FOAMING AGENTS (MBAS)	38260	108	2006/09/05	.100	2015/09
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/09/05	227.000	2015/09
HYDROXIDE ALKALINITY	71830	108	2006/09/05	.000	2015/09
IRON	01045	108	2006/09/05	.000	2015/09
MAGNESIUM	00927	108	2006/09/05	9.400	2015/09
MANGANESE	01055	108	2006/09/05	.000	2015/09
ODOR THRESHOLD @ 60 C	00086	108	2006/09/05	.000	2015/09
PH, LABORATORY	00403	108	2006/09/05	7.440	2015/09
SILVER	01077	108	2006/09/05	.000	2015/09
SODIUM	00929	108	2006/09/05	7.000	2015/09
SPECIFIC CONDUCTANCE	00095	108	2006/09/05	462.000	2015/09
SULFATE	00945	108	2006/09/05	8.200	2015/09
TOTAL DISSOLVED SOLIDS	70300	108	2006/09/05	251.000	2015/09
TURBIDITY, LABORATORY	82079	108	2006/09/05	.180	2015/09
ZINC	01092	108	2006/09/05	.000	2015/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700630 SHASTA VIEW HEIGHTS OWNERS ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700630-002 WELL 02 - NORTHEAST WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/12/22	.000	2008/12
ANTIMONY	01097	036	2005/12/22	.000	2008/12
ARSENIC	01002	036	2005/12/22	.000	2008/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/12/22	.000	2008/12
BERYLLIUM	01012	036	2005/12/22	.000	2008/12
CADMIUM	01027	036	2005/12/22	.000	2008/12
CHROMIUM (TOTAL)	01034	036	2005/12/22	.000	2008/12
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/12/22	.100	2008/12
LEAD	01051	WAIVED	2005/12/22	.000	WAIVED
MERCURY	71900	036	2005/12/22	.000	2008/12
NICKEL	01067	036	2005/12/22	.000	2008/12
SELENIUM	01147	036	2005/12/22	.000	2008/12
THALLIUM	01059	036	2005/12/22	.000	2008/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/10/26	.000	2007/10
NITRITE (AS N)	00620	036	2005/12/22	.000	2008/12

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/10/03	< 3.000	2009/10
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	2005/10/03	.000	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700630 SHASTA VIEW HEIGHTS OWNERS ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700630-002 WELL 02 - NORTHEAST WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700630 SHASTA VIEW HEIGHTS OWNERS ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700630-002 WELL 02 - NORTHEAST WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/10/17	.000	2007/10
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/10/17	.000	2007/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/10/17	.000	2007/10
1,1,2-TRICHLOROETHANE	34511	072	2001/10/17	.000	2007/10
1,1-DICHLOROETHANE	34496	072	2001/10/17	.000	2007/10
1,1-DICHLOROETHYLENE	34501	072	2001/10/17	.000	2007/10
1,2,4-TRICHLOROBENZENE	34551	072	2001/10/17	.000	2007/10
1,2-DICHLOROBENZENE	34536	072	2001/10/17	.000	2007/10
1,2-DICHLOROETHANE	34531	072	2001/10/17	.000	2007/10
1,2-DICHLOROPROPANE	34541	072	2001/10/17	.000	2007/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/10/17	.000	2007/10
1,4-DICHLOROBENZENE	34571	072	2001/10/17	.000	2007/10
BENZENE	34030	072	2001/10/17	.000	2007/10
CARBON TETRACHLORIDE	32102	072	2001/10/17	.000	2007/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/10/17	.000	2007/10
DICHLOROMETHANE	34423	072	2001/10/17	.000	2007/10
ETHYLBENZENE	34371	072	2001/10/17	.000	2007/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/10/17	.000	2007/10
MONOCHLOROBENZENE	34301	072	2001/10/17	.000	2007/10
STYRENE	77128	072	2001/10/17	.000	2007/10
TETRACHLOROETHYLENE	34475	072	2001/10/17	.000	2007/10
TOLUENE	34010	072	2001/10/17	.000	2007/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/10/17	.000	2007/10
TRICHLOROETHYLENE	39180	072	2001/10/17	.000	2007/10
TRICHLOROFLUOROMETHANE	34488	072	2001/10/17	.000	2007/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700630 SHASTA VIEW HEIGHTS OWNERS ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700630-002 WELL 02 - NORTHEAST WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/10/17	.000	2007/10
XYLENES (TOTAL)	81551	072	2001/10/17	.000	2007/10

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/12/22	12.100	2014/12
BICARBONATE ALKALINITY	00440	108	2005/12/22	289.000	2014/12
CALCIUM	00916	108	2005/12/22	44.600	2014/12
CARBONATE ALKALINITY	00445	108	2005/12/22	.000	2014/12
CHLORIDE	00940	036	2005/12/22	2.640	2008/12
COLOR	00081	036	2005/12/22	.000	2008/12
COPPER	01042	036	2005/12/22	.000	2008/12
FOAMING AGENTS (MBAS)	38260	036	2005/12/22	.000	2008/12
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/12/22	230.000	2014/12
HYDROXIDE ALKALINITY	71830	108	2005/12/22	.000	2014/12
IRON	01045	036	2005/12/22	.000	2008/12
MAGNESIUM	00927	108	2005/12/22	32.500	2014/12
MANGANESE	01055	036	2005/12/22	.000	2008/12
ODOR THRESHOLD @ 60 C	00086	036	2005/12/22	.000	2008/12
PH, LABORATORY	00403	036	2005/12/22	7.680	2008/12
SILVER	01077	036	2005/12/22	.000	2008/12
SODIUM	00929	108	2005/12/22	5.670	2014/12
SPECIFIC CONDUCTANCE	00095	036	2005/12/22	478.000	2008/12
SULFATE	00945	036	2005/12/22	22.600	2008/12
TOTAL DISSOLVED SOLIDS	70300	036	2005/12/22	255.000	2008/12
TURBIDITY, LABORATORY	82079	036	2005/12/22	.170	2008/12
ZINC	01092	036	2005/12/22	.000	2008/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700638 OAK VALLEY ACRES P.O.A.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700638-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/04/28	.000	2014/04
ANTIMONY	01097	036	2005/04/28	.000	2008/04
ARSENIC	01002	036	2005/04/28	.000	2008/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/04/28	.000	2008/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	036	2005/04/28	.000	2008/04
CHROMIUM (TOTAL)	01034	036	2005/04/28	10.100	2008/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/04/28	.100	2008/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	036	2005/04/28	.000	2008/04
NICKEL	01067	036	2005/04/28	.000	2008/04
SELENIUM	01147	036	2005/04/28	.000	2008/04
THALLIUM	01059	036	2005/04/28	.000	2008/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/04/28	4.600	2006/04 DUE
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28 <	3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700638 OAK VALLEY ACRES P.O.A.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700638-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1988/05/09	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1988/05/09	< 5.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700638 OAK VALLEY ACRES P.O.A.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700638-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1988/05/09 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/04/28	.000	2011/04	
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/04/28	.000	2011/04	
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1988/05/09	.000	1994/05	DUE
1,1,2-TRICHLOROETHANE	34511	072	2005/04/28	.000	2011/04	
1,1-DICHLOROETHANE	34496	072	2005/04/28	.000	2011/04	
1,1-DICHLOROETHYLENE	34501	072	2005/04/28	.000	2011/04	
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	072	2005/04/28	.000	2011/04	
1,2-DICHLOROETHANE	34531	072	2005/04/28	.000	2011/04	
1,2-DICHLOROPROPANE	34541	072	2005/04/28	.000	2011/04	
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/04/28	.000	2011/04	
1,4-DICHLOROBENZENE	34571	072	2005/04/28	.000	2011/04	
BENZENE	34030	072	2005/04/28	.000	2011/04	
CARBON TETRACHLORIDE	32102	072	2005/04/28	.000	2011/04	
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/04/28	.000	2011/04	
DICHLOROMETHANE	34423	072	2005/04/28	.000	2011/04	
ETHYLBENZENE	34371	072	2005/04/28	.000	2011/04	
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/04/28	.000	2011/04	
MONOCHLOROBENZENE	34301	072	2005/04/28	.000	2011/04	
STYRENE	77128	072	2005/04/28	.000	2011/04	
TETRACHLOROETHYLENE	34475	072	2005/04/28	.000	2011/04	
TOLUENE	34010	072	2005/04/28	.000	2011/04	
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/04/28	.000	2011/04	
TRICHLOROETHYLENE	39180	072	2005/04/28	.000	2011/04	
TRICHLOROFLUOROMETHANE	34488	072	2005/04/28	.000	2011/04	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700638 OAK VALLEY ACRES P.O.A.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700638-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/04/28	.000	2011/04
XYLENES (TOTAL)	81551	072	2005/04/28	.000	2011/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	11.800	2014/04
BICARBONATE ALKALINITY	00440	108	2005/04/28	301.000	2014/04
CALCIUM	00916	108	2005/04/28	79.300	2014/04
CARBONATE ALKALINITY	00445	108	2005/04/28	.000	2014/04
CHLORIDE	00940	036	2005/04/28	1.750	2008/04
COLOR	00081	036	2005/04/28	.000	2008/04
COPPER	01042	036	2005/04/28	.000	2008/04
FOAMING AGENTS (MBAS)	38260	036	2005/04/28	.000	2008/04
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/04/28	218.000	2014/04
HYDROXIDE ALKALINITY	71830	108	2005/04/28	.000	2014/04
IRON	01045	036	2005/04/28	.000	2008/04
MAGNESIUM	00927	108	2005/04/28	7.300	2014/04
MANGANESE	01055	036	2005/04/28	.000	2008/04
ODOR THRESHOLD @ 60 C	00086	036	2005/04/28	.000	2008/04
PH, LABORATORY	00403	036	2005/04/28	7.080	2008/04
SILVER	01077	036	2005/04/28	.000	2008/04
SODIUM	00929	108	2005/04/28	9.300	2014/04
SPECIFIC CONDUCTANCE	00095	036	2005/04/28	468.000	2008/04
SULFATE	00945	036	2005/04/28	4.000	2008/04
TOTAL DISSOLVED SOLIDS	70300	036	2005/04/28	274.000	2008/04
TURBIDITY, LABORATORY	82079	036	2005/04/28	.290	2008/04
ZINC	01092	036	2005/04/28	.000	2008/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700640 SHASTA VALLEY GOLF CLUB**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700640-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/10/04	.000	2006/10	DUE
NITRITE (AS N)	00620	036	2003/08/21	.000	2006/08	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700640 SHASTA VALLEY GOLF CLUB**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700640-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700640 SHASTA VALLEY GOLF CLUB**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700640-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700640 SHASTA VALLEY GOLF CLUB**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700640-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700644 TRAILER LANE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700644-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/06/06	2.200	2007/06
NITRITE (AS N)	00620	036	2005/10/11	.000	2008/10

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700644 TRAILER LANE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700644-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700644 TRAILER LANE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700644-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/29	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/29	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/29	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/29	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/29	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/29	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/29	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/29	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/29	.000	WAIVED
BENZENE	34030	WAIVED	1988/04/29	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/29	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/29	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/29	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/29	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/29	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/29	.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/29	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/29	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/29	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/29	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700644 TRAILER LANE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700644-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/29	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/29	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700663 WEED GOLF CLUB, INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700663-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	1997/04/16	3.000	1998/04	DUE
NITRITE (AS N)	00620	036	1997/04/16	.000	2000/04	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700663 WEED GOLF CLUB, INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700663-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700663 WEED GOLF CLUB, INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700663-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700663 WEED GOLF CLUB, INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700663-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700666 STEWART MINERAL SPRINGS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700666-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/11/27	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/06/06	.000	2007/06
NITRITE (AS N)	00620	036	2006/06/06	.000	2009/06

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700666 STEWART MINERAL SPRINGS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700666-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700666 STEWART MINERAL SPRINGS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700666-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700666 STEWART MINERAL SPRINGS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700666-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2000/11/27	403.000	WAIVED
CALCIUM	00916	WAIVED	2000/11/27	3.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2000/11/27	.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	2000/11/27	348.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2000/11/27	.000	WAIVED
IRON	01045	WAIVED	2000/11/27	.000	WAIVED
MAGNESIUM	00927	WAIVED	2000/11/27	76.000	WAIVED
MANGANESE	01055	WAIVED	2000/11/27	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2000/11/27	8.180	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2000/11/27	16.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700666 STEWART MINERAL SPRINGS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700666-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2000/11/27	.000	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/08	4.400	2007/12
NITRITE (AS N)	00620	036	2006/12/08	.000	2009/12

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700666 STEWART MINERAL SPRINGS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700666-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700666 STEWART MINERAL SPRINGS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700666-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700666 STEWART MINERAL SPRINGS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700666-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2000/11/27	248.000	WAIVED
CALCIUM	00916	WAIVED	2000/11/27	4.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2000/11/27	48.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	2000/11/27	276.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2000/11/27	.000	WAIVED
IRON	01045	WAIVED	2000/11/27	.000	WAIVED
MAGNESIUM	00927	WAIVED	2000/11/27	65.000	WAIVED
MANGANESE	01055	WAIVED	2000/11/27	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2000/11/27	9.300	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2000/11/27	6.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700669 R-RANCH HEADQUARTERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700669-001 MAIN (UPPER) WELL (NO. 4)****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2001/10/02	.000	WAIVED
ANTIMONY	01097	WAIVED	2001/10/02	.000	WAIVED
ARSENIC	01002	WAIVED	2001/10/02	6.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	2001/10/02	.000	WAIVED
BERYLLIUM	01012	WAIVED	2001/10/02	.000	WAIVED
CADMIUM	01027	WAIVED	2001/10/02	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2001/10/02	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2001/10/02	.080	WAIVED
LEAD	01051	WAIVED	2001/10/02	.000	WAIVED
MERCURY	71900	WAIVED	2001/10/02	.000	WAIVED
NICKEL	01067	WAIVED	2001/10/02	.000	WAIVED
SELENIUM	01147	WAIVED	2001/10/02	.000	WAIVED
THALLIUM	01059	WAIVED	2001/10/02	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/07/11	.000	2007/07
NITRITE (AS N)	00620	036	2006/07/11	.000	2009/07

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700669 R-RANCH HEADQUARTERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700669-001 MAIN (UPPER) WELL (NO. 4)****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700669 R-RANCH HEADQUARTERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700669-001 MAIN (UPPER) WELL (NO. 4)****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/05/04	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/05/04	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/05/04	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/05/04	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/05/04	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/05/04	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/05/04	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/05/04	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/05/04	.000	WAIVED
BENZENE	34030	WAIVED	1988/05/04	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/05/04	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/05/04	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/05/04	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/05/04	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/05/04	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/05/04	.000	WAIVED
TOLUENE	34010	WAIVED	1988/05/04	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/05/04	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/05/04	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/05/04	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700669 R-RANCH HEADQUARTERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700669-001 MAIN (UPPER) WELL (NO. 4)****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/05/04	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/05/04	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2001/10/02	183.000	WAIVED
CALCIUM	00916	WAIVED	2001/10/02	52.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2001/10/02	.000	WAIVED
CHLORIDE	00940	WAIVED	2001/10/02	.000	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2001/10/02	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2001/10/02	.030	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2001/10/02	167.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	2001/10/02	.000	WAIVED
MAGNESIUM	00927	WAIVED	2001/10/02	8.000	WAIVED
MANGANESE	01055	WAIVED	2001/10/02	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2001/10/02	7.200	WAIVED
SILVER	01077	WAIVED	2001/10/02	.000	WAIVED
SODIUM	00929	WAIVED	2001/10/02	12.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/10/02	409.000	WAIVED
SULFATE	00945	WAIVED	2001/10/02	44.200	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/10/02	236.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	2001/10/02	231.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700669 R-RANCH HEADQUARTERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700669-002 OLD MAIN (LOWER) WELL (NO. 2)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/07/11	.000	2007/07
NITRITE (AS N)	00620	036	2006/07/11	.000	2009/07

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700669 R-RANCH HEADQUARTERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700669-002 OLD MAIN (LOWER) WELL (NO. 2)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700669 R-RANCH HEADQUARTERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700669-002 OLD MAIN (LOWER) WELL (NO. 2)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700669 R-RANCH HEADQUARTERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700669-002 OLD MAIN (LOWER) WELL (NO. 2)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700673 SHARON'S COFFEE SHOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700673-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/10/02	40.800	2007/10
NITRITE (AS N)	00620	000			DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700673 SHARON'S COFFEE SHOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700673-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700673 SHARON'S COFFEE SHOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700673-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700673 SHARON'S COFFEE SHOP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700673-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700686 SUN MOUNTAIN M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700686-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/10/12	.000	2013/10
ANTIMONY	01097	036	2004/10/12	.000	2007/10
ARSENIC	01002	108	2004/10/12	.000	2013/10
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2004/10/12	.000	2013/10
BERYLLIUM	01012	036	2004/10/12	.000	2007/10
CADMIUM	01027	108	2004/10/12	.000	2013/10
CHROMIUM (TOTAL)	01034	108	2004/10/12		2013/10
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/10/12	.000	2013/10
LEAD	01051	WAIVED	2004/10/12	.000	WAIVED
MERCURY	71900	108	2004/10/12	.000	2013/10
NICKEL	01067	036	2004/10/12	.000	2007/10
SELENIUM	01147	108	2004/10/12	.000	2013/10
THALLIUM	01059	036	2004/10/12	.000	2007/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/14	5.400	2007/11
NITRITE (AS N)	00620	036	2005/11/08	.000	2008/11

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/10/12	< 3.000	2008/10
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700686 SUN MOUNTAIN M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700686-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1993/07/27	.000	WAIVED
2,4-D	39730	WAIVED	1993/07/27	.000	WAIVED
ALACHLOR	77825	WAIVED	1993/07/27	.000	WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	1993/07/27	.000	WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1993/07/27	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	1993/07/27	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	1993/07/27	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1993/07/27	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1993/07/27	.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700686 SUN MOUNTAIN M.W.C.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700686-001 WELL 01

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1993/07/27	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/03/13	.000	2007/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/03/13	.000	2007/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1993/07/27	.000	1999/07	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/03/13	.000	2007/03	DUE
1,1-DICHLOROETHANE	34496	072	2001/03/13	.000	2007/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/03/13	.000	2007/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/03/13	.000	2007/03	DUE
1,2-DICHLOROBENZENE	34536	072	2001/03/13	.000	2007/03	DUE
1,2-DICHLOROETHANE	34531	072	2001/03/13	.000	2007/03	DUE
1,2-DICHLOROPROPANE	34541	072	2001/03/13	.000	2007/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/03/13	.000	2007/03	DUE
1,4-DICHLOROBENZENE	34571	072	2001/03/13	.000	2007/03	DUE
BENZENE	34030	072	2001/03/13	.000	2007/03	DUE
CARBON TETRACHLORIDE	32102	072	2001/03/13	.000	2007/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/03/13	.000	2007/03	DUE
DICHLOROMETHANE	34423	072	2001/03/13	.000	2007/03	DUE
ETHYLBENZENE	34371	072	2001/03/13	.000	2007/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/03/13	.000	2007/03	DUE
MONOCHLOROBENZENE	34301	072	2001/03/13	.000	2007/03	DUE
STYRENE	77128	072	2001/03/13	.000	2007/03	DUE
TETRACHLOROETHYLENE	34475	072	2001/03/13	.000	2007/03	DUE
TOLUENE	34010	072	2001/03/13	.000	2007/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/03/13	.000	2007/03	DUE
TRICHLOROETHYLENE	39180	072	2001/03/13	.000	2007/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/03/13	.000	2007/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700686 SUN MOUNTAIN M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700686-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/03/13	.000	2007/03	DUE
XYLENES (TOTAL)	81551	072	2001/03/13	.000	2007/03	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2004/10/12	51.000	2013/10	
CALCIUM	00916	108	2004/10/12	15.000	2013/10	
CARBONATE ALKALINITY	00445	108	2004/10/12	.000	2013/10	
CHLORIDE	00940	036	2004/10/12	13.700	2007/10	
COLOR	00081	036	2004/10/12	.000	2007/10	
COPPER	01042	036	2004/10/12	.000	2007/10	
FOAMING AGENTS (MBAS)	38260	036	2004/10/12	.000	2007/10	
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/10/12	58.000	2013/10	
HYDROXIDE ALKALINITY	71830	108	1993/07/27	.000	2002/07	DUE
IRON	01045	036	2004/10/12	.000	2007/10	
MAGNESIUM	00927	108	2004/10/12	6.000	2013/10	
MANGANESE	01055	036	2004/10/12	.000	2007/10	
ODOR THRESHOLD @ 60 C	00086	036	2004/10/12	.000	2007/10	
PH, LABORATORY	00403	036	2004/10/12	6.410	2007/10	
SILVER	01077	108	2004/10/12	.000	2013/10	
SODIUM	00929	108	2004/10/12	7.000	2013/10	
SPECIFIC CONDUCTANCE	00095	036	2004/10/12	185.000	2007/10	
SULFATE	00945	036	2004/10/12	.000	2007/10	
TOTAL DISSOLVED SOLIDS	70300	036	2004/10/12	194.000	2007/10	
TURBIDITY, LABORATORY	82079	036	2004/10/12	.300	2007/10	
ZINC	01092	036	2004/10/12	.000	2007/10	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700702 MT. HEBRON WORK CENTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700702-001 WELL 01 - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	036		DUE
ANTIMONY	01097	036		DUE
ARSENIC	01002	036		DUE
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	036		DUE
BERYLLIUM	01012	036		DUE
CADMIUM	01027	036		DUE
CHROMIUM (TOTAL)	01034	036		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	036		DUE
NICKEL	01067	036		DUE
SELENIUM	01147	036		DUE
THALLIUM	01059	036		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700702 MT. HEBRON WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700702-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1988/04/26	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1988/04/26	< 5.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	1988/04/26	< 1.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700702 MT. HEBRON WORK CENTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700702-001 WELL 01 - RAW

Source Number: 001

Source Status: **ACTIVE RAW**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	1988/04/26 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	1988/04/26	.000	1994/04	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1988/04/26	.000	1994/04	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1988/04/26	.000	1994/04	DUE
1,1,2-TRICHLOROETHANE	34511	072	1988/04/26	.000	1994/04	DUE
1,1-DICHLOROETHANE	34496	072	1988/04/26	.000	1994/04	DUE
1,1-DICHLOROETHYLENE	34501	072	1988/04/26	.000	1994/04	DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	072	1988/04/26	.000	1994/04	DUE
1,2-DICHLOROETHANE	34531	072	1988/04/26	.000	1994/04	DUE
1,2-DICHLOROPROPANE	34541	072	1988/04/26 <	.500	1994/04	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	072	1988/04/26	.000	1994/04	DUE
BENZENE	34030	072	1988/04/26	.000	1994/04	DUE
CARBON TETRACHLORIDE	32102	072	1988/04/26	.000	1994/04	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1988/04/26	.000	1994/04	DUE
DICHLOROMETHANE	34423	072	1988/04/26	.000	1994/04	DUE
ETHYLBENZENE	34371	072	1988/04/26	.000	1994/04	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	072	1988/04/26	.000	1994/04	DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	072	1988/04/26	.000	1994/04	DUE
TOLUENE	34010	072	1988/04/26	.000	1994/04	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1988/04/26	.000	1994/04	DUE
TRICHLOROETHYLENE	39180	072	1988/04/26	.000	1994/04	DUE
TRICHLOROFLUOROMETHANE	34488	072	1988/04/26	.000	1994/04	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700702 MT. HEBRON WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700702-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	1988/04/26	.000	1994/04	DUE
XYLENES (TOTAL)	81551	072	1988/04/26	.000	1994/04	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED	
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	WAIVED	WAIVED		WAIVED	
COLOR	00081	WAIVED	WAIVED		WAIVED	
COPPER	01042	WAIVED	WAIVED		WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED	
HARDNESS (TOTAL) AS CaCO ₃	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED	
PH, LABORATORY	00403	000				DUE
SILVER	01077	WAIVED	WAIVED		WAIVED	
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED	
SULFATE	00945	WAIVED	WAIVED		WAIVED	
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED	
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED	
ZINC	01092	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700705 OAK KNOLL WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700705-002 WELL 02 - 1996 WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	036		DUE
ANTIMONY	01097	036		DUE
ARSENIC	01002	036		DUE
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	036		DUE
BERYLLIUM	01012	036		DUE
CADMIUM	01027	036		DUE
CHROMIUM (TOTAL)	01034	036		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	036		DUE
NICKEL	01067	036		DUE
SELENIUM	01147	036		DUE
THALLIUM	01059	036		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700705 OAK KNOLL WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700705-002 WELL 02 - 1996 WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700705 OAK KNOLL WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700705-002 WELL 02 - 1996 WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700705 OAK KNOLL WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700705-002 WELL 02 - 1996 WELL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	000		DUE
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700722 ASH CREEK FIRE STATION-STNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700722-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/04/20	.000	2008/04
NITRITE (AS N)	00620	036	2007/04/20	.000	2010/04

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700722 ASH CREEK FIRE STATION-STNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700722-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700722 ASH CREEK FIRE STATION-STNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700722-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700722 ASH CREEK FIRE STATION-STNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700722-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/04/28	.000	2008/04
ANTIMONY	01097	108	2005/04/28	.000	2014/04
ARSENIC	01002	036	2005/04/28	.000	2008/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/04/28	.000	2008/04
BERYLLIUM	01012	108	2005/04/28	.000	2014/04
CADMIUM	01027	036	2005/04/28	.000	2008/04
CHROMIUM (TOTAL)	01034	036	2005/04/28	.000	2008/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/04/28	.000	2008/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	036	2005/04/28	.000	2008/04
NICKEL	01067	108	2005/04/28	.000	2014/04
SELENIUM	01147	036	2005/04/28	.000	2008/04
THALLIUM	01059	108	2005/04/28	.000	2014/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/04/28	4.200	2006/04 DUE
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28 <	3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2003/09/09	.000	2009/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2003/09/09	.000	2009/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/04/28	.000	2011/04
1,1,2-TRICHLOROETHANE	34511	072	2003/09/09	.000	2009/09
1,1-DICHLOROETHANE	34496	072	2003/09/09	.000	2009/09
1,1-DICHLOROETHYLENE	34501	072	2003/09/09	.000	2009/09
1,2,4-TRICHLOROBENZENE	34551	072	2005/04/28	.000	2011/04
1,2-DICHLOROBENZENE	34536	072	2003/09/09	.000	2009/09
1,2-DICHLOROETHANE	34531	072	2003/09/09	.000	2009/09
1,2-DICHLOROPROPANE	34541	072	2003/09/09	.000	2009/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2003/09/09	.000	2009/09
1,4-DICHLOROBENZENE	34571	072	2003/09/09	.000	2009/09
BENZENE	34030	072	2003/09/09	.000	2009/09
CARBON TETRACHLORIDE	32102	072	2003/09/09	.000	2009/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2003/09/09	.000	2009/09
DICHLOROMETHANE	34423	072	2003/09/09	.000	2009/09
ETHYLBENZENE	34371	072	2003/09/09	.000	2009/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2003/09/09	.000	2009/09
MONOCHLOROBENZENE	34301	072	2003/09/09	.000	2009/09
STYRENE	77128	072	2003/09/09	.000	2009/09
TETRACHLOROETHYLENE	34475	072	2003/09/09	.000	2009/09
TOLUENE	34010	072	2003/09/09	.000	2009/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2003/09/09	.000	2009/09
TRICHLOROETHYLENE	39180	072	2003/09/09	.000	2009/09
TRICHLOROFLUOROMETHANE	34488	072	2003/09/09	.000	2009/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2003/09/09	.000	2009/09
XYLENES (TOTAL)	81551	072	2003/09/09	.000	2009/09

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	9.700	2014/04
BICARBONATE ALKALINITY	00440	108	2005/04/28	52.000	2014/04
CALCIUM	00916	108	2005/04/28	13.700	2014/04
CARBONATE ALKALINITY	00445	108	2005/04/28	.000	2014/04
CHLORIDE	00940	036	2005/04/28	22.900	2008/04
COLOR	00081	036	2005/04/28	.000	2008/04
COPPER	01042	036	2005/04/28	.000	2008/04
FOAMING AGENTS (MBAS)	38260	036	2005/04/28	.030	2008/04
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/04/28	55.000	2014/04
HYDROXIDE ALKALINITY	71830	108	2005/04/28	.000	2014/04
IRON	01045	036	2005/04/28	.000	2008/04
MAGNESIUM	00927	108	2005/04/28	5.900	2014/04
MANGANESE	01055	036	2005/04/28	.000	2008/04
ODOR THRESHOLD @ 60 C	00086	036	2005/04/28	.000	2008/04
PH, LABORATORY	00403	036	2005/04/28	6.480	2008/04
SILVER	01077	036	2005/04/28	.000	2008/04
SODIUM	00929	108	2005/04/28	5.900	2014/04
SPECIFIC CONDUCTANCE	00095	036	2005/04/28	175.000	2008/04
SULFATE	00945	036	2005/04/28	.300	2008/04
TOTAL DISSOLVED SOLIDS	70300	036	2005/04/28	184.000	2008/04
TURBIDITY, LABORATORY	82079	036	2005/04/28	.390	2008/04
ZINC	01092	036	2005/04/28	.000	2008/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	2003/09/09	.000	WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	2003/09/09	.000	WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2001/12/11	2.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	2001/12/11	.000	WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	2003/09/09	.000	WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	2003/09/09	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2006/10/10	3.600	WAIVED
NITRITE (AS N)	00620	WAIVED	1997/08/05	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/04/28	.000	2008/04
ANTIMONY	01097	036	2005/04/28	.000	2008/04
ARSENIC	01002	036	2005/04/28	.000	2008/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/04/28	.000	2008/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	036	2005/04/28	.000	2008/04
CHROMIUM (TOTAL)	01034	108	2005/04/28	.000	2014/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/04/28	.000	2008/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	036	2005/04/28	.000	2008/04
NICKEL	01067	036	2005/04/28	.000	2008/04
SELENIUM	01147	036	2005/04/28	.000	2008/04
THALLIUM	01059	036	2005/04/28	.000	2008/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/10/10	8.300	2007/10
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/04/28	< 3.000	2009/04
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/04/28	.000	2011/04
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/04/28	.000	2011/04
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/04/28	.000	2011/04
1,1,2-TRICHLOROETHANE	34511	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHANE	34496	072	2005/04/28	.000	2011/04
1,1-DICHLOROETHYLENE	34501	072	2005/04/28	.000	2011/04
1,2,4-TRICHLOROBENZENE	34551	072	2005/04/28	.000	2011/04
1,2-DICHLOROBENZENE	34536	072	2005/04/28	.000	2011/04
1,2-DICHLOROETHANE	34531	072	2005/04/28	.000	2011/04
1,2-DICHLOROPROPANE	34541	072	2005/04/28	.000	2011/04
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/04/28	.000	2011/04
1,4-DICHLOROBENZENE	34571	072	2005/04/28	.000	2011/04
BENZENE	34030	072	2005/04/28	.000	2011/04
CARBON TETRACHLORIDE	32102	072	2005/04/28	.000	2011/04
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/04/28	.000	2011/04
DICHLOROMETHANE	34423	072	2005/04/28	.000	2011/04
ETHYLBENZENE	34371	072	2005/04/28	.000	2011/04
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/04/28	.000	2011/04
MONOCHLOROBENZENE	34301	072	2005/04/28	.000	2011/04
STYRENE	77128	072	2005/04/28	.000	2011/04
TETRACHLOROETHYLENE	34475	072	2005/04/28	.000	2011/04
TOLUENE	34010	072	2005/04/28	.000	2011/04
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/04/28	.000	2011/04
TRICHLOROETHYLENE	39180	072	2005/04/28	.000	2011/04
TRICHLOROFLUOROMETHANE	34488	072	2005/04/28	.000	2011/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700803 SHADOW MOUNTAIN MHP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700803-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/04/28	.000	2011/04
XYLENES (TOTAL)	81551	072	2005/04/28	.000	2011/04

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/04/28	9.900	2014/04
BICARBONATE ALKALINITY	00440	108	2005/04/28	55.000	2014/04
CALCIUM	00916	108	2005/04/28	7.700	2014/04
CARBONATE ALKALINITY	00445	108	2005/04/28	.000	2014/04
CHLORIDE	00940	036	2005/04/28	12.400	2008/04
COLOR	00081	108	2006/05/09	.000	2015/05
COPPER	01042	036	2005/04/28	.000	2008/04
FOAMING AGENTS (MBAS)	38260	036	2005/04/28	.000	2008/04
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/04/28	30.000	2014/04
HYDROXIDE ALKALINITY	71830	108	2005/04/28	.000	2014/04
IRON	01045	108	2006/05/09	.000	2015/05
MAGNESIUM	00927	108	2005/04/28	3.000	2014/04
MANGANESE	01055	108	2006/05/09	.000	2015/05
ODOR THRESHOLD @ 60 C	00086	036	2005/04/28	.000	2008/04
PH, LABORATORY	00403	036	2005/04/28	6.930	2008/04
SILVER	01077	036	2005/04/28	.000	2008/04
SODIUM	00929	108	2005/04/28	6.300	2014/04
SPECIFIC CONDUCTANCE	00095	036	2005/04/28	125.000	2008/04
SULFATE	00945	036	2005/04/28	.200	2008/04
TOTAL DISSOLVED SOLIDS	70300	036	2005/04/28	69.000	2008/04
TURBIDITY, LABORATORY	82079	108	2006/05/09	.180	2015/05
ZINC	01092	036	2005/04/28	.000	2008/04

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	1997/08/11	.000	1998/08	DUE
NITRITE (AS N)	00620	000				DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1989/06/29	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1989/06/29	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1989/06/29	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1989/06/29	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1989/06/29	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1989/06/29	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1989/06/29	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1989/06/29	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1989/06/29	.000	WAIVED
BENZENE	34030	WAIVED	1989/06/29	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1989/06/29	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1989/06/29	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1989/06/29	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1989/06/29	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1989/06/29	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1989/06/29	.000	WAIVED
TOLUENE	34010	WAIVED	1989/06/29	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1989/06/29	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1989/06/29	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1989/06/29	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1989/06/29	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1989/06/29	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	000		DUE
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	1995/10/31	.000	1996/10	DUE
NITRITE (AS N)	00620	036	1995/10/31	.000	1998/10	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700807 JH RANCH

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700807-003 WELL 03Source Number: **003**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	000		DUE
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-004 WELL 04****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-004 WELL 04****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-004 WELL 04****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700807 JH RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700807-004 WELL 04****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	000		DUE
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700814 KIDDER CREEK ORCHARD CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700814-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/22	.000	2007/08
NITRITE (AS N)	00620	036	2006/08/22	.000	2009/08

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700814 KIDDER CREEK ORCHARD CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700814-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700814 KIDDER CREEK ORCHARD CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700814-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1989/06/29	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1989/06/29	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1989/06/29	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1989/06/29	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1989/06/29	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1989/06/29	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1989/06/29	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1989/06/29	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1989/06/29	.000	WAIVED
BENZENE	34030	WAIVED	1989/06/29	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1989/06/29	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1989/06/29	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1989/06/29	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1989/06/29	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1989/06/29	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1989/06/29	.000	WAIVED
TOLUENE	34010	WAIVED	1989/06/29	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1989/06/29	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1989/06/29	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1989/06/29	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700814 KIDDER CREEK ORCHARD CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700814-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1989/06/29	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1989/06/29	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700820 STATE LINE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700820-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2006/03/28	4.900	WAIVED
NITRITE (AS N)	00620	WAIVED	2006/03/28	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700820 STATE LINE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700820-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700820 STATE LINE RV PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700820-001 WELL 01

Source Number: 001

Source Status: ACTIVE RAW

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000		DUE
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700820 STATE LINE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700820-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700820 STATE LINE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700820-002 WELL 01 (1/20/89)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700820 STATE LINE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700820-002 WELL 01 (1/20/89)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700820 STATE LINE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700820-002 WELL 01 (1/20/89)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/18	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/18	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/18	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/18	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/18	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/18	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/18	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/18	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/18	.000	WAIVED
BENZENE	34030	WAIVED	1988/04/18	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/18	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/18	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/18	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/18	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/18	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/18	.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/18	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/18	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/18	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/18	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700820 STATE LINE RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700820-002 WELL 01 (1/20/89)****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/18	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/18	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700825 SAWYER S BAR WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700825-001 WELL 01 - UPPER WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	036		DUE
ANTIMONY	01097	036		DUE
ARSENIC	01002	036		DUE
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	036		DUE
BERYLLIUM	01012	036		DUE
CADMIUM	01027	036		DUE
CHROMIUM (TOTAL)	01034	036		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	036		DUE
NICKEL	01067	036		DUE
SELENIUM	01147	036		DUE
THALLIUM	01059	036		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700825 SAWYER S BAR WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700825-001 WELL 01 - UPPER WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700825 SAWYER S BAR WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700825-001 WELL 01 - UPPER WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700825 SAWYER S BAR WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700825-001 WELL 01 - UPPER WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	000		DUE
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700825 SAWYER S BAR WORK CENTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700825-002 WELL 02 - LOWER WELL NEAR COUNTY ROADSource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	036		DUE
ANTIMONY	01097	036		DUE
ARSENIC	01002	036		DUE
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	036		DUE
BERYLLIUM	01012	036		DUE
CADMIUM	01027	036		DUE
CHROMIUM (TOTAL)	01034	036		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	036		DUE
NICKEL	01067	036		DUE
SELENIUM	01147	036		DUE
THALLIUM	01059	036		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700825 SAWYER S BAR WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700825-002 WELL 02 - LOWER WELL NEAR COUNTY ROAD****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700825 SAWYER S BAR WORK CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700825-002 WELL 02 - LOWER WELL NEAR COUNTY ROAD****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700825 SAWYER S BAR WORK CENTER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700825-002 WELL 02 - LOWER WELL NEAR COUNTY ROADSource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	000		DUE
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700828 CAMP CREEK CAMPGROUND-PP&L**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700828-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/03/28	3.600	2007/03	DUE
NITRITE (AS N)	00620	036	2006/03/28	.000	2009/03	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700828 CAMP CREEK CAMPGROUND-PP&L**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700828-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700828 CAMP CREEK CAMPGROUND-PP&L**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700828-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700828 CAMP CREEK CAMPGROUND-PP&L**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700828-001 WELL 01****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700835 MEDICINE LAKE HEADQUARTERS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700835-002 SPRING

Source Number: 002

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/08/10	.000	2006/08	DUE
NITRITE (AS N)	00620	036	2004/09/08	.000	2007/09	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700835 MEDICINE LAKE HEADQUARTERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700835-002 SPRING****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700835 MEDICINE LAKE HEADQUARTERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700835-002 SPRING****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700835 MEDICINE LAKE HEADQUARTERS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700835-002 SPRINGSource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700839 R-RANCH KLAMATH RIVER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700839-001 WELL 01 - STANDBY

Source Number: 001

Source Status: **STANDBY UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	000			DUE
ANTIMONY	01097	000			DUE
ARSENIC	01002	000			DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	000			DUE
BERYLLIUM	01012	000			DUE
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	000			DUE
NICKEL	01067	000			DUE
SELENIUM	01147	000			DUE
THALLIUM	01059	000			DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	1996/10/01	.000	2005/10	DUE
NITRITE (AS N)	00620	000				DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700839 R-RANCH KLAMATH RIVER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700839-001 WELL 01 - STANDBY****Source Number: 001****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700839 R-RANCH KLAMATH RIVER

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700839-001 WELL 01 - STANDBY

Source Number: 001

Source Status: **STANDBY UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	1988/05/04	.000	1997/05	DUE
1,1,2,2-TETRACHLOROETHANE	34516	108	1988/05/04	.000	1997/05	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	1988/05/04	.000	1997/05	DUE
1,1,2-TRICHLOROETHANE	34511	108	1988/05/04	.000	1997/05	DUE
1,1-DICHLOROETHANE	34496	108	1988/05/04	.000	1997/05	DUE
1,1-DICHLOROETHYLENE	34501	108	1988/05/04	.000	1997/05	DUE
1,2,4-TRICHLOROBENZENE	34551	000				DUE
1,2-DICHLOROBENZENE	34536	108	1988/05/04	.000	1997/05	DUE
1,2-DICHLOROETHANE	34531	108	1988/05/04	.000	1997/05	DUE
1,2-DICHLOROPROPANE	34541	000				DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000				DUE
1,4-DICHLOROBENZENE	34571	108	1988/05/04	.000	1997/05	DUE
BENZENE	34030	108	1988/05/04	.000	1997/05	DUE
CARBON TETRACHLORIDE	32102	108	1988/05/04	.000	1997/05	DUE
CIS-1,2-DICHLOROETHYLENE	77093	108	1988/05/04	.000	1997/05	DUE
DICHLOROMETHANE	34423	108	1988/05/04	.000	1997/05	DUE
ETHYLBENZENE	34371	108	1988/05/04	.000	1997/05	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000				DUE
MONOCHLOROBENZENE	34301	108	1988/05/04	.000	1997/05	DUE
STYRENE	77128	000				DUE
TETRACHLOROETHYLENE	34475	108	1988/05/04	.000	1997/05	DUE
TOLUENE	34010	108	1988/05/04	.000	1997/05	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	108	1988/05/04	.000	1997/05	DUE
TRICHLOROETHYLENE	39180	108	1988/05/04	.000	1997/05	DUE
TRICHLOROFLUOROMETHANE	34488	108	1988/05/04	.000	1997/05	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700839 R-RANCH KLAMATH RIVER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700839-001 WELL 01 - STANDBY****Source Number: 001****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	108	1988/05/04	.000	1997/05	DUE
XYLENES (TOTAL)	81551	108	1988/05/04	.000	1997/05	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	000				DUE
COLOR	00081	000				DUE
COPPER	01042	000				DUE
FOAMING AGENTS (MBAS)	38260	000				DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	000				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	000				DUE
ODOR THRESHOLD @ 60 C	00086	000				DUE
PH, LABORATORY	00403	000				DUE
SILVER	01077	000				DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	000				DUE
SULFATE	00945	000				DUE
TOTAL DISSOLVED SOLIDS	70300	000				DUE
TURBIDITY, LABORATORY	82079	000				DUE
ZINC	01092	000				DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700839 R-RANCH KLAMATH RIVER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700839-002 WELL 02****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/07/11	.000	2007/07
NITRITE (AS N)	00620	036	2006/09/05	.000	2009/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700839 R-RANCH KLAMATH RIVER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700839-002 WELL 02****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700839 R-RANCH KLAMATH RIVER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700839-002 WELL 02****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700839 R-RANCH KLAMATH RIVER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700839-002 WELL 02****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700847 QUARTZ VALLEY SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700847-001 WELL 01 - IN FIELD EAST OF SCHOOLSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/11/17	.000	2008/11
ANTIMONY	01097	036	2005/11/17	.000	2008/11
ARSENIC	01002	036	2005/11/17	.000	2008/11
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/11/17	.000	2008/11
BERYLLIUM	01012	036	2005/11/17	.000	2008/11
CADMIUM	01027	036	2005/11/17	.000	2008/11
CHROMIUM (TOTAL)	01034	036	2005/11/17	.000	2008/11
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/11/17	.000	2008/11
LEAD	01051	WAIVED	2005/11/17	.000	WAIVED
MERCURY	71900	036	2005/11/17	.000	2008/11
NICKEL	01067	036	2005/11/17	.000	2008/11
SELENIUM	01147	036	2005/11/17	.000	2008/11
THALLIUM	01059	036	2005/11/17	.000	2008/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/11/17	7.300	2006/11	DUE
NITRITE (AS N)	00620	036	2005/11/17	.000	2008/11	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2001/10/31	< 1.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700847 QUARTZ VALLEY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700847-001 WELL 01 - IN FIELD EAST OF SCHOOL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700847 QUARTZ VALLEY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700847-001 WELL 01 - IN FIELD EAST OF SCHOOL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/11/17	.000	2011/11
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/11/17	.000	2011/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/11/17	.000	2011/11
1,1,2-TRICHLOROETHANE	34511	072	2005/11/17	.000	2011/11
1,1-DICHLOROETHANE	34496	072	2005/11/17	.000	2011/11
1,1-DICHLOROETHYLENE	34501	072	2005/11/17	.000	2011/11
1,2,4-TRICHLOROBENZENE	34551	072	2005/11/17	.000	2011/11
1,2-DICHLOROBENZENE	34536	072	2005/11/17	.000	2011/11
1,2-DICHLOROETHANE	34531	072	2005/11/17	.000	2011/11
1,2-DICHLOROPROPANE	34541	072	2005/11/17	.000	2011/11
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/11/17	.000	2011/11
1,4-DICHLOROBENZENE	34571	072	2005/11/17	.000	2011/11
BENZENE	34030	072	2005/11/17	.000	2011/11
CARBON TETRACHLORIDE	32102	072	2005/11/17	.000	2011/11
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/11/17	.000	2011/11
DICHLOROMETHANE	34423	072	2005/11/17	.000	2011/11
ETHYLBENZENE	34371	072	2005/11/17	.000	2011/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/11/17	.000	2011/11
MONOCHLOROBENZENE	34301	072	2005/11/17	.000	2011/11
STYRENE	77128	072	2005/11/17	.000	2011/11
TETRACHLOROETHYLENE	34475	072	2005/11/17	.000	2011/11
TOLUENE	34010	072	2005/11/17	.000	2011/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/11/17	.000	2011/11
TRICHLOROETHYLENE	39180	072	2005/11/17	.000	2011/11
TRICHLOROFLUOROMETHANE	34488	072	2005/11/17	.000	2011/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700847 QUARTZ VALLEY SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700847-001 WELL 01 - IN FIELD EAST OF SCHOOLSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/11/17	.000	2011/11
XYLENES (TOTAL)	81551	072	2005/11/17	.000	2011/11

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	WAIVED	2005/11/17	6.400	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2005/11/17	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	WAIVED	2005/11/17	.000	WAIVED
MAGNESIUM	00927	000			DUE
MANGANESE	01055	WAIVED	2005/11/17	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	000			DUE
SILVER	01077	WAIVED	2005/11/17	.000	WAIVED
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	2005/11/17	2.900	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	2005/11/17	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700847 QUARTZ VALLEY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700847-002 WELL 02 - STANDBY WELL BEHIND SCHOOL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	000		DUE
ANTIMONY	01097	000		DUE
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	000		DUE
BERYLLIUM	01012	000		DUE
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	000		DUE
NICKEL	01067	000		DUE
SELENIUM	01147	000		DUE
THALLIUM	01059	000		DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

RADIOLOGICAL

GROSS ALPHA	01501	000		DUE
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700847 QUARTZ VALLEY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700847-002 WELL 02 - STANDBY WELL BEHIND SCHOOL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700847 QUARTZ VALLEY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700847-002 WELL 02 - STANDBY WELL BEHIND SCHOOL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE
STYRENE	77128	000	DUE
TETRACHLOROETHYLENE	34475	000	DUE
TOLUENE	34010	000	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000	DUE
TRICHLOROETHYLENE	39180	000	DUE
TRICHLOROFLUOROMETHANE	34488	000	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700847 QUARTZ VALLEY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700847-002 WELL 02 - STANDBY WELL BEHIND SCHOOL****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE
TURBIDITY, LABORATORY	82079	000		DUE
ZINC	01092	000		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700850 CALLAHAN WORK CENTER-KNF

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700850-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	2001/09/05	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	036	2001/09/05	.000	2004/09	DUE
ANTIMONY	01097	036	2001/09/05	.000	2004/09	DUE
ARSENIC	01002	036	2001/09/05	.000	2004/09	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	2001/09/05	.000	2004/09	DUE
BERYLLIUM	01012	036	2001/09/05	.000	2004/09	DUE
CADMIUM	01027	036	2001/09/05	.000	2004/09	DUE
CHROMIUM (TOTAL)	01034	036	2001/09/05		2004/09	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2001/09/05	.110	2004/09	DUE
LEAD	01051	WAIVED	2001/09/05	.000	WAIVED	
MERCURY	71900	036	2001/09/05	.000	2004/09	DUE
NICKEL	01067	036	2001/09/05	.000	2004/09	DUE
SELENIUM	01147	036	2001/09/05	.000	2004/09	DUE
THALLIUM	01059	036	2001/09/05 <	2.000	2004/09	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2001/09/05	.000	2002/09	DUE
NITRITE (AS N)	00620	036	2001/09/05	.000	2004/09	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700850 CALLAHAN WORK CENTER-KNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700850-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	2001/09/05	.000	WAIVED
2,4-D	39730	WAIVED	2001/09/05	.000	WAIVED
ALACHLOR	77825	WAIVED	2001/09/05	.000	WAIVED
ATRAZINE	39033	WAIVED	2001/09/05	.000	WAIVED
BENTAZON	38710	WAIVED	2001/09/05	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	2001/09/05	.000	WAIVED
CARBOFURAN	81405	WAIVED	2001/09/05	.000	WAIVED
CHLORDANE	39350	WAIVED	2001/09/05	.000	WAIVED
DALAPON	38432	WAIVED	2001/09/05	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2001/09/05	.000	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2001/09/05	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/09/05	.000	WAIVED
DINOSEB	81287	WAIVED	2001/09/05	.000	WAIVED
DIQUAT	78885	WAIVED	2001/09/05	.000	WAIVED
ENDOTHALL	38926	WAIVED	2001/09/05	.000	WAIVED
ENDRIN	39390	WAIVED	2001/09/05	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2001/09/05	.000	WAIVED
GLYPHOSATE	79743	WAIVED	2001/09/05	.000	WAIVED
HEPTACHLOR	39410	WAIVED	2001/09/05	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	2001/09/05	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2001/09/05	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2001/09/05	.000	WAIVED
LINDANE	39340	WAIVED	2001/09/05	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	2001/09/05	.000	WAIVED
MOLINATE	82199	WAIVED	2001/09/05	.000	WAIVED
OXAMYL	38865	WAIVED	2001/09/05	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2001/09/05	.000	WAIVED
PICLORAM	39720	WAIVED	2001/09/05	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2001/09/05	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700850 CALLAHAN WORK CENTER-KNF**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700850-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	2001/09/05	.000	WAIVED
THIOBENCARB	A-001	WAIVED	2001/09/05	.000	WAIVED
TOXAPHENE	39400	WAIVED	2001/09/05	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/09/05	.000	2007/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/09/05	.000	2007/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/09/05	.000	2007/09
1,1,2-TRICHLOROETHANE	34511	072	2001/09/05	.000	2007/09
1,1-DICHLOROETHANE	34496	072	2001/09/05	.000	2007/09
1,1-DICHLOROETHYLENE	34501	072	2001/09/05	.000	2007/09
1,2,4-TRICHLOROBENZENE	34551	072	2001/09/05	.000	2007/09
1,2-DICHLOROBENZENE	34536	072	2001/09/05	.000	2007/09
1,2-DICHLOROETHANE	34531	072	2001/09/05	.000	2007/09
1,2-DICHLOROPROPANE	34541	072	2001/09/05	.000	2007/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/09/05	.000	2007/09
1,4-DICHLOROBENZENE	34571	072	2001/09/05	.000	2007/09
BENZENE	34030	072	2001/09/05	.000	2007/09
CARBON TETRACHLORIDE	32102	072	2001/09/05	.000	2007/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/09/05	.000	2007/09
DICHLOROMETHANE	34423	072	2001/09/05	.000	2007/09
ETHYLBENZENE	34371	072	2001/09/05	.000	2007/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/09/05	.000	2007/09
MONOCHLOROBENZENE	34301	072	2001/09/05	.000	2007/09
STYRENE	77128	072	2001/09/05	.000	2007/09
TETRACHLOROETHYLENE	34475	072	2001/09/05	.000	2007/09
TOLUENE	34010	072	2001/09/05	.000	2007/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/09/05	.000	2007/09
TRICHLOROETHYLENE	39180	072	2001/09/05	.000	2007/09
TRICHLOROFLUOROMETHANE	34488	072	2001/09/05	.000	2007/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700850 CALLAHAN WORK CENTER-KNF

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700850-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2001/09/05	.000	2007/09
XYLENES (TOTAL)	81551	072	2001/09/05	.000	2007/09

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2001/09/05	220.000	WAIVED
CALCIUM	00916	WAIVED	2001/09/05	69.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2001/09/05	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	2001/09/05	1.400	WAIVED
COLOR	00081	WAIVED	2001/09/05	< 3.000	WAIVED
COPPER	01042	WAIVED	2001/09/05	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2001/09/05	< .050	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2001/09/05	280.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2001/09/05	< 1.000	WAIVED
IRON	01045	WAIVED	2001/09/05	780.000	WAIVED
MAGNESIUM	00927	WAIVED	2001/09/05	26.000	WAIVED
MANGANESE	01055	WAIVED	2001/09/05	170.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	2001/09/05	< 1.000	WAIVED
PH, LABORATORY	00403	WAIVED	2001/09/05	7.400	WAIVED
SILVER	01077	WAIVED	2001/09/05	.000	WAIVED
SODIUM	00929	WAIVED	2001/09/05	18.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/09/05	570.000	WAIVED
SULFATE	00945	WAIVED	2001/09/05	79.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2001/09/05	390.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	2001/09/05	3.900	WAIVED
ZINC	01092	WAIVED	2001/09/05	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700851 GOOSENEST DISTRICT OFFICE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700851-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2004/12/22	.000	2007/12
ANTIMONY	01097	036	2004/12/22	.000	2007/12
ARSENIC	01002	036	2004/12/22	.000	2007/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2004/12/22	.000	2007/12
BERYLLIUM	01012	036	2004/12/22	.000	2007/12
CADMIUM	01027	036	2004/12/22	.000	2007/12
CHROMIUM (TOTAL)	01034	036	2004/12/22	.000	2007/12
CYANIDE	01291	WAIVED	2003/02/05	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2004/12/22	.110	2007/12
LEAD	01051	WAIVED	2003/02/05	.000	WAIVED
MERCURY	71900	036	2004/12/22	.000	2007/12
NICKEL	01067	036	2004/12/22	.000	2007/12
SELENIUM	01147	036	2004/12/22	.000	2007/12
THALLIUM	01059	036	2004/12/22	.000	2007/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/11/03	49.000	2006/11 DUE
NITRITE (AS N)	00620	036	2005/11/03	.000	2008/11

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	2003/02/05	.358	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700851 GOOSENEST DISTRICT OFFICE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700851-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700851 GOOSENEST DISTRICT OFFICE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700851-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/03/27	.000	2007/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/03/27	.000	2007/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/03/27	.000	2007/03	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/03/27	.000	2007/03	DUE
1,1-DICHLOROETHANE	34496	072	2001/03/27	.000	2007/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/03/27	.000	2007/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/03/27	.000	2007/03	DUE
1,2-DICHLOROBENZENE	34536	072	2001/03/27	.000	2007/03	DUE
1,2-DICHLOROETHANE	34531	072	2001/03/27	.000	2007/03	DUE
1,2-DICHLOROPROPANE	34541	072	2001/03/27	.000	2007/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/03/27	.000	2007/03	DUE
1,4-DICHLOROBENZENE	34571	072	2001/03/27	.000	2007/03	DUE
BENZENE	34030	072	2001/03/27	.000	2007/03	DUE
CARBON TETRACHLORIDE	32102	072	2001/03/27	.000	2007/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/03/27	.000	2007/03	DUE
DICHLOROMETHANE	34423	072	2001/03/27	.000	2007/03	DUE
ETHYLBENZENE	34371	072	2001/03/27	.000	2007/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/11/03	.000	2011/11	
MONOCHLOROBENZENE	34301	072	2001/03/27	.000	2007/03	DUE
STYRENE	77128	072	2001/03/27	.000	2007/03	DUE
TETRACHLOROETHYLENE	34475	072	2001/03/27	.000	2007/03	DUE
TOLUENE	34010	072	2001/03/27	.000	2007/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/03/27	.000	2007/03	DUE
TRICHLOROETHYLENE	39180	072	2001/03/27	.000	2007/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/03/27	.000	2007/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700851 GOOSENEST DISTRICT OFFICE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700851-001 WELL 01Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2001/03/27	.000	2007/03	DUE
XYLENES (TOTAL)	81551	072	2001/03/27	.000	2007/03	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2005/11/03	130.000	WAIVED
CALCIUM	00916	WAIVED	2004/12/22	35.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2005/11/03	< 1.000	WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2005/11/03	< .050	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2004/12/22	230.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2005/11/03	< 1.000	WAIVED
IRON	01045	WAIVED	2004/12/22	.000	WAIVED
MAGNESIUM	00927	WAIVED	2004/12/22	35.000	WAIVED
MANGANESE	01055	WAIVED	2004/12/22	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2005/11/03	7.900	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2004/12/22	30.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	2003/02/05	82.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	2004/12/22	73.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700863 MT. SHASTA SKI PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700863-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/07/18	9.300	2007/07
NITRITE (AS N)	00620	036	2005/10/11	.000	2008/10

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700863 MT. SHASTA SKI PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700863-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700863 MT. SHASTA SKI PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700863-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1988/04/19	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1988/04/19	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1988/04/19	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1988/04/19	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1988/04/19	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1988/04/19	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED		WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1988/04/19	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1988/04/19	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED		WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED		WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1988/04/19	.000	WAIVED
BENZENE	34030	WAIVED	1988/04/19	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1988/04/19	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1988/04/19	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1988/04/19	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1988/04/19	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1988/04/19	.000	WAIVED
STYRENE	77128	WAIVED	WAIVED		WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1988/04/19	.000	WAIVED
TOLUENE	34010	WAIVED	1988/04/19	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1988/04/19	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1988/04/19	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1988/04/19	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700863 MT. SHASTA SKI PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700863-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1988/04/19	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1988/04/19	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700863 MT. SHASTA SKI PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700863-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	1999/07/13	3.400	2000/07	DUE
NITRITE (AS N)	00620	036	1999/07/13	.000	2002/07	DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700863 MT. SHASTA SKI PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700863-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700863 MT. SHASTA SKI PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700863-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700863 MT. SHASTA SKI PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700863-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700870 MEDICINE LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700870-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1995/09/25 <	50.000	WAIVED
ANTIMONY	01097	WAIVED	1995/09/25 <	6.000	WAIVED
ARSENIC	01002	WAIVED	1995/09/25 <	2.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1995/09/25 <	100.000	WAIVED
BERYLLIUM	01012	WAIVED	1995/09/25	.000	WAIVED
CADMIUM	01027	WAIVED	1995/09/25 <	1.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1995/09/25 <	10.000	WAIVED
CYANIDE	01291	WAIVED	1995/09/25	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1995/09/25 <	.100	WAIVED
LEAD	01051	WAIVED	1995/09/25 <	5.000	WAIVED
MERCURY	71900	WAIVED	1995/09/25 <	1.000	WAIVED
NICKEL	01067	WAIVED	1995/09/25 <	10.000	WAIVED
SELENIUM	01147	WAIVED	1995/09/25 <	5.000	WAIVED
THALLIUM	01059	WAIVED	1995/09/25 <	1.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/17	.000	2007/08
NITRITE (AS N)	00620	036	2004/09/08	.000	2007/09

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700870 MEDICINE LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700870-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700870 MEDICINE LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700870-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700870 MEDICINE LAKE CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700870-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	1995/09/25	9.960	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1995/09/25	32.000	WAIVED
CALCIUM	00916	WAIVED	1995/09/25	8.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1995/09/25 <	1.000	WAIVED
CHLORIDE	00940	WAIVED	1995/09/25 <	.500	WAIVED
COLOR	00081	WAIVED	1995/09/25 <	1.000	WAIVED
COPPER	01042	WAIVED	1995/09/25 <	50.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1995/09/25 <	.020	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1995/09/25	28.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1995/09/25 <	1.000	WAIVED
IRON	01045	WAIVED	1995/09/25 <	100.000	WAIVED
MAGNESIUM	00927	WAIVED	1995/09/25	2.000	WAIVED
MANGANESE	01055	WAIVED	1995/09/25 <	30.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1995/09/25 <	1.000	WAIVED
PH, LABORATORY	00403	WAIVED	1995/09/25	7.100	WAIVED
SILVER	01077	WAIVED	1995/09/25 <	10.000	WAIVED
SODIUM	00929	WAIVED	1995/09/25	5.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	1995/09/25 <	.500	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1995/09/25	41.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1995/09/25	.350	WAIVED
ZINC	01092	WAIVED	1995/09/25 <	50.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700872 MONTE SHASTA M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700872-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/08/03	.000	2013/08
ANTIMONY	01097	108	2004/08/03	.000	2013/08
ARSENIC	01002	108	2004/08/03	.000	2013/08
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2004/08/03	.000	2013/08
BERYLLIUM	01012	108	2004/08/03	.000	2013/08
CADMIUM	01027	108	2004/08/03	.000	2013/08
CHROMIUM (TOTAL)	01034	108	2004/08/03		2013/08
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/08/03	.000	2013/08
LEAD	01051	WAIVED	2004/08/03	.000	WAIVED
MERCURY	71900	108	2004/08/03	.000	2013/08
NICKEL	01067	108	2004/08/03	.000	2013/08
SELENIUM	01147	108	2004/08/03	.000	2013/08
THALLIUM	01059	108	2004/08/03	.000	2013/08

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/02/14	.000	2007/02	DUE
NITRITE (AS N)	00620	036	2006/02/14	.000	2009/02	

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/09/14	.000	2008/09
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700872 MONTE SHASTA M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700872-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2004/09/04	.000	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	2004/09/04	.000	WAIVED
2,4-D	39730	WAIVED	2004/09/04	.000	WAIVED
ALACHLOR	77825	WAIVED	2004/09/04	.000	WAIVED
ATRAZINE	39033	WAIVED	2004/09/04	.000	WAIVED
BENTAZON	38710	WAIVED	2004/09/04	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	2004/09/04	.000	WAIVED
CARBOFURAN	81405	WAIVED	2004/09/04	.000	WAIVED
CHLORDANE	39350	WAIVED	2004/09/04	.000	WAIVED
DALAPON	38432	WAIVED	2004/09/04	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2004/09/04	.000	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2004/09/04	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2004/09/04	.000	WAIVED
DINOSEB	81287	WAIVED	2004/09/04	.000	WAIVED
DIQUAT	78885	WAIVED	2004/09/04	.000	WAIVED
ENDOTHALL	38926	WAIVED	2004/09/04	.000	WAIVED
ENDRIN	39390	WAIVED	2004/09/04	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2004/09/04	.000	WAIVED
GLYPHOSATE	79743	WAIVED	2004/09/04	.000	WAIVED
HEPTACHLOR	39410	WAIVED	2004/09/04	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	2004/09/04	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	2004/09/04	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2004/09/04	.000	WAIVED
LINDANE	39340	WAIVED	2004/09/04	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	2004/09/04	.000	WAIVED
MOLINATE	82199	WAIVED	2004/09/04	.000	WAIVED
OXAMYL	38865	WAIVED	2004/09/04	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	2004/09/04	.000	WAIVED
PICLORAM	39720	WAIVED	2004/09/04	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2004/09/04	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700872 MONTE SHASTA M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700872-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	2004/09/04	.000	WAIVED
THIOBENCARB	A-001	WAIVED	2004/09/04	.000	WAIVED
TOXAPHENE	39400	WAIVED	2004/09/04	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2004/09/04	.000	2010/09
1,1,2,2-TETRACHLOROETHANE	34516	072	2004/09/04	.000	2010/09
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2004/09/04	.000	2010/09
1,1,2-TRICHLOROETHANE	34511	072	2004/09/04	.000	2010/09
1,1-DICHLOROETHANE	34496	072	2004/09/04	.000	2010/09
1,1-DICHLOROETHYLENE	34501	072	2004/09/04	.000	2010/09
1,2,4-TRICHLOROBENZENE	34551	072	2004/09/04	.000	2010/09
1,2-DICHLOROBENZENE	34536	072	2004/09/04	.000	2010/09
1,2-DICHLOROETHANE	34531	072	2004/09/04	.000	2010/09
1,2-DICHLOROPROPANE	34541	072	2004/09/04	.000	2010/09
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2004/09/04	.000	2010/09
1,4-DICHLOROBENZENE	34571	072	2004/09/04	.000	2010/09
BENZENE	34030	072	2004/09/04	.000	2010/09
CARBON TETRACHLORIDE	32102	072	2004/09/04	.000	2010/09
CIS-1,2-DICHLOROETHYLENE	77093	072	2004/09/04	.000	2010/09
DICHLOROMETHANE	34423	072	2004/09/04	.000	2010/09
ETHYLBENZENE	34371	072	2004/09/04	.000	2010/09
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2004/09/04	.000	2010/09
MONOCHLOROBENZENE	34301	072	2004/09/04	.000	2010/09
STYRENE	77128	072	2004/09/04	.000	2010/09
TETRACHLOROETHYLENE	34475	072	2004/09/04	.000	2010/09
TOLUENE	34010	072	2004/09/04	.000	2010/09
TRANS-1,2-DICHLOROETHYLENE	34546	072	2004/09/04	.000	2010/09
TRICHLOROETHYLENE	39180	072	2004/09/04	.000	2010/09
TRICHLOROFLUOROMETHANE	34488	072	2004/09/04	.000	2010/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700872 MONTE SHASTA M.W.C.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700872-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2004/09/04	.000	2010/09
XYLENES (TOTAL)	81551	072	2004/09/04	.000	2010/09

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2004/07/13	10.100	2013/07
BICARBONATE ALKALINITY	00440	108	2004/08/03	79.000	2013/08
CALCIUM	00916	108	2004/08/03	8.000	2013/08
CARBONATE ALKALINITY	00445	108	2004/08/03	.000	2013/08
CHLORIDE	00940	108	2004/08/03	.220	2013/08
COLOR	00081	108	2004/08/03	.000	2013/08
COPPER	01042	108	2004/08/03	.000	2013/08
FOAMING AGENTS (MBAS)	38260	108	2004/08/03	.100	2013/08
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/08/03	23.000	2013/08
HYDROXIDE ALKALINITY	71830	108	2004/07/13	.000	2013/07
IRON	01045	108	2004/08/03	.000	2013/08
MAGNESIUM	00927	108	2004/08/03	3.000	2013/08
MANGANESE	01055	108	2004/08/03	.000	2013/08
ODOR THRESHOLD @ 60 C	00086	108	2004/08/03	.000	2013/08
PH, LABORATORY	00403	108	2004/08/03	7.540	2013/08
SILVER	01077	108	2004/08/03	.000	2013/08
SODIUM	00929	108	2004/08/03	6.000	2013/08
SPECIFIC CONDUCTANCE	00095	108	2004/08/03	79.000	2013/08
SULFATE	00945	108	2004/08/03	.000	2013/08
TOTAL DISSOLVED SOLIDS	70300	108	2004/08/03	78.000	2013/08
TURBIDITY, LABORATORY	82079	108	2004/08/03	.280	2013/08
ZINC	01092	108	2004/08/03	.000	2013/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700880 SISKIYOU LAKE HIGHLANDS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700880-001 WELL 02****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2001/03/13	.000	WAIVED
ANTIMONY	01097	WAIVED	2001/03/13	.000	WAIVED
ARSENIC	01002	WAIVED	2001/03/13	.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	2001/03/13	.000	WAIVED
BERYLLIUM	01012	WAIVED	2001/03/13	.000	WAIVED
CADMIUM	01027	WAIVED	2001/03/13	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2001/03/13	.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2001/03/13	.000	WAIVED
LEAD	01051	WAIVED	2001/03/13	.000	WAIVED
MERCURY	71900	WAIVED	2001/03/13	.000	WAIVED
NICKEL	01067	WAIVED	2001/03/13	.000	WAIVED
SELENIUM	01147	WAIVED	2001/03/13	.000	WAIVED
THALLIUM	01059	WAIVED	2001/03/13	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2003/12/18	5.200	WAIVED
NITRITE (AS N)	00620	WAIVED	2001/03/13	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700880 SISKIYOU LAKE HIGHLANDS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700880-001 WELL 02****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700880 SISKIYOU LAKE HIGHLANDS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700880-001 WELL 02****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1999/10/11	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1999/10/11	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1999/10/11	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1999/10/11	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1999/10/11	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1999/10/11	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1999/10/11	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1999/10/11	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1999/10/11	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1999/10/11	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1999/10/11	.000	WAIVED
BENZENE	34030	WAIVED	1999/10/11	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1999/10/11	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1999/10/11	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1999/10/11	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1999/10/11	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	1999/10/11	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1999/10/11	.000	WAIVED
STYRENE	77128	WAIVED	1999/10/11	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1999/10/11	.000	WAIVED
TOLUENE	34010	WAIVED	1999/10/11	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1999/10/11	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1999/10/11	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1999/10/11	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700880 SISKIYOU LAKE HIGHLANDS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700880-001 WELL 02****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1999/10/11	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1999/10/11	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	2001/03/13	.000	WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700880 SISKIYOU LAKE HIGHLANDS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700880-002 WELL 04 - REPRESENTATIVE OF WELLS 02 & 04****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2002/12/10	.000	2005/12	DUE
ANTIMONY	01097	036	2002/12/10	.000	2005/12	DUE
ARSENIC	01002	036	2002/12/10	.000	2005/12	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	2002/12/10	.000	2005/12	DUE
BERYLLIUM	01012	036	2002/12/10	.000	2005/12	DUE
CADMIUM	01027	036	2002/12/10	.000	2005/12	DUE
CHROMIUM (TOTAL)	01034	036	2002/12/10		2005/12	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2002/12/10	.000	2005/12	DUE
LEAD	01051	WAIVED	2002/12/10	.000	WAIVED	
MERCURY	71900	036	2002/12/10	.000	2005/12	DUE
NICKEL	01067	036	2002/12/10	.000	2005/12	DUE
SELENIUM	01147	036	2002/12/10	.000	2005/12	DUE
THALLIUM	01059	036	2002/12/10	.000	2005/12	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/14	5.800	2007/11	
NITRITE (AS N)	00620	036	2002/12/10	.000	2005/12	DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700880 SISKIYOU LAKE HIGHLANDS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700880-002 WELL 04 - REPRESENTATIVE OF WELLS 02 & 04****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700880 SISKIYOU LAKE HIGHLANDS MWC

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700880-002 WELL 04 - REPRESENTATIVE OF WELLS 02 & 04

Source Number: 002

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	1999/10/11	.000	2005/10	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	1999/10/11	.000	2005/10	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000				DUE
1,1,2-TRICHLOROETHANE	34511	072	1999/10/11	.000	2005/10	DUE
1,1-DICHLOROETHANE	34496	072	1999/10/11	.000	2005/10	DUE
1,1-DICHLOROETHYLENE	34501	072	1999/10/11	.000	2005/10	DUE
1,2,4-TRICHLOROBENZENE	34551	072	1999/10/11	.000	2005/10	DUE
1,2-DICHLOROBENZENE	34536	072	1999/10/11	.000	2005/10	DUE
1,2-DICHLOROETHANE	34531	072	1999/10/11	.000	2005/10	DUE
1,2-DICHLOROPROPANE	34541	072	1999/10/11	.000	2005/10	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	1999/10/11	.000	2005/10	DUE
1,4-DICHLOROBENZENE	34571	072	1999/10/11	.000	2005/10	DUE
BENZENE	34030	072	1999/10/11	.000	2005/10	DUE
CARBON TETRACHLORIDE	32102	072	1999/10/11	.000	2005/10	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	1999/10/11	.000	2005/10	DUE
DICHLOROMETHANE	34423	072	1999/10/11	.000	2005/10	DUE
ETHYLBENZENE	34371	072	1999/10/11	.000	2005/10	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	1999/10/11	.000	2005/10	DUE
MONOCHLOROBENZENE	34301	072	1999/10/11	.000	2005/10	DUE
STYRENE	77128	072	1999/10/11	.000	2005/10	DUE
TETRACHLOROETHYLENE	34475	072	1999/10/11	.000	2005/10	DUE
TOLUENE	34010	072	1999/10/11	.000	2005/10	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	1999/10/11	.000	2005/10	DUE
TRICHLOROETHYLENE	39180	072	1999/10/11	.000	2005/10	DUE
TRICHLOROFLUOROMETHANE	34488	072	1999/10/11	.000	2005/10	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700880 SISKIYOU LAKE HIGHLANDS MWC

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700880-002 WELL 04 - REPRESENTATIVE OF WELLS 02 & 04Source Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	1999/10/11	.000	2005/10	DUE
XYLENES (TOTAL)	81551	072	1999/10/11	.000	2005/10	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	000				DUE
CALCIUM	00916	000				DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	036				DUE
COLOR	00081	036				DUE
COPPER	01042	036				DUE
FOAMING AGENTS (MBAS)	38260	036				DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000				DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	036				DUE
MAGNESIUM	00927	000				DUE
MANGANESE	01055	036				DUE
ODOR THRESHOLD @ 60 C	00086	036				DUE
PH, LABORATORY	00403	036				DUE
SILVER	01077	036	2002/12/10	.000	2005/12	DUE
SODIUM	00929	000				DUE
SPECIFIC CONDUCTANCE	00095	036				DUE
SULFATE	00945	036				DUE
TOTAL DISSOLVED SOLIDS	70300	036				DUE
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036				DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700880 SISKIYOU LAKE HIGHLANDS MWC

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700880-003 WELL 07Source Number: **003**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/10/12	.000	2013/10
ANTIMONY	01097	036	2004/10/12	.000	2007/10
ARSENIC	01002	036	2002/12/10	.000	2005/12 DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2004/10/12	.000	2013/10
BERYLLIUM	01012	036	2004/10/12	.000	2007/10
CADMIUM	01027	108	2004/10/12	.000	2013/10
CHROMIUM (TOTAL)	01034	108	2004/10/12	.000	2013/10
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/10/12	.110	2013/10
LEAD	01051	WAIVED	2004/10/12	.000	WAIVED
MERCURY	71900	036	2002/12/10	.000	2005/12 DUE
NICKEL	01067	036	2004/10/12	.000	2007/10
SELENIUM	01147	108	2004/10/12	.000	2013/10
THALLIUM	01059	036	2004/10/12	.000	2007/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/11/14	5.500	2007/11
NITRITE (AS N)	00620	036	2004/10/12	.000	2007/10

RADIOLOGICAL

GROSS ALPHA	01501	048	2004/10/12	.000	2008/10
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700880 SISKIYOU LAKE HIGHLANDS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700880-003 WELL 07****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700880 SISKIYOU LAKE HIGHLANDS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700880-003 WELL 07****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/03/13	.000	2007/03	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/03/13	.000	2007/03	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1994/08/16	.000	2000/08	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/03/13	.000	2007/03	DUE
1,1-DICHLOROETHANE	34496	072	2001/03/13	.000	2007/03	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/03/13	.000	2007/03	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/03/13	.000	2007/03	DUE
1,2-DICHLOROBENZENE	34536	072	2001/03/13	.000	2007/03	DUE
1,2-DICHLOROETHANE	34531	072	2001/03/13	.000	2007/03	DUE
1,2-DICHLOROPROPANE	34541	072	2001/03/13	.000	2007/03	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/03/13	.000	2007/03	DUE
1,4-DICHLOROBENZENE	34571	072	2001/03/13	.000	2007/03	DUE
BENZENE	34030	072	2001/03/13	.000	2007/03	DUE
CARBON TETRACHLORIDE	32102	072	2001/03/13	.000	2007/03	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/03/13	.000	2007/03	DUE
DICHLOROMETHANE	34423	072	2001/03/13	.000	2007/03	DUE
ETHYLBENZENE	34371	072	2001/03/13	.000	2007/03	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/03/13	.000	2007/03	DUE
MONOCHLOROBENZENE	34301	072	2001/03/13	.000	2007/03	DUE
STYRENE	77128	072	2001/03/13	.000	2007/03	DUE
TETRACHLOROETHYLENE	34475	072	2001/03/13	.000	2007/03	DUE
TOLUENE	34010	072	2001/03/13	.000	2007/03	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/03/13	.000	2007/03	DUE
TRICHLOROETHYLENE	39180	072	2001/03/13	.000	2007/03	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/03/13	.000	2007/03	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700880 SISKIYOU LAKE HIGHLANDS MWC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700880-003 WELL 07****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/03/13	.000	2007/03	DUE
XYLENES (TOTAL)	81551	072	2001/03/13	.000	2007/03	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2004/10/12	77.000	2013/10	
CALCIUM	00916	108	2004/10/12	13.000	2013/10	
CARBONATE ALKALINITY	00445	108	2004/10/12	.000	2013/10	
CHLORIDE	00940	036	2004/10/12	4.600	2007/10	
COLOR	00081	036	2004/10/12	.000	2007/10	
COPPER	01042	036	2004/10/12	.000	2007/10	
FOAMING AGENTS (MBAS)	38260	036	2004/10/12	.000	2007/10	
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1994/08/12	45.500	2003/08	DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	036	2004/10/12	.000	2007/10	
MAGNESIUM	00927	108	2004/10/12	5.000	2013/10	
MANGANESE	01055	036	2004/10/12	.000	2007/10	
ODOR THRESHOLD @ 60 C	00086	036	2004/10/12	.000	2007/10	
PH, LABORATORY	00403	036	2004/10/12	6.610	2007/10	
SILVER	01077	108	2004/10/12	.000	2013/10	
SODIUM	00929	108	2004/10/12	7.000	2013/10	
SPECIFIC CONDUCTANCE	00095	036	2004/10/12	145.000	2007/10	
SULFATE	00945	036	2004/10/12	.260	2007/10	
TOTAL DISSOLVED SOLIDS	70300	036	2004/10/12	143.000	2007/10	
TURBIDITY, LABORATORY	82079	036	2004/10/12	.200	2007/10	
ZINC	01092	036	2004/10/12	.000	2007/10	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700881 DOCTOR'S PARK OWNERS ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700881-001 WELL 01 - DRINKING WATER WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/04/28	.000	2008/04
ANTIMONY	01097	036	2005/04/28	.000	2008/04
ARSENIC	01002	036	2005/04/28	.000	2008/04
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/04/28	.000	2008/04
BERYLLIUM	01012	036	2005/04/28	.000	2008/04
CADMIUM	01027	036	2005/04/28	.000	2008/04
CHROMIUM (TOTAL)	01034	108	2005/04/28	.000	2014/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/04/28	.000	2014/04
LEAD	01051	WAIVED	2005/04/28	.000	WAIVED
MERCURY	71900	036	2005/04/28	.000	2008/04
NICKEL	01067	036	2005/04/28	.000	2008/04
SELENIUM	01147	036	2005/04/28	.000	2008/04
THALLIUM	01059	036	2005/04/28	.000	2008/04

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/05/22	.000	2007/05
NITRITE (AS N)	00620	036	2005/04/28	.000	2008/04

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2007/01/09	.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	2007/01/09	.000	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700881 DOCTOR'S PARK OWNERS ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700881-001 WELL 01 - DRINKING WATER WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700881 DOCTOR'S PARK OWNERS ASSOCIATION

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700881-001 WELL 01 - DRINKING WATER WELLSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/05/22	.000	2012/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/05/22	.000	2012/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/05/22	.000	2012/05
1,1,2-TRICHLOROETHANE	34511	072	2006/05/22	.000	2012/05
1,1-DICHLOROETHANE	34496	072	2006/05/22	.000	2012/05
1,1-DICHLOROETHYLENE	34501	072	2006/05/22	.000	2012/05
1,2,4-TRICHLOROBENZENE	34551	072	2006/05/22	.000	2012/05
1,2-DICHLOROBENZENE	34536	072	2006/05/22	.000	2012/05
1,2-DICHLOROETHANE	34531	072	2006/05/22	.000	2012/05
1,2-DICHLOROPROPANE	34541	072	2006/05/22	.000	2012/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/05/22	.000	2012/05
1,4-DICHLOROBENZENE	34571	072	2006/05/22	.000	2012/05
BENZENE	34030	072	2006/05/22	.000	2012/05
CARBON TETRACHLORIDE	32102	072	2006/05/22	.000	2012/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/05/22	.000	2012/05
DICHLOROMETHANE	34423	072	2006/05/22	.000	2012/05
ETHYLBENZENE	34371	072	2006/05/22	.000	2012/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/05/22	.000	2012/05
MONOCHLOROBENZENE	34301	072	2006/05/22	.000	2012/05
STYRENE	77128	072	2006/05/22	.000	2012/05
TETRACHLOROETHYLENE	34475	072	2006/05/22	.000	2012/05
TOLUENE	34010	072	2006/05/22	.000	2012/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/05/22	.000	2012/05
TRICHLOROETHYLENE	39180	072	2006/05/22	.000	2012/05
TRICHLOROFLUOROMETHANE	34488	072	2006/05/22	.000	2012/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700881 DOCTOR'S PARK OWNERS ASSOCIATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700881-001 WELL 01 - DRINKING WATER WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/05/22	.000	2012/05
XYLENES (TOTAL)	81551	072	2006/05/22	.000	2012/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2005/04/28	66.000	WAIVED
CALCIUM	00916	WAIVED	1989/12/21	5.440	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2005/04/28	.000	WAIVED
CHLORIDE	00940	WAIVED	1989/12/21	2.400	WAIVED
COLOR	00081	WAIVED	1989/12/21	.000	WAIVED
COPPER	01042	WAIVED	1989/12/21	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1989/12/21	39.100	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2005/04/28	.000	WAIVED
IRON	01045	WAIVED	1989/12/21	.000	WAIVED
MAGNESIUM	00927	WAIVED	1989/12/21	6.200	WAIVED
MANGANESE	01055	WAIVED	1989/12/21	2.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1989/12/21	.000	WAIVED
PH, LABORATORY	00403	WAIVED	1989/12/21	7.160	WAIVED
SILVER	01077	WAIVED	2005/04/28	.000	WAIVED
SODIUM	00929	WAIVED	1989/12/21	10.900	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1989/12/21	137.000	WAIVED
SULFATE	00945	WAIVED	1989/12/21	.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1989/12/21	113.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1989/12/21	.150	WAIVED
ZINC	01092	WAIVED	1989/12/21	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700884 SHASTINA MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700884-001 WELL 01 - HOUSED WITH PRESSURE TANKS****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/12/21	.000	2008/12
ANTIMONY	01097	036	2005/12/21	.000	2008/12
ARSENIC	01002	036	2005/12/21	4.300	2008/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/12/21	.000	2008/12
BERYLLIUM	01012	036	2005/12/21	.000	2008/12
CADMIUM	01027	036	2005/12/21	.000	2008/12
CHROMIUM (TOTAL)	01034	036	2005/12/21	.000	2008/12
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/12/21	.320	2008/12
LEAD	01051	WAIVED	2005/12/21	.000	WAIVED
MERCURY	71900	036	2005/12/21	.000	2008/12
NICKEL	01067	036	2005/12/21	.000	2008/12
SELENIUM	01147	036	2005/12/21	.000	2008/12
THALLIUM	01059	036	2005/12/21	.000	2008/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/05/25	14.400	2007/05
NITRITE (AS N)	00620	036	2006/05/25	.000	2009/05

RADIOLOGICAL

GROSS ALPHA	01501	000			DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700884 SHASTINA MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700884-001 WELL 01 - HOUSED WITH PRESSURE TANKS****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700884 SHASTINA MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700884-001 WELL 01 - HOUSED WITH PRESSURE TANKS****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/12/21	.000	2011/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/12/21	.000	2011/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/12/21	.000	2011/12
1,1,2-TRICHLOROETHANE	34511	072	2005/12/21	.000	2011/12
1,1-DICHLOROETHANE	34496	072	2005/12/21	.000	2011/12
1,1-DICHLOROETHYLENE	34501	072	2005/12/21	.000	2011/12
1,2,4-TRICHLOROBENZENE	34551	072	2005/12/21	.000	2011/12
1,2-DICHLOROBENZENE	34536	072	2005/12/21	.000	2011/12
1,2-DICHLOROETHANE	34531	072	2005/12/21	.000	2011/12
1,2-DICHLOROPROPANE	34541	072	2005/12/21	.000	2011/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/12/21	.000	2011/12
1,4-DICHLOROBENZENE	34571	072	2005/12/21	.000	2011/12
BENZENE	34030	072	2005/12/21	.000	2011/12
CARBON TETRACHLORIDE	32102	072	2005/12/21	.000	2011/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/12/21	.000	2011/12
DICHLOROMETHANE	34423	072	2005/12/21	.000	2011/12
ETHYLBENZENE	34371	072	2005/12/21	.000	2011/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/12/21	.000	2011/12
MONOCHLOROBENZENE	34301	072	2005/12/21	.000	2011/12
STYRENE	77128	072	2005/12/21	.000	2011/12
TETRACHLOROETHYLENE	34475	072	2005/12/21	.000	2011/12
TOLUENE	34010	072	2005/12/21	.000	2011/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/12/21	.000	2011/12
TRICHLOROETHYLENE	39180	072	2005/12/21	.000	2011/12
TRICHLOROFLUOROMETHANE	34488	072	2005/12/21	.000	2011/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700884 SHASTINA MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700884-001 WELL 01 - HOUSED WITH PRESSURE TANKS

Source Number: 001

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/12/21	.000	2011/12
XYLENES (TOTAL)	81551	072	2005/12/21	.000	2011/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2005/12/21	151.000	2014/12	
CALCIUM	00916	108	2005/12/21	19.400	2014/12	
CARBONATE ALKALINITY	00445	108	2005/12/21	.000	2014/12	
CHLORIDE	00940	036	2005/12/21	13.100	2008/12	
COLOR	00081	036				DUE
COPPER	01042	036	2005/12/21	.000	2008/12	
FOAMING AGENTS (MBAS)	38260	036	2005/12/21	.040	2008/12	
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2005/12/21	93.800	2014/12	
HYDROXIDE ALKALINITY	71830	108	2005/12/21	.000	2014/12	
IRON	01045	036	2005/12/21	.000	2008/12	
MAGNESIUM	00927	108	2005/12/21	11.600	2014/12	
MANGANESE	01055	036	2005/12/21	.000	2008/12	
ODOR THRESHOLD @ 60 C	00086	036				DUE
PH, LABORATORY	00403	036	2005/12/21	6.690	2008/12	
SILVER	01077	036	2005/12/21	.000	2008/12	
SODIUM	00929	108	2005/12/21	20.300	2014/12	
SPECIFIC CONDUCTANCE	00095	036	2005/12/21	322.000	2008/12	
SULFATE	00945	036	2005/12/21	7.400	2008/12	
TOTAL DISSOLVED SOLIDS	70300	036	2005/12/21	238.000	2008/12	
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036	2005/12/21	.000	2008/12	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700884 SHASTINA MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700884-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700884 SHASTINA MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700884-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700884 SHASTINA MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700884-002 WELL 02****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4700884 SHASTINA MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700884-002 WELL 02Source Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO ₃	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700884 SHASTINA MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700884-003 WELL 03 - SOUTH WELL ON HILL****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/12/21	.000	2008/12
ANTIMONY	01097	036	2005/12/21	.000	2008/12
ARSENIC	01002	036	2005/12/21	4.100	2008/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/12/21	.000	2008/12
BERYLLIUM	01012	036	2005/12/21	.000	2008/12
CADMIUM	01027	036	2005/12/21	.000	2008/12
CHROMIUM (TOTAL)	01034	036	2005/12/21	.000	2008/12
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/12/21	.320	2008/12
LEAD	01051	WAIVED	2005/12/21	.000	WAIVED
MERCURY	71900	036	2005/12/21	.000	2008/12
NICKEL	01067	036	2005/12/21	.000	2008/12
SELENIUM	01147	036	2005/12/21	.000	2008/12
THALLIUM	01059	036	2005/12/21	.000	2008/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/12/21	14.800	2006/12	DUE
NITRITE (AS N)	00620	036	2005/12/21	.000	2008/12	

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700884 SHASTINA MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700884-003 WELL 03 - SOUTH WELL ON HILL****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700884 SHASTINA MOBILE ESTATES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700884-003 WELL 03 - SOUTH WELL ON HILL****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/12/21	.000	2011/12
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/12/21	.000	2011/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/12/21	.000	2011/12
1,1,2-TRICHLOROETHANE	34511	072	2005/12/21	.000	2011/12
1,1-DICHLOROETHANE	34496	072	2005/12/21	.000	2011/12
1,1-DICHLOROETHYLENE	34501	072	2005/12/21	.000	2011/12
1,2,4-TRICHLOROBENZENE	34551	072	2005/12/21	.000	2011/12
1,2-DICHLOROBENZENE	34536	072	2005/12/21	.000	2011/12
1,2-DICHLOROETHANE	34531	072	2005/12/21	.000	2011/12
1,2-DICHLOROPROPANE	34541	072	2005/12/21	.000	2011/12
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/12/21	.000	2011/12
1,4-DICHLOROBENZENE	34571	072	2005/12/21	.000	2011/12
BENZENE	34030	072	2005/12/21	.000	2011/12
CARBON TETRACHLORIDE	32102	072	2005/12/21	.000	2011/12
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/12/21	.000	2011/12
DICHLOROMETHANE	34423	072	2005/12/21	.000	2011/12
ETHYLBENZENE	34371	072	2005/12/21	.000	2011/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/12/21	.000	2011/12
MONOCHLOROBENZENE	34301	072	2005/12/21	.000	2011/12
STYRENE	77128	072	2005/12/21	.000	2011/12
TETRACHLOROETHYLENE	34475	072	2005/12/21	.000	2011/12
TOLUENE	34010	072	2005/12/21	.000	2011/12
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/12/21	.000	2011/12
TRICHLOROETHYLENE	39180	072	2005/12/21	.000	2011/12
TRICHLOROFLUOROMETHANE	34488	072	2005/12/21	.000	2011/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4700884 SHASTINA MOBILE ESTATES

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4700884-003 WELL 03 - SOUTH WELL ON HILLSource Number: **003**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2005/12/21	.000	2011/12
XYLENES (TOTAL)	81551	072	2005/12/21	.000	2011/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2005/12/21	152.000	2014/12	
CALCIUM	00916	108	2005/12/21	20.400	2014/12	
CARBONATE ALKALINITY	00445	108	2005/12/21	.000	2014/12	
CHLORIDE	00940	036	2005/12/21	13.000	2008/12	
COLOR	00081	036				DUE
COPPER	01042	036	2005/12/21	.000	2008/12	
FOAMING AGENTS (MBAS)	38260	036	2005/12/21	.010	2008/12	
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2005/12/21	90.600	2014/12	
HYDROXIDE ALKALINITY	71830	108	2005/12/21	.000	2014/12	
IRON	01045	036	2005/12/21	.000	2008/12	
MAGNESIUM	00927	108	2005/12/21	12.000	2014/12	
MANGANESE	01055	036	2005/12/21	.000	2008/12	
ODOR THRESHOLD @ 60 C	00086	036				DUE
PH, LABORATORY	00403	036	2005/12/21	6.690	2008/12	
SILVER	01077	036	2005/12/21	.000	2008/12	
SODIUM	00929	108	2005/12/21	20.900	2014/12	
SPECIFIC CONDUCTANCE	00095	036	2005/12/21	320.000	2008/12	
SULFATE	00945	036	2005/12/21	7.400	2008/12	
TOTAL DISSOLVED SOLIDS	70300	036	2005/12/21	224.000	2008/12	
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036	2005/12/21	.000	2008/12	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700887 CCDA WATERS WELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700887-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED	WAIVED
ANTIMONY	01097	WAIVED	WAIVED	WAIVED
ARSENIC	01002	WAIVED	WAIVED	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	WAIVED
BARIUM	01007	WAIVED	WAIVED	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED	WAIVED
CADMIUM	01027	WAIVED	WAIVED	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	WAIVED
CYANIDE	01291	WAIVED	WAIVED	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	WAIVED
LEAD	01051	WAIVED	WAIVED	WAIVED
MERCURY	71900	WAIVED	WAIVED	WAIVED
NICKEL	01067	WAIVED	WAIVED	WAIVED
SELENIUM	01147	WAIVED	WAIVED	WAIVED
THALLIUM	01059	WAIVED	WAIVED	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	WAIVED	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED	WAIVED
GROSS BETA	03501	WAIVED	WAIVED	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	WAIVED
TRITIUM	07000	WAIVED	WAIVED	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4700887 CCDA WATERS WELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700887-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700887 CCDA WATERS WELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700887-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4700887 CCDA WATERS WELL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4700887-001 WELL 01****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED	WAIVED
CALCIUM	00916	WAIVED	WAIVED	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED	WAIVED
CHLORIDE	00940	WAIVED	WAIVED	WAIVED
COLOR	00081	WAIVED	WAIVED	WAIVED
COPPER	01042	WAIVED	WAIVED	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED	WAIVED
IRON	01045	WAIVED	WAIVED	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED	WAIVED
MANGANESE	01055	WAIVED	WAIVED	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED	WAIVED
SILVER	01077	WAIVED	WAIVED	WAIVED
SODIUM	00929	WAIVED	WAIVED	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED	WAIVED
SULFATE	00945	WAIVED	WAIVED	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED	WAIVED
ZINC	01092	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710001 CITY OF DORRIS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710001-001 WELL 04 - STANDBY****Source Number: 001****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	1998/09/22	.000	2007/09
ANTIMONY	01097	108	1998/09/22	.000	2007/09
ARSENIC	01002	108	2006/01/09	18.000	2015/01
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2006/01/09	.000	2015/01
BERYLLIUM	01012	108	1998/09/22	.000	2007/09
CADMIUM	01027	108	2006/01/09	.000	2015/01
CHROMIUM (TOTAL)	01034	108	2006/01/09	.000	2015/01
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/01/09	.290	2015/01
LEAD	01051	WAIVED	1992/06/05	5.600	WAIVED
MERCURY	71900	108	2006/01/09	.000	2015/01
NICKEL	01067	108	1998/09/22	.000	2007/09
SELENIUM	01147	108	2006/01/09	.000	2015/01
THALLIUM	01059	108	1998/09/22	.000	2007/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2004/12/28	.000	2013/12
NITRITE (AS N)	00620	108	2003/12/11	.000	2012/12

RADIOLOGICAL

GROSS ALPHA	01501	108	2002/06/12	.320	2011/06
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710001 CITY OF DORRIS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710001-001 WELL 04 - STANDBY****Source Number: 001****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/06/07	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1989/06/07	< .500	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/06/07	< .500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710001 CITY OF DORRIS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710001-001 WELL 04 - STANDBY****Source Number: 001****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/06/07 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2001/02/20	.000	2010/02
1,1,2,2-TETRACHLOROETHANE	34516	108	2001/02/20	.000	2010/02
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2001/02/20	.000	2010/02
1,1,2-TRICHLOROETHANE	34511	108	2001/02/20	.000	2010/02
1,1-DICHLOROETHANE	34496	108	2001/02/20	.000	2010/02
1,1-DICHLOROETHYLENE	34501	108	2001/02/20	.000	2010/02
1,2,4-TRICHLOROBENZENE	34551	108	2001/02/20	.000	2010/02
1,2-DICHLOROBENZENE	34536	108	2001/02/20	.000	2010/02
1,2-DICHLOROETHANE	34531	108	2001/02/20	.000	2010/02
1,2-DICHLOROPROPANE	34541	108	2001/02/20	.000	2010/02
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2001/02/20	.000	2010/02
1,4-DICHLOROBENZENE	34571	108	2001/02/20	.000	2010/02
BENZENE	34030	108	2001/02/20	.000	2010/02
CARBON TETRACHLORIDE	32102	108	2001/02/20	.000	2010/02
CIS-1,2-DICHLOROETHYLENE	77093	108	2001/02/20	.000	2010/02
DICHLOROMETHANE	34423	108	2001/02/20	.000	2010/02
ETHYLBENZENE	34371	108	2001/02/20	.000	2010/02
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2003/12/11	.000	2012/12
MONOCHLOROBENZENE	34301	108	2001/02/20	.000	2010/02
STYRENE	77128	108	2001/02/20	.000	2010/02
TETRACHLOROETHYLENE	34475	108	2001/02/20	.000	2010/02
TOLUENE	34010	108	2001/02/20	.000	2010/02
TRANS-1,2-DICHLOROETHYLENE	34546	108	2001/02/20	.000	2010/02
TRICHLOROETHYLENE	39180	108	2001/02/20	.000	2010/02
TRICHLOROFLUOROMETHANE	34488	108	2001/02/20	.000	2010/02

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710001 CITY OF DORRIS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710001-001 WELL 04 - STANDBY****Source Number: 001****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	108	2001/02/20	.000	2010/02
XYLENES (TOTAL)	81551	108	2001/02/20	.000	2010/02

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/01/09	.300	2015/01
BICARBONATE ALKALINITY	00440	108	2006/01/09	200.000	2015/01
CALCIUM	00916	108	2006/01/09	33.000	2015/01
CARBONATE ALKALINITY	00445	108	2006/01/09	1.500	2015/01
CHLORIDE	00940	108	2006/01/09	13.000	2015/01
COLOR	00081	108	2006/01/09	5.000	2015/01
COPPER	01042	108	2006/01/09	.000	2015/01
FOAMING AGENTS (MBAS)	38260	108	2006/01/09 <	.050	2015/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/01/09	180.000	2015/01
HYDROXIDE ALKALINITY	71830	108	2006/01/09	.000	2015/01
IRON	01045	108	2006/01/09	690.000	2015/01
MAGNESIUM	00927	108	2006/01/09	23.000	2015/01
MANGANESE	01055	108	2006/01/09	160.000	2015/01
ODOR THRESHOLD @ 60 C	00086	108	2006/01/09	1.000	2015/01
PH, LABORATORY	00403	108	2006/01/09	7.900	2015/01
SILVER	01077	108	2006/01/09	.000	2015/01
SODIUM	00929	108	2006/01/09	30.000	2015/01
SPECIFIC CONDUCTANCE	00095	108	2006/01/09	460.000	2015/01
SULFATE	00945	108	2006/01/09	13.000	2015/01
TOTAL DISSOLVED SOLIDS	70300	108	2006/01/09	290.000	2015/01
TURBIDITY, LABORATORY	82079	108	2006/01/09	2.500	2015/01
ZINC	01092	108	2006/01/09	.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710001 CITY OF DORRIS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710001-003 WELL 06****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	1998/09/22	.000	2007/09
ANTIMONY	01097	036	2006/01/09	.000	2009/01
ARSENIC	01002	108	2006/01/09	.000	2015/01
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2006/01/09	.000	2015/01
BERYLLIUM	01012	036	2006/01/09	.000	2009/01
CADMIUM	01027	108	2006/01/09	.000	2015/01
CHROMIUM (TOTAL)	01034	108	2006/01/09	.000	2015/01
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2006/01/09	.150	2015/01
LEAD	01051	WAIVED	1992/06/05	.800	WAIVED
MERCURY	71900	108	2006/01/09	.000	2015/01
NICKEL	01067	036	2006/01/09	.000	2009/01
SELENIUM	01147	108	2006/01/09	.000	2015/01
THALLIUM	01059	036	2006/01/09	.000	2009/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2004/12/28	.000	2005/12	DUE
NITRITE (AS N)	00620	036	2003/12/11	.000	2006/12	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2002/06/12	1.030	2006/06	DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710001 CITY OF DORRIS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710001-003 WELL 06****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/06/06 <	.100	WAIVED
2,4-D	39730	WAIVED	1989/06/06 <	1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/06/06 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1989/06/06 <	.500	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/06/06 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/06/06 <	.500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/06/06 <	.100	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/06/06 <	1.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710001 CITY OF DORRIS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710001-003 WELL 06****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/06/06 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/06/06 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/02/20	.000	2007/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/02/20	.000	2007/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/02/20	.000	2007/02	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/02/20	.000	2007/02	DUE
1,1-DICHLOROETHANE	34496	072	2001/02/20	.000	2007/02	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/02/20	.000	2007/02	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/02/20	.000	2007/02	DUE
1,2-DICHLOROBENZENE	34536	072	2001/02/20	.000	2007/02	DUE
1,2-DICHLOROETHANE	34531	072	2001/02/20	.000	2007/02	DUE
1,2-DICHLOROPROPANE	34541	072	2001/02/20	.000	2007/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/02/20	.000	2007/02	DUE
1,4-DICHLOROBENZENE	34571	072	2001/02/20	.000	2007/02	DUE
BENZENE	34030	072	2001/02/20	.000	2007/02	DUE
CARBON TETRACHLORIDE	32102	072	2001/02/20	.000	2007/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/02/20	.000	2007/02	DUE
DICHLOROMETHANE	34423	072	2001/02/20	.000	2007/02	DUE
ETHYLBENZENE	34371	072	2001/02/20	.000	2007/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2003/12/11	.000	2009/12	
MONOCHLOROBENZENE	34301	072	2001/02/20	.000	2007/02	DUE
STYRENE	77128	072	2001/02/20	.000	2007/02	DUE
TETRACHLOROETHYLENE	34475	072	2001/02/20	.000	2007/02	DUE
TOLUENE	34010	072	2001/02/20	.000	2007/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/02/20	.000	2007/02	DUE
TRICHLOROETHYLENE	39180	072	2001/02/20	.000	2007/02	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/02/20	.000	2007/02	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710001 CITY OF DORRIS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710001-003 WELL 06****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/02/20	.000	2007/02	DUE
XYLENES (TOTAL)	81551	072	2001/02/20	.000	2007/02	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/01/09	.140	2015/01
BICARBONATE ALKALINITY	00440	108	2006/01/09	160.000	2015/01
CALCIUM	00916	108	2006/01/09	6.500	2015/01
CARBONATE ALKALINITY	00445	108	2006/01/09	4.000	2015/01
CHLORIDE	00940	108	2006/01/09	6.800	2015/01
COLOR	00081	036	2006/01/09	5.000	2009/01
COPPER	01042	108	2006/01/09	.000	2015/01
FOAMING AGENTS (MBAS)	38260	108	2006/01/09	< .050	2015/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2006/01/09	26.000	2015/01
HYDROXIDE ALKALINITY	71830	108	2006/01/09	< 1.000	2015/01
IRON	01045	108	2006/01/09	.000	2015/01
MAGNESIUM	00927	108	2006/01/09	2.500	2015/01
MANGANESE	01055	108	2006/01/09	.000	2015/01
ODOR THRESHOLD @ 60 C	00086	036	2006/01/09	1.000	2009/01
PH, LABORATORY	00403	108	2006/01/09	8.400	2015/01
SILVER	01077	108	2006/01/09	.000	2015/01
SODIUM	00929	108	2006/01/09	55.000	2015/01
SPECIFIC CONDUCTANCE	00095	108	2006/01/09	340.000	2015/01
SULFATE	00945	108	2006/01/09	1.700	2015/01
TOTAL DISSOLVED SOLIDS	70300	108	2006/01/09	250.000	2015/01
TURBIDITY, LABORATORY	82079	036	2006/01/09	.140	2009/01
ZINC	01092	108	2006/01/09	.000	2015/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710002 CITY OF DUNSMUIR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710002-001 SPRING SOURCESource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	1989/10/24 <	.020	WAIVED
----------	-------	--------	--------------	------	--------

INORGANIC

ALUMINUM	01105	108	2001/01/15	.000	2010/01
ANTIMONY	01097	108	2001/01/15	.000	2010/01
ARSENIC	01002	108	2001/01/15	.000	2010/01
ASBESTOS	81855	WAIVED	2001/01/15	.000	WAIVED
BARIUM	01007	108	2001/01/15	.000	2010/01
BERYLLIUM	01012	108	2001/01/15	.000	2010/01
CADMIUM	01027	108	2001/01/15	.000	2010/01
CHROMIUM (TOTAL)	01034	108	2001/01/15	.000	2010/01
CYANIDE	01291	WAIVED	2001/01/15	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2001/01/15	.000	2010/01
LEAD	01051	WAIVED	2001/01/15	.000	WAIVED
MERCURY	71900	108	2001/01/15	.000	2010/01
NICKEL	01067	108	2001/01/15	.000	2010/01
SELENIUM	01147	108	2001/01/15	.000	2010/01
THALLIUM	01059	108	2001/01/15	.000	2010/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/07/18	.000	2007/07
NITRITE (AS N)	00620	036	2005/05/27	.000	2008/05

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/12/12	.000	2009/12
GROSS BETA	03501	WAIVED	2001/01/15	3.300	WAIVED
RADIUM 226	09501	WAIVED	2001/01/15	.000	WAIVED
RADIUM 228	11501	048	2005/10/11	1.300	2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710002 CITY OF DUNSMUIR**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710002-001 SPRING SOURCE****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/10/24	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1989/10/24	< .500	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/01/22	< .010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/10/24	< .500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/01/22	< .400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/01/22	< 10.000	WAIVED
MOLINATE	82199	WAIVED	1989/10/24	< 2.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710002 CITY OF DUNSMUIR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710002-001 SPRING SOURCE

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	1989/10/24 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1990/01/22 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/01/15	.000	2007/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/01/15	.000	2007/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/01/15	.000	2007/01	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/01/15	.000	2007/01	DUE
1,1-DICHLOROETHANE	34496	072	2001/01/15	.000	2007/01	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/01/15	.000	2007/01	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/01/15	.000	2007/01	DUE
1,2-DICHLOROBENZENE	34536	072	2001/01/15	.000	2007/01	DUE
1,2-DICHLOROETHANE	34531	072	2001/01/15	.000	2007/01	DUE
1,2-DICHLOROPROPANE	34541	072	2001/01/15	.000	2007/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/01/15	.000	2007/01	DUE
1,4-DICHLOROBENZENE	34571	072	2001/01/15	.000	2007/01	DUE
BENZENE	34030	072	2001/01/15	.000	2007/01	DUE
CARBON TETRACHLORIDE	32102	072	2001/01/15	.000	2007/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/01/15	.000	2007/01	DUE
DICHLOROMETHANE	34423	072	2001/01/15	.000	2007/01	DUE
ETHYLBENZENE	34371	072	2001/01/15	.000	2007/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/10/11	.000	2011/10	
MONOCHLOROBENZENE	34301	072	2001/01/15	.000	2007/01	DUE
STYRENE	77128	072	2001/01/15	.000	2007/01	DUE
TETRACHLOROETHYLENE	34475	072	2001/01/15	.000	2007/01	DUE
TOLUENE	34010	072	2001/01/15	.000	2007/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/01/15	.000	2007/01	DUE
TRICHLOROETHYLENE	39180	072	2001/01/15	.000	2007/01	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/01/15	.000	2007/01	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710002 CITY OF DUNSMUIR

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710002-001 SPRING SOURCE

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED VOC

VINYL CHLORIDE	39175	072	2001/01/15	.000	2007/01	DUE
XYLENES (TOTAL)	81551	072	2001/01/15	.000	2007/01	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/10/11	9.900	2014/10
BICARBONATE ALKALINITY	00440	108	2006/07/18	66.000	2015/07
CALCIUM	00916	108	2001/01/15	10.000	2010/01
CARBONATE ALKALINITY	00445	108	2006/07/18	.000	2015/07
CHLORIDE	00940	108	2001/01/15	2.200	2010/01
COLOR	00081	108	2001/01/15	.000	2010/01
COPPER	01042	108	2001/01/15	.000	2010/01
FOAMING AGENTS (MBAS)	38260	108	2001/01/15	.000	2010/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/10/11	38.000	2014/10
HYDROXIDE ALKALINITY	71830	108	2006/07/18	.000	2015/07
IRON	01045	108	2001/01/15	.000	2010/01
MAGNESIUM	00927	108	2001/01/15	< 4.400	2010/01
MANGANESE	01055	108	2001/01/15	.000	2010/01
ODOR THRESHOLD @ 60 C	00086	108	2001/01/15	.000	2010/01
PH, LABORATORY	00403	108	2001/01/15	6.790	2010/01
SILVER	01077	108	2001/01/15	.000	2010/01
SODIUM	00929	108	2001/01/15	6.100	2010/01
SPECIFIC CONDUCTANCE	00095	108	2000/02/07	110.000	2009/02
SULFATE	00945	108	2001/01/15	.100	2010/01
TOTAL DISSOLVED SOLIDS	70300	108	2001/01/15	100.000	2010/01
TURBIDITY, LABORATORY	82079	108	2001/01/15	.000	2010/01
ZINC	01092	108	2001/01/15	.000	2010/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-001 WELL 02 - STANDBY - DRILLED WELL****Source Number: 001****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	1998/05/19	3370.000	WAIVED
ANTIMONY	01097	WAIVED	1998/05/19	.000	WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	1998/05/19	.000	WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	1998/05/19	12.000	WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	1998/05/19	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	1998/05/19	11.100	WAIVED
NITRITE (AS N)	00620	WAIVED	1998/05/19	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	WAIVED		WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-001 WELL 02 - STANDBY - DRILLED WELL****Source Number: 001****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/10/23	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1989/10/23	< .500	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/10/23	< .500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	1989/10/23	< 2.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-001 WELL 02 - STANDBY - DRILLED WELL****Source Number: 001****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/10/23 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1989/10/23	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1989/10/23	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1989/10/23	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1989/10/23	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1989/10/23	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1989/10/23	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1989/10/23	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1989/10/23	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1989/10/23	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1989/10/23	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1989/10/23	.000	WAIVED
BENZENE	34030	WAIVED	1989/10/23	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1989/10/23	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1989/10/23	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1989/10/23	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1989/10/23	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1989/10/23	.000	WAIVED
STYRENE	77128	WAIVED	1989/10/23	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1989/10/23	.000	WAIVED
TOLUENE	34010	WAIVED	1989/10/23	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1989/10/23	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1989/10/23	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1989/10/23	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-001 WELL 02 - STANDBY - DRILLED WELL****Source Number: 001****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1989/10/23	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1989/10/23	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED		WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-002 WELL 01 - STANDBY - 5 FT. DIAM. WELL****Source Number: 002****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	1998/05/19	153.000	2007/05
ANTIMONY	01097	108	1998/05/19	.000	2007/05
ARSENIC	01002	108	2005/12/15	.000	2014/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/12/15	.000	2014/12
BERYLLIUM	01012	108	1998/05/19	.000	2007/05
CADMIUM	01027	108	2005/12/15	.000	2014/12
CHROMIUM (TOTAL)	01034	108	2005/12/15	.000	2014/12
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/12/15	.100	2014/12
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	108	2005/12/15	.000	2014/12
NICKEL	01067	108	1998/05/19	2.000	2007/05
SELENIUM	01147	108	2005/12/15	.000	2014/12
THALLIUM	01059	108	1998/05/19	.000	2007/05

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	1998/05/19	9.130	2007/05
NITRITE (AS N)	00620	108	1998/05/19	.000	2007/05

RADIOLOGICAL

GROSS ALPHA	01501	108	2005/12/15	.000	2014/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	109			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-002 WELL 01 - STANDBY - 5 FT. DIAM. WELL****Source Number: 002****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/10/23	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1989/10/23	< .500	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/10/23	< .500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	1989/10/23	< 2.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-002 WELL 01 - STANDBY - 5 FT. DIAM. WELL****Source Number: 002****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/10/23 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2005/12/15	.000	2014/12
1,1,2,2-TETRACHLOROETHANE	34516	108	2005/12/15	.000	2014/12
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2005/12/15	.000	2014/12
1,1,2-TRICHLOROETHANE	34511	108	2005/12/15	.000	2014/12
1,1-DICHLOROETHANE	34496	108	2005/12/15	.000	2014/12
1,1-DICHLOROETHYLENE	34501	108	2005/12/15	.000	2014/12
1,2,4-TRICHLOROBENZENE	34551	108	2005/12/15	.000	2014/12
1,2-DICHLOROBENZENE	34536	108	2005/12/15	.000	2014/12
1,2-DICHLOROETHANE	34531	108	2005/12/15	.000	2014/12
1,2-DICHLOROPROPANE	34541	108	2005/12/15	.000	2014/12
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2005/12/15	.000	2014/12
1,4-DICHLOROBENZENE	34571	108	2005/12/15	.000	2014/12
BENZENE	34030	108	2005/12/15	.000	2014/12
CARBON TETRACHLORIDE	32102	108	2005/12/15	.000	2014/12
CIS-1,2-DICHLOROETHYLENE	77093	108	2005/12/15	.000	2014/12
DICHLOROMETHANE	34423	108	2005/12/15	.000	2014/12
ETHYLBENZENE	34371	108	2005/12/15	.000	2014/12
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2005/12/15	.000	2014/12
MONOCHLOROBENZENE	34301	108	2005/12/15	.000	2014/12
STYRENE	77128	108	2005/12/15	.000	2014/12
TETRACHLOROETHYLENE	34475	108	2005/12/15	.000	2014/12
TOLUENE	34010	108	2005/12/15	.000	2014/12
TRANS-1,2-DICHLOROETHYLENE	34546	108	2005/12/15	.000	2014/12
TRICHLOROETHYLENE	39180	108	2005/12/15	.000	2014/12
TRICHLOROFLUOROMETHANE	34488	108	2005/12/15	.000	2014/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-002 WELL 01 - STANDBY - 5 FT. DIAM. WELL****Source Number: 002****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	108	2005/12/15	.000	2014/12
XYLENES (TOTAL)	81551	108	2005/12/15	.000	2014/12

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/12/15	12.100	2014/12
BICARBONATE ALKALINITY	00440	108	2005/12/15	311.000	2014/12
CALCIUM	00916	108	2005/12/15	48.100	2014/12
CARBONATE ALKALINITY	00445	108	2005/12/15	.000	2014/12
CHLORIDE	00940	108	2005/12/15	4.800	2014/12
COLOR	00081	108	2005/12/15	7.000	2014/12
COPPER	01042	108	2005/12/15	.000	2014/12
FOAMING AGENTS (MBAS)	38260	108	2005/12/15	.030	2014/12
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/12/15	274.000	2014/12
HYDROXIDE ALKALINITY	71830	108	2005/12/15	.000	2014/12
IRON	01045	108	2005/12/15	.000	2014/12
MAGNESIUM	00927	108	2005/12/15	32.000	2014/12
MANGANESE	01055	108	2005/12/15	.000	2014/12
ODOR THRESHOLD @ 60 C	00086	108	2005/12/15	.000	2014/12
PH, LABORATORY	00403	108	2005/12/15	7.580	2014/12
SILVER	01077	000			DUE
SODIUM	00929	108	2005/12/15	5.770	2014/12
SPECIFIC CONDUCTANCE	00095	108	2005/12/15	526.000	2014/12
SULFATE	00945	108	2005/12/15	20.100	2014/12
TOTAL DISSOLVED SOLIDS	70300	108	2005/12/15	310.000	2014/12
TURBIDITY, LABORATORY	82079	108	2005/12/15	3.030	2014/12
ZINC	01092	108	2005/12/15	.000	2014/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	1997/10/08	.000	2000/10	DUE
ANTIMONY	01097	036	1997/10/08	.000	2000/10	DUE
ARSENIC	01002	108	2005/12/15	.000	2014/12	
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	108	2005/12/15	.000	2014/12	
BERYLLIUM	01012	036	2005/12/15	.000	2008/12	
CADMIUM	01027	108	2005/12/15	.000	2014/12	
CHROMIUM (TOTAL)	01034	108	2005/12/15	.000	2014/12	
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/12/15	.100	2014/12	
LEAD	01051	WAIVED	1997/10/08	.000	WAIVED	
MERCURY	71900	108	2005/12/15	.000	2014/12	
NICKEL	01067	036	2005/12/15	.000	2008/12	
SELENIUM	01147	108	2005/12/15	.000	2014/12	
THALLIUM	01059	036	2005/12/15	.000	2008/12	

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/08/30	8.900	2006/08	DUE
NITRITE (AS N)	00620	036	2005/08/30	.000	2008/08	

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/08/30 <	3.000	2009/08	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	048				DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1992/09/11	.000	WAIVED
2,4-D	39730	WAIVED	1992/09/11	.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1997/10/08	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1997/10/08	.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/01/17	.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1992/09/11	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	2005/09/20	.000	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1992/09/11	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1992/09/11	.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1997/10/08	.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1992/09/11	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2005/08/30	.000	2011/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2005/08/30	.000	2011/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2005/08/30	.000	2011/08
1,1,2-TRICHLOROETHANE	34511	072	2005/08/30	.000	2011/08
1,1-DICHLOROETHANE	34496	072	2005/08/30	.000	2011/08
1,1-DICHLOROETHYLENE	34501	072	2005/08/30	.000	2011/08
1,2,4-TRICHLOROBENZENE	34551	072	2005/08/30	.000	2011/08
1,2-DICHLOROBENZENE	34536	072	2005/08/30	.000	2011/08
1,2-DICHLOROETHANE	34531	072	2005/08/30	.000	2011/08
1,2-DICHLOROPROPANE	34541	072	2005/08/30	.000	2011/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2005/08/30	.000	2011/08
1,4-DICHLOROBENZENE	34571	072	2005/08/30	.000	2011/08
BENZENE	34030	072	2005/08/30	.000	2011/08
CARBON TETRACHLORIDE	32102	072	2005/08/30	.000	2011/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2005/08/30	.000	2011/08
DICHLOROMETHANE	34423	072	2005/08/30	.000	2011/08
ETHYLBENZENE	34371	072	2005/08/30	.000	2011/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2005/08/30	.000	2011/08
MONOCHLOROBENZENE	34301	072	2005/08/30	.000	2011/08
STYRENE	77128	072	2005/08/30	.000	2011/08
TETRACHLOROETHYLENE	34475	072	2005/08/30	.000	2011/08
TOLUENE	34010	072	2005/08/30	.000	2011/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2005/08/30	.000	2011/08
TRICHLOROETHYLENE	39180	072	2005/08/30	.000	2011/08
TRICHLOROFLUOROMETHANE	34488	072	2005/08/30	.000	2011/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710003 TOWN OF FORT JONES**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710003-003 WELL 03****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2005/08/30	.000	2011/08
XYLENES (TOTAL)	81551	072	2005/08/30	.000	2011/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/12/15	11.500	2014/12
BICARBONATE ALKALINITY	00440	108	2005/12/15	276.000	2014/12
CALCIUM	00916	108	1997/10/08	42.000	2006/10 DUE
CARBONATE ALKALINITY	00445	108	2005/12/15	.000	2014/12
CHLORIDE	00940	108	2005/12/15	2.700	2014/12
COLOR	00081	108	2005/12/15	.000	2014/12
COPPER	01042	108	2005/12/15	.000	2014/12
FOAMING AGENTS (MBAS)	38260	108	2005/12/15	.000	2014/12
HARDNESS (TOTAL) AS CaCO3	00900	108	1997/10/08	234.000	2006/10 DUE
HYDROXIDE ALKALINITY	71830	108	2005/12/15	.000	2014/12
IRON	01045	108	2005/12/15	.000	2014/12
MAGNESIUM	00927	108	1997/10/08	27.000	2006/10 DUE
MANGANESE	01055	108	2005/12/15	.000	2014/12
ODOR THRESHOLD @ 60 C	00086	108	2005/12/15	.000	2014/12
PH, LABORATORY	00403	108	2005/12/15	7.150	2014/12
SILVER	01077	036	1997/10/08	.000	2000/10 DUE
SODIUM	00929	108	2005/12/15	7.150	2014/12
SPECIFIC CONDUCTANCE	00095	108	2005/12/15	448.000	2014/12
SULFATE	00945	108	2005/12/15	9.800	2014/12
TOTAL DISSOLVED SOLIDS	70300	108	2005/12/15	255.000	2014/12
TURBIDITY, LABORATORY	82079	108	2005/12/15	.140	2014/12
ZINC	01092	108	2005/12/15	.000	2014/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710004 CITY OF ETNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710004-001 ETNA CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/05/20	.000	2011/05
ANTIMONY	01097	108	2005/10/25	.000	2014/10
ARSENIC	01002	108	2002/05/20	.000	2011/05
ASBESTOS	81855	000			DUE
BARIUM	01007	108	2002/05/20	.000	2011/05
BERYLLIUM	01012	108	2005/10/25	.000	2014/10
CADMIUM	01027	108	2002/05/20	.000	2011/05
CHROMIUM (TOTAL)	01034	108	2002/05/20		2011/05
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/05/20	1.260	2011/05
LEAD	01051	WAIVED	2002/05/20	.000	WAIVED
MERCURY	71900	108	2002/05/20	.000	2011/05
NICKEL	01067	108	2005/10/25	.000	2014/10
SELENIUM	01147	108	2002/05/20	.000	2011/05
THALLIUM	01059	108	2005/10/25	.000	2014/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/10/25	.000	2006/10	DUE
NITRITE (AS N)	00620	036	2002/05/20	.000	2005/05	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/10/25 <	3.000	2009/10
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710004 CITY OF ETNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710004-001 ETNA CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710004 CITY OF ETNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710004-001 ETNA CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/05/20	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/05/20	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1990/08/24	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/05/20	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2002/05/20	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/05/20	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/05/20	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2002/05/20	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2002/05/20	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2002/05/20	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/05/20	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2002/05/20	.000	WAIVED
BENZENE	34030	WAIVED	2002/05/20	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2002/05/20	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/05/20	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2002/05/20	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2002/05/20	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/05/20	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2002/05/20	.000	WAIVED
STYRENE	77128	WAIVED	2002/05/20	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2002/05/20	.000	WAIVED
TOLUENE	34010	WAIVED	2002/05/20	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/05/20	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2002/05/20	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/05/20	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710004 CITY OF ETNA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710004-001 ETNA CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2002/05/20	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2002/05/20	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/10/25	10.700	2014/10
BICARBONATE ALKALINITY	00440	108	2005/10/25	54.000	2014/10
CALCIUM	00916	108	2002/05/20	5.000	2011/05
CARBONATE ALKALINITY	00445	108	2005/10/25	.000	2014/10
CHLORIDE	00940	108	2002/05/20	.470	2011/05
COLOR	00081	WAIVED	2002/05/20	10.000	WAIVED
COPPER	01042	108	2002/05/20	.000	2011/05
FOAMING AGENTS (MBAS)	38260	108	2002/05/20	.040	2011/05
HARDNESS (TOTAL) AS CaCO3	00900	108	2002/05/20	13.000	2011/05
HYDROXIDE ALKALINITY	71830	108	2005/10/25	.000	2014/10
IRON	01045	108	2002/05/20	.000	2011/05
MAGNESIUM	00927	108	2002/05/20	.000	2011/05
MANGANESE	01055	108	2002/05/20	.000	2011/05
ODOR THRESHOLD @ 60 C	00086	WAIVED	2002/05/20	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2002/05/20	6.820	WAIVED
SILVER	01077	108	2002/05/20	.000	2011/05
SODIUM	00929	108	2002/05/20	.000	2011/05
SPECIFIC CONDUCTANCE	00095	108	2002/05/20	32.000	2011/05
SULFATE	00945	108	2002/05/20	1.500	2011/05
TOTAL DISSOLVED SOLIDS	70300	108	2002/05/20	25.000	2011/05
TURBIDITY, LABORATORY	82079	WAIVED	2002/05/20	.190	WAIVED
ZINC	01092	108	2002/05/20	.000	2011/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710006 MC CLOUD C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710006-001 INTAKE SQUAW SPRINGS

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2000/03/10	.000	2003/03	DUE
ANTIMONY	01097	036	2000/03/10	.000	2003/03	DUE
ARSENIC	01002	036	1991/02/08 <	.800	1994/02	DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036	1991/02/08	5.000	1994/02	DUE
BERYLLIUM	01012	036	2000/03/10	.000	2003/03	DUE
CADMIUM	01027	036	1991/02/08 <	1.000	1994/02	DUE
CHROMIUM (TOTAL)	01034	036	1991/02/08 <	3.000	1994/02	DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	1991/02/08	.060	1994/02	DUE
LEAD	01051	WAIVED	1991/02/08 <	.800	WAIVED	
MERCURY	71900	036	1991/02/08 <	.200	1994/02	DUE
NICKEL	01067	036	2000/03/10	.000	2003/03	DUE
SELENIUM	01147	036	1991/02/08 <	.800	1994/02	DUE
THALLIUM	01059	036	2000/03/10	.000	2003/03	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/10	.000	2007/08
NITRITE (AS N)	00620	036	2005/12/07	.000	2008/12

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/10/05 <	3.000	2009/10
GROSS BETA	03501	WAIVED	2005/10/05 <	4.000	WAIVED
RADIUM 226	09501	WAIVED	2005/10/05 <	1.000	WAIVED
RADIUM 228	11501	WAIVED	2005/10/05 <	1.000	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	2005/10/05 <	2.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710006 MCCLLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-001 INTAKE SQUAW SPRINGS****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/05/18 <	.100	WAIVED
2,4-D	39730	WAIVED	1989/05/18 <	1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/05/11 <	1.000	WAIVED
BENTAZON	38710	WAIVED	1989/05/11 <	2.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/01/17	.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/05/18 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/10/20 <	.500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/05/18 <	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/05/18 <	1.000	WAIVED
MOLINATE	82199	WAIVED	1989/05/11 <	2.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MCCLLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-001 INTAKE SQUAW SPRINGS****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/05/11 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	1989/05/11 <	.500	WAIVED
TOXAPHENE	39400	WAIVED	1989/05/18 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/01/17	.000	2007/01	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/01/17	.000	2007/01	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/01/17	.000	2007/01	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/01/17	.000	2007/01	DUE
1,1-DICHLOROETHANE	34496	072	2001/01/17	.000	2007/01	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/01/17	.000	2007/01	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/01/17	.000	2007/01	DUE
1,2-DICHLOROBENZENE	34536	072	2001/01/17	.000	2007/01	DUE
1,2-DICHLOROETHANE	34531	072	2001/01/17	.000	2007/01	DUE
1,2-DICHLOROPROPANE	34541	072	2001/01/17	.000	2007/01	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/01/17	.000	2007/01	DUE
1,4-DICHLOROBENZENE	34571	072	2001/01/17	.000	2007/01	DUE
BENZENE	34030	072	2001/01/17	.000	2007/01	DUE
CARBON TETRACHLORIDE	32102	072	2001/01/17	.000	2007/01	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/01/17	.000	2007/01	DUE
DICHLOROMETHANE	34423	072	2001/01/17	.000	2007/01	DUE
ETHYLBENZENE	34371	072	2001/01/17	.000	2007/01	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/01/17	.000	2007/01	DUE
MONOCHLOROBENZENE	34301	072	2001/01/17	.000	2007/01	DUE
STYRENE	77128	072	2001/01/17	.000	2007/01	DUE
TETRACHLOROETHYLENE	34475	072	2001/01/17	.000	2007/01	DUE
TOLUENE	34010	072	2001/01/17	.000	2007/01	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/01/17	.000	2007/01	DUE
TRICHLOROETHYLENE	39180	072	2001/01/17	.000	2007/01	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/01/17	.000	2007/01	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MCCLLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-001 INTAKE SQUAW SPRINGS****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/01/17	.000	2007/01	DUE
XYLENES (TOTAL)	81551	072	2001/01/17	.000	2007/01	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1991/02/08	33.000	2000/02	DUE
CALCIUM	00916	108	1991/02/08	4.680	2000/02	DUE
CARBONATE ALKALINITY	00445	108	1991/02/08	.000	2000/02	DUE
CHLORIDE	00940	036	1991/02/08	.135	1994/02	DUE
COLOR	00081	036				DUE
COPPER	01042	036	1991/02/08	3.000	1994/02	DUE
FOAMING AGENTS (MBAS)	38260	036	1991/02/08 <	.020	1994/02	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1991/02/08	17.500	2000/02	DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	036	1991/02/08 <	10.000	1994/02	DUE
MAGNESIUM	00927	108	1991/02/08	1.300	2000/02	DUE
MANGANESE	01055	036	1991/02/08 <	1.000	1994/02	DUE
ODOR THRESHOLD @ 60 C	00086	036				DUE
PH, LABORATORY	00403	036	1991/02/08	7.050	1994/02	DUE
SILVER	01077	036	1991/02/08 <	1.000	1994/02	DUE
SODIUM	00929	108	1991/02/08	3.740	2000/02	DUE
SPECIFIC CONDUCTANCE	00095	036	2001/12/07	44.000	2004/12	DUE
SULFATE	00945	036	1991/02/08	.247	1994/02	DUE
TOTAL DISSOLVED SOLIDS	70300	036	1991/02/08	68.000	1994/02	DUE
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036	1991/02/08	5.000	1994/02	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710006 MC CLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-002 LOWER ELK SPRINGS****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	WAIVED		WAIVED
ANTIMONY	01097	WAIVED	WAIVED		WAIVED
ARSENIC	01002	WAIVED	WAIVED		WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	WAIVED		WAIVED
BERYLLIUM	01012	WAIVED	WAIVED		WAIVED
CADMIUM	01027	WAIVED	WAIVED		WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED		WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	WAIVED		WAIVED
NICKEL	01067	WAIVED	WAIVED		WAIVED
SELENIUM	01147	WAIVED	WAIVED		WAIVED
THALLIUM	01059	WAIVED	WAIVED		WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2003/03/05	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2003/03/05	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2005/10/05 <	3.000	WAIVED
GROSS BETA	03501	WAIVED	2005/10/05 <	4.000	WAIVED
RADIUM 226	09501	WAIVED	2005/10/05 <	1.000	WAIVED
RADIUM 228	11501	WAIVED	2005/10/05 <	1.000	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	2005/10/05 <	2.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MCCLLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-002 LOWER ELK SPRINGS****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/01/17	.000 WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MCCLLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-002 LOWER ELK SPRINGS****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/01/17	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/01/17	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/01/17	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/01/17	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2001/01/17	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/01/17	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/01/17	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2001/01/17	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2001/01/17	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2001/01/17	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/01/17	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2001/01/17	.000	WAIVED
BENZENE	34030	WAIVED	2001/01/17	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2001/01/17	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/01/17	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2001/01/17	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2001/01/17	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/01/17	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2001/01/17	.000	WAIVED
STYRENE	77128	WAIVED	2001/01/17	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2001/01/17	.000	WAIVED
TOLUENE	34010	WAIVED	2001/01/17	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/01/17	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2001/01/17	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/01/17	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MC CLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-002 LOWER ELK SPRINGS****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2001/01/17	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2001/01/17	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED		WAIVED
CALCIUM	00916	WAIVED	WAIVED		WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED		WAIVED
CHLORIDE	00940	WAIVED	WAIVED		WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	WAIVED		WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED		WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED		WAIVED
IRON	01045	WAIVED	WAIVED		WAIVED
MAGNESIUM	00927	WAIVED	WAIVED		WAIVED
MANGANESE	01055	WAIVED	WAIVED		WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED		WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	WAIVED		WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2001/12/07	57.000	WAIVED
SULFATE	00945	WAIVED	WAIVED		WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED		WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710006 MC CLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-004 UPPER ELK SPRINGS****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	WAIVED	2000/03/10	.000	WAIVED
ANTIMONY	01097	WAIVED	2000/03/10	.000	WAIVED
ARSENIC	01002	WAIVED	WAIVED	<	WAIVED
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	WAIVED	WAIVED	<	WAIVED
BERYLLIUM	01012	WAIVED	2000/03/10	.000	WAIVED
CADMIUM	01027	WAIVED	WAIVED	<	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	WAIVED	<	WAIVED
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	WAIVED	<	WAIVED
LEAD	01051	WAIVED	WAIVED	<	WAIVED
MERCURY	71900	WAIVED	WAIVED	<	WAIVED
NICKEL	01067	WAIVED	2000/03/10	.000	WAIVED
SELENIUM	01147	WAIVED	WAIVED	<	WAIVED
THALLIUM	01059	WAIVED	2000/03/10	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2003/03/05	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2003/03/05	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2005/10/05	<	3.000	WAIVED
GROSS BETA	03501	WAIVED	2005/10/05	<	4.000	WAIVED
RADIUM 226	09501	WAIVED	2005/10/05	<	1.000	WAIVED
RADIUM 228	11501	WAIVED	2005/10/05	<	1.000	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<		WAIVED
TRITIUM	07000	WAIVED	WAIVED	<		WAIVED
URANIUM (PCI/L)	28012	WAIVED	2005/10/05	<	2.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MCCLLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-004 UPPER ELK SPRINGS****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	<	WAIVED
2,4-D	39730	WAIVED	WAIVED	<	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	<	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<	WAIVED
DALAPON	38432	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	<	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	<	WAIVED
DINOSEB	81287	WAIVED	WAIVED	<	WAIVED
DIQUAT	78885	WAIVED	WAIVED	<	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<	WAIVED
ENDRIN	39390	WAIVED	WAIVED	<	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<	WAIVED
LINDANE	39340	WAIVED	WAIVED	<	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	<	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<	WAIVED
OXAMYL	38865	WAIVED	WAIVED	<	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<	WAIVED
PICLORAM	39720	WAIVED	WAIVED	<	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MCCLLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-004 UPPER ELK SPRINGS****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	<	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	<	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	<	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	<	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	<	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	<	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	<	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	<	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	<	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	<	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	<	WAIVED
BENZENE	34030	WAIVED	WAIVED	<	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	<	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	<	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	<	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	<	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	<	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	<	WAIVED
STYRENE	77128	WAIVED	WAIVED	<	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	<	WAIVED
TOLUENE	34010	WAIVED	WAIVED	<	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	<	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	<	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MCLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-004 UPPER ELK SPRINGS****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED <	WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED <	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED <	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	WAIVED <	WAIVED
CALCIUM	00916	WAIVED	WAIVED <	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	WAIVED <	WAIVED
CHLORIDE	00940	WAIVED	WAIVED <	WAIVED
COLOR	00081	WAIVED	WAIVED <	WAIVED
COPPER	01042	WAIVED	WAIVED <	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED <	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	WAIVED <	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	WAIVED <	WAIVED
IRON	01045	WAIVED	WAIVED <	WAIVED
MAGNESIUM	00927	WAIVED	WAIVED <	WAIVED
MANGANESE	01055	WAIVED	WAIVED <	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED <	WAIVED
PH, LABORATORY	00403	WAIVED	WAIVED <	WAIVED
SILVER	01077	WAIVED	WAIVED <	WAIVED
SODIUM	00929	WAIVED	WAIVED <	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	WAIVED <	WAIVED
SULFATE	00945	WAIVED	WAIVED <	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	WAIVED <	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED <	WAIVED
ZINC	01092	WAIVED	WAIVED <	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710006 MCCLLOUD C.S.D.

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710006-005 COMBINED UPPER ELK & LOWER ELK SPRINGS

Source Number: 005

Source Status: COMBINATION OR BLEND UNTREAT

Water type: WELL OR GROUND WATER

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	036		<	DUE
ANTIMONY	01097	036		<	DUE
ARSENIC	01002	036		<	DUE
ASBESTOS	81855	WAIVED	WAIVED	<	WAIVED
BARIUM	01007	036		<	DUE
BERYLLIUM	01012	036		<	DUE
CADMIUM	01027	036		<	DUE
CHROMIUM (TOTAL)	01034	036		<	DUE
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036		<	DUE
LEAD	01051	WAIVED	WAIVED	<	WAIVED
MERCURY	71900	036		<	DUE
NICKEL	01067	036		<	DUE
SELENIUM	01147	036		<	DUE
THALLIUM	01059	036		<	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/08/10	.000	2007/08
NITRITE (AS N)	00620	036	2005/12/07	.000	2008/12

RADIOLOGICAL

GROSS ALPHA	01501	000		<	DUE
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MCCLLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-005 COMBINED UPPER ELK & LOWER ELK SPRINGS****Source Number: 005****Source Status: COMBINATION OR BLEND UNTREAT****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	<	WAIVED
2,4-D	39730	WAIVED	WAIVED	<	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	<	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<	WAIVED
DALAPON	38432	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	<	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	<	WAIVED
DINOSEB	81287	WAIVED	WAIVED	<	WAIVED
DIQUAT	78885	WAIVED	WAIVED	<	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<	WAIVED
ENDRIN	39390	WAIVED	WAIVED	<	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	<	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<	WAIVED
LINDANE	39340	WAIVED	WAIVED	<	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	<	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<	WAIVED
OXAMYL	38865	WAIVED	WAIVED	<	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<	WAIVED
PICLORAM	39720	WAIVED	WAIVED	<	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MCCLLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-005 COMBINED UPPER ELK & LOWER ELK SPRINGS****Source Number: 005****Source Status: COMBINATION OR BLEND UNTREAT****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	<	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	<	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	<	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/08/10	.000	2012/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/08/10	.000	2012/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/08/10	.000	2012/08
1,1,2-TRICHLOROETHANE	34511	072	2006/08/10	.000	2012/08
1,1-DICHLOROETHANE	34496	072	2006/08/10	.000	2012/08
1,1-DICHLOROETHYLENE	34501	072	2006/08/10	.000	2012/08
1,2,4-TRICHLOROBENZENE	34551	072	2006/08/10	.000	2012/08
1,2-DICHLOROBENZENE	34536	072	2006/08/10	.000	2012/08
1,2-DICHLOROETHANE	34531	072	2006/08/10	.000	2012/08
1,2-DICHLOROPROPANE	34541	072	2006/08/10	.000	2012/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/08/10	.000	2012/08
1,4-DICHLOROBENZENE	34571	072	2006/08/10	.000	2012/08
BENZENE	34030	072	2006/08/10	.000	2012/08
CARBON TETRACHLORIDE	32102	072	2006/08/10	.000	2012/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/08/10	.000	2012/08
DICHLOROMETHANE	34423	072	2006/08/10	.000	2012/08
ETHYLBENZENE	34371	072	2006/08/10	.000	2012/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/08/10	.000	2012/08
MONOCHLOROBENZENE	34301	072	2006/08/10	.000	2012/08
STYRENE	77128	072	2006/08/10	.000	2012/08
TETRACHLOROETHYLENE	34475	072	2006/08/10	.000	2012/08
TOLUENE	34010	072	2006/08/10	.000	2012/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/08/10	.000	2012/08
TRICHLOROETHYLENE	39180	072	2006/08/10	.000	2012/08
TRICHLOROFLUOROMETHANE	34488	072	2006/08/10	.000	2012/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710006 MC CLOUD C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710006-005 COMBINED UPPER ELK & LOWER ELK SPRINGS****Source Number: 005****Source Status: COMBINATION OR BLEND UNTREAT****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/08/10	.000	2012/08
XYLENES (TOTAL)	81551	072	2006/08/10	.000	2012/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000	<		DUE
BICARBONATE ALKALINITY	00440	000	<		DUE
CALCIUM	00916	000	<		DUE
CARBONATE ALKALINITY	00445	000	<		DUE
CHLORIDE	00940	036	<		DUE
COLOR	00081	036	<		DUE
COPPER	01042	036	<		DUE
FOAMING AGENTS (MBAS)	38260	036	<		DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000	<		DUE
HYDROXIDE ALKALINITY	71830	000	<		DUE
IRON	01045	036	<		DUE
MAGNESIUM	00927	000	<		DUE
MANGANESE	01055	036	<		DUE
ODOR THRESHOLD @ 60 C	00086	036	<		DUE
PH, LABORATORY	00403	036	<		DUE
SILVER	01077	036	<		DUE
SODIUM	00929	000	<		DUE
SPECIFIC CONDUCTANCE	00095	036	<		DUE
SULFATE	00945	036	<		DUE
TOTAL DISSOLVED SOLIDS	70300	036	<		DUE
TURBIDITY, LABORATORY	82079	036	<		DUE
ZINC	01092	036	<		DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710007 CITY OF MONTAGUE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710007-001 LAKE SHASTINA - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	1989/09/26 <	.100	WAIVED
----------	-------	--------	--------------	------	--------

INORGANIC

ALUMINUM	01105	108	2003/09/02	.000	2012/09
ANTIMONY	01097	012	1999/06/28	.000	2000/06 DUE
ARSENIC	01002	108	1995/08/02	4.400	2004/08 DUE
ASBESTOS	81855	000			DUE
BARIUM	01007	108	1995/08/02	.000	2004/08 DUE
BERYLLIUM	01012	012	1999/06/28	.000	2000/06 DUE
CADMIUM	01027	108	1995/08/02	.000	2004/08 DUE
CHROMIUM (TOTAL)	01034	108	2003/09/02		2012/09
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	1995/08/02	.000	2004/08 DUE
LEAD	01051	WAIVED	1995/08/02	.000	WAIVED
MERCURY	71900	108	1995/08/02	.000	2004/08 DUE
NICKEL	01067	012	1999/06/28	.000	2000/06 DUE
SELENIUM	01147	108	1995/08/02	.000	2004/08 DUE
THALLIUM	01059	012	1999/06/28	.000	2000/06 DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2002/09/30	.000	2003/09 DUE
NITRITE (AS N)	00620	036	1999/06/28	.000	2002/06 DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	1992/05/12	1.920	1996/05 DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-001 LAKE SHASTINA - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/06/05 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/06/05 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	1989/09/26 <	.020	WAIVED
ATRAZINE	39033	WAIVED	1997/05/21	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1997/05/21	.000	WAIVED
CHLORDANE	39350	WAIVED	1989/09/26 <	.100	WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	1989/09/26 <	5.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1989/08/21 <	.010	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/08/21 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	1989/09/26 <	5.000	WAIVED
HEPTACHLOR	39410	WAIVED	1989/09/26 <	.010	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/08/21 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/08/21 <	10.000	WAIVED
MOLINATE	82199	WAIVED	1989/08/21 <	2.000	WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-001 LAKE SHASTINA - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/08/21 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	1989/08/21 <	.800	WAIVED
TOXAPHENE	39400	WAIVED	1989/08/21 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/10/29	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/10/29	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1995/08/02	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/10/29	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2001/10/29	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/10/29	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/10/29	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2001/10/29	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2001/10/29	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2001/10/29	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/10/29	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2001/10/29	.000	WAIVED
BENZENE	34030	WAIVED	2001/10/29	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2001/10/29	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/10/29	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2001/10/29	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2001/10/29	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/10/29	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2001/10/29	.000	WAIVED
STYRENE	77128	WAIVED	2001/10/29	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2001/10/29	.000	WAIVED
TOLUENE	34010	WAIVED	2001/10/29	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/10/29	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2001/10/29	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/10/29	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710007 CITY OF MONTAGUE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710007-001 LAKE SHASTINA - RAWSource Number: **001**Source Status: **ACTIVE RAW**Water type: **SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2001/10/29	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2001/10/29	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2006/10/03	171.000	2015/10	
CALCIUM	00916	108	2002/09/30	17.000	2011/09	
CARBONATE ALKALINITY	00445	108	2006/10/03	.000	2015/10	
CHLORIDE	00940	108	2002/09/30	19.000	2011/09	
COLOR	00081	WAIVED	1995/08/02	30.000	WAIVED	
COPPER	01042	108	2003/09/02	.000	2012/09	
FOAMING AGENTS (MBAS)	38260	108	2003/09/02	.000	2012/09	
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2002/09/30	150.000	2011/09	
HYDROXIDE ALKALINITY	71830	108	2006/10/03	.000	2015/10	
IRON	01045	108	2003/09/02	.000	2012/09	
MAGNESIUM	00927	108	2002/09/30	26.000	2011/09	
MANGANESE	01055	108	2003/09/02	.000	2012/09	
ODOR THRESHOLD @ 60 C	00086	WAIVED	1995/08/02 <	1.000	WAIVED	
PH, LABORATORY	00403	WAIVED	2002/09/30	7.300	WAIVED	
SILVER	01077	108	1995/08/02	.000	2004/08	DUE
SODIUM	00929	108	2002/09/30	22.000	2011/09	
SPECIFIC CONDUCTANCE	00095	108	2002/09/30	410.000	2011/09	
SULFATE	00945	108	2002/09/30	51.000	2011/09	
TOTAL DISSOLVED SOLIDS	70300	108	2002/09/30	250.000	2011/09	
TURBIDITY, LABORATORY	82079	WAIVED	1995/08/02	9.000	WAIVED	
ZINC	01092	108	2003/09/02	.000	2012/09	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-002 LITTLE SHASTA RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2001/07/10	.000	WAIVED
ANTIMONY	01097	WAIVED	2000/01/31	.000	WAIVED
ARSENIC	01002	WAIVED	1989/04/17	< 5.000	WAIVED
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	WAIVED	1991/01/28	25.000	WAIVED
BERYLLIUM	01012	WAIVED	2000/01/31	.000	WAIVED
CADMIUM	01027	WAIVED	1989/04/17	< 1.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1989/04/17	< 5.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1989/04/17	< .100	WAIVED
LEAD	01051	WAIVED	1989/04/17	< 10.000	WAIVED
MERCURY	71900	WAIVED	1989/04/17	< 1.000	WAIVED
NICKEL	01067	WAIVED	2000/01/31	.000	WAIVED
SELENIUM	01147	WAIVED	1989/04/17	< 5.000	WAIVED
THALLIUM	01059	WAIVED	2000/01/31	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2005/02/15	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	2005/02/15	.000	WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2000/10/30	< 1.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-002 LITTLE SHASTA RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710007 CITY OF MONTAGUE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710007-002 LITTLE SHASTA RIVER - TREATEDSource Number: **002**Source Status: **ACTIVE TREATED**Water type: **SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2002/04/15	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2002/04/15	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED		WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2002/04/15	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2002/04/15	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2002/04/15	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2002/04/15	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2002/04/15	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2002/04/15	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2002/04/15	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2002/04/15	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2002/04/15	.000	WAIVED
BENZENE	34030	WAIVED	2002/04/15	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2002/04/15	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2002/04/15	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2002/04/15	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2002/04/15	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2002/04/15	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2002/04/15	.000	WAIVED
STYRENE	77128	WAIVED	2002/04/15	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2002/04/15	.000	WAIVED
TOLUENE	34010	WAIVED	2002/04/15	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2002/04/15	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2002/04/15	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2002/04/15	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-002 LITTLE SHASTA RIVER - TREATED****Source Number: 002****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2002/04/15	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2002/04/15	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2000/01/31	159.000	WAIVED
CALCIUM	00916	WAIVED	2000/01/31	15.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2000/01/31	.000	WAIVED
CHLORIDE	00940	WAIVED	2000/01/31	18.600	WAIVED
COLOR	00081	WAIVED	1989/04/17	5.000	WAIVED
COPPER	01042	WAIVED	2000/01/31	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2000/01/31	.000	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2000/01/31	100.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1989/04/17 <	1.000	WAIVED
IRON	01045	WAIVED	2001/07/10	.000	WAIVED
MAGNESIUM	00927	WAIVED	2000/01/31	11.000	WAIVED
MANGANESE	01055	WAIVED	2000/01/31	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1989/04/17 <	1.000	WAIVED
PH, LABORATORY	00403	WAIVED	2000/01/31	7.860	WAIVED
SILVER	01077	WAIVED	1989/04/17 <	2.000	WAIVED
SODIUM	00929	WAIVED	2000/01/31	30.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2000/01/31	273.000	WAIVED
SULFATE	00945	WAIVED	2000/01/31	2.060	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2000/01/31	173.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1989/04/17	.050	WAIVED
ZINC	01092	WAIVED	2000/01/31	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710007 CITY OF MONTAGUE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710007-003 LITTLE SHASTA RIVER - RAWSource Number: **003**Source Status: **ACTIVE RAW**Water type: **SURFACE**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2001/07/10	213.000	2010/07
ANTIMONY	01097	108	2001/07/10	.000	2010/07
ARSENIC	01002	108	1996/02/14	.000	2005/02 DUE
ASBESTOS	81855	000			DUE
BARIUM	01007	108	1996/02/14	.000	2005/02 DUE
BERYLLIUM	01012	108	2001/07/10	.000	2010/07
CADMIUM	01027	108	1996/02/14	.000	2005/02 DUE
CHROMIUM (TOTAL)	01034	108	2001/04/02	6.000	2010/04
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	1996/02/14	.000	2005/02 DUE
LEAD	01051	WAIVED	1996/02/14	.000	WAIVED
MERCURY	71900	108	1996/02/14	.000	2005/02 DUE
NICKEL	01067	108	2001/07/10	.000	2010/07
SELENIUM	01147	108	1996/02/14	.000	2005/02 DUE
THALLIUM	01059	108	2001/07/10	.000	2010/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2001/07/10	.000	2002/07 DUE
NITRITE (AS N)	00620	036	1997/02/03	.000	2000/02 DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	1996/02/14	.370	2000/02 DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-003 LITTLE SHASTA RIVER - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1998/12/16	.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1998/12/16	.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/01/10	.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	WAIVED		WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	WAIVED		WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-003 LITTLE SHASTA RIVER - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	1998/12/16	.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2001/07/10	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2001/07/10	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2001/07/10	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2001/07/10	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2001/07/10	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2001/07/10	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2001/07/10	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2001/07/10	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2001/07/10	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2001/07/10	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2001/07/10	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2001/07/10	.000	WAIVED
BENZENE	34030	WAIVED	2001/07/10	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2001/07/10	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2001/07/10	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	2001/07/10	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	2001/07/10	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/07/10	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2001/07/10	.000	WAIVED
STYRENE	77128	WAIVED	2001/07/10	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2001/07/10	.000	WAIVED
TOLUENE	34010	WAIVED	2001/07/10	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2001/07/10	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2001/07/10	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2001/07/10	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-003 LITTLE SHASTA RIVER - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2001/07/10	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2001/07/10	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2007/04/03	136.000	2016/04	
CALCIUM	00916	108	1998/01/26	14.000	2007/01	DUE
CARBONATE ALKALINITY	00445	108	2007/04/03	.000	2016/04	
CHLORIDE	00940	108	1998/01/26	11.300	2007/01	DUE
COLOR	00081	WAIVED	1996/02/14	40.000	WAIVED	
COPPER	01042	108	1998/01/26	55.000	2007/01	DUE
FOAMING AGENTS (MBAS)	38260	108	1998/01/26 <	.020	2007/01	DUE
HARDNESS (TOTAL) AS CaCO3	00900	108	1998/01/26	79.000	2007/01	DUE
HYDROXIDE ALKALINITY	71830	108	2007/04/03	.000	2016/04	
IRON	01045	108	1998/01/26	2550.000	2007/01	DUE
MAGNESIUM	00927	108	1998/01/26	11.000	2007/01	DUE
MANGANESE	01055	108	1998/01/26	37.000	2007/01	DUE
ODOR THRESHOLD @ 60 C	00086	WAIVED	1996/02/14	< 1.000	WAIVED	
PH, LABORATORY	00403	WAIVED	1998/01/26	8.050	WAIVED	
SILVER	01077	108	1996/02/14	.000	2005/02	DUE
SODIUM	00929	108	1998/01/26	23.000	2007/01	DUE
SPECIFIC CONDUCTANCE	00095	108	1998/01/26	257.000	2007/01	DUE
SULFATE	00945	108	1998/01/26	3.160	2007/01	DUE
TOTAL DISSOLVED SOLIDS	70300	108	1998/01/26	201.000	2007/01	DUE
TURBIDITY, LABORATORY	82079	WAIVED	1996/02/14	36.000	WAIVED	
ZINC	01092	108	1998/01/26	.000	2007/01	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-004 LAKE SHASTINA - TREATMENT PLANT - TREATD****Source Number: 004****Source Status: ACTIVE TREATED****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	WAIVED	2004/07/06	.000	WAIVED
ANTIMONY	01097	WAIVED	2004/07/06	.000	WAIVED
ARSENIC	01002	WAIVED	2004/07/06	.000	WAIVED
ASBESTOS	81855	WAIVED	1996/08/20	.000	WAIVED
BARIUM	01007	WAIVED	2004/07/06	.000	WAIVED
BERYLLIUM	01012	WAIVED	2004/07/06	.000	WAIVED
CADMIUM	01027	WAIVED	2004/07/06	.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	2004/07/06		WAIVED
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/07/06	.130	WAIVED
LEAD	01051	WAIVED	WAIVED		WAIVED
MERCURY	71900	WAIVED	2004/07/06	.000	WAIVED
NICKEL	01067	WAIVED	2004/07/06	.000	WAIVED
SELENIUM	01147	WAIVED	2004/07/06	.000	WAIVED
THALLIUM	01059	WAIVED	2004/07/06	.000	WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	WAIVED	2004/07/06	.000	WAIVED
NITRITE (AS N)	00620	WAIVED	WAIVED		WAIVED

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2000/10/30 <	1.000	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-004 LAKE SHASTINA - TREATMENT PLANT - TREATD****Source Number: 004****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-004 LAKE SHASTINA - TREATMENT PLANT - TREATD****Source Number: 004****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	WAIVED	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	WAIVED	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	WAIVED	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	WAIVED	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	WAIVED	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	WAIVED	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	WAIVED	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	WAIVED	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	WAIVED	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	WAIVED	WAIVED
BENZENE	34030	WAIVED	WAIVED	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	WAIVED	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	WAIVED	WAIVED
DICHLOROMETHANE	34423	WAIVED	WAIVED	WAIVED
ETHYLBENZENE	34371	WAIVED	WAIVED	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	WAIVED	WAIVED
STYRENE	77128	WAIVED	WAIVED	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	WAIVED	WAIVED
TOLUENE	34010	WAIVED	WAIVED	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	WAIVED	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	WAIVED	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710007 CITY OF MONTAGUE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710007-004 LAKE SHASTINA - TREATMENT PLANT - TREATD****Source Number: 004****Source Status: ACTIVE TREATED****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	WAIVED		WAIVED
XYLENES (TOTAL)	81551	WAIVED	WAIVED		WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	2002/04/15	138.000	WAIVED
CALCIUM	00916	WAIVED	2002/04/15	16.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	2002/04/15	.000	WAIVED
CHLORIDE	00940	WAIVED	2002/04/15	17.600	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	2002/04/15	50.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	2002/04/15	.060	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2002/04/15	75.000	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	2000/12/06 <	1.000	WAIVED
IRON	01045	WAIVED	2002/04/15	.000	WAIVED
MAGNESIUM	00927	WAIVED	2002/04/15	11.000	WAIVED
MANGANESE	01055	WAIVED	2002/04/15	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	2002/04/15	7.890	WAIVED
SILVER	01077	WAIVED	WAIVED		WAIVED
SODIUM	00929	WAIVED	2002/04/15	26.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	2002/04/15	315.000	WAIVED
SULFATE	00945	WAIVED	2002/04/15	6.050	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2002/04/15	157.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	2002/04/15	66.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710008 CITY OF MT. SHASTA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710008-002 SPRING SOURCESource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2000/10/18	.000	2009/10
ANTIMONY	01097	108	2003/10/23	.000	2012/10
ARSENIC	01002	108	1997/12/01	.000	2006/12 DUE
ASBESTOS	81855	WAIVED	1997/12/01	.000	WAIVED
BARIIUM	01007	108	1997/12/01	.000	2006/12 DUE
BERYLLIUM	01012	108	2003/10/23	.000	2012/10
CADMIUM	01027	108	1997/12/01	.000	2006/12 DUE
CHROMIUM (TOTAL)	01034	108	2002/12/31		2011/12
CYANIDE	01291	WAIVED	1997/12/01	.000	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	1997/12/01	.050	2006/12 DUE
LEAD	01051	WAIVED	1997/12/01	.000	WAIVED
MERCURY	71900	108	1997/12/01	.000	2006/12 DUE
NICKEL	01067	108	2003/10/23	.000	2012/10
SELENIUM	01147	108	1997/12/01	.000	2006/12 DUE
THALLIUM	01059	108	2003/10/23	.000	2012/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/12/07	.000	2006/12 DUE
NITRITE (AS N)	00620	036	2003/10/23	.000	2006/10 DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/11/29	.000	2010/11
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	2006/11/29	.000	WAIVED
RADIUM 228	11501	048	2006/11/29	.000	2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	1996/06/13	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710008 CITY OF MT. SHASTA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710008-002 SPRING SOURCE****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	1997/12/01	.000	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1997/12/01	.000	WAIVED
2,4-D	39730	WAIVED	1997/12/01	.000	WAIVED
ALACHLOR	77825	WAIVED	1997/12/01	.000	WAIVED
ATRAZINE	39033	WAIVED	1997/12/01	.000	WAIVED
BENTAZON	38710	WAIVED	1997/12/01	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	1997/12/01	.000	WAIVED
CARBOFURAN	81405	WAIVED	1997/12/01	.000	WAIVED
CHLORDANE	39350	WAIVED	1997/12/01	.000	WAIVED
DALAPON	38432	WAIVED	1997/12/01	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	1997/12/01	.000	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	1997/12/01	.000	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1997/12/01	.000	WAIVED
DINOSEB	81287	WAIVED	1997/12/01	.000	WAIVED
DIQUAT	78885	WAIVED	1997/12/01	.000	WAIVED
ENDOTHALL	38926	WAIVED	1997/12/01	.000	WAIVED
ENDRIN	39390	WAIVED	1997/12/01	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1997/12/01	.000	WAIVED
GLYPHOSATE	79743	WAIVED	1997/12/01	.000	WAIVED
HEPTACHLOR	39410	WAIVED	1997/12/01	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	1997/12/01	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	1997/12/01	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1997/12/01	.000	WAIVED
LINDANE	39340	WAIVED	1997/12/01	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1997/12/01	.000	WAIVED
MOLINATE	82199	WAIVED	1997/12/01	.000	WAIVED
OXAMYL	38865	WAIVED	1997/12/01	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1997/12/01	.000	WAIVED
PICLORAM	39720	WAIVED	1997/12/01	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1997/12/01	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710008 CITY OF MT. SHASTA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710008-002 SPRING SOURCE****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1997/12/01	.000	WAIVED
THIOBENCARB	A-001	WAIVED	1997/12/01	.000	WAIVED
TOXAPHENE	39400	WAIVED	1997/12/01	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2003/10/23	.000	2009/10
1,1,2,2-TETRACHLOROETHANE	34516	072	2003/10/23	.000	2009/10
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1997/12/01	.000	2003/12 DUE
1,1,2-TRICHLOROETHANE	34511	072	2003/10/23	.000	2009/10
1,1-DICHLOROETHANE	34496	072	2003/10/23	.000	2009/10
1,1-DICHLOROETHYLENE	34501	072	2003/10/23	.000	2009/10
1,2,4-TRICHLOROBENZENE	34551	072	2003/10/23	.000	2009/10
1,2-DICHLOROBENZENE	34536	072	2003/10/23	.000	2009/10
1,2-DICHLOROETHANE	34531	072	2003/10/23	.000	2009/10
1,2-DICHLOROPROPANE	34541	072	2003/10/23	.000	2009/10
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2003/10/23	.000	2009/10
1,4-DICHLOROBENZENE	34571	072	2003/10/23	.000	2009/10
BENZENE	34030	072	2003/10/23	.000	2009/10
CARBON TETRACHLORIDE	32102	072	2003/10/23	.000	2009/10
CIS-1,2-DICHLOROETHYLENE	77093	072	2003/10/23	.000	2009/10
DICHLOROMETHANE	34423	072	2003/10/23	.000	2009/10
ETHYLBENZENE	34371	072	2003/10/23	.000	2009/10
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2003/10/23	.000	2009/10
MONOCHLOROBENZENE	34301	072	2003/10/23	.000	2009/10
STYRENE	77128	072	2003/10/23	.000	2009/10
TETRACHLOROETHYLENE	34475	072	2003/10/23	.000	2009/10
TOLUENE	34010	072	2003/10/23	.000	2009/10
TRANS-1,2-DICHLOROETHYLENE	34546	072	2003/10/23	.000	2009/10
TRICHLOROETHYLENE	39180	072	2003/10/23	.000	2009/10
TRICHLOROFLUOROMETHANE	34488	072	2003/10/23	.000	2009/10

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710008 CITY OF MT. SHASTA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710008-002 SPRING SOURCE****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2003/10/23	.000	2009/10
XYLENES (TOTAL)	81551	072	2003/10/23	.000	2009/10

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/12/05	9.700	2015/12
BICARBONATE ALKALINITY	00440	108	2006/12/05	32.000	2015/12
CALCIUM	00916	108	1997/12/01	4.900	2006/12 DUE
CARBONATE ALKALINITY	00445	108	2006/12/05	.000	2015/12
CHLORIDE	00940	108	1997/12/01	.300	2006/12 DUE
COLOR	00081	108	2006/12/05	.000	2015/12
COPPER	01042	108	1997/12/01	.000	2006/12 DUE
FOAMING AGENTS (MBAS)	38260	108	1997/12/01	.000	2006/12 DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2006/12/05	13.000	2015/12
HYDROXIDE ALKALINITY	71830	108	2006/12/05	.000	2015/12
IRON	01045	108	1997/12/01	.000	2006/12 DUE
MAGNESIUM	00927	108	1997/12/01	.870	2006/12 DUE
MANGANESE	01055	108	1997/12/01	.000	2006/12 DUE
ODOR THRESHOLD @ 60 C	00086	108	2006/12/05	.000	2015/12
PH, LABORATORY	00403	108	1997/12/01	6.630	2006/12 DUE
SILVER	01077	108	1997/12/01	.000	2006/12 DUE
SODIUM	00929	108	1997/12/01	2.900	2006/12 DUE
SPECIFIC CONDUCTANCE	00095	108	2000/10/18	45.000	2009/10
SULFATE	00945	108	1997/12/01	.300	2006/12 DUE
TOTAL DISSOLVED SOLIDS	70300	108	1997/12/01	60.000	2006/12 DUE
TURBIDITY, LABORATORY	82079	108	2006/12/05	.570	2015/12
ZINC	01092	108	1997/12/01	.000	2006/12 DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710008 CITY OF MT. SHASTA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710008-003 WELL 01Source Number: **003**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2000/10/18	.000	2009/10
ANTIMONY	01097	108	2006/12/05	.000	2015/12
ARSENIC	01002	108	2002/12/31	.000	2011/12
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/12/31	.000	2011/12
BERYLLIUM	01012	108	2006/12/05	.000	2015/12
CADMIUM	01027	108	2002/12/31	.000	2011/12
CHROMIUM (TOTAL)	01034	108	2002/12/31		2011/12
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/12/31	.120	2011/12
LEAD	01051	WAIVED	1993/07/20 <	3.000	WAIVED
MERCURY	71900	108	2002/12/31	.000	2011/12
NICKEL	01067	108	2006/12/05	.000	2015/12
SELENIUM	01147	108	2002/12/31	.000	2011/12
THALLIUM	01059	108	2006/12/05	.000	2015/12

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/12/07	.000	2006/12	DUE
NITRITE (AS N)	00620	036	2003/10/23	.000	2006/10	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/11/29	.000	2010/11	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	2006/11/29	.000	WAIVED	
RADIUM 228	11501	048	2006/11/29	.000	2007/03	DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710008 CITY OF MT. SHASTA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710008-003 WELL 01****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/03/29 <	1.000	WAIVED
2,4-D	39730	WAIVED	1990/03/29 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/09/17 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/02/14	.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/09/17 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/09/17 <	.500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/09/17 <	.100	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/09/17 <	1.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710008 CITY OF MT. SHASTA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710008-003 WELL 01

Source Number: 003

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	1989/09/17 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/09/17 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/02/14	.000	2007/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/02/14	.000	2007/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/02/14	.000	2007/02	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/02/14	.000	2007/02	DUE
1,1-DICHLOROETHANE	34496	072	2001/02/14	.000	2007/02	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/02/14	.000	2007/02	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/02/14	.000	2007/02	DUE
1,2-DICHLOROBENZENE	34536	072	2001/02/14	.000	2007/02	DUE
1,2-DICHLOROETHANE	34531	072	2001/02/14	.000	2007/02	DUE
1,2-DICHLOROPROPANE	34541	072	2001/02/14	.000	2007/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/02/14	.000	2007/02	DUE
1,4-DICHLOROBENZENE	34571	072	2001/02/14	.000	2007/02	DUE
BENZENE	34030	072	2001/02/14	.000	2007/02	DUE
CARBON TETRACHLORIDE	32102	072	2001/02/14	.000	2007/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/02/14	.000	2007/02	DUE
DICHLOROMETHANE	34423	072	2001/02/14	.000	2007/02	DUE
ETHYLBENZENE	34371	072	2001/02/14	.000	2007/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/02/14	.000	2007/02	DUE
MONOCHLOROBENZENE	34301	072	2001/02/14	.000	2007/02	DUE
STYRENE	77128	072	2001/02/14	.000	2007/02	DUE
TETRACHLOROETHYLENE	34475	072	2001/02/14	.000	2007/02	DUE
TOLUENE	34010	072	2001/02/14	.000	2007/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/02/14	.000	2007/02	DUE
TRICHLOROETHYLENE	39180	072	2001/02/14	.000	2007/02	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/02/14	.000	2007/02	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710008 CITY OF MT. SHASTA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710008-003 WELL 01Source Number: **003**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED VOC

VINYL CHLORIDE	39175	072	2001/02/14	.000	2007/02	DUE
XYLENES (TOTAL)	81551	072	2001/02/14	.000	2007/02	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/12/05	9.700	2015/12
BICARBONATE ALKALINITY	00440	108	2006/12/05	32.000	2015/12
CALCIUM	00916	108	2004/12/29	6.000	2013/12
CARBONATE ALKALINITY	00445	108	2006/12/05	.000	2015/12
CHLORIDE	00940	108	2004/12/29	1.200	2013/12
COLOR	00081	036	2004/12/29	.000	2007/12
COPPER	01042	108	2004/12/29	.000	2013/12
FOAMING AGENTS (MBAS)	38260	108	2004/12/29	.000	2013/12
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/12/29	30.000	2013/12
HYDROXIDE ALKALINITY	71830	108	2006/12/05	.000	2015/12
IRON	01045	108	2004/12/29	.000	2013/12
MAGNESIUM	00927	108	2004/12/29	3.000	2013/12
MANGANESE	01055	108	2004/12/29	.000	2013/12
ODOR THRESHOLD @ 60 C	00086	036	2004/12/29	.000	2007/12
PH, LABORATORY	00403	108	2004/12/29	6.850	2013/12
SILVER	01077	108	2005/12/07	.000	2014/12
SODIUM	00929	108	2004/12/29	5.000	2013/12
SPECIFIC CONDUCTANCE	00095	108	2004/12/29	101.000	2013/12
SULFATE	00945	108	2004/12/29	.000	2013/12
TOTAL DISSOLVED SOLIDS	70300	108	2004/12/29	98.000	2013/12
TURBIDITY, LABORATORY	82079	036	2004/12/29	2.900	2007/12
ZINC	01092	108	2004/12/29	.000	2013/12

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710008 CITY OF MT. SHASTA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710008-004 HIGH SCHOOL WELL 02****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2000/10/18	.000	2009/10
ANTIMONY	01097	108	2003/10/23	.000	2012/10
ARSENIC	01002	108	1998/08/13	.000	2007/08
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	1998/08/13	.000	2007/08
BERYLLIUM	01012	108	2003/10/23	.000	2012/10
CADMIUM	01027	108	1998/08/13	.000	2007/08
CHROMIUM (TOTAL)	01034	108	2002/12/31		2011/12
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/12/31	.000	2011/12
LEAD	01051	WAIVED	1993/07/20 <	3.000	WAIVED
MERCURY	71900	108	1998/08/13	.000	2007/08
NICKEL	01067	108	2003/10/23	.000	2012/10
SELENIUM	01147	108	1998/08/13	.000	2007/08
THALLIUM	01059	108	2003/10/23	.000	2012/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/12/07	.000	2006/12	DUE
NITRITE (AS N)	00620	036	2003/10/23	.000	2006/10	DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/11/29	.000	2010/11	
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	2006/11/29	.000	WAIVED	
RADIUM 228	11501	048	2006/11/29	.000	2007/03	DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710008 CITY OF MT. SHASTA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710008-004 HIGH SCHOOL WELL 02****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/10/31	< 1.000	WAIVED
2,4-D	39730	WAIVED	1989/10/31	< 10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/09/17	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2001/02/14	.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/09/17	< .010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/09/17	< .500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/09/17	< .100	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/09/17	< 1.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710008 CITY OF MT. SHASTA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710008-004 HIGH SCHOOL WELL 02

Source Number: 004

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	1989/09/17 <	.050	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/09/17 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/02/14	.000	2007/02	DUE
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/02/14	.000	2007/02	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/02/14	.000	2007/02	DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/02/14	.000	2007/02	DUE
1,1-DICHLOROETHANE	34496	072	2001/02/14	.000	2007/02	DUE
1,1-DICHLOROETHYLENE	34501	072	2001/02/14	.000	2007/02	DUE
1,2,4-TRICHLOROBENZENE	34551	072	2001/02/14	.000	2007/02	DUE
1,2-DICHLOROBENZENE	34536	072	2001/02/14	.000	2007/02	DUE
1,2-DICHLOROETHANE	34531	072	2001/02/14	.000	2007/02	DUE
1,2-DICHLOROPROPANE	34541	072	2001/02/14	.000	2007/02	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/02/14	.000	2007/02	DUE
1,4-DICHLOROBENZENE	34571	072	2001/02/14	.000	2007/02	DUE
BENZENE	34030	072	2001/02/14	.000	2007/02	DUE
CARBON TETRACHLORIDE	32102	072	2001/02/14	.000	2007/02	DUE
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/02/14	.000	2007/02	DUE
DICHLOROMETHANE	34423	072	2001/02/14	.000	2007/02	DUE
ETHYLBENZENE	34371	072	2001/02/14	.000	2007/02	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/02/14	.000	2007/02	DUE
MONOCHLOROBENZENE	34301	072	2001/02/14	.000	2007/02	DUE
STYRENE	77128	072	2001/02/14	.000	2007/02	DUE
TETRACHLOROETHYLENE	34475	072	2001/02/14	.000	2007/02	DUE
TOLUENE	34010	072	2001/02/14	.000	2007/02	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/02/14	.000	2007/02	DUE
TRICHLOROETHYLENE	39180	072	2001/02/14	.000	2007/02	DUE
TRICHLOROFLUOROMETHANE	34488	072	2001/02/14	.000	2007/02	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710008 CITY OF MT. SHASTA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710008-004 HIGH SCHOOL WELL 02****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/02/14	.000	2007/02	DUE
XYLENES (TOTAL)	81551	072	2001/02/14	.000	2007/02	DUE

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2006/12/05	9.800	2015/12	
BICARBONATE ALKALINITY	00440	108	2006/12/05	32.000	2015/12	
CALCIUM	00916	108	2004/12/29	6.000	2013/12	
CARBONATE ALKALINITY	00445	108	2006/12/05	.000	2015/12	
CHLORIDE	00940	108	2004/12/29	.530	2013/12	
COLOR	00081	036	2004/12/29	.000	2007/12	
COPPER	01042	108	2004/12/29	.000	2013/12	
FOAMING AGENTS (MBAS)	38260	108	2004/12/29	.000	2013/12	
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/12/29	28.000	2013/12	
HYDROXIDE ALKALINITY	71830	108	2006/12/05	.000	2015/12	
IRON	01045	108	2004/12/29	.000	2013/12	
MAGNESIUM	00927	108	2004/12/29	3.000	2013/12	
MANGANESE	01055	108	2004/12/29	.000	2013/12	
ODOR THRESHOLD @ 60 C	00086	036	2004/12/29	.000	2007/12	
PH, LABORATORY	00403	108	2004/12/29	7.040	2013/12	
SILVER	01077	108	2005/12/07	.000	2014/12	
SODIUM	00929	108	2004/12/29	5.000	2013/12	
SPECIFIC CONDUCTANCE	00095	108	2004/12/29	84.000	2013/12	
SULFATE	00945	108	2004/12/29	.530	2013/12	
TOTAL DISSOLVED SOLIDS	70300	108	2004/12/29	101.000	2013/12	
TURBIDITY, LABORATORY	82079	036	2004/12/29	.270	2007/12	
ZINC	01092	108	2004/12/29	.000	2013/12	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710009 CITY OF WEED**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710009-001 BEAUGHAN SPRINGS****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/06/19	.000	2011/06
ANTIMONY	01097	108	2002/06/19	.000	2011/06
ARSENIC	01002	108	2002/06/19	.000	2011/06
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/06/19	.000	2011/06
BERYLLIUM	01012	108	2002/06/19	.000	2011/06
CADMIUM	01027	108	2002/06/19	.000	2011/06
CHROMIUM (TOTAL)	01034	108	2002/06/19	.000	2011/06
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	1994/03/23	.290	2003/03 DUE
LEAD	01051	WAIVED	2002/06/19	.000	WAIVED
MERCURY	71900	108	2002/06/19	.000	2011/06
NICKEL	01067	108	2002/06/19	.000	2011/06
SELENIUM	01147	108	2002/06/19	.000	2011/06
THALLIUM	01059	108	2002/06/19	.000	2011/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2003/09/30	.000	2004/09 DUE
NITRITE (AS N)	00620	036	2001/08/06	.000	2004/08 DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/09/30 -	.330	2007/09
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710009 CITY OF WEED**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710009-001 BEAUGHAN SPRINGS****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/09/12 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/09/12 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/09/12 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/09/12 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/09/12 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/09/12 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710009 CITY OF WEED

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710009-001 BEAUGHAN SPRINGS

Source Number: 001

Source Status: ACTIVE UNTREATED

Water type: WELL OR GROUND WATER

REGULATED SOC

SIMAZINE	39055	WAIVED	1989/09/12 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	2002/06/19	.000	WAIVED
TOXAPHENE	39400	WAIVED	1989/09/12 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/08/06	.000	2007/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/08/06	.000	2007/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/08/06	.000	2007/08
1,1,2-TRICHLOROETHANE	34511	072	2001/08/06	.000	2007/08
1,1-DICHLOROETHANE	34496	072	2001/08/06	.000	2007/08
1,1-DICHLOROETHYLENE	34501	072	2001/08/06	.000	2007/08
1,2,4-TRICHLOROBENZENE	34551	072	2001/08/06	.000	2007/08
1,2-DICHLOROBENZENE	34536	072	2001/08/06	.000	2007/08
1,2-DICHLOROETHANE	34531	072	2001/08/06	.000	2007/08
1,2-DICHLOROPROPANE	34541	072	2001/08/06	.000	2007/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/08/06	.000	2007/08
1,4-DICHLOROBENZENE	34571	072	2001/08/06	.000	2007/08
BENZENE	34030	072	2001/08/06	.000	2007/08
CARBON TETRACHLORIDE	32102	072	2001/08/06	.000	2007/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/08/06	.000	2007/08
DICHLOROMETHANE	34423	072	2001/08/06	.000	2007/08
ETHYLBENZENE	34371	072	2001/08/06	.000	2007/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/06/19	.000	2008/06
MONOCHLOROBENZENE	34301	072	2001/08/06	.000	2007/08
STYRENE	77128	072	2001/08/06	.000	2007/08
TETRACHLOROETHYLENE	34475	072	2001/08/06	.000	2007/08
TOLUENE	34010	072	2001/08/06	.000	2007/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/08/06	.000	2007/08
TRICHLOROETHYLENE	39180	072	2001/08/06	.000	2007/08
TRICHLOROFLUOROMETHANE	34488	072	2001/08/06	.000	2007/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710009 CITY OF WEED**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710009-001 BEAUGHAN SPRINGS****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/08/06	.000	2007/08
XYLENES (TOTAL)	81551	072	2001/08/06	.000	2007/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2002/06/19	50.000	2011/06	
CALCIUM	00916	108	2002/06/19	5.500	2011/06	
CARBONATE ALKALINITY	00445	108	2002/06/19	.000	2011/06	
CHLORIDE	00940	108	2002/06/19	.820	2011/06	
COLOR	00081	036	2002/06/19	.000	2005/06	DUE
COPPER	01042	108	2002/06/19	.000	2011/06	
FOAMING AGENTS (MBAS)	38260	108	2003/09/30	.000	2012/09	
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2002/06/19	31.000	2011/06	
HYDROXIDE ALKALINITY	71830	108	2002/06/19	.000	2011/06	
IRON	01045	108	2002/06/19	.000	2011/06	
MAGNESIUM	00927	108	2002/06/19	4.100	2011/06	
MANGANESE	01055	108	2002/06/19	.000	2011/06	
ODOR THRESHOLD @ 60 C	00086	036	2002/06/19	.000	2005/06	DUE
PH, LABORATORY	00403	108	2002/06/19	6.900	2011/06	
SILVER	01077	108	1994/03/23	.000	2003/03	DUE
SODIUM	00929	108	2002/06/19	10.000	2011/06	
SPECIFIC CONDUCTANCE	00095	108	2002/06/19	100.000	2011/06	
SULFATE	00945	108	2002/06/19	1.500	2011/06	
TOTAL DISSOLVED SOLIDS	70300	108	2002/06/19	110.000	2011/06	
TURBIDITY, LABORATORY	82079	036	2002/06/19	.060	2005/06	DUE
ZINC	01092	108	2002/06/19	.000	2011/06	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710009 CITY OF WEED

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710009-002 GAZELLE WELL - STANDBY

Source Number: 002

Source Status: **STANDBY UNTREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/07/01	.000	2011/07
ANTIMONY	01097	108	2002/07/01	.000	2011/07
ARSENIC	01002	108	2002/07/01	.000	2011/07
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2002/07/01	.000	2011/07
BERYLLIUM	01012	108	2002/07/01	.000	2011/07
CADMIUM	01027	108	2002/07/01	.000	2011/07
CHROMIUM (TOTAL)	01034	108	2002/07/01	.000	2011/07
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/07/01	.000	2011/07
LEAD	01051	WAIVED	2002/07/01	.000	WAIVED
MERCURY	71900	108	2002/07/01	.000	2011/07
NICKEL	01067	108	2002/07/01	.000	2011/07
SELENIUM	01147	108	2002/07/01	.000	2011/07
THALLIUM	01059	108	2002/07/01	.000	2011/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2002/07/01	6.200	2011/07
NITRITE (AS N)	00620	108	2002/07/01	.000	2011/07

RADIOLOGICAL

GROSS ALPHA	01501	108	2002/07/01 -	.180	2011/07
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	108			2011/07
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710009 CITY OF WEED**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710009-002 GAZELLE WELL - STANDBY****Source Number: 002****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/07/18	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/07/18	< .010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/07/18	< .400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/07/18	< 10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710009 CITY OF WEED**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710009-002 GAZELLE WELL - STANDBY****Source Number: 002****Source Status: STANDBY UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/07/18 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/07/18 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2001/08/06	.000	2010/08
1,1,2,2-TETRACHLOROETHANE	34516	108	2001/08/06	.000	2010/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2001/08/06	.000	2010/08
1,1,2-TRICHLOROETHANE	34511	108	2001/08/06	.000	2010/08
1,1-DICHLOROETHANE	34496	108	2001/08/06	.000	2010/08
1,1-DICHLOROETHYLENE	34501	108	2001/08/06	.000	2010/08
1,2,4-TRICHLOROBENZENE	34551	108	2001/08/06	.000	2010/08
1,2-DICHLOROBENZENE	34536	108	2001/08/06	.000	2010/08
1,2-DICHLOROETHANE	34531	108	2001/08/06	.000	2010/08
1,2-DICHLOROPROPANE	34541	108	2001/08/06	.000	2010/08
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2001/08/06	.000	2010/08
1,4-DICHLOROBENZENE	34571	108	2001/08/06	.000	2010/08
BENZENE	34030	108	2001/08/06	.000	2010/08
CARBON TETRACHLORIDE	32102	108	2001/08/06	.000	2010/08
CIS-1,2-DICHLOROETHYLENE	77093	108	2001/08/06	.000	2010/08
DICHLOROMETHANE	34423	108	2001/08/06	.000	2010/08
ETHYLBENZENE	34371	108	2001/08/06	.000	2010/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2001/08/06	.000	2010/08
MONOCHLOROBENZENE	34301	108	2001/08/06	.000	2010/08
STYRENE	77128	108	2001/08/06	.000	2010/08
TETRACHLOROETHYLENE	34475	108	2001/08/06	.000	2010/08
TOLUENE	34010	108	2001/08/06	.000	2010/08
TRANS-1,2-DICHLOROETHYLENE	34546	108	2001/08/06	.000	2010/08
TRICHLOROETHYLENE	39180	108	2001/08/06	.000	2010/08
TRICHLOROFLUOROMETHANE	34488	108	2001/08/06	.000	2010/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710009 CITY OF WEED

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710009-002 GAZELLE WELL - STANDBY

Source Number: 002

Source Status: STANDBY UNTREATED

Water type: WELL OR GROUND WATER

REGULATED VOC

VINYL CHLORIDE	39175	108	2001/08/06	.000	2010/08
XYLENES (TOTAL)	81551	108	2001/08/06	.000	2010/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2002/07/01	34.000	2011/07	
CALCIUM	00916	108	2002/07/01	7.900	2011/07	
CARBONATE ALKALINITY	00445	108	2002/07/01	< 1.000	2011/07	
CHLORIDE	00940	108	2002/07/01	3.100	2011/07	
COLOR	00081	108	2002/07/01	< 3.000	2011/07	
COPPER	01042	108	2002/07/01	.000	2011/07	
FOAMING AGENTS (MBAS)	38260	108	2003/09/30	.000	2012/09	
HARDNESS (TOTAL) AS CaCO3	00900	108	2002/07/01	29.000	2011/07	
HYDROXIDE ALKALINITY	71830	108	2002/07/01	< 1.000	2011/07	
IRON	01045	108	2002/07/01	.000	2011/07	
MAGNESIUM	00927	108	2002/07/01	2.200	2011/07	
MANGANESE	01055	108	2002/07/01	.000	2011/07	
ODOR THRESHOLD @ 60 C	00086	108	2002/07/01	< 1.000	2011/07	
PH, LABORATORY	00403	108	2002/07/01	7.000	2011/07	
SILVER	01077	108	2002/07/01	.000	2011/07	
SODIUM	00929	108	2002/07/01	8.900	2011/07	
SPECIFIC CONDUCTANCE	00095	108	2002/07/01	122.000	2011/07	
SULFATE	00945	108	2002/07/01	1.300	2011/07	
TOTAL DISSOLVED SOLIDS	70300	108	2002/07/01	24.000	2011/07	
TURBIDITY, LABORATORY	82079	108	2002/07/01	1.700	2011/07	
ZINC	01092	108	2002/07/01	.000	2011/07	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710009 CITY OF WEED

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710009-003 MAZZEI WELL

Source Number: 003

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2002/06/19	55.000	2011/06
ANTIMONY	01097	108	2002/06/19	.000	2011/06
ARSENIC	01002	108	2002/06/19	2.500	2011/06
ASBESTOS	81855	WAIVED	1997/11/03	.000	WAIVED
BARIUM	01007	108	2002/06/19	.000	2011/06
BERYLLIUM	01012	108	2002/06/19	.000	2011/06
CADMIUM	01027	108	2002/06/19	.000	2011/06
CHROMIUM (TOTAL)	01034	108	2002/06/19		2011/06
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2002/06/19	.350	2011/06
LEAD	01051	WAIVED	2002/06/19	.000	WAIVED
MERCURY	71900	108	2002/06/19	.000	2011/06
NICKEL	01067	108	2002/06/19	.000	2011/06
SELENIUM	01147	108	2002/06/19	.000	2011/06
THALLIUM	01059	108	2002/06/19	.000	2011/06

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2003/09/30	.000	2004/09 DUE
NITRITE (AS N)	00620	036	2002/06/19	.000	2005/06 DUE

RADIOLOGICAL

GROSS ALPHA	01501	048	2003/09/30 -	.230	2007/09
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710009 CITY OF WEED**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710009-003 MAZZEI WELL****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED		WAIVED
2,4-D	39730	WAIVED	WAIVED		WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/07/18	< 1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/07/18	< .010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/07/18	< .400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/07/18	< 10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710009 CITY OF WEED**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710009-003 MAZZEI WELL****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/07/18 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/07/18 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/08/06	.000	2007/08
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/08/06	.000	2007/08
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2001/08/06	.000	2007/08
1,1,2-TRICHLOROETHANE	34511	072	2001/08/06	.000	2007/08
1,1-DICHLOROETHANE	34496	072	2001/08/06	.000	2007/08
1,1-DICHLOROETHYLENE	34501	072	2001/08/06	.000	2007/08
1,2,4-TRICHLOROBENZENE	34551	072	2001/08/06	.000	2007/08
1,2-DICHLOROBENZENE	34536	072	2001/08/06	.000	2007/08
1,2-DICHLOROETHANE	34531	072	2001/08/06	.000	2007/08
1,2-DICHLOROPROPANE	34541	072	2001/08/06	.000	2007/08
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/08/06	.000	2007/08
1,4-DICHLOROBENZENE	34571	072	2001/08/06	.000	2007/08
BENZENE	34030	072	2001/08/06	.000	2007/08
CARBON TETRACHLORIDE	32102	072	2001/08/06	.000	2007/08
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/08/06	.000	2007/08
DICHLOROMETHANE	34423	072	2001/08/06	.000	2007/08
ETHYLBENZENE	34371	072	2001/08/06	.000	2007/08
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2002/06/19	.000	2008/06
MONOCHLOROBENZENE	34301	072	2001/08/06	.000	2007/08
STYRENE	77128	072	2001/08/06	.000	2007/08
TETRACHLOROETHYLENE	34475	072	2001/08/06	.000	2007/08
TOLUENE	34010	072	2001/08/06	.000	2007/08
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/08/06	.000	2007/08
TRICHLOROETHYLENE	39180	072	2001/08/06	.000	2007/08
TRICHLOROFLUOROMETHANE	34488	072	2001/08/06	.000	2007/08

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710009 CITY OF WEED**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710009-003 MAZZEI WELL****Source Number: 003****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/08/06	.000	2007/08
XYLENES (TOTAL)	81551	072	2001/08/06	.000	2007/08

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	2002/06/19	69.000	2011/06	
CALCIUM	00916	108	2002/06/19	7.600	2011/06	
CARBONATE ALKALINITY	00445	108	2002/06/19	.000	2011/06	
CHLORIDE	00940	108	2002/06/19	9.600	2011/06	
COLOR	00081	036	2002/06/19	.000	2005/06	DUE
COPPER	01042	108	2002/06/19	.000	2011/06	
FOAMING AGENTS (MBAS)	38260	108	2003/09/30	.000	2012/09	
HARDNESS (TOTAL) AS CaCO ₃	00900	108	2002/06/19	45.000	2011/06	
HYDROXIDE ALKALINITY	71830	108	2002/06/19	.000	2011/06	
IRON	01045	108	2002/06/19	.000	2011/06	
MAGNESIUM	00927	108	2002/06/19	6.300	2011/06	
MANGANESE	01055	108	2002/06/19	.000	2011/06	
ODOR THRESHOLD @ 60 C	00086	036	2002/06/19	.000	2005/06	DUE
PH, LABORATORY	00403	108	2002/06/19	7.600	2011/06	
SILVER	01077	108	2002/06/19	.000	2011/06	
SODIUM	00929	108	2002/06/19	19.000	2011/06	
SPECIFIC CONDUCTANCE	00095	108	2002/06/19	160.000	2011/06	
SULFATE	00945	108	2002/06/19	1.600	2011/06	
TOTAL DISSOLVED SOLIDS	70300	108	2002/06/19	140.000	2011/06	
TURBIDITY, LABORATORY	82079	036	2002/07/01	.450	2005/07	DUE
ZINC	01092	108	2002/06/19	.000	2011/06	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710010 CITY OF TULELAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710010-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	036	2005/01/24	.000	2008/01
ANTIMONY	01097	036	2005/01/24	.000	2008/01
ARSENIC	01002	036	2005/01/24	.000	2008/01
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	036	2005/01/24	.000	2008/01
BERYLLIUM	01012	036	2005/01/24	.000	2008/01
CADMIUM	01027	036	2005/01/24	.000	2008/01
CHROMIUM (TOTAL)	01034	036	2005/01/24	.000	2008/01
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	036	2005/01/24	.210	2008/01
LEAD	01051	WAIVED	1989/01/05 <	1.000	WAIVED
MERCURY	71900	036	2005/01/24	.000	2008/01
NICKEL	01067	036	2005/01/24	.000	2008/01
SELENIUM	01147	036	2005/01/24	.000	2008/01
THALLIUM	01059	036	2005/01/24	.000	2008/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/01/24	.000	2006/01	DUE
NITRITE (AS N)	00620	000				DUE

RADIOLOGICAL

GROSS ALPHA	01501	096	2005/01/24 -	.070	2013/01
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710010 CITY OF TULELAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710010-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710010 CITY OF TULELAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710010-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED	WAIVED
TOXAPHENE	39400	WAIVED	WAIVED	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	144	2001/03/26	.000	2013/03
1,1,2,2-TETRACHLOROETHANE	34516	144	2001/03/26	.000	2013/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	144	2001/03/26	.000	2013/03
1,1,2-TRICHLOROETHANE	34511	144	2001/03/26	.000	2013/03
1,1-DICHLOROETHANE	34496	144	2001/03/26	.000	2013/03
1,1-DICHLOROETHYLENE	34501	144	2001/03/26	.000	2013/03
1,2,4-TRICHLOROBENZENE	34551	144	2001/03/26	.000	2013/03
1,2-DICHLOROBENZENE	34536	144	2001/03/26	.000	2013/03
1,2-DICHLOROETHANE	34531	144	2001/03/26	.000	2013/03
1,2-DICHLOROPROPANE	34541	144	2001/03/26	.000	2013/03
1,3-DICHLOROPROPENE (TOTAL)	34561	144	2001/03/26	.000	2013/03
1,4-DICHLOROBENZENE	34571	144	2001/03/26	.000	2013/03
BENZENE	34030	144	2001/03/26	.000	2013/03
CARBON TETRACHLORIDE	32102	144	2001/03/26	.000	2013/03
CIS-1,2-DICHLOROETHYLENE	77093	144	2001/03/26	.000	2013/03
DICHLOROMETHANE	34423	144	2001/03/26	.000	2013/03
ETHYLBENZENE	34371	144	2001/03/26	.000	2013/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	144	2001/03/26	.000	2013/03
MONOCHLOROBENZENE	34301	144	2001/03/26	.000	2013/03
STYRENE	77128	144	2001/03/26	.000	2013/03
TETRACHLOROETHYLENE	34475	144	2001/03/26	.000	2013/03
TOLUENE	34010	144	2001/03/26	.000	2013/03
TRANS-1,2-DICHLOROETHYLENE	34546	144	2001/03/26	.000	2013/03
TRICHLOROETHYLENE	39180	144	2001/03/26	.000	2013/03
TRICHLOROFLUOROMETHANE	34488	144	2001/03/26	.000	2013/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710010 CITY OF TULELAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710010-001 WELL 01 - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	144	2001/03/26	.000	2013/03
XYLENES (TOTAL)	81551	144	2001/03/26	.000	2013/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	108	1989/01/05	142.000	1998/01	DUE
CALCIUM	00916	108	1989/01/05	8.880	1998/01	DUE
CARBONATE ALKALINITY	00445	108	1989/01/05	2.400	1998/01	DUE
CHLORIDE	00940	036	1989/01/05	11.500	1992/01	DUE
COLOR	00081	036				DUE
COPPER	01042	036	1989/01/05	5.000	1992/01	DUE
FOAMING AGENTS (MBAS)	38260	036	1989/01/05 <	.020	1992/01	DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	108	1989/01/05	30.500	1998/01	DUE
HYDROXIDE ALKALINITY	71830	108	1989/01/05	.000	1998/01	DUE
IRON	01045	036	1989/01/05	11.000	1992/01	DUE
MAGNESIUM	00927	108	1989/01/05	2.020	1998/01	DUE
MANGANESE	01055	036	1989/01/05	8.000	1992/01	DUE
ODOR THRESHOLD @ 60 C	00086	036				DUE
PH, LABORATORY	00403	036	1989/01/05	8.830	1992/01	DUE
SILVER	01077	036	1989/01/05 <	3.000	1992/01	DUE
SODIUM	00929	108	1989/01/05	54.700	1998/01	DUE
SPECIFIC CONDUCTANCE	00095	036	1989/01/05	311.000	1992/01	DUE
SULFATE	00945	036	1989/01/05	15.000	1992/01	DUE
TOTAL DISSOLVED SOLIDS	70300	036	1989/01/05	182.000	1992/01	DUE
TURBIDITY, LABORATORY	82079	036				DUE
ZINC	01092	036	1989/01/05	5.000	1992/01	DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710010 CITY OF TULELAKE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710010-003 WELL 02 - RAW

Source Number: 003

Source Status: ACTIVE RAW

Water type: WELL OR GROUND WATER

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED	WAIVED
----------	-------	--------	--------	--------

INORGANIC

ALUMINUM	01105	036	1999/09/21	89.100	2002/09	DUE
ANTIMONY	01097	036	1999/09/21 <	.500	2002/09	DUE
ARSENIC	01002	036				DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED	
BARIUM	01007	036				DUE
BERYLLIUM	01012	036	1999/09/21 <	1.000	2002/09	DUE
CADMIUM	01027	036				DUE
CHROMIUM (TOTAL)	01034	036				DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	036				DUE
LEAD	01051	WAIVED	WAIVED		WAIVED	
MERCURY	71900	036				DUE
NICKEL	01067	036	1999/09/21 <	8.000	2002/09	DUE
SELENIUM	01147	036				DUE
THALLIUM	01059	036	1999/09/21 <	1.000	2002/09	DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	1999/09/21 <	.100	2000/09	DUE
NITRITE (AS N)	00620	000				DUE

RADIOLOGICAL

GROSS ALPHA	01501	000				DUE
GROSS BETA	03501	WAIVED	WAIVED		WAIVED	
RADIUM 226	09501	WAIVED	WAIVED		WAIVED	
RADIUM 228	11501	WAIVED	WAIVED		WAIVED	
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED	
TRITIUM	07000	WAIVED	WAIVED		WAIVED	
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED	

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710010 CITY OF TULELAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710010-003 WELL 02 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710010 CITY OF TULELAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710010-003 WELL 02 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	204	1990/05/15	.000	2007/05
1,1,2,2-TETRACHLOROETHANE	34516	204	1990/05/15	.000	2007/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	204	1990/05/15	.000	2007/05
1,1,2-TRICHLOROETHANE	34511	204	1990/05/15	.000	2007/05
1,1-DICHLOROETHANE	34496	204	1990/05/15	.000	2007/05
1,1-DICHLOROETHYLENE	34501	204	1990/05/15	.000	2007/05
1,2,4-TRICHLOROBENZENE	34551	204	1990/05/15	.000	2007/05
1,2-DICHLOROBENZENE	34536	204	1990/05/15	.000	2007/05
1,2-DICHLOROETHANE	34531	204	1990/05/15	.000	2007/05
1,2-DICHLOROPROPANE	34541	204	1990/05/15	.000	2007/05
1,3-DICHLOROPROPENE (TOTAL)	34561	204	1990/05/15	.000	2007/05
1,4-DICHLOROBENZENE	34571	204	1990/05/15	.000	2007/05
BENZENE	34030	204	1990/05/15	.000	2007/05
CARBON TETRACHLORIDE	32102	204	1990/05/15	.000	2007/05
CIS-1,2-DICHLOROETHYLENE	77093	204	1990/05/15	.000	2007/05
DICHLOROMETHANE	34423	204	1990/05/15	.000	2007/05
ETHYLBENZENE	34371	204	1990/05/15	.000	2007/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	204			DUE
MONOCHLOROBENZENE	34301	204	1990/05/15	.000	2007/05
STYRENE	77128	204	1990/05/15	.000	2007/05
TETRACHLOROETHYLENE	34475	204	1990/05/15	.000	2007/05
TOLUENE	34010	204	1990/05/15	.000	2007/05
TRANS-1,2-DICHLOROETHYLENE	34546	204	1990/05/15	.000	2007/05
TRICHLOROETHYLENE	39180	204	1990/05/15	.000	2007/05
TRICHLOROFLUOROMETHANE	34488	204	1990/05/15	.000	2007/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710010 CITY OF TULELAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710010-003 WELL 02 - RAW****Source Number: 003****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	204	1990/05/15	.000	2007/05
XYLENES (TOTAL)	81551	204	1990/05/15	.000	2007/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	000			DUE
BICARBONATE ALKALINITY	00440	000			DUE
CALCIUM	00916	000			DUE
CARBONATE ALKALINITY	00445	000			DUE
CHLORIDE	00940	036			DUE
COLOR	00081	036			DUE
COPPER	01042	036			DUE
FOAMING AGENTS (MBAS)	38260	036			DUE
HARDNESS (TOTAL) AS CaCO ₃	00900	000			DUE
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	036			DUE
MAGNESIUM	00927	000			DUE
MANGANESE	01055	036			DUE
ODOR THRESHOLD @ 60 C	00086	036			DUE
PH, LABORATORY	00403	036			DUE
SILVER	01077	036			DUE
SODIUM	00929	000			DUE
SPECIFIC CONDUCTANCE	00095	036			DUE
SULFATE	00945	036			DUE
TOTAL DISSOLVED SOLIDS	70300	036			DUE
TURBIDITY, LABORATORY	82079	036			DUE
ZINC	01092	036			DUE

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710011 CITY OF YREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710011-002 FALL CREEK INTAKE DAM A****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED	<	WAIVED
----------	-------	--------	--------	---	--------

INORGANIC

ALUMINUM	01105	108	2005/11/02	66.600	2014/11
ANTIMONY	01097	108	1999/10/18	.000	2008/10
ARSENIC	01002	108	2005/11/02	.000	2014/11
ASBESTOS	81855	108	2006/03/06	.000	2015/03
BARIUM	01007	108	2005/11/02	.000	2014/11
BERYLLIUM	01012	108	1999/10/18	.000	2008/10
CADMIUM	01027	108	2005/11/02	.000	2014/11
CHROMIUM (TOTAL)	01034	108	2002/06/24		2011/06
CYANIDE	01291	WAIVED	WAIVED	<	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/11/02	.000	2014/11
LEAD	01051	WAIVED	1991/06/25	< 5.000	WAIVED
MERCURY	71900	108	2005/11/02	.000	2014/11
NICKEL	01067	108	1999/10/18	.000	2008/10
SELENIUM	01147	108	2005/11/02	.000	2014/11
THALLIUM	01059	108	1999/10/18	.000	2008/10

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/04/08	.000	2008/04
NITRITE (AS N)	00620	036	2005/11/02	.000	2008/11

RADIOLOGICAL

GROSS ALPHA	01501	048	2005/11/02	< 3.000	2009/11
GROSS BETA	03501	WAIVED	WAIVED	<	WAIVED
RADIUM 226	09501	WAIVED	WAIVED	<	WAIVED
RADIUM 228	11501	WAIVED	WAIVED	<	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED	<	WAIVED
TRITIUM	07000	WAIVED	WAIVED	<	WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED	<	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710011 CITY OF YREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710011-002 FALL CREEK INTAKE DAM A****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	<		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/09/27	<	1.000	WAIVED
2,4-D	39730	WAIVED	1989/09/27	<	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	<		WAIVED
ATRAZINE	39033	WAIVED	1989/06/08	<	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED	<		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	<		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	<		WAIVED
CHLORDANE	39350	WAIVED	WAIVED	<		WAIVED
DALAPON	38432	WAIVED	WAIVED	<		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	<		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED	<		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2004/01/26	<	1.000	WAIVED
DINOSEB	81287	WAIVED	WAIVED	<		WAIVED
DIQUAT	78885	WAIVED	WAIVED	<		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	<		WAIVED
ENDRIN	39390	WAIVED	1989/09/27	<	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2004/01/26	<	.500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	<		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	<		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	<		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	<		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	<		WAIVED
LINDANE	39340	WAIVED	1989/09/27	<	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/09/27	<	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED	<		WAIVED
OXAMYL	38865	WAIVED	WAIVED	<		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	<		WAIVED
PICLORAM	39720	WAIVED	WAIVED	<		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	<		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710011 CITY OF YREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710011-002 FALL CREEK INTAKE DAM A****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/06/08 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED <		WAIVED
TOXAPHENE	39400	WAIVED	1989/09/27 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	2004/01/26 <	.500	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2004/01/26 <	.500	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2004/01/26 <	.500	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	2004/01/26 <	.500	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	2004/01/26 <	.500	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	2004/01/26 <	.500	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2004/01/26 <	.500	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	2004/01/26 <	.500	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	2004/01/26 <	.500	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	2004/01/26 <	.500	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2004/01/26 <	.500	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	2004/01/26 <	.500	WAIVED
BENZENE	34030	WAIVED	2004/01/26 <	.500	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	2004/01/26 <	.500	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2004/01/26 <	.500	WAIVED
DICHLOROMETHANE	34423	WAIVED	2004/01/26 <	.500	WAIVED
ETHYLBENZENE	34371	WAIVED	2004/01/26 <	.500	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2004/01/26 <	.500	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	2004/01/26 <	.500	WAIVED
STYRENE	77128	WAIVED	2004/01/26 <	.500	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	2004/01/26 <	.500	WAIVED
TOLUENE	34010	WAIVED	2004/01/26 <	.500	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2004/01/26 <	.500	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	2004/01/26 <	.500	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	2004/01/26 <	.500	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710011 CITY OF YREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710011-002 FALL CREEK INTAKE DAM A****Source Number: 002****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	2004/01/26 <	.500	WAIVED
XYLENES (TOTAL)	81551	WAIVED	2004/01/26 <	.500	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/11/02	11.300	2014/11
BICARBONATE ALKALINITY	00440	108	2005/11/02	94.000	2014/11
CALCIUM	00916	108	2005/11/02	12.600	2014/11
CARBONATE ALKALINITY	00445	108	2005/11/02	.000	2014/11
CHLORIDE	00940	108	2005/11/02	1.070	2014/11
COLOR	00081	WAIVED	1990/06/26 <	3.000	WAIVED
COPPER	01042	108	2005/11/02	.000	2014/11
FOAMING AGENTS (MBAS)	38260	108	2005/11/02	.000	2014/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/11/02	61.000	2014/11
HYDROXIDE ALKALINITY	71830	108	2005/11/02	.000	2014/11
IRON	01045	108	2005/11/02	.000	2014/11
MAGNESIUM	00927	108	2005/11/02	7.400	2014/11
MANGANESE	01055	108	2005/11/02	.000	2014/11
ODOR THRESHOLD @ 60 C	00086	WAIVED	1990/06/26 <	1.000	WAIVED
PH, LABORATORY	00403	WAIVED	2005/11/02	7.930	WAIVED
SILVER	01077	108	2005/11/02	.000	2014/11
SODIUM	00929	108	2005/11/02	4.150	2014/11
SPECIFIC CONDUCTANCE	00095	108	2005/11/02	145.000	2014/11
SULFATE	00945	108	2005/11/02	.000	2014/11
TOTAL DISSOLVED SOLIDS	70300	108	2005/11/02	92.000	2014/11
TURBIDITY, LABORATORY	82079	WAIVED	1990/06/26	.100	WAIVED
ZINC	01092	108	2005/11/02	.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710011 CITY OF YREKA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710011-003 NORTH WELL - RAW - STANDBYSource Number: **003**Source Status: **STANDBY RAW**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2004/01/07	.000	2013/01
ANTIMONY	01097	108	2004/01/07	.000	2013/01
ARSENIC	01002	108	2004/01/07	.000	2013/01
ASBESTOS	81855	WAIVED	1997/01/28	.000	WAIVED
BARIUM	01007	108	2004/01/07	.000	2013/01
BERYLLIUM	01012	108	2004/01/07	.000	2013/01
CADMIUM	01027	108	2004/01/07	.000	2013/01
CHROMIUM (TOTAL)	01034	108	2004/01/07		2013/01
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2004/01/07	.160	2013/01
LEAD	01051	WAIVED	1994/06/20	.000	WAIVED
MERCURY	71900	108	2004/01/07	.000	2013/01
NICKEL	01067	108	2004/01/07	.000	2013/01
SELENIUM	01147	108	2004/01/07	.000	2013/01
THALLIUM	01059	108	2004/01/07	.000	2013/01

NITRATE/NITRITE

NITRATE (AS NO3)	71850	108	2007/04/09	11.700	2016/04
NITRITE (AS N)	00620	108	1997/01/28	.000	2006/01 DUE

RADIOLOGICAL

GROSS ALPHA	01501	108	2001/12/28 <	1.000	2010/12
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710011 CITY OF YREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710011-003 NORTH WELL - RAW - STANDBY****Source Number: 003****Source Status: STANDBY RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1990/06/26 <	1.000	WAIVED
2,4-D	39730	WAIVED	1990/06/26 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1990/06/26 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1990/06/26 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1990/06/26 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	1990/06/26 <	10.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710011 CITY OF YREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710011-003 NORTH WELL - RAW - STANDBY****Source Number: 003****Source Status: STANDBY RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1990/06/26 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1990/06/26 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	108	2007/03/28	.000	2016/03
1,1,2,2-TETRACHLOROETHANE	34516	108	2007/03/28	.000	2016/03
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	108	2007/03/28	.000	2016/03
1,1,2-TRICHLOROETHANE	34511	108	2007/03/28	.000	2016/03
1,1-DICHLOROETHANE	34496	108	2007/03/28	.000	2016/03
1,1-DICHLOROETHYLENE	34501	108	2007/03/28	.000	2016/03
1,2,4-TRICHLOROBENZENE	34551	108	2007/03/28	.000	2016/03
1,2-DICHLOROBENZENE	34536	108	2007/03/28	.000	2016/03
1,2-DICHLOROETHANE	34531	108	2007/03/28	.000	2016/03
1,2-DICHLOROPROPANE	34541	108	2007/03/28	.000	2016/03
1,3-DICHLOROPROPENE (TOTAL)	34561	108	2007/03/28	.000	2016/03
1,4-DICHLOROBENZENE	34571	108	2007/03/28	.000	2016/03
BENZENE	34030	108	2007/03/28	.000	2016/03
CARBON TETRACHLORIDE	32102	108	2007/03/28	.000	2016/03
CIS-1,2-DICHLOROETHYLENE	77093	108	2007/03/28	.000	2016/03
DICHLOROMETHANE	34423	108	2007/03/28	.000	2016/03
ETHYLBENZENE	34371	108	2007/03/28	.000	2016/03
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	108	2007/03/28	.000	2016/03
MONOCHLOROBENZENE	34301	108	2007/03/28	.000	2016/03
STYRENE	77128	108	2007/03/28	.000	2016/03
TETRACHLOROETHYLENE	34475	108	2007/03/28	.000	2016/03
TOLUENE	34010	108	2007/03/28	.000	2016/03
TRANS-1,2-DICHLOROETHYLENE	34546	108	2007/03/28	.000	2016/03
TRICHLOROETHYLENE	39180	108	2007/03/28	.000	2016/03
TRICHLOROFLUOROMETHANE	34488	108	2007/03/28	.000	2016/03

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710011 CITY OF YREKA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710011-003 NORTH WELL - RAW - STANDBY****Source Number: 003****Source Status: STANDBY RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	108	2007/03/28	.000	2016/03
XYLENES (TOTAL)	81551	108	2007/03/28	.000	2016/03

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/11/02	11.700	2014/11
BICARBONATE ALKALINITY	00440	108	2005/11/02	375.000	2014/11
CALCIUM	00916	108	2004/01/07	52.100	2013/01
CARBONATE ALKALINITY	00445	108	2005/11/02	.000	2014/11
CHLORIDE	00940	108	2004/01/07	9.920	2013/01
COLOR	00081	108	2004/01/07	.000	2013/01
COPPER	01042	108	2004/01/07	.000	2013/01
FOAMING AGENTS (MBAS)	38260	108	2004/01/07	.000	2013/01
HARDNESS (TOTAL) AS CaCO3	00900	108	2004/01/07	296.000	2013/01
HYDROXIDE ALKALINITY	71830	108	2005/11/02	.000	2014/11
IRON	01045	108	2004/01/07	.000	2013/01
MAGNESIUM	00927	108	2004/01/07	35.000	2013/01
MANGANESE	01055	108	2004/01/07	.000	2013/01
ODOR THRESHOLD @ 60 C	00086	108	2004/01/07	.000	2013/01
PH, LABORATORY	00403	108	2004/01/07	7.050	2013/01
SILVER	01077	108	2004/01/07	.000	2013/01
SODIUM	00929	108	2004/01/07	12.100	2013/01
SPECIFIC CONDUCTANCE	00095	108	2004/01/07	627.000	2013/01
SULFATE	00945	108	2004/01/07	17.650	2013/01
TOTAL DISSOLVED SOLIDS	70300	108	2004/01/07	341.000	2013/01
TURBIDITY, LABORATORY	82079	108	2004/01/07	.150	2013/01
ZINC	01092	108	2004/01/07	.000	2013/01

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710012 HAPPY CAMP C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710012-001 ELK CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/09/19	.000	2014/09
ANTIMONY	01097	108	2005/09/19	.000	2014/09
ARSENIC	01002	108	2005/09/19	.000	2014/09
ASBESTOS	81855	000			DUE
BARIUM	01007	108	2005/09/19	.000	2014/09
BERYLLIUM	01012	108	2005/09/19	.000	2014/09
CADMIUM	01027	108	2005/09/19	.000	2014/09
CHROMIUM (TOTAL)	01034	108	2005/09/19	.000	2014/09
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/09/19	.000	2014/09
LEAD	01051	WAIVED	2005/09/19	.000	WAIVED
MERCURY	71900	108	2005/09/19	.000	2014/09
NICKEL	01067	108	2005/09/19	.000	2014/09
SELENIUM	01147	108	2005/09/19	.000	2014/09
THALLIUM	01059	108	2005/09/19	.000	2014/09

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/12/04	.000	2007/12
NITRITE (AS N)	00620	036	2005/09/19	.000	2008/09

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/06/14	.065	2010/06
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710012 HAPPY CAMP C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710012-001 ELK CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	WAIVED	WAIVED
2,4-D	39730	WAIVED	WAIVED	WAIVED
ALACHLOR	77825	WAIVED	WAIVED	WAIVED
ATRAZINE	39033	WAIVED	WAIVED	WAIVED
BENTAZON	38710	WAIVED	WAIVED	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED	WAIVED
CARBOFURAN	81405	WAIVED	WAIVED	WAIVED
CHLORDANE	39350	WAIVED	WAIVED	WAIVED
DALAPON	38432	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	WAIVED	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED	WAIVED
DINOSEB	81287	WAIVED	WAIVED	WAIVED
DIQUAT	78885	WAIVED	WAIVED	WAIVED
ENDOTHALL	38926	WAIVED	WAIVED	WAIVED
ENDRIN	39390	WAIVED	WAIVED	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED	WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED	WAIVED
LINDANE	39340	WAIVED	WAIVED	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED	WAIVED
MOLINATE	82199	WAIVED	WAIVED	WAIVED
OXAMYL	38865	WAIVED	WAIVED	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED	WAIVED
PICLORAM	39720	WAIVED	WAIVED	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710012 HAPPY CAMP C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710012-001 ELK CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED SOC**

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1990/07/10	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1990/07/10	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1990/07/10	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1990/07/10	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1990/07/10	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1990/07/10	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1990/07/10	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1990/07/10	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1990/07/10	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1990/07/10	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1990/07/10	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1990/07/10	.000	WAIVED
BENZENE	34030	WAIVED	1990/07/10	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1990/07/10	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1990/07/10	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1990/07/10	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1990/07/10	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2001/03/20	.000	WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1990/07/10	.000	WAIVED
STYRENE	77128	WAIVED	1990/07/10	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1990/07/10	.000	WAIVED
TOLUENE	34010	WAIVED	1990/07/10	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1990/07/10	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1990/07/10	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1990/07/10	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710012 HAPPY CAMP C.S.D.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710012-001 ELK CREEK - RAW****Source Number: 001****Source Status: ACTIVE RAW****Water type: SURFACE****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1990/07/10	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1990/07/10	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/09/19	11.800	2014/09
BICARBONATE ALKALINITY	00440	108	2005/09/19	104.000	2014/09
CALCIUM	00916	108	2005/09/19	20.900	2014/09
CARBONATE ALKALINITY	00445	108	2005/09/19	.000	2014/09
CHLORIDE	00940	108	2005/09/19	4.400	2014/09
COLOR	00081	WAIVED	2005/09/19	.000	WAIVED
COPPER	01042	108	2005/09/19	.000	2014/09
FOAMING AGENTS (MBAS)	38260	108	2005/09/19	.000	2014/09
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/09/19	79.000	2014/09
HYDROXIDE ALKALINITY	71830	108	2005/09/19	.000	2014/09
IRON	01045	108	2005/09/19	.000	2014/09
MAGNESIUM	00927	108	2005/09/19	7.500	2014/09
MANGANESE	01055	108	2005/09/19	.000	2014/09
ODOR THRESHOLD @ 60 C	00086	WAIVED	2005/09/19	.000	WAIVED
PH, LABORATORY	00403	WAIVED	2005/09/19	8.190	WAIVED
SILVER	01077	108	2005/09/19	.000	2014/09
SODIUM	00929	108	2005/09/19	4.900	2014/09
SPECIFIC CONDUCTANCE	00095	108	2005/09/19	177.000	2014/09
SULFATE	00945	108	2005/09/19	4.700	2014/09
TOTAL DISSOLVED SOLIDS	70300	108	2005/09/19	124.000	2014/09
TURBIDITY, LABORATORY	82079	WAIVED	2005/09/19	.250	WAIVED
ZINC	01092	108	2005/09/19	.000	2014/09

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710013 LAKE SHASTINA C.S.D

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710013-001 WELL 03Source Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/11/16	.000	2014/11
ANTIMONY	01097	108	2005/11/16	.000	2014/11
ARSENIC	01002	108	2005/11/16	2.900	2014/11
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/11/16	.000	2014/11
BERYLLIUM	01012	108	2005/11/16	.000	2014/11
CADMIUM	01027	108	2005/11/16	.000	2014/11
CHROMIUM (TOTAL)	01034	108	2005/11/16	.000	2014/11
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/11/16	.300	2014/11
LEAD	01051	WAIVED	2005/11/16	.000	WAIVED
MERCURY	71900	108	2005/11/16	.000	2014/11
NICKEL	01067	108	2005/11/16	.000	2014/11
SELENIUM	01147	108	2005/11/16	.000	2014/11
THALLIUM	01059	108	2005/11/16	.000	2014/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/04/04	.000	2008/04
NITRITE (AS N)	00620	036	2005/11/16	.000	2008/11

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/10/31	.000	2010/10
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-001 WELL 03****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/05/23 <	.100	WAIVED
2,4-D	39730	WAIVED	1989/05/23 <	1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/09/20 <	.500	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1998/09/29	.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1989/07/18 <	.500	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/05/23 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/07/18 <	.500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/05/23 <	.100	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/05/23 <	1.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	1998/09/29	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-001 WELL 03****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/09/20 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/05/23 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/05/18	.000	2012/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/05/18	.000	2012/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/05/18	.000	2012/05
1,1,2-TRICHLOROETHANE	34511	072	2006/05/18	.000	2012/05
1,1-DICHLOROETHANE	34496	072	2006/05/18	.000	2012/05
1,1-DICHLOROETHYLENE	34501	072	2006/05/18	.000	2012/05
1,2,4-TRICHLOROBENZENE	34551	072	2006/05/18	.000	2012/05
1,2-DICHLOROBENZENE	34536	072	2006/05/18	.000	2012/05
1,2-DICHLOROETHANE	34531	072	2006/05/18	.000	2012/05
1,2-DICHLOROPROPANE	34541	072	2006/05/18	.000	2012/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/05/18	.000	2012/05
1,4-DICHLOROBENZENE	34571	072	2006/05/18	.000	2012/05
BENZENE	34030	072	2006/05/18	.000	2012/05
CARBON TETRACHLORIDE	32102	072	2006/05/18	.000	2012/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/05/18	.000	2012/05
DICHLOROMETHANE	34423	072	2006/05/18	.000	2012/05
ETHYLBENZENE	34371	072	2006/05/18	.000	2012/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/05/18	.000	2012/05
MONOCHLOROBENZENE	34301	072	2006/05/18	.000	2012/05
STYRENE	77128	072	2006/05/18	.000	2012/05
TETRACHLOROETHYLENE	34475	072	2006/05/18	.000	2012/05
TOLUENE	34010	072	2006/05/18	.000	2012/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/05/18	.000	2012/05
TRICHLOROETHYLENE	39180	072	2006/05/18	.000	2012/05
TRICHLOROFLUOROMETHANE	34488	072	2006/05/18	.000	2012/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-001 WELL 03****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/05/18	.000	2012/05
XYLENES (TOTAL)	81551	072	2006/05/18	.000	2012/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/11/16	10.800	2014/11
BICARBONATE ALKALINITY	00440	108	2005/11/16	179.000	2014/11
CALCIUM	00916	108	2005/11/16	15.300	2014/11
CARBONATE ALKALINITY	00445	108	2005/11/16	.000	2014/11
CHLORIDE	00940	108	2005/11/16	7.600	2014/11
COLOR	00081	036	2006/05/18	.000	2009/05
COPPER	01042	108	2005/11/16	.000	2014/11
FOAMING AGENTS (MBAS)	38260	108	2005/11/16	.000	2014/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/11/16	120.000	2014/11
HYDROXIDE ALKALINITY	71830	108	2005/11/16	.000	2014/11
IRON	01045	108	2005/11/16	.000	2014/11
MAGNESIUM	00927	108	2005/11/16	19.600	2014/11
MANGANESE	01055	108	2005/11/16	.000	2014/11
ODOR THRESHOLD @ 60 C	00086	036	2006/05/18	.000	2009/05
PH, LABORATORY	00403	108	2005/11/16	7.040	2014/11
SILVER	01077	108	2005/11/16	.000	2014/11
SODIUM	00929	108	2005/11/16	17.200	2014/11
SPECIFIC CONDUCTANCE	00095	108	2005/11/16	301.000	2014/11
SULFATE	00945	108	2005/11/16	6.300	2014/11
TOTAL DISSOLVED SOLIDS	70300	108	2005/11/16	204.000	2014/11
TURBIDITY, LABORATORY	82079	036	2006/05/18	.140	2009/05
ZINC	01092	108	2005/11/16	.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-002 WELL 04****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/11/16	.000	2014/11
ANTIMONY	01097	108	2005/11/16	.000	2014/11
ARSENIC	01002	108	2005/11/16	2.600	2014/11
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/11/16	.000	2014/11
BERYLLIUM	01012	108	2005/11/16	.000	2014/11
CADMIUM	01027	108	2005/11/16	.000	2014/11
CHROMIUM (TOTAL)	01034	108	2005/11/16	.000	2014/11
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/11/16	.300	2014/11
LEAD	01051	WAIVED	2005/11/16	.000	WAIVED
MERCURY	71900	108	2005/11/16	.000	2014/11
NICKEL	01067	108	2005/11/16	.000	2014/11
SELENIUM	01147	108	2005/11/16	.000	2014/11
THALLIUM	01059	108	2005/11/16	.000	2014/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/04/04	.000	2008/04
NITRITE (AS N)	00620	036	2005/11/16	.000	2008/11

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/10/31	.283	2010/10
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-002 WELL 04****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/05/23 <	.100	WAIVED
2,4-D	39730	WAIVED	1989/05/23 <	1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/05/23 <	1.000	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1989/09/20 <	.500	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/05/23 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/09/20 <	.500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/05/23 <	.100	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/05/23 <	1.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-002 WELL 04****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/05/23 <	1.000	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/05/23 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/05/18	.000	2012/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/05/18	.000	2012/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/05/18	.000	2012/05
1,1,2-TRICHLOROETHANE	34511	072	2006/05/18	.000	2012/05
1,1-DICHLOROETHANE	34496	072	2006/05/18	.000	2012/05
1,1-DICHLOROETHYLENE	34501	072	2006/05/18	.000	2012/05
1,2,4-TRICHLOROBENZENE	34551	072	2006/05/18	.000	2012/05
1,2-DICHLOROBENZENE	34536	072	2006/05/18	.000	2012/05
1,2-DICHLOROETHANE	34531	072	2006/05/18	.000	2012/05
1,2-DICHLOROPROPANE	34541	072	2006/05/18	.000	2012/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/05/18	.000	2012/05
1,4-DICHLOROBENZENE	34571	072	2006/05/18	.000	2012/05
BENZENE	34030	072	2006/05/18	.000	2012/05
CARBON TETRACHLORIDE	32102	072	2006/05/18	.000	2012/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/05/18	.000	2012/05
DICHLOROMETHANE	34423	072	2006/05/18	.000	2012/05
ETHYLBENZENE	34371	072	2006/05/18	.000	2012/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/05/18	.000	2012/05
MONOCHLOROBENZENE	34301	072	2006/05/18	.000	2012/05
STYRENE	77128	072	2006/05/18	.000	2012/05
TETRACHLOROETHYLENE	34475	072	2006/05/18	.000	2012/05
TOLUENE	34010	072	2006/05/18	.000	2012/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/05/18	.000	2012/05
TRICHLOROETHYLENE	39180	072	2006/05/18	.000	2012/05
TRICHLOROFLUOROMETHANE	34488	072	2006/05/18	.000	2012/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-002 WELL 04****Source Number: 002****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/05/18	.000	2012/05
XYLENES (TOTAL)	81551	072	2006/05/18	.000	2012/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/11/16	10.900	2014/11
BICARBONATE ALKALINITY	00440	108	2005/11/16	171.000	2014/11
CALCIUM	00916	108	2005/11/16	14.100	2014/11
CARBONATE ALKALINITY	00445	108	2005/11/16	.000	2014/11
CHLORIDE	00940	108	2005/11/16	5.900	2014/11
COLOR	00081	036	2006/05/18	.000	2009/05
COPPER	01042	108	2005/11/16	.000	2014/11
FOAMING AGENTS (MBAS)	38260	108	2005/11/16	.000	2014/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/11/16	118.000	2014/11
HYDROXIDE ALKALINITY	71830	108	2005/11/16	.000	2014/11
IRON	01045	108	2005/11/16	.000	2014/11
MAGNESIUM	00927	108	2005/11/16	18.800	2014/11
MANGANESE	01055	108	2005/11/16	.000	2014/11
ODOR THRESHOLD @ 60 C	00086	036	2006/05/18	.000	2009/05
PH, LABORATORY	00403	108	2005/11/16	7.200	2014/11
SILVER	01077	108	2005/11/16	.000	2014/11
SODIUM	00929	108	2005/11/16	14.000	2014/11
SPECIFIC CONDUCTANCE	00095	108	2005/11/16	289.000	2014/11
SULFATE	00945	108	2005/11/16	6.900	2014/11
TOTAL DISSOLVED SOLIDS	70300	108	2005/11/16	195.000	2014/11
TURBIDITY, LABORATORY	82079	036	2006/05/18	.240	2009/05
ZINC	01092	108	2005/11/16	.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-004 WELL 09****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	2005/11/16	.000	2014/11
ANTIMONY	01097	108	2005/11/16	.000	2014/11
ARSENIC	01002	108	2005/11/16	2.000	2014/11
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	2005/11/16	.000	2014/11
BERYLLIUM	01012	108	2005/11/16	.000	2014/11
CADMIUM	01027	108	2005/11/16	.000	2014/11
CHROMIUM (TOTAL)	01034	108	2005/11/16	.000	2014/11
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	2005/11/16	.100	2014/11
LEAD	01051	WAIVED	2005/11/16	.000	WAIVED
MERCURY	71900	108	2005/11/16	.000	2014/11
NICKEL	01067	108	2005/11/16	.000	2014/11
SELENIUM	01147	108	2005/11/16	.000	2014/11
THALLIUM	01059	108	2005/11/16	.000	2014/11

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2007/04/04	.000	2008/04
NITRITE (AS N)	00620	036	2005/11/16	.000	2008/11

RADIOLOGICAL

GROSS ALPHA	01501	048	2006/10/31	4.180	2010/10
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	048			2007/03 DUE
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-004 WELL 09****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/05/23 <	.100	WAIVED
2,4-D	39730	WAIVED	1989/05/23 <	1.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	1989/09/20 <	.500	WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1998/09/29	.000	WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1989/07/17 <	.500	WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/05/23 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1989/07/17 <	.500	WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/05/23 <	.100	WAIVED
METHOXYCHLOR	39480	WAIVED	1989/05/23 <	1.000	WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	1998/09/29	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-004 WELL 09****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1989/09/20 <	.500	WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	1989/05/23 <	.500	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2006/05/18	.000	2012/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/05/18	.000	2012/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/05/18	.000	2012/05
1,1,2-TRICHLOROETHANE	34511	072	2006/05/18	.000	2012/05
1,1-DICHLOROETHANE	34496	072	2006/05/18	.000	2012/05
1,1-DICHLOROETHYLENE	34501	072	2006/05/18	.000	2012/05
1,2,4-TRICHLOROBENZENE	34551	072	2006/05/18	.000	2012/05
1,2-DICHLOROBENZENE	34536	072	2006/05/18	.000	2012/05
1,2-DICHLOROETHANE	34531	072	2006/05/18	.000	2012/05
1,2-DICHLOROPROPANE	34541	072	2006/05/18	.000	2012/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/05/18	.000	2012/05
1,4-DICHLOROBENZENE	34571	072	2006/05/18	.000	2012/05
BENZENE	34030	072	2006/05/18	.000	2012/05
CARBON TETRACHLORIDE	32102	072	2006/05/18	.000	2012/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/05/18	.000	2012/05
DICHLOROMETHANE	34423	072	2006/05/18	.000	2012/05
ETHYLBENZENE	34371	072	2006/05/18	.000	2012/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/05/18	.000	2012/05
MONOCHLOROBENZENE	34301	072	2006/05/18	.000	2012/05
STYRENE	77128	072	2006/05/18	.000	2012/05
TETRACHLOROETHYLENE	34475	072	2006/05/18	.000	2012/05
TOLUENE	34010	072	2006/05/18	.000	2012/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/05/18	.000	2012/05
TRICHLOROETHYLENE	39180	072	2006/05/18	.000	2012/05
TRICHLOROFLUOROMETHANE	34488	072	2006/05/18	.000	2012/05

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710013 LAKE SHASTINA C.S.D**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710013-004 WELL 09****Source Number: 004****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2006/05/18	.000	2012/05
XYLENES (TOTAL)	81551	072	2006/05/18	.000	2012/05

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	108	2005/11/16	11.200	2014/11
BICARBONATE ALKALINITY	00440	108	2005/11/16	168.000	2014/11
CALCIUM	00916	108	2005/11/16	12.400	2014/11
CARBONATE ALKALINITY	00445	108	2005/11/16	.000	2014/11
CHLORIDE	00940	108	2005/11/16	6.000	2014/11
COLOR	00081	108	2006/05/18	5.000	2015/05
COPPER	01042	108	2005/11/16	.000	2014/11
FOAMING AGENTS (MBAS)	38260	108	2005/11/16	.000	2014/11
HARDNESS (TOTAL) AS CaCO3	00900	108	2005/11/16	119.000	2014/11
HYDROXIDE ALKALINITY	71830	108	2005/11/16	.000	2014/11
IRON	01045	108	2005/11/16	.000	2014/11
MAGNESIUM	00927	108	2005/11/16	20.600	2014/11
MANGANESE	01055	108	2005/11/16	.000	2014/11
ODOR THRESHOLD @ 60 C	00086	108	2006/05/18	.000	2015/05
PH, LABORATORY	00403	108	2005/11/16	7.580	2014/11
SILVER	01077	108	2005/11/16	.000	2014/11
SODIUM	00929	108	2005/11/16	10.600	2014/11
SPECIFIC CONDUCTANCE	00095	108	2005/11/16	278.000	2014/11
SULFATE	00945	108	2005/11/16	5.400	2014/11
TOTAL DISSOLVED SOLIDS	70300	108	2005/11/16	132.000	2014/11
TURBIDITY, LABORATORY	82079	108	2006/05/18	.820	2015/05
ZINC	01092	108	2005/11/16	.000	2014/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710500 LAVA BEDS NATIONAL MONUMENT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710500-002 CAMPGROUND WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	1995/01/12	.000	WAIVED
----------	-------	--------	------------	------	--------

INORGANIC

ALUMINUM	01105	WAIVED	1992/02/19	<	20.000	WAIVED
ANTIMONY	01097	WAIVED	WAIVED			WAIVED
ARSENIC	01002	WAIVED	1992/02/19		14.800	WAIVED
ASBESTOS	81855	WAIVED	WAIVED			WAIVED
BARIUM	01007	WAIVED	1992/02/19		2.000	WAIVED
BERYLLIUM	01012	WAIVED	WAIVED			WAIVED
CADMIUM	01027	WAIVED	1992/02/19	<	1.000	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED	1992/02/19	<	3.000	WAIVED
CYANIDE	01291	WAIVED	WAIVED			WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	1992/02/19		.220	WAIVED
LEAD	01051	WAIVED	1992/02/19		2.900	WAIVED
MERCURY	71900	WAIVED	1992/02/19	<	.200	WAIVED
NICKEL	01067	WAIVED	WAIVED			WAIVED
SELENIUM	01147	WAIVED	1992/02/19	<	.800	WAIVED
THALLIUM	01059	WAIVED	WAIVED			WAIVED

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2005/10/11	.000	2006/10	DUE
NITRITE (AS N)	00620	036	2005/10/11	.000	2008/10	

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	1992/02/19	.800	WAIVED
GROSS BETA	03501	WAIVED	WAIVED		WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710500 LAVA BEDS NATIONAL MONUMENT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710500-002 CAMPGROUND WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1995/01/12	.000	WAIVED
2,4-D	39730	WAIVED	1995/01/12	.000	WAIVED
ALACHLOR	77825	WAIVED	1995/01/12	.000	WAIVED
ATRAZINE	39033	WAIVED	1995/01/12	.000	WAIVED
BENTAZON	38710	WAIVED	1995/01/12	.000	WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	1995/01/12	.000	WAIVED
CHLORDANE	39350	WAIVED	1995/01/12	.000	WAIVED
DALAPON	38432	WAIVED	1995/01/12	.000	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1995/01/12	.000	WAIVED
DINOSEB	81287	WAIVED	1995/01/12	.000	WAIVED
DIQUAT	78885	WAIVED	1995/01/12	.000	WAIVED
ENDOTHALL	38926	WAIVED	1995/01/12	.000	WAIVED
ENDRIN	39390	WAIVED	1995/01/12	.000	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1995/01/12	.000	WAIVED
GLYPHOSATE	79743	WAIVED	1995/01/12	.000	WAIVED
HEPTACHLOR	39410	WAIVED	1995/01/12	.000	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	1995/01/12	.000	WAIVED
HEXACHLOROBENZENE	39700	WAIVED	1995/01/12	.000	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	1995/01/12	.000	WAIVED
LINDANE	39340	WAIVED	1995/01/12	.000	WAIVED
METHOXYCHLOR	39480	WAIVED	1995/01/12	.000	WAIVED
MOLINATE	82199	WAIVED	1995/01/12	.000	WAIVED
OXAMYL	38865	WAIVED	1995/01/12	.000	WAIVED
PENTACHLOROPHENOL	39032	WAIVED	1995/01/12	.000	WAIVED
PICLORAM	39720	WAIVED	1995/01/12	.000	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	1995/01/12	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710500 LAVA BEDS NATIONAL MONUMENT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710500-002 CAMPGROUND WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED SOC**

SIMAZINE	39055	WAIVED	1995/01/12	.000	WAIVED
THIOBENCARB	A-001	WAIVED	1995/01/12	.000	WAIVED
TOXAPHENE	39400	WAIVED	1995/01/12	.000	WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	WAIVED	1989/03/02	.000	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1989/03/02	.000	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1989/03/02	.000	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED	1989/03/02	.000	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED	1989/03/02	.000	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED	1989/03/02	.000	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1989/03/02	.000	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED	1989/03/02	.000	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED	1989/03/02	.000	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED	1989/03/02	.000	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1989/03/02	.000	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED	1989/03/02	.000	WAIVED
BENZENE	34030	WAIVED	1989/03/02	.000	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED	1989/03/02	.000	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1989/03/02	.000	WAIVED
DICHLOROMETHANE	34423	WAIVED	1989/03/02	.000	WAIVED
ETHYLBENZENE	34371	WAIVED	1989/03/02	.000	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	WAIVED		WAIVED
MONOCHLOROBENZENE	34301	WAIVED	1989/03/02	.000	WAIVED
STYRENE	77128	WAIVED	1989/03/02	.000	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED	1989/03/02	.000	WAIVED
TOLUENE	34010	WAIVED	1989/03/02	.000	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1989/03/02	.000	WAIVED
TRICHLOROETHYLENE	39180	WAIVED	1989/03/02	.000	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED	1989/03/02	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710500 LAVA BEDS NATIONAL MONUMENT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710500-002 CAMPGROUND WELL - RAW****Source Number: 002****Source Status: ACTIVE RAW****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	WAIVED	1989/03/02	.000	WAIVED
XYLENES (TOTAL)	81551	WAIVED	1989/03/02	.000	WAIVED

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1988/07/19	87.800	WAIVED
CALCIUM	00916	WAIVED	1988/07/19	5.720	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1988/07/19	.000	WAIVED
CHLORIDE	00940	WAIVED	1988/07/19	12.600	WAIVED
COLOR	00081	WAIVED	WAIVED		WAIVED
COPPER	01042	WAIVED	1988/07/19 <	50.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	WAIVED		WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1988/07/19	31.400	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED	1988/07/19	.000	WAIVED
IRON	01045	WAIVED	1988/07/19 <	100.000	WAIVED
MAGNESIUM	00927	WAIVED	1988/07/19	4.150	WAIVED
MANGANESE	01055	WAIVED	1988/07/19 <	30.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	WAIVED		WAIVED
PH, LABORATORY	00403	WAIVED	1988/07/19	8.400	WAIVED
SILVER	01077	WAIVED	1992/02/19 <	1.000	WAIVED
SODIUM	00929	WAIVED	1988/07/19	25.500	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1988/07/19	178.000	WAIVED
SULFATE	00945	WAIVED	1988/07/19	3.800	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1988/07/19	130.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	WAIVED		WAIVED
ZINC	01092	WAIVED	1988/07/19	83.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710800 DEADWOOD CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710800-001 1988 WELLSource Number: **001**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	1999/07/21	.000	2008/07
ANTIMONY	01097	036	1999/07/21	.000	2002/07 DUE
ARSENIC	01002	108	1996/10/16	.000	2005/10 DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	1996/10/16	.000	2005/10 DUE
BERYLLIUM	01012	036	1999/07/21	.000	2002/07 DUE
CADMIUM	01027	108	1996/10/16	.000	2005/10 DUE
CHROMIUM (TOTAL)	01034	108	1996/10/16	.000	2005/10 DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	1996/10/16	.000	2005/10 DUE
LEAD	01051	WAIVED	1996/10/16	.000	WAIVED
MERCURY	71900	108	1996/10/16	.000	2005/10 DUE
NICKEL	01067	036	1999/07/21	.000	2002/07 DUE
SELENIUM	01147	108	1996/10/16	.000	2005/10 DUE
THALLIUM	01059	036	1999/07/21	.000	2002/07 DUE

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2006/10/12	30.500	2007/10
NITRITE (AS N)	00620	036	2001/11/26	.000	2004/11 DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2007/03/19	.072	WAIVED
GROSS BETA	03501	WAIVED	1996/10/16	.000	WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	2007/03/19	.227	WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:**4710800 DEADWOOD CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710800-001 1988 WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/03/02 <	1.000	WAIVED
2,4-D	39730	WAIVED	1989/03/02 <	10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/03/02 <	.010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/03/02 <	.400	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710800 DEADWOOD CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710800-001 1988 WELL

Source Number: 001

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/11/26	.000	2007/11
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/11/26	.000	2007/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1990/11/01	.000	1996/11 DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/11/26	.000	2007/11
1,1-DICHLOROETHANE	34496	072	2001/11/26	.000	2007/11
1,1-DICHLOROETHYLENE	34501	072	2001/11/26	.000	2007/11
1,2,4-TRICHLOROBENZENE	34551	072	2001/11/26	.000	2007/11
1,2-DICHLOROBENZENE	34536	072	2001/11/26	.000	2007/11
1,2-DICHLOROETHANE	34531	072	2001/11/26	.000	2007/11
1,2-DICHLOROPROPANE	34541	072	2001/11/26	.000	2007/11
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/11/26	.000	2007/11
1,4-DICHLOROBENZENE	34571	072	2001/11/26	.000	2007/11
BENZENE	34030	072	2001/11/26	.000	2007/11
CARBON TETRACHLORIDE	32102	072	2001/11/26	.000	2007/11
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/11/26	.000	2007/11
DICHLOROMETHANE	34423	072	2001/11/26	.000	2007/11
ETHYLBENZENE	34371	072	2001/11/26	.000	2007/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/11/26	.000	2007/11
MONOCHLOROBENZENE	34301	072	2001/11/26	.000	2007/11
STYRENE	77128	072	2001/11/26	.000	2007/11
TETRACHLOROETHYLENE	34475	072	2001/11/26	.000	2007/11
TOLUENE	34010	072	2001/11/26	.000	2007/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/11/26	.000	2007/11
TRICHLOROETHYLENE	39180	072	2001/11/26	.000	2007/11
TRICHLOROFLUOROMETHANE	34488	072	2001/11/26	.000	2007/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:**4710800 DEADWOOD CONSERVATION CAMP**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:**4710800-001 1988 WELL****Source Number: 001****Source Status: ACTIVE UNTREATED****Water type: WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/11/26	.000	2007/11
XYLENES (TOTAL)	81551	072	2001/11/26	.000	2007/11

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	1988/10/04	12.300	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1996/10/16	229.000	WAIVED
CALCIUM	00916	WAIVED	1996/10/16	59.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1992/01/23	.000	WAIVED
CHLORIDE	00940	WAIVED	1996/10/16	.590	WAIVED
COLOR	00081	WAIVED	1996/10/16 <	5.000	WAIVED
COPPER	01042	WAIVED	1996/10/16	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1996/10/16	.030	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1996/10/16	198.000	WAIVED
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	WAIVED	1996/10/16	.000	WAIVED
MAGNESIUM	00927	WAIVED	1996/10/16	12.000	WAIVED
MANGANESE	01055	WAIVED	1996/10/16	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1996/10/16 <	2.000	WAIVED
PH, LABORATORY	00403	WAIVED	1996/10/16	7.770	WAIVED
SILVER	01077	WAIVED	1996/10/16	.000	WAIVED
SODIUM	00929	WAIVED	1996/10/16	5.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1996/10/16	356.000	WAIVED
SULFATE	00945	WAIVED	1996/10/16	13.000	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1996/10/16	203.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1996/10/16	.250	WAIVED
ZINC	01092	WAIVED	1996/10/16	.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710800 DEADWOOD CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710800-002 BUTTERFLY SPRING

Source Number: 002

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**GENERAL NON CHAP 15

DIAZINON	39570	WAIVED	WAIVED		WAIVED
----------	-------	--------	--------	--	--------

INORGANIC

ALUMINUM	01105	108	1999/07/21	.000	2008/07
ANTIMONY	01097	108	1999/07/21	.000	2008/07
ARSENIC	01002	108	1996/10/16	.000	2005/10 DUE
ASBESTOS	81855	WAIVED	WAIVED		WAIVED
BARIUM	01007	108	1996/10/16	.000	2005/10 DUE
BERYLLIUM	01012	108	1999/07/21	.000	2008/07
CADMIUM	01027	108	1996/10/16	.000	2005/10 DUE
CHROMIUM (TOTAL)	01034	108	1996/10/16	.000	2005/10 DUE
CYANIDE	01291	WAIVED	WAIVED		WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	108	1996/10/16	.000	2005/10 DUE
LEAD	01051	WAIVED	1996/10/16	.000	WAIVED
MERCURY	71900	108	1996/10/16	.000	2005/10 DUE
NICKEL	01067	108	1999/07/21	.000	2008/07
SELENIUM	01147	108	1996/10/16	.000	2005/10 DUE
THALLIUM	01059	108	1999/07/21	.000	2008/07

NITRATE/NITRITE

NITRATE (AS NO3)	71850	012	2001/11/26	.000	2002/11 DUE
NITRITE (AS N)	00620	036	2001/11/26	.000	2004/11 DUE

RADIOLOGICAL

GROSS ALPHA	01501	WAIVED	2000/08/23 <	1.000	WAIVED
GROSS BETA	03501	WAIVED	1996/10/16	.000	WAIVED
RADIUM 226	09501	WAIVED	WAIVED		WAIVED
RADIUM 228	11501	WAIVED	WAIVED		WAIVED
STRONTIUM-90	13501	WAIVED	WAIVED		WAIVED
TRITIUM	07000	WAIVED	WAIVED		WAIVED
URANIUM (PCI/L)	28012	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

System Number / Name:

4710800 DEADWOOD CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710800-002 BUTTERFLY SPRINGSource Number: **002**Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	WAIVED		WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED	1989/03/02	< 1.000	WAIVED
2,4-D	39730	WAIVED	1989/03/02	< 10.000	WAIVED
ALACHLOR	77825	WAIVED	WAIVED		WAIVED
ATRAZINE	39033	WAIVED	WAIVED		WAIVED
BENTAZON	38710	WAIVED	WAIVED		WAIVED
BENZO (A) PYRENE	34247	WAIVED	WAIVED		WAIVED
CARBOFURAN	81405	WAIVED	WAIVED		WAIVED
CHLORDANE	39350	WAIVED	WAIVED		WAIVED
DALAPON	38432	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	WAIVED		WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	WAIVED		WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	WAIVED		WAIVED
DINOSEB	81287	WAIVED	WAIVED		WAIVED
DIQUAT	78885	WAIVED	WAIVED		WAIVED
ENDOTHALL	38926	WAIVED	WAIVED		WAIVED
ENDRIN	39390	WAIVED	1989/03/02	< .010	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	WAIVED		WAIVED
GLYPHOSATE	79743	WAIVED	WAIVED		WAIVED
HEPTACHLOR	39410	WAIVED	WAIVED		WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED	WAIVED		WAIVED
HEXACHLOROBENZENE	39700	WAIVED	WAIVED		WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	WAIVED		WAIVED
LINDANE	39340	WAIVED	1989/03/02	< .400	WAIVED
METHOXYCHLOR	39480	WAIVED	WAIVED		WAIVED
MOLINATE	82199	WAIVED	WAIVED		WAIVED
OXAMYL	38865	WAIVED	WAIVED		WAIVED
PENTACHLOROPHENOL	39032	WAIVED	WAIVED		WAIVED
PICLORAM	39720	WAIVED	WAIVED		WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	WAIVED		WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710800 DEADWOOD CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710800-002 BUTTERFLY SPRING

Source Number: 002

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER**REGULATED SOC

SIMAZINE	39055	WAIVED	WAIVED		WAIVED
THIOBENCARB	A-001	WAIVED	WAIVED		WAIVED
TOXAPHENE	39400	WAIVED	WAIVED		WAIVED

REGULATED VOC

1,1,1-TRICHLOROETHANE	34506	072	2001/11/26	.000	2007/11
1,1,2,2-TETRACHLOROETHANE	34516	072	2001/11/26	.000	2007/11
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	1990/11/01	.000	1996/11 DUE
1,1,2-TRICHLOROETHANE	34511	072	2001/11/26	.000	2007/11
1,1-DICHLOROETHANE	34496	072	2001/11/26	.000	2007/11
1,1-DICHLOROETHYLENE	34501	072	2001/11/26	.000	2007/11
1,2,4-TRICHLOROBENZENE	34551	072	2001/11/26	.000	2007/11
1,2-DICHLOROBENZENE	34536	072	2001/11/26	.000	2007/11
1,2-DICHLOROETHANE	34531	072	2001/11/26	.000	2007/11
1,2-DICHLOROPROPANE	34541	072	2001/11/26	.000	2007/11
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2001/11/26	.000	2007/11
1,4-DICHLOROBENZENE	34571	072	2001/11/26	.000	2007/11
BENZENE	34030	072	2001/11/26	.000	2007/11
CARBON TETRACHLORIDE	32102	072	2001/11/26	.000	2007/11
CIS-1,2-DICHLOROETHYLENE	77093	072	2001/11/26	.000	2007/11
DICHLOROMETHANE	34423	072	2001/11/26	.000	2007/11
ETHYLBENZENE	34371	072	2001/11/26	.000	2007/11
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2001/11/26	.000	2007/11
MONOCHLOROBENZENE	34301	072	2001/11/26	.000	2007/11
STYRENE	77128	072	2001/11/26	.000	2007/11
TETRACHLOROETHYLENE	34475	072	2001/11/26	.000	2007/11
TOLUENE	34010	072	2001/11/26	.000	2007/11
TRANS-1,2-DICHLOROETHYLENE	34546	072	2001/11/26	.000	2007/11
TRICHLOROETHYLENE	39180	072	2001/11/26	.000	2007/11
TRICHLOROFLUOROMETHANE	34488	072	2001/11/26	.000	2007/11

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

Klamath

System Number / Name:

4710800 DEADWOOD CONSERVATION CAMP

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	-------------------------------------	---

PS Code / Name:

4710800-002 BUTTERFLY SPRING

Source Number: 002

Source Status: **ACTIVE UNTREATED**Water type: **WELL OR GROUND WATER****REGULATED VOC**

VINYL CHLORIDE	39175	072	2001/11/26	.000	2007/11
XYLENES (TOTAL)	81551	072	2001/11/26	.000	2007/11

SECONDARY/GP

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	WAIVED		WAIVED
BICARBONATE ALKALINITY	00440	WAIVED	1996/10/16	49.000	WAIVED
CALCIUM	00916	WAIVED	1996/10/16	5.000	WAIVED
CARBONATE ALKALINITY	00445	WAIVED	1993/05/25	.000	WAIVED
CHLORIDE	00940	WAIVED	1996/10/16	.610	WAIVED
COLOR	00081	WAIVED	1996/10/16	< 5.000	WAIVED
COPPER	01042	WAIVED	1996/10/16	.000	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED	1996/10/16	.040	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1996/10/16	37.000	WAIVED
HYDROXIDE ALKALINITY	71830	000			DUE
IRON	01045	WAIVED	1996/10/16	.000	WAIVED
MAGNESIUM	00927	WAIVED	1996/10/16	6.000	WAIVED
MANGANESE	01055	WAIVED	1996/10/16	.000	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED	1996/10/16	< 2.000	WAIVED
PH, LABORATORY	00403	WAIVED	1996/10/16	6.520	WAIVED
SILVER	01077	WAIVED	1996/10/16	.000	WAIVED
SODIUM	00929	WAIVED	1996/10/16	4.000	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED	1996/10/16	84.000	WAIVED
SULFATE	00945	WAIVED	1996/10/16	3.350	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1996/10/16	46.000	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED	1996/10/16	.150	WAIVED
ZINC	01092	WAIVED	1996/10/16	74.000	WAIVED

*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)